

DAFTAR PUSTAKA

- Ali, A., Maqbool, M., Alderson, P. G., & Zahid, N. (2013). Effect of gum arabic as an *edible coating* on antioxidant capacity of tomato (*Solanum lycopersicum* L.) fruit during storage. *Postharvest Biology and Technology*, 76, 119–124. <https://doi.org/10.1016/j.postharvbio.2012.09.011>
- Almey, A. A.; Khan, C.; Zahir, I.; Suleiman, K.; Aisyah, M. R.; Kamarudin, K. R. (2010). Total Phenolic Content and Primary Antioxidant Activity of Methanolic and Ethanolic Extracts of Aromatic Plants'Leafs. *Int. Food Res. J.* 17, 1077–1084.
- Alsuhendra, Ridawati., & Santoso, A. I. (2011). *Pengaruh Penggunaan Edible coating Terhadap Penurunan berat, pH, dan Karakteristik Organoleptik Buah Potong pada Penyajian Hidangan Dessert.* 52(1), 1–5.
- Ameyapoh, Y., de Souza, C., & Traore, A. S. (2008). Hygienic quality of traditional processing and stability of tomato (*Lycopersicon esculentum*) puree in Togo. *Bioresource technology*, 99(13), 5798-5803. <https://doi.org/10.1016/j.biortech.2007.10.035>
- Andrade, R. D., Skurlys, O., & Osorio, F. A. (2012). Atomizing spray systems for application of *edible coatings*. *Comprehensive Reviews in Food Science and Food Safety*, 11(3), 323–337.
- Barazarte, H., Sangronis, E., & Unai, E. (2008). La cascara de cacao (*Theobroma cacao* L.): Una posible fuente comercial de pectinas. *Archivos Latinoamericanos De Nutricion*, 58, 64–70.
- Blakemore, W. R., Dewar, E. T., & Hodge, R. A. (1966). Polysaccharides of the cocoa pod husk. *Journal of the Science of Food and Agriculture*, 17, 558–560. <https://doi.org/10.1002/jsfa.2740171208>
- Brinker, C.J. (2013). Deposition Techniques: Dip Coating. Schneller, T., Waser, R., Kosec, M., Payne, D. (Eds.), 3, 233-262. DOI 10.1007/978-3-211-99311-8_10,
- D. Fransisca, D. N. kahanjak, A. Frethernetty. (2020). Uji Aktivitas Antibakteri Ekstrak Etanol Daun Sungkai (*Peronema canescens* Jack) terhadap pertumbuhan *Escherichia coli* dengan metode difusi cakram Kirby-Bauer. *Jurnal Pengelolaan Lingkungan Berkelanjutan*. ISSN 2598-0017. <https://doi.org/10.36813/jplb.4.1.460-470>
- Darni, Y., Utami, H, Asria, S. T. (2009). Peningkatan Hidrofobisitas dan Sifat Fisik Plastik Biodegradable Pati Tapioka dengan Penambahan Selulosa Residu Rumput Laut (*Euchema Spinoussum*). Fakultas Teknik, Universitas Lampung.
- Das, Sudip K *et al.* (2022). Carboxymethyl cellulose and cardamom oil in a nanoemulsion *edible coating* inhibit the growth of foodborne pathogens and extend the shelf life of tomatoes. *Biocatalysis and Agricultural Biotechnology* 42 (2022) 102369. <https://doi.org/10.1016/j.biocab.2022.102369>
- Debeaufort, F., & Voilley, A. (2009). Lipid-based edible films and coatings. In *Edible films and coatings for food applications* (pp. 135-168). Springer, New York, NY. DOI 10.1007/978-0-387-92824-1

- Do, Q. D., Angkawijaya, A. E., Tran-Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S., & Ju, Y.-H. (2014). Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *Limnophila aromatica*. *Journal of Food and Drug Analysis*, 22(3), 296–302. <https://doi.org/10.1016/j.jfda.2013.11.001>
- Dong, C., Wang, B., Li, F., Zhong, Q., Xia, X., & Kong, B. (2020). Effects of edible chitosan coating on Harbin red sausage storage stability at room temperature. *Meat Science*, 159(May), 107919. <https://doi.org/10.1016/j.meatsci.2019.107919>
- Dwipayanti, N. K. Y., Putra, G., & Suhendra, L. (2020). Karakteristik Ekstrak Kulit Biji Kakao (*Theobroma cacao* L.) sebagai Sumber Antioksidan pada Perlakuan Ukuran Partikel dan Waktu Maserasi. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 8(2), 246. <https://doi.org/10.24843/jrma.2020.v08.i02.p09>
- El Ghaouth, A., Ponnampalam, R., Castaigne, F., & Arul, J. (1992). Chitosan coating to extend the storage life of tomatoes. *HortScience*, 27(9), 1016-1018. DOI:[10.21273/HORTSCI.27.9.1016](https://doi.org/10.21273/HORTSCI.27.9.1016)
- Endahwati, L., Susilowati, Harsini, T. (2011). Produksi Pektin dari Kulit Buah Coklat (*Theobroma cacao*). Universitas Pembangunan Nasional, Surabaya.
- Fagbenro, O. A. (1988). Results of preliminary studies on the utilization of cocoa-pod husks in fish production in South-west Nigeria. *Biological Wastes*, 25, 233–237. DOI: [10.1016/0269-7483\(88\)90083-3](https://doi.org/10.1016/0269-7483(88)90083-3)
- Frank, S. M. et al. (2019). Consumption of fruits and vegetables among individuals 15 years and older in 28 low- and middle-income countries. *J. Nutr.* 2019, 149 (7), 1252–1259. <https://doi.org/10.1093/jn/nxz040>
- Gennadios, A., A.H. Brandenburg, C. L. Weller, and R. F. Testin. (1990). Edible Films and Coating from Wheat and Corn Proteins. *J. Food Tech.* 44(10):63
- Ghadermazi, R., Hamdipour, S., Sadeghi, K., Ghadermazi, R., & Khosrowshahi Asl, A. (2019). Effect of various additives on the properties of the films and coatings derived from hydroxypropyl methylcellulose—A review. *Food Science and Nutrition*, 7(11), 3363–3377. <https://doi.org/10.1002/fsn3.1206>
- González-Aguilar G.A., J. Celis, R.R. Sotelo-Mundo, L. de la Rosa, J. Rodrigo-Garcia, and E. Alvarez-Parrilla. (2008). Physiological and Biochemical Changes of Different Fresh-Cut Mango Cultivars Stored at 5°C. *Int. J. Food Sci Technol.* 43:91-101. <http://dx.doi.org/10.1111/j.1365-2621.2006.01394.x>
- González-Aguilar, G. A., Ayala-Zavala, J. F., Olivas, G. I., & de la Rosa, L. A. (2010). Biochemical and physiological changes in fresh-cut fruits and vegetables. In *Processing and Impact on Active Components in Food* (pp. 239–246). Academic Press. <https://doi.org/10.1016/B978-0-12-814457-3.00029-4>
- Gould, K. S. (2004). Nature's Swiss army knife: The diverse protective roles of anthocyanins in leaves. *Journal of Biomedicine and Biotechnology*, 2004(5), 314–320. <https://doi.org/10.1155/S1110724304406147>
- Guerreiro, A. C., Gago, C. M. L., Faleiro, M. L., Miguel, M. G. C., & Antunes, M. D. C. (2015). Raspberry fresh fruit quality as affected by pectin- and alginate-based edible coatings enriched with essential oils. *Scientia Horticulturae*, 194, 138–146. <https://doi.org/10.1016/j.scientia.2015.08.004>

- Hanani, Z. A. N., Yee, F. C., & Nor-Khaizura, M. A. R. (2019). Effect of pomegranate (*Punica granatum L.*) peel powder on the antioxidant and antimicrobial properties of fish gelatin films as active packaging. *Food Hydrocolloids*, 89, 253–259. <https://doi.org/10.1016/j.foodhyd.2018.10.007>
- Ibrahim, Arsyik.; Kuncoro, Hadi. (2012). Identifikasi Metabolit Sekunder dan Aktivitas Antibakteri Ekstrak Daun Sungkai (*Peronema canescens* JACK,) terhadap Beberapa Bakteri Patogen. *Journal of Tropical Pharmacy and Chemistry*. 2(1), 8-18.
- Kader, A. A. (2002). *Postharvest technology of horticultural crops* (3rd ed.). University of California Agriculture and Natural Resources.
- Kaur, L., Singh, J., & Kaur, H. (2014). Influence of extraction methods on yield, chemical composition, and antioxidant activity of pectin from different sources. *Food Hydrocolloids*, 42, 127–135. <https://doi.org/10.1016/j.foodhyd.2014.04.008>
- Khotimah, S. N., et al. (2018). Extraction and characterization of pectin from cocoa pod husk. *International Journal of Food Properties*, 21(1), 2559–2568. <https://doi.org/10.1080/10942912.2018.1481402>
- Kim, D. O., Jeong, S. W., & Lee, C. Y. (2003). Antioxidant capacity of phenolic phytochemicals from various cultivars of plums. *Food chemistry*, 81(3), 321-326.
- Kitchin,C.R. (2004). Introduction to Spectroscopy. <https://doi.org/10.1887/0750303468/b293c1>.
- Krochta, J. M., Baldwi, E. A., Nisperos-Carriedo, M. O. (2002). *Edible coatings and Films to Improve Food Quality*, Lancaster Pa. CRC Press LLC.
- Kumar, M., Tomar, M., Saurabh, V., Mahajan, T., Punia, S., Contreras, M. D. M., et al. (2020b). Emerging trends in pectin extraction and its anti-microbial functionalization using natural bioactives for application in food packaging. *Trends in Food Science & Technology*, 105, 223–237. <https://doi.org/10.1016/j.tifs.2020.09.009>
- Liu, L. H., Zabarás, D., Bennett, L. E., Aguas, P., & Woonton, B. W. (2009). Effects of UV-C, red light and sun light on the carotenoid content and physical qualities of tomatoes during post-harvest storage. *Food Chemistry*, 115(2), 495-500. <https://doi.org/10.1016/j.foodchem.2008.12.042>
- Mafsoonazad, N., Ramaswamy, H. S., & Marcotte, M. (2008). Shelf-life extension of peaches through sodium alginate and methyl cellulose *edible coatings*. *International Journal of Food Science and Technology*, 43(6), 951–957.
- Mahfoudhi, N.; Hamdi, S. (2014). Use of Almond Gum and Gum Arabic as Novel *Edible coating* to Delay Postharvest Ripening and to Maintain Sweet Cherry (*Prunus Avium*) Quality during Storage. *J. Food Process. Preserv.*, 39. <https://doi.org/10.1111/jfpp.12369>.
- Maulidiyah., Halimatusadiyah., Fitri., M. N. A. (2014). Isolasi Pektin Dari Kulit Buah Kakao (*Theobroma cacao L.*) Dan Uji Daya Serapnya Terhadap Logam Tembaga (Cu) Dan Logam Seng (Zn), Argoteknos, 4(2), 112–118.

- May, C. D. (1990). Industrial pectins: Sources, production and applications. *Carbohydrate Polymers*, 12, 79–99. [https://doi.org/10.1016/0144-8617\(90\)90105-2](https://doi.org/10.1016/0144-8617(90)90105-2)
- McCabe, W. L., Smith, J. C., & Harriott, P. (2005). *Unit operations of chemical engineering* (7th ed.). McGraw-Hill Education.
- Miranda, Marcela *et al.* (2021). Carnauba wax nanoemulsion applied as an *edible coating* on fresh tomato for postharvest quality evaluation. *Heliyon* 8 (2022) e09803
- Moghadam, M., Salami, M., Mohammadian, M., Khodadadi, M., & Emam-Djomeh, Z. (2020). Development of antioxidant edible films based on mung bean protein enriched with pomegranate peel. *Food Hydrocolloids*, 104(November 2019), 105735. <https://doi.org/10.1016/j.foodhyd.2020.105735>
- Mohnen, D. (2008). Pectin structure and biosynthesis. *Current Opinion in Plant Biology*, 11(3), 266–277. <https://doi.org/10.1016/j.pbi.2008.03.006>
- Ningsih, Arna.; Subehan.; Djide, M. Natsir. (2013). Potensi Antimikroba dan Analisis Spektroskopi Isolat Aktif Ekstrak n-Heksana Daun Sungkai (*Peronema canescens* JACK) Terhadap Beberapa Mikroba Uji. Fakultas Farmasi Universitas Hasanuddin
- Nurhidayat., Tamrin., Nur Asyik, (2023). Ekstraksi dan Karakterisasi Pektin Pada Kulit Buah Kakao (*Theobroma cacao* L.) Berdasarkan Perbedaan Tingkat Kematangan Buah. *JRP Jurnal Riset Pangan* Vol. 1, No.1, P. 78-95 Th 2023
- Okiyama, D. C. G., Navarro, S. L. B., & Rodrigues, C. E. C. (2020). Cocoa shell and its compounds: Applications in the food industry. *Trends in Food Science & Technology*, 103, 366–382. <https://doi.org/10.1016/j.tifs.2020.07.013>
- Otoni, C. G., Avena-Bustillos, R. J., McHugh, T. H., Bernardino, N. D. F., & Castell-Perez, M. E. (2013). Edible films from carboxymethyl cellulose and their antimicrobial properties. *Food Hydrocolloids*, 30(1), 287–296. <https://doi.org/10.1016/j.foodhyd.2012.05.012>
- Paul,K. Sanjib, at all. (2018). Development of chitosan based optimized *edible coating* for tomato (*Solanum lycopersicum*) and its characterization. *J Food Sci Technol* <https://doi.org/10.1007/s13197-018-3162-6>
- Petrov Mihai. (2021). Concentration determination by means of refractometric method: A consequent dilution of an unknown binary aqueous solution. *Academia Journal of Scientific Research*, 9(1), 009–018. <https://doi.org/10.15413/ajsr.2020.0417>
- Prasetyowati; K.P. Sari & H. Pesantri (2009). Ekstraksi pectin dari kulit mangga. *Jurnal Teknik Kimia*, 16, 42–49.
- Putra, R. A., Wahyudi, E., & Handayani, D. (2019). Aktivitas antimikroba ekstrak daun sungkai (*Peronema canescens*) terhadap bakteri patogen. *Jurnal Biologi Tropis*, 19(2), 123–130. <https://doi.org/10.14710/jbt.19.2.123-130>
- Ramadenti, F., Sundaryono, A., & Handayani, D. (2017). Uji Fraksi Etil Asetat Daun *Peronema canescens* terhadap Plasmodium berghei pada *Mus musculus*. *Alotrop Jurnal Pendidikan Dan Ilmu Kimia*, 2(1), 89–92.
- Refilda, R., Boneta, F. K., Yefrida. (2024). A mixture of Aloe Vera Gel and Sungkai Leaf Extract as *Edible coating* to Increase Tomato Storage Life. *And., Intl.,J., Appl*

Sci., Eng., Tech, Vol 04, No 02, July 2024 e-ISSN: 2797-0442.
<https://doi.org/10.25077/aijaset.v4i2.122>

- Refilda, R., M F Tanjung., and Yefrida. (2023) The effect of sungkai leaf water extract addition to aloe vera gel *edible coating* on quality and shelf life of strawberries (*Fragaria* sp.). *IOP Conference Series: Earth and Environmental Science* 1241 012073
- Refilda, R., Ngestu, R. H., Salim, E., & Yefrida. (2022). Teknik *Edible coating* dengan menggunakan Campuran Gel Lidah Buaya dan Ekstrak Daun Psidium guajava L. untuk Mempertahankan Sifat Fisikokimia Buah Jambu Biji. *Jurnal Riset Kimia*, 13(2), 163–177. https://doi.org/10.25077/JRK.V13I2.5_01,
- Refilda, R., Oktafia N., Winardi PR., Salim, E., & Yefrida. (2022). Utilization of Aloe vera gel and *Acalypha indica* L leaf extract as *edible coating* to increase the shelf life of guava (*Psidium guajava* L) fruit. *IOP Conf. Series: Earth and Environmental Science*, <http://doi:10.1088/1755-1315/1059/1/012048>
- Reichembach, Luis H. and Petkowicz, Carmen Lúcia de Oliveira. (2021). Pectins from alternative sources and uses beyond sweets and jellies: An overview. *Food Hydrocolloids* 118 (2021) 106824. <https://doi.org/10.1016/j.foodhyd.2021.106824>
- Rodrigues, D. F., dos Santos, R. L., & de Oliveira, D. (2020). Extraction and characterization of pectin from cocoa (*Theobroma cacao* L.) pod husk and its application as an *edible coating*. *Food Hydrocolloids*, 105, 105777. <https://doi.org/10.1016/j.foodhyd.2020.105777>
- Rolin, C. (1993). Pectins. In R. L. Whistler, & J. N. BeMiller (Eds.), *Industrial gums: Polysaccharides and their derivatives* (3rd ed., pp. 257–293). San Diego: Academic Press.
- Romanazzi, G., Nigro, F., Ippolito, A., Divenere, D., & Salerno, M. (2002). Effects of pre-and postharvest chitosan treatments to control storage grey mold of table grapes. *Journal of Food Science*, 67(5), 1862-1867.
- Saltveit, M. E. (1999). Effect of ethylene on quality of fresh fruits and vegetables. *Postharvest Biology and Technology*, 15(3), 279–292. [https://doi.org/10.1016/S0925-5214\(98\)00091-X](https://doi.org/10.1016/S0925-5214(98)00091-X)
- Santoso, B., D. Saputra, dan R. Pambayun. (2004). Kajian Teknologi *Edible coating* dari Pati dan Aplikasinya untuk Pengemas Primer Lempok Durian. *J. Teknol. dan Industri Pangan*. 15(3):239-252.
- Sari, R. M., Yuliani, S., & Putri, R. E. (2022). *Antibacterial Activity of Sungkai (Peronema canescens Jack) Leaf Extracts Against Food Spoilage Microorganisms*. *Jurnal Biologi Tropis*, 22(1), 45–52.
- Shahidi, F., & Ambigaipalan, P. (2015). Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects – A review. *Journal of Functional Foods*, 18, 820–897. <https://doi.org/10.1016/j.jff.2015.06.018>
- Skoog, D. A., West, D. M., Holler, F. J., & Crouch, S. R. (2014). *Fundamentals of analytical chemistry* (9th ed.). Belmont, CA: Cengage Learning.
- Sothornvit, R., & Krochta, J. M. (2001). Plasticizer effect on mechanical properties of β -lactoglobulin films. *Journal of Food Engineering*, 50(3), 149–155. [https://doi.org/10.1016/S0260-8774\(00\)00236-6](https://doi.org/10.1016/S0260-8774(00)00236-6)

- Suhaimi, N. I. M. et al. (2021). Safety and quality preservation of starfruit (Averrhoa carambola) at ambient shelf life using synergistic pectin-maltodextrin-sodium chloride edible coating. *Heliyon* 7 (2021) e06279, <https://doi.org/10.1016/j.heliyon.2021.e06279>
- Susilowati, Prima Endang.; Fitri, Aidillah.; M. Natsir. (2017). *The Effect of Edible coating Made from Pectin of Cacao Fruit Peel to the Shelf Life and Quality of Tomato.* Jurnal Aplikasi Teknologi Pangan 6 (2), <https://doi.org/10.17728/jatp.193>.
- Thakur, R., et al. (2019). *Starch-based films: Major factors affecting their properties.* International Journal of Biological Macromolecules, 132, 1079–1089.
- Thomas, (1989). Tanaman Obat Tradisional 1. Yogyakarta : Kanisius
- Tiwari, B. K., Brennan, C. S., Curran, T., Gallagher, E., Cullen, P. J., & O'Donnell, C. P. (2011). Application of ultrasound waves for bioactive extraction from plant materials. *Journal of Food Processing and Preservation*, 35(5), 795–812. <https://doi.org/10.1111/j.1745-4549.2010.00490.x>
- Toor, R. K., & Savage, G. P. (2006). Antioxidant activity in different fractions of tomatoes. *Food Research International*, 39(4), 394–403. <https://doi.org/10.1016/j.foodres.2005.10.012>
- Wang, M., Huang, B., Fan, C., Zhao, K., Hu, H., Xu, X., et al. (2016). Characterization and functional properties of mango peel pectin extracted by ultrasound assisted citric acid. International Journal of Biological Macromolecules, 91, 794–803
- Wu, C., Fu, S., Xiang, Y., Yuan, C., Hu, Y., Chen, S., Liu, D., & Ye, X. (2016). Effect of Chitosan Gallate Coating on the Quality Maintenance of Refrigerated (4 °C) Silver Pomfret (*PampangaGhaus argenteus*). *Food and Bioprocess Technology*, 9(11), 1835–1843. <https://doi.org/10.1007/s11947-016-1771-5>
- Yanarita, Naiem M, Budiadi and Sukarna. (2014). Development of the dayak ngaju community forest in the forest and peatland area, Central Kalimantan, Indonesia. IOSR Journal of Environmental Science, Toxicology and Food Technology (IOSR-JESTFT) 8(3):40-47.
- Yani, T. N., Anwar, E., & Saputri, F. C. (2016). Formulasi Emulgel yang Mengandung Ekstrak Etanol Daun Binahong (*Anredera cordifolia* (Ten.) Steenis) dan Uji Aktivitasnya terhadap *Propionibacterium acnes* secara In Vitro Emulgel Formulation of Binahong Leaves Ethanolic Extract (*Anredera cordifolia* (Ten.) . 6(2), 89–97.
- Yapo, B. M., & Koffi, K. L. (2014). Extraction and characterization of highly gelling low methoxyl pectin from cashew apple pomace. *Food Chemistry*, 159, 239–246. <https://doi.org/10.1016/j.foodchem.2014.03.027>
- Yefrida, S. H., Alif, A., Efdi, M., & Aziz, H. (2018). Modification of phenanthroline method to determine antioxidant content in tropical fruits methanolic extract. *Res. J. Chem*, 22, 28-35.