

DAFTAR PUSTAKA

- [1] *NHTSA, Drowsy Driving and Automobile Crashes: Report and Recommendations*. U.S. Department of Transportation, 2001.
- [2] Badan Pusat Statistik, “Jumlah Kecelakaan, Korban Mati, Luka Berat, Luka Ringan, dan Kerugian Materi (2014–2022),” 2023. [Online]. Available: <https://www.bps.go.id>
- [3] Komite Nasional Keselamatan Transportasi (KNKT), *Laporan Akhir Kecelakaan Truk Tangki T-9472-DG di Tol Cikopo–Palimanan KM 79+900B, 28 September 2023*, 2023. [Online]. Available: <https://knkt.go.id/Repo/Files/Laporan/LLAJ/2023/KNKT.23.09.05.01-Final-Report.pdf>
- [4] Shanmugam, A., & Srinivasan, S. (2019). *Drowsiness detection using behavioral measures and Machine learning techniques: A review*. *Neural Computing and Applications*, 31, 1501–1511. <https://doi.org/10.1007/s00521-019-04506-0>
- [5] Zhang, L., Wang, X., & Wang, Y. (2023). *Real-time Driver Drowsiness Detection Using Visual Cues and Machine learning*. *Sensors*, 25(3), 812. <https://www.mdpi.com/1424-8220/25/3/812>
- [6] T. Soukupová and J. Čech, “*Real-time Eye Blink Detection using Facial landmarks*,” *Proc. of the Computer Vision Winter Workshop*, 2016. [Online]. Available: <https://vision.fe.uni-lj.si/cvww2016/proceedings/papers/05.pdf>
- [7] Fagertun, J., Harder, S., Meincke, P., & Hansen, M. F. (2014). *Variability and reliability of manually annotated 3D facial landmarks*. *BMC Medical Imaging*, 14(35). <https://doi.org/10.1186/1471-2342-14-35>.
- [8] M. A. Garcia, S. Lopez, J. M. Hidalgo, E. Tomas, M. Q. Perez, G. Huertas, "A Survey on Drowsiness Detection – Modern Applications and Future Trends," *arXiv preprint arXiv:2408.12990*, 2024. [Online]. Available: <https://arxiv.org/pdf/2408.12990>

- [9] M. Dreissig, M. H. Baccour, T. Schaeck, and E. Kasneci, "Driver Drowsiness Classification Based on Eye Blink and Head Movement Features Using the k-NN Algorithm," *arXiv preprint*, arXiv:2009.13276, 2020.
- [10] V. S. K. Rupani, V. V. S. Thushar, dan K. Tejith, "*Real-time Drowsiness Detection Using Eye Aspect Ratio and Facial Landmark Detection*," *arXiv preprint arXiv:2408.05836*, 2024.[arXiv](#)
- [11] D. Wu, "Improving Automatic *Detection of Driver Fatigue and Distraction Using Machine learning*," *arXiv preprint arXiv:2401.10213*, 2024.[arXiv](#)
- [12] S. C. K. Yuen et al., "*Real-time SMART Driver Sleepiness Detection by Eye Aspect Ratio Using Computer Vision*," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 31, no. 1, pp. 1–10, 2023.
- [13] J. Han, M. Kamber, and J. Pei, *Data Mining: Concepts and Techniques*, 3rd ed., Elsevier, 2012.
- [14] S. Essahraoui et al., "*Real-time Driver Drowsiness Detection Using Facial Analysis and Machine learning Techniques*," *Sensors*, vol. 25, no. 3, p. 812, 2025
- [15] World Health Organization (WHO), *Global Status Report on Road Safety 2018*, Geneva: WHO, 2018.
- [16] B. Fu, F. Boutros, C.-T. Lin, and N. Damer, "A Survey on Drowsiness *Detection – Modern Applications and Methods*," *arXiv preprint*, arXiv:2408.12990, Aug. 2024.
- [17] A. Sahayadhas, K. Sundaraj, and M. Murugappan, "Detecting driver drowsiness based on sensors: A review," *Sensors*, vol. 12, no. 12, pp. 16937–16953, 2012, doi: 10.3390/s121216937.
- [18] Q. Gao, H. Yin, and W. Zhang, "Lane departure warning mechanism of limited false alarm rate using extreme learning residual network and ϵ -greedy LSTM," *Sensors*, vol. 20, no. 3, p. 644, Jan. 2020. [Online]. Available: <https://doi.org/10.3390/s20030644>.

- [19] W. W. Wierwille, L. A. Ellsworth, S. S. Wreggit, R. J. Fairbanks, and C. L. Kirn, "Research on vehicle-based driver status/performance monitoring: development, validation, and refinement of algorithms for detection of driver drowsiness," *National Highway Traffic Safety Administration*, DOT HS 808 247, 1994.
- [20] U. M. Viswanadhula, R. Aluvalu, M. V. V. P. Kantipudi, J. R. Saini, et al., "Driver drowsiness prediction based on multiple aspects using image processing techniques," *IEEE Access*, vol. 10, pp. 1–1, Jan. 2022, doi: 10.1109/ACCESS.2022.317645
- [21] S. Abtahi et al., "Yawning detection using embedded sMART cameras," *IEEE Trans. Instrum. Meas.*, vol. 65, no. 3, pp. 570–582, 2016, doi: 10.1109/TIM.2015.2507378.
- [22] Lugaresi, C., et al. "MediaPipe: A Framework for Building Perception Pipelines." arXiv preprint arXiv:1906.08172 (2019).
- [23] Google Developers. "Face Mesh - MediaPipe." https://google.github.io/MediaPipe/solutions/face_mesh.html
- [24] A. I. Siam, N. F. Soliman, A. D. Algarni, F. E. Abd El-Samie, and A. Sedik, "Deploying Machine learning Techniques for Human Emotion Detection," *Computational Intelligence and Neuroscience*, vol. 2022, Article ID 2410383, pp. 1–20, Feb. 2022. [Online]. Available: <https://doi.org/10.1155/2022/2410383>
- [25] C. Lugaresi, J. Tang, H. Nash, C. McClanahan, E. Uboweja, M. Hays, F. Zhang, C.-L. Chang, M. G. Yong, J. Lee, W.-T. Chang, W. Hua, M. Georg, and M. Grundmann, "MediaPipe: A Framework for Building Perception Pipelines," *arXiv preprint arXiv:1906.08172*, 2019. [Online]. Available: <https://arxiv.org/abs/1906.08172>
- [26] K. Kukil and P. Durai, "MediaPipe – The Ultimate Guide to Video Processing," *LEARnOpenCV*, MAR. 1, 2022. [Online]. Available: <https://LEARnopencv.com/MediaPipe-the-ultimate-guide-to-video-processing/>
- [27] Bazarevsky, V., et al. "BlazeFace : Sub-millisecond Neural Face Detection on Mobile GPUs." arXiv preprint arXiv:1907.05047 (2019).

- [28] V. Bazarevsky, Y. Kartynnik, A. Vakunov, K. Raveendran, and M. Grundmann, "BlazeFace: Sub-millisecond Neural Face Detection on Mobile GPUs," *Google Research*, Mountain View, CA, USA. [Online]. Available: <https://arxiv.org/abs/1907.05047>
- [29] J. Deng, J. Guo, Y. Zhou, J. Yu, I. Kotsia, and S. Zafeiriou, "RetinaFace: Single-Stage Dense Face Localisation in the Wild," in *Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR)*, 2020, pp. 5203–5212. doi: 10.1109/CVPR42600.2020.00525.
- [30] "MediaPipe Face Mesh," *MediaPipe* documentation. [Online]. Available: https://chuoling.github.io/MediaPipe/solutions/face_mesh.html. [Accessed: 16-Aug-2025].
- [31] Y. Panagakis, J. Kossaiji, G. G. Chrysos, J. Oldfield, M. A. Nicolaou, A. Anandkumar, and S. Zafeiriou, "Tensor methods in computer vision and deep learning," **Proceedings of the IEEE**, vol. 109, no. 5, pp. 863–890, May 2021, doi: 10.1109/JPROC.2021.3074329.
- [32] Y. Wang, Y. Yang, and S. Li, "Real-time driver drowsiness detection system using facial features," *IEEE Proc. Intell. Transp. Syst.*, 2006, doi: 10.1109/ITSC.2006.1706801.
- [33] S. Alimoon, A. Kiran, B. Gopi Narayana, A. Sai Lekha, G. Venkata Narayana, and A. Professor, "Vision-Based Driver Fatigue Detection Using Eye and Mouth Aspect Ratios with Machine learning."
- [34] G. Bradski, "The OpenCV Library," *Dr. Dobb's Journal of Software Tools*, 2000.
- [35] F. Pedregosa et al., "Scikit-learn: Machine learning in Python," *J. Mach. LEARN. Res.*, vol. 12, pp. 2825–2830, 2011.
- [36] C. Huda, A. A. Tolle, and R. R. A. Nugroho, "Mobile-Based Driver Sleepiness Detection Using Facial Landmarks and Analysis of EAR Values," *International Journal of Interactive Mobile Technologies (iJIM)*, vol. 14, no. 11, pp. 4–17, 2020. [Online]. Available: https://www.researchgate.net/publication/343944102_Mobile-Based_Driver_Sleepiness_Detection_Using_Facial_Landmarks_and_Analysis_of_EAR_Values

- [37] G. V. S. R. Giridhar, G. S. Gouthami, Y. S. S. Rana, and Bhulakshmi, "Real Time Fatigue Level Monitoring System of Driver Using Image Processing," in *Proceedings of the 4th International Virtual Conference on Advances in Computing, Communication and Data Science (ICACCDS 2022)*, River Publishers, 2022, pp. 89–96. [Online]. Available: https://www.riverpublishers.com/downloadchapter.php?file=RP_9788770229005C7.pdf
- [38] M. Irsan, R. Hassan, A. H. Ibrahim, M. K. Hasan, M. C. Lam, and W. M. H. W. Hussain, "A Framework for Driver Drowsiness Monitoring Using a Convolutional Neural Network and the Internet of Things," *Intelligent Automation & Soft Computing*, vol. 39, no. 2, pp. 157–174, 2024. [Online]. Available: <https://www.techscience.com/iasc/v39n2/56489/html>
- [39] A. Islam, N. Rahaman, and M. A. R. Ahad, "A study on tiredness assessment by using eye blink detection," *Jurnal Kejuruteraan*, vol. 31, no. 2, pp. 209–214, 2019. [Online]. Available: [https://doi.org/10.17576/jkukm-2019-31\(2\)-04](https://doi.org/10.17576/jkukm-2019-31(2)-04)
- [40] T. Åkerstedt and M. Gillberg, "Subjective and Objective Sleepiness in the Active Individual," *International Journal of Neuroscience*, vol. 52, no. 1–2, pp. 29–37, 1990
- [41] M. El Habib Daho and M. Amine Chikh, "Combining *Bootstrapping* samples, random subspaces and *Random Forests* to build classifiers," *J Med Imaging Health Inform*, vol. 5, no. 3, pp. 539–544, Jun. 2015, doi: 10.1166/jmihi.2015.1423.
- [42] N. Nuryani, K. Nisak, dan A. D. Sutomo, "Pengembangan Sistem Deteksi Kantuk Menggunakan Pengklasifikasi *Random Forest* pada Sinyal Elektrokardiogram," *Jurnal Nasional Teknik Elektro dan Teknologi Informasi*, vol. 10, no. 3, pp. 265–271, 2021.
- [43] P. Krassakis et al., "Geospatial Intelligence and *Machine learning* Technique for Urban Mapping in Coastal Regions of South Aegean Volcanic Arc Islands," *Geomatics*, vol. 2, no. 3, hal. 297–322, 2022, doi: 10.3390/geomatics2030017.
- [44] Y. Albadawi, A. AlRedhaei, dan M. Takruri, "Real-time Machine learning-Based Driver Drowsiness Detection Using Visual Features,"

Journal of Imaging, vol. 9, no. 5, 2023. [Online]. Tersedia: <https://doi.org/10.3390/jimaging9050091>

- [45] L. Breiman, "Random Forests," Machine learning, vol. 45, no. 1, pp. 5–32, 2001.
- [46] Stack Overflow, "Plot Trees for a Random Forest in Python," *Stack Overflow*, 2016. [Online]. Available: <https://stackoverflow.com/questions/40155128/plot-trees-for-a-random-forest-in-python-with-scikit-learn>. [Accessed: 06-Aug-2025].
- [47] H. A. Salman, A. Kalakech, dan A. Steiti, "Random Forest Algorithm Overview," *Babylonian Journal of Machine learning*, vol. 2, no. 1, pp. 1–10, 2024.
- [48] T. Bezdan and N. Baćanin Džakula, "Convolutional Neural Network Layers and Architectures," Singidunum University, May 2019, pp. 445–451. doi: 10.15308/sinteza-2019-445-451.
- [49] Z. Li, F. Liu, W. Yang, S. Peng, and J. Zhou, "A Survey of Convolutional Neural Networks: Analysis, Applications, and Prospects," *IEEE Trans Neural Netw Learn Syst*, vol. 33, no. 12, pp. 6999–7019, Dec. 2022, doi: 10.1109/TNNLS.2021.3084827.
- [50] X. Jiang, A. Hadid, Y. Pang, E. Granger, and X. Feng, "Deep learning in object detection and recognition." Springer Singapore, 2019. doi: 10.1007/978-981-10-5152-4.
- [51] Purwono, A. Ma'arif, W. Rahmانيar, H. I. K. Fathurrahman, A. Z. K. Frisky, and Q. M. U. Haq, "Understanding of Convolutional Neural Network (CNN): A Review," *International Journal of Robotics and Control Systems*, vol. 2, no. 4, pp. 739–748, 2022, doi: 10.31763/ijrcs.v2i4.888.
- [52] X. Zhao, L. Wang, Y. Zhang, X. Han, M. Deveci, and M. ParMAR, "A review of convolutional neural networks in computer vision," *Artif Intell Rev*, vol. 57, no. 4, Apr. 2024, doi: 10.1007/s10462-024-10721-6.

- [53] L. Alzubaidi *et al.*, “Review of deep learning: concepts, CNN architectures, challenges, applications, future directions,” *J Big Data*, vol. 8, no. 1, Dec. 2021, doi: 10.1186/s40537-021-00444-8.
- [54] N. V. Chawla, K. W. Bowyer, L. O. Hall, and W. P. Kegelmeyer, “SMOTE: Synthetic Minority Over-sampling Technique,” *Journal of Artificial Intelligence Research*, vol. 16, pp. 321–357, 2002.
- [55] K. E. Permana and K. Iramina, “Single *Channel* Sleep Stage Classification Using *Random Forest* and Feature Extraction with SMOTE *Balancing* on Fpz-Cz EEG Data,” *Mathematical Modelling of Engineering Problems*, vol. 11, no. 12, pp. 3243–3252, Dec. 2024, doi: 10.18280/mmep.111204.

