

## DAFTAR PUSTAKA

- Abdul, E. and Assirey, R. (2019) 'Perovskite synthesis , Properties and their related biochemical and industrial application Perovskite synthesis , properties and their related biochemical and industrial application', *Saudi Pharmaceutical Journal* [Preprint], (May).
- Aksan, S. (2024) 'Calculations of  $\text{Ba}_{(1-x)}\text{Sr}_x\text{TiO}_3$  structure and band gap properties by using density functional theory', *Journal of Scientific Reports-A*, (056), pp. 134–144.
- Ancy, G.C. *et al.* (2023) 'Temperature-dependent energy storage performance of the ceramics in MPB region identified from the  $1-(x + y)(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ - $x\text{BaTiO}_3$ - $y\text{BaZrO}_3$  ternary ceramics', *Journal of Materials Science: Materials in Electronics*, 34(17), pp. 0–15.
- Ancy, G.C. *et al.* (2024) 'Structural phase coexistence enhances the energy storage density of  $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.8}\text{Ba}_{0.2}\text{Ti}_{1-y}\text{Sn}_y\text{O}_3$  lead-free ceramics', *Physica B: Condensed Matter*, 683(March), p. 415919.
- Andrés, J. *et al.* (2012) 'A fresh look at the structural, ferroelectric and photoluminescent properties in perovskites', *Photoluminescence: Applications, Types and Efficacy*, (January), pp. 119–161.
- Assirey, E.A.R. (2019) 'Perovskite synthesis, properties and their related biochemical and industrial application', *Saudi Pharmaceutical Journal*, 27(6), pp. 817–829.
- Bi, N. *et al.* (2022) 'Enhanced dielectric energy storage performance of A-site  $\text{Ca}^{2+}$ -doped', 48(February), pp. 21061–21070.
- Carretero-genevri, A., Mestres, N. and National, S. (2014) 'Encyclopedia of Nanotechnology', *Encyclopedia of Nanotechnology*, (August), pp. 0–17..
- Chen, G. *et al.* (2023) 'Enhanced the energy storage performance of NBT-BY relaxor ferroelectric ceramics doped by STO', *Materials Today Communications*, 35(June), p. 106439.
- Choi, S.G. *et al.* (2013) 'The effect of Ca substitution on the structural and electrical properties of  $\text{La}_{0.7}\text{Sr}_{0.3-x}\text{Ca}_x\text{MnO}_3$  perovskite manganite films', *Journal of Physics D: Applied Physics*, 46(42).
- Cullity, B.D. (1977) *Elements of DIFFRACTION*. Edited by M. Cohen. Addison-Wesley.
- Diao, C.L. *et al.* (2014) 'Structural and electrical properties of four-layers Aurivillius phase  $\text{BaBi}_{3.5}\text{Nd}_{0.5}\text{Ti}_4\text{O}_{15}$  ceramics', *Ceramics International*, 40(4), pp. 5765–5769.
- Dollase, W.A. (1985) *Solid state chemistry and its applications by A. R. West , Acta Crystallographica Section B Structural Science*.
- Ezzeldien, M. *et al.* (2024) 'Effect of  $\text{ZrO}_2$  addition on the  $\text{BO}_6$  vibration modes of  $[(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3\text{--SrTiO}_3\text{--BaTiO}_3]$  perovskite structure for enhancement energy storage properties', *Results in Physics*, 58(February).
- Ge, P.Z. *et al.* (2023) 'Excellent energy storage properties realized in novel  $\text{BaTiO}_3$ -based lead-free ceramics by regulating relaxation behavior', *Journal of Materiomics*, 9(5), pp. 910–919.
- George, G., Ede, S.R. and Luo, Z. (2020) *Fundamentals of Perovskite Oxides, Fundamentals of Perovskite Oxides*.

- Habib, M. *et al.* (2021a) ‘Structural evolution and electromechanical properties of SrTiO<sub>3</sub>-modified Bi<sub>0.5</sub>Na<sub>0.5</sub>TiO<sub>3</sub>–BaTiO<sub>3</sub> ceramics prepared by sol-gel and hydrothermal methods’, *Materials Chemistry and Physics*, 266(November 2020), p. 124529.
- Habib, M. *et al.* (2021b) ‘Structural evolution and electromechanical properties of SrTiO<sub>3</sub>-modified Bi<sub>0.5</sub>Na<sub>0.5</sub>TiO<sub>3</sub>–BaTiO<sub>3</sub> ceramics prepared by sol-gel and hydrothermal methods’, *Materials Chemistry and Physics*, 266(February), p. 124529.
- Himabindu, B., Latha Devi, N.S.M.P. and Rajini Kanth, B. (2021) ‘Microstructural parameters from X-ray peak profile analysis by Williamson-Hall models; A review’, *Materials Today: Proceedings*, 47, pp. 4891–4896.
- Hou, C. *et al.* (2017) ‘Ultrahigh Energy Density in SrTiO<sub>3</sub> Film Capacitors’, *ACS Applied Materials and Interfaces*, 9(24), pp. 20484–20490.
- Jayakrishnan, A.R. *et al.* (2023) ‘Are lead-free relaxor ferroelectric materials the most promising candidates for energy storage capacitors?’, *Progress in Materials Science*, 132(June 2020), p. 101046.
- Jebli, M. *et al.* (2022) ‘Molten Salt Flux Synthesis, Structure determination, Optical, Impedance and Modulus Spectroscopy Characterization of perovskite compound’, *Journal of Molecular Structure*, 1260, p. 132788.
- Kang, R. *et al.* (2021) ‘Energy storage performance of Bi<sub>0.5</sub>Na<sub>0.5</sub>TiO<sub>3</sub>-based relaxor ferroelectric ceramics with superior temperature stability under low electric fields’, *Chemical Engineering Journal*, 410(January).
- Katz, E.A. (2020) ‘Perovskite: Name Puzzle and German-Russian Odyssey of Discovery’, *Helvetica Chimica Acta*, 103(6).
- Kennedy, B.F. *et al.* (2023) ‘Thermoelectric properties of the aliovalent half-Heusler alloy Zn<sub>0.5</sub>Ti<sub>0.5</sub>NiSb with intrinsic low thermal conductivity’, *Journal of Materials Chemistry A*, pp. 105–114.
- Khan, M.A. *et al.* (2014) ‘Investigation of dielectric behavior of new Tb<sub>3+</sub> Doped BiFeO<sub>3</sub> nanocrystals synthesized via micro-emulsion route Department of Physics , The Islamia University of Bahawalpur , Bahawalpur Department of Chemistry , The Islamia University of Bahawalpur , Bah’, (December).
- Kim, T.Y., Kim, S.K. and Kim, S.W. (2018) ‘Application of ferroelectric materials for improving output power of energy harvesters’, *Nano Convergence*, 5(1), pp. 1–16.
- Kitamura, M., Fujihara, S. and Hagiwara, M. (2023) ‘Impact of synthesis route on the microstructure and energy-storage properties of (Bi<sub>1/2</sub>K<sub>1/2</sub>)TiO<sub>3</sub>–SrTiO<sub>3</sub> relaxor ferroelectric ceramics: Solid-state and hydrothermal approaches’, *Journal of the European Ceramic Society*, 43(14), pp. 6069–6076.
- Kumar Bain, A. and Chand, P. (2017) ‘Dielectric Properties of Materials 1 . 1 Energy Band in Crystals’, *Ferroelectrics: Principles and Applications, First Edition*, Wiley-VCH Verlag GmbH & Co. KGaA., pp. 1–18.
- Levy, M.R. (2005) ‘Chapter 3: Perovskite Perfect Lattice’, *Crystal Structure and Defect Property Predictions in Ceramic Materials.*, pp. 79–114.
- Li, D. *et al.* (2020) ‘P-E hysteresis loop going slim in Ba<sub>0.3</sub>Sr<sub>0.7</sub>TiO<sub>3</sub>-modified Bi<sub>0.5</sub>Na<sub>0.5</sub>TiO<sub>3</sub> ceramics for energy storage applications’, *Journal of Advanced Ceramics*, 9(2), pp. 183–192.
- Li, J. *et al.* (2022) ‘High energy storage property of Na<sub>0.5</sub>Bi<sub>0.5</sub>TiO<sub>3</sub>-based ceramics modified by complex-ion and SrTiO<sub>3</sub>’, *Journal of Alloys and Compounds*,

- 909, p. 164579.
- Ling, S.L., Sanny, J. and Moebs, B. (2021) 'University Physics II: Thermodynamics',.
- Liu, S. *et al.* (2023) 'Effect of Strontium Substitution on the Tribocatalytic Performance of Barium Titanate', *Materials*, 16(8).
- Luo, Y.-R. (2010) 'Bond dissociation energies Yu-ran Luo table 1', *CRC Handbook of Chemistry and Physics*, pp. 65–98.
- Lv, J. *et al.* (2021) 'Achieving excellent energy storage properties of  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ -based ceramics by using a two-step strategy involving phase and polarization modification', *Ceramics International*, 47(23), pp. 32794–32803.
- Ma, W. *et al.* (2019) 'Enhanced energy-storage performance with excellent stability under low electric fields in BNT-ST relaxor ferroelectric ceramics', *Journal of Materials Chemistry C*, 7(2), pp. 281–288.
- Malathi, A.R., Kumar, G.S. and Prasad, G. (2015) 'Effect of  $\text{SrTiO}_3$  on dielectric and piezoelectric properties of NBT', *Phase Transitions*, 88(2), pp. 169–182.
- Mnyukh, Y. (2020) 'The Nature of Ferroelectricity', 10(March), pp. 18–29.
- Moualhi, Y., Rahmouni, H. and Bahri, F. (2024) 'Extremely consistent dielectric capacitors with excellent comprehensive dielectric permittivity characteristics using  $(\text{Ba}, \text{Sr})(\text{Ti}, \text{Zr})\text{O}_3$  lead-free ceramic-based relaxor ferroelectrics', *Inorganic Chemistry Communications*, 162(August 2023), p. 112235.
- Moussi, R. *et al.* (2022) 'Investigation of the effect of Sr-substitution on the structural, morphological, dielectric, and energy storage properties of  $\text{BaTiO}_3$ -based perovskite ceramics', *Inorganic Chemistry Communications*, 137(December 2021), p. 109225.
- Nie, H. *et al.* (2022) 'Enhanced dielectric energy storage performance of A-site  $\text{Ca}^{2+}$ -doped  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ - $\text{BaTiO}_3$ - $\text{BiFeO}_3$  Pb-free ceramics', *Ceramics International*, 48(15), pp. 21061–21070.
- Niemi, J. (2019) *Effects of Temperature Gradient on Ash Deposit Aging and Heat Exchanger Corrosion*.
- Ning, Y. *et al.* (2024) 'Design strategy of high-entropy perovskite energy-storage ceramics: A review', *Journal of the European Ceramic Society*, 44(8), pp. 4831–4843.
- Pandey, K.K., Babu, T. and Tiwari, B. (2021) 'A case study on the electric and dielectric response of ferroelectrics', *Journal of Physics: Conference Series*, 1913(1).
- Patra, A.K. *et al.* (2003) 'Thermally induced stoichiometric and catalytic O-atom transfer by a non-heme iron(III)-nitro complex: First example of reversible  $\{\text{Fe-NO}\} 7 \leftrightarrow \text{FeIII-NO}_2$  transformation in the presence of dioxygen', *Angewandte Chemie - International Edition*, 42(37), pp. 4517–4521.
- Patru, R.E. *et al.* (2020) ' $(\text{Ba}, \text{Sr})\text{TiO}_3$  solid solutions sintered from sol-gel derived powders: An insight into the composition and temperature dependent dielectric behavior', *Ceramics International*, 46(4), pp. 4180–4190.
- Praharaj, S., Singha, A. and Rout, D. (2021) 'Dielectric and piezoelectric properties of lead-free  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ - $\text{SrTiO}_3$ - $\text{BiFeO}_3$  ternary system', *Journal of Alloys and Compounds*, 867, pp. 3–9.
- Roth, R.S. (1957) 'Classification of perovskite and other  $\text{ABO}_3$ -type compounds', *Journal of Research of the National Bureau of Standards*, 58(2), p. 75.

- Saengvong, P. *et al.* (2024) 'Enhanced dielectric and electrical characteristics in Nb<sub>5+</sub> doped-Na<sub>0.5</sub>Y<sub>0.5</sub>Cu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> ceramics: A study of grain and grain boundary properties', *Journal of Physics and Chemistry of Solids*, 188(February), p. 111928.
- Saleem, M., Bhagat, B.R. and Mishra, A. (2019) 'Influence of Lead Free Bi<sub>0.5</sub>Na<sub>0.5</sub>TiO<sub>3</sub> Substitution on the Structural and Electrical Properties of Ferromagnetic Metallic Phase La<sub>0.8</sub>Sr<sub>0.2</sub>MnO<sub>3</sub>', *Journal of Inorganic and Organometallic Polymers and Materials*, 29(6), pp. 2103–2115.
- Sasmia, W. (2017) 'Oksida Perovskit dan Peningkatan Konduktivitas Ion Perovskit pada Membran', (Januari).
- Singh MJP Rohilkhand, V. *et al.* (2022) *Review: Perovskite Materials, Properties, and their Multifunctional Applications, International Journal of Mechanical Engineering*.
- Song, S. *et al.* (2018) 'Molten-salt synthesis of porous La<sub>0.6</sub>Sr<sub>0.4</sub>Co<sub>0.2</sub>Fe<sub>0.8</sub>O<sub>2.9</sub> perovskite as an efficient electrocatalyst for oxygen evolution', *Nano Research*, 11(9), pp. 4796–4805.
- Su, Q. *et al.* (2022) 'Enhanced energy-storage properties and charge-discharge performances in Sm<sup>3+</sup> modified (Na<sub>0.5</sub>Bi<sub>0.5</sub>)TiO<sub>3</sub>-SrTiO<sub>3</sub> lead-free relaxor ferroelectric ceramics', *Materials Research Bulletin*, 148(November 2021), p. 111675.
- Suchanicz, J., Jankowska-Sumara, I. and Kruzina, T. V. (2011) 'Raman and infrared spectroscopy of Na<sub>0.5</sub>Bi<sub>0.5</sub>TiO<sub>3</sub>-BaTiO<sub>3</sub> ceramics', *Journal of Electroceramics*, 27(2), pp. 45–50.
- Supriya, S. (2022a) 'Journal of Solid State Chemistry Synthesis mechanisms and effects of BaTiO<sub>3</sub> doping on the optical', *Journal of Solid State Chemistry*, 308(January), p. 122940.
- Supriya, S. (2022b) 'Synthesis mechanisms and effects of BaTiO<sub>3</sub> doping on the optical properties of Bi<sub>0.5</sub>Na<sub>0.5</sub>TiO<sub>3</sub> lead-free ceramics', *Journal of Solid State Chemistry*, 308(January), p. 122940.
- Verma, M., Sreenivas, K. and Gupta, V. (2009) 'Influence of La doping on structural and dielectric properties of SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> ceramics', *Journal of Applied Physics*, 105(2), pp. 0–6.
- Vijayakanth, T. *et al.* (2022) 'Recent Advances in Organic and Organic-Inorganic Hybrid Materials for Piezoelectric Mechanical Energy Harvesting', *Advanced Functional Materials*, 32(17).
- Viswanathan, B. and Narayanan, H. (2023) 'Perovskite materials-an introduction', (April).
- Wang, J. *et al.* (2010) 'Effect of cation size and disorder on the power loss of La<sub>0.7</sub>(Ba<sub>1-x</sub>Sr<sub>x</sub>)<sub>0.3</sub>MnO<sub>3</sub>', *Journal of Magnetism and Magnetic Materials*, 322(13), pp. 1884–1888.
- Wendari, T.P. *et al.* (2021) 'Structure-property relationships in the lanthanide-substituted PbBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> Aurivillius phase synthesized by the molten salt method', *Journal of Alloys and Compounds*, 860, p. 158440.
- Wendari, T.P., Akbar, M.A., *et al.* (2024) 'Structure, dielectric, and energy storage properties of perovskite CaTiO<sub>3</sub> ceramic synthesized using the natural calcium from Pensi shell (*Corbicula moltkiana*) waste', *Journal of Molecular Structure*, 1307(March), p. 137949.
- Wendari, T.P., Rizki, A., *et al.* (2024a) 'Structure, ferroelectric, magnetic, and

- energy storage performances of lead-free  $\text{Bi}_4\text{Ti}_{2.75}(\text{FeNb})_{0.125}\text{O}_{12}$  Aurivillius ceramic by doping  $\text{Fe}^{3+}$  ions extracted from Padang beach sand', *Case Studies in Chemical and Environmental Engineering*, 9(March), p. 100679.
- Wendari, T.P., Tazkiya, R.R., *et al.* (2025) 'Comparative analysis of  $\text{Ba}^{2+}$  doping effects on structural, dielectric, and energy storage characteristics of  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  and  $\text{Na}_{0.25}\text{Bi}_{0.25}\text{Ba}_{0.5}\text{TiO}_3$  perovskites synthesized via the molten-salt method', *Journal of Materials Science: Materials in Electronics*, 36(11).
- Wendari, T.P., Akbar, M.A., *et al.* (2025) 'Tuning the dielectric, ferroelectric, and energy storage properties of Ca-substituted  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  perovskites synthesized via the molten salt method', *Journal of Solid State Chemistry*, 346(February), p. 125253.
- Wendari, T.P., Zulhadjri and Emriadi (2023) 'Observation of relaxor ferroelectric behavior and energy storage performances in  $\text{Sr}_{1.25}\text{Bi}_{2.75}\text{Nb}_{1.25}\text{Ti}_{1.75}\text{O}_{12}$  aurivillius ceramic synthesized by molten salt method', *Journal of Solid State Chemistry*, 325(May), p. 124150.
- Xi, D. and Sun, L. (2024) 'One-Step Molten Salt Method For Synthesis of Perovskite-Like  $\text{Sr}_2\text{Nb}_2\text{O}_7$  and  $\text{Sr}_5\text{Nb}_4\text{O}_{15}$  Ceramics', *Journal of Physics: Conference Series*, 2881(1).
- Xue, P. *et al.* (2018) 'Recent progress in molten salt synthesis of low-dimensional perovskite oxide nanostructures, structural characterization, properties, and functional applications: A review', *Journal of Materials Science and Technology*, 34(6), pp. 914–930.
- Yang, J. *et al.* (2011) 'Molten salt synthesis of  $\text{SrFeO}_3$  nanocrystals', pp. 25–28.
- Yang, L. *et al.* (2019) 'Perovskite lead-free dielectrics for energy storage applications', *Progress in Materials Science*, 102(December 2018), pp. 72–108.
- Yang, Y. *et al.* (2019) 'High energy storage density and discharging efficiency in  $\text{La}^{3+}/\text{Nb}^{5+}$ -co-substituted  $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$  ceramics', *Journal of the European Ceramic Society*, 39(10), pp. 3051–3056.
- Zhang, L. *et al.* (2018) 'Influence of  $\text{BaSnO}_3$  additive on the energy storage properties of  $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ -based relaxor ferroelectrics', *Journal of the European Ceramic Society*, 38(5), pp. 2304–2311.
- Zhang, L. *et al.* (2023) 'Design strategies of perovskite energy-storage dielectrics for next-generation capacitors', *Journal of the European Ceramic Society*, 43(14), pp. 5713–5747.
- Zhang, Z. *et al.* (2024) 'Excellent energy storage performance with high breakdown strength in  $\text{Nb}_2\text{O}_5$ -modified  $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ -based ceramics', *Ceramics International*, 50(17), pp. 30617–30627.
- Zhou, W. *et al.* (2015) 'Optical band-gap narrowing in perovskite ferroelectric  $\text{ABO}_3$  ceramics ( $\text{A}=\text{Pb}, \text{Ba}$ ;  $\text{B}=\text{Ti}$ ) by ion substitution technique', *Ceramics International*, 41(10), pp. 13389–13392.
- Zhu, W. *et al.* (2024) 'A review:  $(\text{Bi},\text{Na})\text{TiO}_3$  (BNT)-based energy storage ceramics', *Journal of Materiomics*, 10(1), pp. 86–123.
- Zulhadjri *et al.* (2020) 'Investigation on structure, dielectric and magnetic properties of the four-layer Aurivillius phase  $\text{Pb}_{1-x}\text{Bi}_{3.5+x}\text{Nd}_{0.5}\text{Ti}_{4-x}\text{Mn}_x\text{O}_{15}$  prepared via molten salt method', *Journal of Solid State Chemistry*, 292(June), p. 121723.

Zulhadjri *et al.* (2024) 'Structural analysis, relaxor-ferroelectric behavior and optical properties of  $\text{Mn}^{3+}$ -doped  $\text{CaBi}_3\text{NdTi}_4\text{O}_{15}$  synthesized via hydrothermal technique', *Journal of Solid State Chemistry*, 339(July), p. 124915.

