

DAFTAR PUSTAKA

- Afriani, Y., Resti, R., dan Putra S. 2023. *Fatty Acid And Hematology Profile Of Black Soldier Fly (Hermetia illucens L.) Maggot Oil In Wound Healing*. International Journal of Progressive Sciences and Technologies, 39 (2): 429-433.
- Al-Qazzaz, M. F. A., Ismail, D., Akit, H., dan Idris, L. H. 2016. Effect of using insect larvae meal as a complete protein source on quality and productivity characteristics of laying hens. *Revista Brasileira de Zootecnia*, 45(9), 518-523.
- Ameena, et al. 2024. *Biomedical Applications of Lauric Acid: Nanogel for Wound Healing*. PMC Narrative Review
- Anas, M. A., Aprianto, M. A., Sapan, Y., Almira, F. N., Aldis, R. E., Atapattu, N. S. B. M., Kidd, M. T, Akit.,H. and Montha, N. 2025. Black soldier fly larvae oil downregulated gene expression related to fat metabolism of broilers fed low protein diet. *Poultry Science*, 104(4), 104831. <https://doi.org/10.1016/j.psj.2025.104831>
- Ansyari, M. T., Afriani, D. T., dan Siswoyo, B. H. 2024. Pemanfaatan Limbah Pasar Sayuran dan Ampas Tebu Terhadap Pertumbuhan Maggot BSF (*Hermetia Illucens*). *Jurnal Aquaculture Indonesia*, 3(2), 130–141.
- Badan Pengkajian Teknologi Pertanian [BPTP]. 2016. Teknologi pengomposan limbah organik kota dengan menggunakan black soldier ly. Jakarta (ID): Kementerian Pertanian Republik Indonesia.
- Badan Standardisasi Nasional. 2009. *SNI 01-3930-2006: Pakan – Imbuhan pakan*. Jakarta: Badan Standardisasi Nasional.
- Barragan-Fonseca, M. D. 2017. Nutritional value of the black soldier fly (*Hermetia illucens* L.) and its suitability as animal feed. *Journal of Insects as Food and Feed*, 105-120
- Bosch, G., S. Zhang., G. A. B. O. Dennis and H. H. Wouter. 2014. Protein quality of insects as potential ingredients for dog and cat foods. *J Nutr Sci*. 3:1-4.
- Caligiani A, Marseglia A, Leni G, Baldassarre S, Maistrello L, Dossena A, Sforza S. 2018. Composition of Black Soldier Fly Prepupae and Systematic Approaches for Extraction and Fractionation of Proteins, Lipids and Chitin. *Food Research International* 105: 812-820.
- Chaojun Zheng, Z. C. 2023. Effects of a combination of lauric acid monoglyceride and cinnamaldehyde on growth performance, gut morphology, and gut microbiota of yellow-feathered broilers. *Poultry Science*, 1-12.

- Chobanova, S., Karkelanov, N., Mansbridge, S. C., Whiting, M., Rose, S. P., and Pirgozliev, V. R. 2024. Metabolizable Energy Value of Fat and Meals Obtained from Black Soldier Fly Larvae (*Hermetia illucens*) for Broiler Chickens. *Poultry*, 3(3), 298-306. <https://doi.org/10.3390/poultry3030022>
- Cherian, G. 2019. Role of feed additives in poultry nutrition and health. *Journal of Animal Nutrition*, 12(3), 145–152
- Čičková, H., G. L. Newton., R, C. 2015. The Use Of Fly Larvae For Organic Waste Treatment. *Waste Manag.* 35: 68-80
- Dayrit, F. M. 2015. *The Properties of Lauric Acid and Their Significance in Coconut Oil*. *Journal of the American Oil Chemists' Society*, 92(1), 1-15.
- Dibner, J. J., Kitchell, M. L., Ivey, F. J. 1996. Performance and intestinal morphology in broiler chicks fed diets containing oxidized fat and/or ethoxyquin. *Poultry Science*, 75(11), 1403-1409.
- Dos Santos, L. B., Favero, F. C., Conde, M. H., Freitas, M. G., Santos-Zanuncio, V. S., Carollo, C. A., and de Almeida Borges, F. 2020. Clinical safety of lauric acid for cattle and its in vitro and in vivo efficacy against *Rhipicephalus microplus*. *Veterinary Parasitology*, 280, 109095.
- Fadlan, D. P. 2021. Pengaruh Penambahan Tepung Daun Salam (*Eugenia polyantha*) Sebagai Antibiotic Growth Promotore Terhadap Performa Produksi Puyuh Petelur (*Coturnic coturni japonica*). Skripsi. Fakultas Peternakan. Universitas Andalas
- Gaad, A. H., Barham, G. S., Shah, A. H., Ali, G., and Soomro, A. A. 2016. Effect of linoleic acid supplementation on growth of broiler. *IOSR Journal of Agriculture and Veterinary Science*, 9(08), 77-80.
- Gómez, B, PES Munekata, Z Zhu, FJ Barba, Toldrá, P Putnik, DB Kovačević and JM Lorenzo. 2019. Challenges and Opportunities Regarding The Use of alternative Protein Sources: Aquaculture and Insects. *Advances in Food and Nutrition Research*. 89: 259-295.
- Grace, C. 2023. Perbandingan profil leukosit pada kucing yang diberi pakan tradisional dan commercial food dengan dan tanpa ditambahkan minyak maggot black soldier fly. Universitas Udayana : Buletin Veteriner Udayana.
- Haroen, U. 2003. Respon ayam broiler yang diberi tepung daun sengon (*albizzia falcataria*) dalam ransum terhadap pertumbuhan dan hasil karkas. *J. Ilmiah Ilmu-ilmu Peternakan*. 6 (1): 34-41.
- Hartadi, H.,S Reksohadiprojo dan A. D. Tilman. 1997. *Tabel Komposisi Bahan Pakan Untuk Indonesia*. Gadjah Mada University Press. Yogyakarta

- Hidayat, C. 2015. Penurunan deposit lemak abdominal pada ayam pedaging melalui manajemen pakan. *Wartazoa*. 25 (3): 125-134.
- Holmes, L. A., Vanlaerhoven, S. L., and Tomberlin, J. K. 2012. Relative humidity effects the life history of *Hermetia illucens* (Diptera: Stratiomyidae). *Environmental entomology*, 41 (4): 971-978.
- Indarmawan. 2014. Hewan Avertebrata Sebagai Pakan Ikan Lele. Fakultas Biologi Universitas Jenderal Soedirman. Purwokerto.
- Jung, S., Jung, J.-M., Tsang, Y. F., Bhatnagar, A., Chen, W.-H., Lin, K.-Y. A., and Kwon, E. E. 2022. Biodiesel production from black soldier fly larvae derived from food waste by non-catalytic transesterification. *Energy*, 238, 121700.
- Jianhong Wang, X. W. 2015. Effects of Dietary Coconut Oil as a Medium-chain Fatty Acid Source on Performance, Carcass Composition and Serum Lipids in Male Broilers. *Asian Australas. J. Anim. Sci*, 223-230
- Kim, J. S., Lee, Y. W., Kim, J. Y., Jung, S. H., and Kim, H. S. 2019. Antioxidant Activity of Black Soldier Fly (*Hermetia illucens*) Larval Oil. *Journal of Applied Biological Chemistry*, 62(1), 1-5
- Lardé, G. 1990. Recycling of coffee pulp by *Hermetia illucens* (Diptera: Stratiomyidae) larvae. *Biological Wastes*, 33, 307–310.
- Lesson, S. and J. D. Summers. 2001. Nutrition of the chicken, 4th Edition, pp, 331-428 (University Books, P. O. Box 1326, Guelph, Ontario, Canada N1H 6N8).
NRC. 1994. Nutrient Requirement of Poultry. National Academy Press, Washington.
- Li. Q., L. Zheng., N. Qiu., H. Cai., J. K. Tomberlin and Z. Yu. 2011. Bioconversion of dairy manure by Black Soldier Fly (Diptera: Stratiomyidae) for biodiesel and sugar production. *Waste Manag.* 31:1316-1320.
- Makkar, H. P. S., Tran, G., Newton, G., de Silva, S. S. 2014. The potential of insect meal as a feed ingredient in aquaculture. *Aquaculture*, 442, 260-281
- Maulana., Nurmeiliasari., and Fenita, Y. 2021. Pengaruh media tumbuh yang berbeda terhadap kandungan air, protein dan lemak maggot black soldier fly (*Hermetia illucens*). *Buletin Peternakan Tropis*, 2(2), 149-157.
- Medion Bulletin Service. 2009. Manual feed additive and feed supplement management. PT. Medion Indonesia. Jakarta.
- Montesqrit, Nur. Y.S. 2023. Media tumbuh larva black soldier fly dengan penambahan sumber omega-3 untuk meningkatkan produksi maggot, kandungan nutrisi, dan bilangan iod tepung maggot. *Jurnal Nutrisi Ternak Tropis dan Ilmu Pakan* 5(3):124-134.

- Morales-Ramos, J. A., M. G. Rojas and D. I. Shapiro-Ilan. 2014. Mass production of beneficial organism invertebrates and entomopathogens. Cambridge (US): Academic Press.
- Muhammad, R. 2021. Produksi Tepung Maggot Black Soldier Fly (*Hermetia illucens*) Tinggi Protein Dan Kaya Asam Lemak Omega-3 Serta Optimasi Pemberiannya Dalam Ransum Terhadap Performa Produksi Puyuh Petelur (*Coturnix coturnix japonica*) .(Doctoral dissertation, Universitas Andalas).
- Muhsin Al Anas, M. A. 2025. Black soldier fly larvae oil downregulated gene expression related to fat metabolism of broilers fed low protein diet. *Poultry Science*, 5-10.
- Muller A, Wolf D, Gutzeit HO. 2017. The black soldier fly, *Hermetia illucens*—A promising source for sustainable production of proteins, lipids and bioactive substances. *Zeitschrift fur Naturforschung. C, Journal of Biosciences*. 72:351–363. DOI: <https://doi.org/10.1515/znc2017-0030>.
- North, M. O., and Bell, D. D. 1990. *Commercial chicken production manual* (4th ed.). New York: Van Nostrand Reinhold.
- NRC. 1994. *Nutrient Requirement of Poultry*. Ashington DC: National Academy Press.
- Nuraini., Hidayat, Z. dan Yolanda, K. 2018. Performa Bobot Badan Akhir, Bobot Karkas serta Persentase Karkas Ayam Merawang pada Keturunan dan Jenis Kelamin yang Berbeda. *Sains Peternakan Vol. 16 (2)*, September 2018: 69-73.
- Nurhayati. 2008. Pengaruh Tingkat Penggunaan Campuran Bungkil Inti Sawit dan Onggok yang Difermentasi dengan *Aspergillus niger* dalam Pakan terhadap Bobot dan Bagianbagian Karkas Broiloer. [http:// 101085559.pdf//](http://101085559.pdf//).
- Nyakeri, E. M., Ogola, H. J. O., Ayieko, M. A., and Amimo, F. A. 2017. Valorisation of organic waste material: Growth performance of wild black soldier fly larvae (*Hermetia illucens*) reared on different organic wastes. *Journal of Insects as Food and Feed*, 3(3), 193–202.
- Praditia, A., Wibowo, B. A., and Lestari, S. D. 2015. Daya terima dan kandungan gizi nugget dari daging ayam broiler. *Jurnal Ilmu dan Teknologi Hasil Ternak*, 10(2), 45–52.
- PubMed. 2023. *Lauric acid induces mitochondrial oxidative stress and apoptosis in colorectal cancer cells*. National Center for Biotechnology Information. <https://pubmed.ncbi.nlm.nih.gov/>

- Rachmawati., Damayanti, B., Purnama, H., Saurin, H., dan Melta, R. F. 2010. *Perkembangan dan Kandungan Nutrisi Larva Hermetia illucens (Linnaeus) (Diptera: Stratiomyidae) pada Bungkil Kelapa Sawit*. Jurnal Entomologi Indonesia, 7 (1): 28-41.
- Rambet, V., J. F. Umboh., Y. L. R. Tulung dan Y. H. S. Kowel. 2016. Kecernaan protein dan energi ransum broiler yang menggunakan tepung maggot (*Hermetia illucens*) sebagai pengganti tepung ikan. J Zootek. 36:13-22.
- Ramesh, D., et al. 2023. *Antimicrobial, Oral Protective, and Anti-diabetic Functions of Coconut*. Quality Assurance and Safety of Crops & Foods.
- Rasyaf, M. 2004. Beternak Ayam Pedaging. Penerbit PT. Swadaya Jakarta
- Resnawati, H. 2004. Bobot potongan karkas dan lemak abdomen ayam ras pedaging yang diberi ransum mengandung tepung cacing tanah (*Lumbricus rubellus*). Balai Penelitian Ternak. Bogor.
- Rosidi, Suswoyo I, Tugiyanti E, Ismoyowati. 1999. Pengaruh galur dan dataran terhadap performan ayam broiler. J Anim Prod 1(2): 82-89.
- Salam, S., Fatahilah, A., Sunarti, D. dan Isroli. 2013. Bobot Karkas dan Lemak Abdominal Broiler yang Diberi Tepung Jintan Hitam (*Nigella Sativa*) dalam Ransum Selama Musim Panas. Jurnal Sains Peternakan Vol 11 (2): 84-89.
- Schiavone, A., De Marco, M., Martínez, S., Dabbou, S., Renna, M., Madrid, J., and Gai, F. 2017. Nutritional value of a partially defatted and a highly defatted black soldier fly larvae (*Hermetia illucens* L.) meal for broiler chickens: Apparent nutrient digestibility, apparent metabolizable energy and apparent ileal amino acid digestibility. *Journal of Animal Science and Biotechnology*, 8, 51
- Schiavone, A., Dabbou, S., De Marco, M., Cullere, M., Biasato, I., Biasibetti, E., Gasco, L. 2018. Black soldier fly larva fat inclusion in finisher broiler chicken diet as an alternative fat source. *Animal*, 12(10), 2032-2039
doi: 10.1017/S1751731117003743
- Setyono, D. J., Ulfah, M., dan Suharti, S. 2013. Sukses Meningkatkan Produksi Ayam Petelur. Penebar Swadaya Grup.
- Simanjuntak, M. C. 2018. Analisis usaha ternak ayam broiler di peternakan ayam selama satu kali masa produksi. Jurnal Fapertanak, 3(1) : 60-81.
- Sinurat, T. Purwadaria, dan M. Togatorop. 2003. Pemanfaatan Bioaktif Tanaman sebagai "Feed Additive" pada Ternak Unggas: Pengaruh Pemberian Gel Lidah Buaya atau Ekstraknya dalam Ransum terhadap Penampilan Ayam Pedaging. JITV 8(3): 139-145

- Siregar, R. H., Latipudin, D., dan Mushawwir, A. 2020. Profil lipid darah ayam ras petelur yang di beri kitosan iradiasi. *Jurnal Nutrisi Ternak Tropis dan Ilmu Pakan*, 2(1).
- Soeparno. 2005. Ilmu dan Teknologi Daging. Cetakan kelima. Yogyakarta (ID): Gadjah Mada University Press.
- Sprangers, T., Ottoboni, M., Klootwijk, C., Oryn, A., Deboosere, S., De Meulenaer, B., and De Smet, S. 2017. Nutritional composition of black soldier fly larvae oil and its use in broiler diets. *Animal Feed Science and Technology*, 235, 33–42. <https://doi.org/10.1016/j.anifeedsci.2017.08.012>
- Steel, R. G. D and J.H. Torrie. 1995. Prinsip dan Prosedur Statistik. Terjemahan: B. Sumantri. PT. Gramedia Pustaka Utama. Jakarta
- Subekti, K., H. Abbas, dan K. A. Zura. 2012. Kualitas karkas (berat karkas, persentase karkas dan lemak abdomen) ayam broiler yang diberi kombinasi CPO (*Crude Palm Oil*) dan vitamin c (*Ascorbic Acid*) dalam ransum sebagai anti stress. Fakultas Peternakan Universitas Andalas, Padang. *Jurnal Peternakan Indonesia*. 14(3):447-453.
- Sulastri, E., Mappiratu, M., dan Sari, A. K. 2016. Uji Aktivitas Antibakteri Krim Asam Laurat terhadap *Staphylococcus aureus* ATCC 25923 dan *Pseudomonas aeruginosa* ATCC 27853. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 2(2): 59–67.
- Sulistiyan, Firdaus, M. F., Sigiro, R. H., Nawangsih, A. A., Purwanto, U. M. S., dan Andrianto, D. 2024. Potensi ekstrak maggot lalat tentara hitam *Hermetia illucens* (Linnaeus) dalam regulasi mekanisme antioksidan selular dan antiradang: Kajian in silico. *Jurnal Entomologi Indonesia*, 20(3), 223. <https://doi.org/10.5994/jei.20.3.223>
- Summers, J, D. 2004. Broilers Carcass Composition. Poultry Industry Council for Research and Education. Guelph
- Suprijatna, E. U, Atmomarsono. R. Kartasudjana. 2005. Ilmu Dasar Ternak Unggas. Penebar Swadaya, Jakarta
- Tampubolon, L. M. 2012. Kebutuhan nutrisi ayam broiler untuk pertumbuhan optimal. *Jurnal Ilmu Peternakan Indonesia*, 14(2), 85–92.
- Tognocchi, M., Abenaim, L., Adamaki-Sotiraki, C., Athanassiou, G., Rumbos, I., Mele, M., Conti, B., and Conte, G. (2024). Effect of different diet composition on the fat profile of two different Black Soldier Fly larvae populations. *Animal*, 101205

- Tomberlin, J. K and D. C. Sheppard. 2002. Factors influencing mating and oviposition of Black Soldier Flies (Diptera: Stratiomyidae) in a colony. *J Entomology Sci.* 37:345-352.
- Tripuratatpini. S. L. M, D. P. Mudita, dan M. A. Candrawati. 2015. Kandungan bahan kering dan nutrient suplemen berprobiotik yang diproduksi dengan tingkat limbah isi rumen berbeda. *Peternakan Tropika*, 3(1): 105-120
- Tuminah, S. 2010. Efek Perbedaan Sumber dan Struktur Kimia Asam Lemak Jenuh terhadap Kesehatan. *Buletin Penelitian Kesehatan*. Vol.38 No.1. Pusat Penelitian dan Pengembangan Biomedis dan Farmasi. Jakarta. 46.
- Uhi, H. T., Parakkasi, A., dan Haryanto, B. 2006. Pengaruh suplemen katalitik terhadap karakteristik dan populasi mikroba rumen domba. *Media Peternakan*, 29(1).
- Ushakova, N. A., Brodskii, E. S., Kovalenko, A. A., Bastrakov, A. I., Kozlova, A. A., & Pavlov, D. S. 2016. Characteristics of lipid fractions of larvae of the black soldier fly *Hermetia illucens*. In *Doklady biochemistry and biophysics* (Vol. 468, pp. 209-212).
- Wahyu, J. 2004. Ilmu Nutrisi Ternak Unggas. Gajah Mada University Press. Yogyakarta
- Wardhana, A. H. 2016. Black Soldier Fly (*Hermetia illucens*) Sebagai Sumber Protein Alternatif Untuk Pakan Ternak. *Wartazoa*, 26 (2), 69 – 78.
- Yusmaini. 2008. Pengaruh suhu panas dan umur pemotongan terhadap bobot relatif, lemak abdominal, kandungan lemak daging paha, dan kolesterol total plasma darah ayam pedaging. Skripsi. Fakultas Peternakan, Universitas Andalas, Padang.
- Yuwanta, T. 2004. Dasar ternak Unggas. Penerbit Kanisius, Yogyakarta.
- Yuwono, A. S dan P. D. Mentari. 2018. Penggunaan Larva (Maggot) Black Soldier Fly (BSF) Dalam Pengolahan Limbah Organik. Bogor. SEAMEO BIOTROP.
- Zeitz J, Fennhoff OJ, Kluge H, Stangi GI and Eder K. 2015. Effects of dietary fats rich in lauric and myristic acid on performance, intestinal morphology, gut microbes, and meat quality in broilers. *Poultry Science* 94, 2404-2413.