


**ANALISIS FAKTOR RISIKO POLA ASUH MENGGUNAKAN
PENDEKATAN *NURTURING CARE FRAMEWORK* (NCF)
DENGAN KEJADIAN *STUNTING* PADA BALITA
DALAM STUDI KASUS DI WILAYAH KERJA
PUSKESMAS PAGAMBIRAN PADANG**

TESIS



Dosen Pembimbing:

**Prof. Dr. dr. Masrul, M.Sc, Sp.GK
Prof. Dr. dr. Yusrawati, Sp.OG. SubSp, KEm**

**PROGRAM STUDI KEBIDANAN PROGRAM MAGISTER
FAKULTAS KEDOKTERAN
UNIVERSITAS ANDALAS
PADANG
2025**

ABSTRAK

ANALISIS FAKTOR RISIKO POLA ASUH MENGGUNAKAN PENDEKATAN *NURTURING CARE FRAMEWORK* (NCF) DENGAN KEJADIAN *STUNTING* PADA BALITA DALAM STUDI KASUS DI WILAYAH KERJA PUSKESMAS PAGAMBIRAN PADANG

Fenni Amilia

Stunting merupakan gangguan pertumbuhan linier akibat malnutrisi dan infeksi berulang. Pencegahannya melalui pendekatan *Nurturing Care Framework* (NCF) yang mencakup pemenuhan kesehatan, pemenuhan gizi yang adekuat, pengasuhan responsif, kesempatan belajar sejak dini, keamanan dan keselamatan. Penelitian ini bertujuan menganalisis hubungan faktor risiko pola asuh berbasis NCF dengan kejadian *stunting* pada balita di wilayah kerja Puskesmas Pagambiran Padang.

Jenis penelitian adalah analitik dengan desain *cross sectional*, dilaksanakan pada bulan Juni 2024-Januari 2025. Pengambilan sampel menggunakan *stratified random sampling* dan *simple random sampling* yang berjumlah 214 balita berusia 24-59 bulan. Pengumpulan data menggunakan kuesioner dan dianalisis secara univariat, bivariat (*chi-square*) dan multivariat (regresi logistik berganda dengan metode *backward elimination*).

Hasil penelitian didapatkan prevalensi *stunting* sebesar 43,9%. Pola asuh menggunakan pendekatan NCF (komposit) kurang baik 55,1%. Analisis multivariat menunjukkan bahwa faktor risiko yang berhubungan signifikan dengan kejadian *stunting* adalah pemenuhan kesehatan ($p=0,011$), pemenuhan gizi yang adekuat ($p=0,000$), keamanan dan keselamatan ($p=0,023$). Faktor dominan adalah pemenuhan gizi yang adekuat (OR=8,602). Sementara itu, stimulasi dini dan pengasuhan responsif tidak menunjukkan hubungan yang signifikan.

Kesimpulan penelitian ini, terdapat hubungan pemenuhan kesehatan, pemenuhan gizi yang adekuat, keamanan dan keselamatan dengan kejadian *stunting*. Faktor dominan adalah pemenuhan gizi yang adekuat. Diharapkan adanya kerjasama lintas sektoral untuk penanganan masalah gizi, layanan kesehatan dasar, pemantauan tumbuh kembang, serta penerapan lingkungan sehat berbasis NCF.

Kata kunci: *Nurturing Care Frame Work* (NCF), *Stunting*, *Balita*

ABSTRACT

ANALYSIS OF PARENTING RISK FACTORS USING THE NURTURING CARE FRAMEWORK (NCF) APPROACH IN RELATION TO STUNTING AMONG CHILDREN UNDER FIVE A CASE STUDY IN THE WORKING AREA OF PAGAMBIRAN HEALTH CENTRE PADANG

Fenni Amilia

Stunting is a linear growth disorder caused by malnutrition and recurrent infections. Prevention is through the Nurturing Care Framework (NCF) approach, which includes good health, adequate nutrition, responsive care, opportunities for early learning, security and safety. This study aims to analyze the relationship between NCF-based parenting risk factors and stunting among toddlers in the Pagambiran Padang Community Health Center (Puskesmas) work area.

This study was analytical with a cross-sectional design, conducted from June 2024 to January 2025. Sampling used stratified random sampling and simple random sampling, totalling 214 toddlers aged 24-59 months. Data collection used a questionnaire and was analyzed using univariate, bivariate (chi-square), and multivariate (multiple logistic regression with the backward elimination method).

The results showed a stunting prevalence of 43.9%. Parenting patterns using the NCF (composite) approach were less than good at 55.1%. Multivariate analysis showed that risk factors significantly associated with stunting were good health ($p=0,011$), adequate nutrition ($p=0,000$), security and safety ($p=0,023$). Adequate nutrition was the dominant factor ($OR=8,602$). Meanwhile, early stimulation and responsive parenting did not show a significant relationship.

The conclusion of this study is that there is a relationship between good health, adequate nutrition, security and safety with stunting. Adequate nutrition is the dominant factor. Cross-sectoral collaboration is expected to address nutritional issues, provide basic health services, monitor growth and development, and implement a healthy environment based on the NCF.

Keywords: *Nurturing Care Frame Work (NCF), Stunting, Children Under Five*