

## DAFTAR PUSTAKA

- Abe, Y. (2009). The effect of the age of the serpentine leafminer *Liriomyza trifolii* (Diptera: Agromyzidae) on parasitism by the parasitoid wasp *Gronotoma micromorpha* (Hymenoptera: Figitidae: Eucoilinae). *Eur. J. Entomol*, 106(1210–5759), 595–598.
- Andow, D. A. (1991). Vegetational diversity and arthropod population response. *Annual Review of Entomology*, 36, 561–586.
- Askew, R. R., & Shaw, M. R. (2001). Parasitoid communities: Their size, structure and development. In J. P. Waage & D. Greathead (Eds.), *Insect Parasitoids* (pp. 225–264). Academic Press.
- Bazzocchi, G. G., Lanzoni, A., Burgio, G., & Fiacconi, M. R. (2003). Effects of temperature and host on the pre-imaginal development of the parasitoid *Diglyphus isaea* (Hymenoptera: Eulophidae). *Biological Control*, 26(1), 74–82.
- Bernardo, U., Pedata, P. A., & Viggiani, G. (2006). Life history of *Pnigalio soemius* (Walker) (Hymenoptera: Eulophidae) and its impact on a leafminer host through parasitization, host feeding and host discrimination. *Biological Control*, 37(2), 98–107.
- Bouček, Z. (1988). *Australasian Chalcidoidea (Hymenoptera): A biosystematic revision of genera of fourteen families, with a reclassification of species*. CAB International.
- BPS Sumbar. (2024). Provinsi sumatera barat dalam angka 2024. *Badan Statistik Provinsi Sumatera Barat*, 54, 282–283.
- Chen, X. X., Lang, F. Y., Xu, Z. H., He, J. H., & Ma, Y. (2003). The occurrence of leafminers and their parasitoids on vegetables and weeds in Hangzhou area, Southeast China. *BioControl*, 48(5), 515–527.
- Chesson, P. (2000). Mechanisms of maintenance of species diversity. *Annual Review of Ecology and Systematics*, 31, 343–366.
- Chien, C. C., & Ku, S. C. (2001). Appearance and parasitism of *Neochrysocharis formosa* (Hymenoptera: Eulophidae), an important parasitoid of agromyzid leafminers in Taiwan. *Plant Protection Bulletin*, 43(4), 235–242.
- Daha, L. A. (2011). Parasitoid Quality of *Gronotoma micromorpha* Parasitizing *Liriomyza huidobrensis* on Chinese Cabbage and Soybean. *HAYATI Journal of Biosciences*, 18(3), 113–117. <https://doi.org/10.4308/hjb.18.3.113>
- Darvas, B., Skuhrová, M., & Andersen, A. (1988). Agricultural dipteran pests of Europe. In *Contributions to a Manual of Palaearctic Diptera* (pp. 565–650). Budapest: Akadémiai Kiadó.

- Doganlar, M., & Mendel, Z. (2007). First record of the Australian leaf-miner parasitoid, *Sphegigaster flavicornis* (Walker) (Hymenoptera: Pteromalidae) in Turkey. *Phytoparasitica*, 35(4), 333–335.
- Duan, J. J., & Messing, R. H. (2000). Effects of host substrate and vibration cues on ovipositor-probing behavior in two larval parasitoids of tephritid fruit flies. *Journal of Insect Behavior*, 13(2), 175–186.
- Eiseman, C. S., & Lonsdale, O. (2018). New state and host records for Agromyzidae (Diptera) in the United States, with the description of thirty new species. In *Zootaxa* (Vol. 4479, Issue 1, pp. 1–156). Magnolia Press. <https://doi.org/10.11646/zootaxa.4479.1.1>
- Fathya, D. (2020). *Liriomyza huidobrensis* (Diptera: Agromyzidae) Dan Parasitoidnya Pada Tanaman Bawang Merah (*Allium ascalonicum* L.) Di Kecamatan Lembah Gumanti Tingkat Serangan Pengorok Daun *Liriomyza*. Skripsi. Universitas Andalas.
- Fauziah, R., Susila, A. D., & Sulistyono, E. (2016). Budidaya Bawang Merah (*Allium ascalonicum* L.) pada Lahan Kering Menggunakan Irigasi Sprinkler pada berbagai Volume dan Frekuensi. *Jurnal Hortikultura Indonesia*, 7(1), 1–8.
- Fisher, N., Ubaidillah, R., Reina, P., & La Salle, J. (2016). *Diagnostic Methods for Liriomyza Species - Exotic Leafminers*. LucidCentral.
- Frick, Kenneth. E. (1971). Biological Notes on Adults and Eggs of *Phytomyza syngenesiae* in North-Central Coastal California. *Journal of Economic Entomology*, 65(5), 1310–1313.
- Gellang, A., Anshary, A., & Shahabuddin. (2009). Ketahanan berbagai varietas bawang merah terhadap hama pengorok daun (Diptera: Agromyzidae).
- Gençer, L. (2004). A study on the chalcidoid (Hymenoptera: Chalcidoidea) parasitoids of leafminers (Diptera: Agromyzidae) in Ankara province. *Turkish Journal of Zoology*, 28(2), 119–122.
- Grabenweger, G., Hopp, H., GrabeJackel, B., Balder, H., Koch, T., & Schmolling, S. (2010). Impact of native parasitoids on the population dynamics of the American horse-chestnut leafminer, *Cameraria ohridella* (Lepidoptera: Gracillariidae), in urban Berlin. *European Journal of Entomology*, 107(3), 389–395.
- Graham, M. W. R. de V. (1969). The Pteromalidae of North-Western Europe (Hymenoptera: Chalcidoidea). *Bulletin of the British Museum (Natural History) Entomology, Supplement*(16), 1–908.
- Griffiths, G. C. D. (1964). *Agromyzid Fauna of Iceland and the Faroes, With Appendices on the Phytomyza and Agromyzidae*.

- Gunaeni, N., Setiawati, W., & Kusandriani, Y. (2015). Pengaruh Teknik Budidaya dan Pengendalian terhadap Serangan Organisme Pengganggu Tumbuhan pada Tanaman Bawang Merah. *Jurnal Hortikultura*, 25(1), 53–62.
- Hamid., Supartha, I., Susila, I., & Sudiarta, P. (2018). Flight Behavior, Development Of Population And Attack Of Stone Leek leafminer *Liriomyza chinensis* kato (diptera: agromyzidae) Towards Five Varieties of Onion (*Allium cepa* l.). *International Journal of Life Sciences (IJLS)*, 2(2), 51-63
- Handayani, M. (2020). "Pertumbuhan Dan Hasil Tanaman Bawang Merah (*Allium Ascalonicum* L.) Pada Berbagai Jarak Tanam Dan Pengendalian Gulma. Skripsi. Universitas Andalas.
- Hansson, C. (1990). A taxonomic study of *Neochrysocharis Kurdjumov* (Hymenoptera: Eulophidae), with a revision of the species in Europe. *Entomologica Scandinavica*, 21(1), 29–52.
- Hansson, C., & La Salle, J. (2010). Three new species of *Quadrastichus* Girault (Hymenoptera: Eulophidae) from Kenya and Uganda. *Zootaxa*, 2526(1), 43–56.
- Harahap, A. S., Luta, D. A., Sri, D., & Sitepu, M. B. (2022). Karakteristik Agronomi Beberapa Varietas Bawang Merah (*Allium ascalonicum* L.) Dataran Rendah. *Seminar Nasional UNIBA Surakarta*, 287–296.
- Heinz, K. M., & Parrella, M. P. (1990). Biological control of insect pests on greenhouse marigolds. . *Environmental Entomology*, 19(4), 825–835.
- Herlinda, S., Utama, M. D., Pujiastuti, Y., & Suwandi. (2005). Keanekaragaman jenis parasitoid lalat pengorok daun *Liriomyza* spp. (Diptera: Agromyzidae) pada tanaman sayuran. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 5(2), 73–81.
- Hermanto, C., Maharijaya, A., Arsanti, I. W., Hayati, M., Rosliani, R., Setyawati, Ch. A., Husni, I., Sari, M., Wibawa, T., Sunarto, B., Kurdi, Adin, A., Julietha, D., Suad, D., Efendi, M., Hariyanto, Nggaro, Y. Y., Anggraeni, F., Waludin, J., Setiani, R. (2017). Pedoman Budidaya Bawang Merah Menggunakan Benih Biji. *Direktorat Sayuran Dan Tanaman Obat*, 1–20.
- Hidrayani. (2003). *Hemiptarsenus varicornis* (Girault) (Hymenoptera: Eulophidae), Parasitoid *Liriomyza hiudobrensis* (Blanchard) (Diptera: agromyzidae) Biologi dan Tanggap Fungsional, Serta Pengaruh Jenis Tumbuhan Inang dan Aplikasi Insektisida [Disertasi]. Institut Pertanian Bogor.
- Hidrayani, Purnomo, Rauf, A., Ridland, P. M., & Hoffmann, A. A. (2005). Pesticide applications on Java potato fields are ineffective in controlling leafminers, and have antagonistic effects on natural enemies of leafminers. *International Journal of Pest Management*, 51(3), 181–187.



- Hossain, M. B., & Poehling, H. M. (2006). Effects of a neem-based insecticide on different immature life stages of the leafminer parasitoid *Diglyphus isaea* (Hymenoptera: Eulophidae). *Phytoparasitica*, 34(3), 241–254.
- Jervis, M. A., & Kidd, N. A. C. (1996). *Insect natural enemies: Practical approaches to their study and evaluation*. Chapman and Hall.
- Johnson, M. W., & Hara, A. H. (1987). Influence of host crop on parasitoids (Hymenoptera) of *Liriomyza* spp. (Diptera: Agromyzidae). *Environmental Entomology*, 16(2), 339–344.
- Krebs, J. C. (1989). Ecological Methodology. *Harper Collin Publisher*, 177–185.
- Lanzoni, A., Martelli, R., & Pezzi, F. (2017). First record of *Phytomyza gymnostoma* (Diptera: Agromyzidae) in North America: An invasive Allium leafminer pest in Pennsylvania. *Journal of Integrated Pest Management*, 8(1), 1-8.
- La Salle, J. (2005). Biology of *Quadrastichus* (Hymenoptera: Eulophidae), a major parasitoid of agromyzid leafminers. *Annals of the Entomological Society of America*, 96(2), 192–196.
- Liu, T. X., Kang, L., Lei, Z. R., & Hernández, R. (2001). Hymenopteran parasitoids and their role in biological control of vegetable leafminers in China. *Resources and Ecological Journal*, 16(2), 325–336.
- Lonsdale, O., & Scheffer, S. J. (2011). Revision of nearctic holly leafminers in the genus *Phytomyza* (Diptera: Agromyzidae), including descriptions of four new species. *Annals of the Entomological Society of America*, 104(6), 1183–1206.
- Luna, M. G., Wada, V. I., La Salle, J., & Sánchez, N. E. (2012). Neotropical complexes of *Diglyphus* species (Hymenoptera: Eulophidae) parasitizing agromyzid leafminers: Taxonomic and biological implications. *Journal of Natural History*, 46(11–12), 669–701.
- MacDonald, O. C. (1991). Responses of the alien leaf miners *Liriomyza trifolii* and *Liriomyza huidobrensis* (Diptera: Agromyzidae) to some pesticides. *Agriculture, Ecosystems & Environment*, 37, 79–89.
- MacQuarrie, C. J. K., Langor, D. W., & Sperling, F. A. H. (2016). Phenology of two parasitoid species attacking green alder leaf miner, *Fenusa dohrnii* (Hymenoptera: Tenthredinidae). *The Canadian Entomologist*, 148(5), 575–584.
- Mafi, S., & Ohbayashi, N. (2010). Biology of *Chrysocharis pentheus*, an endoparasitoid wasp of the citrus leafminer *Phyllocnistis citrella* Stainton. *Journal of Insect Science*, 10(1), 117.
- Massa, B., Rizzo, M. C., & Caleca, V. (2001). Natural alternative hosts of Eulophidae (Hymenoptera: Chalcidoidea) parasitoids of the citrus leafminer

- Phyllocnistis citrella* Stainton (Lepidoptera: Gracillariidae) in the Mediterranean basin. . *Journal of Hymenoptera Research*, 10(2), 91–100.
- Mirchev, P., Georgiev, G., & Tsankov, G. (2016). Studies on parasitoids of *Phyllonorycter robiniella* (Clemens) (Lepidoptera: Gracillariidae) in Bulgaria. *Anzeiger Für Schädlingskunde*, 74(4), 94–96.
- Mitsunaga, T., Yano, E., & Miyata, T. (2004). Effects of irrigation levels on the parasitization of *Chromatomyia horticola* (Diptera: Agromyzidae) larvae by the parasitoid *Chrysocharis pentheus* (Hymenoptera: Eulophidae). *Applied Entomology and Zoology*, 39(3), 393–399.
- Murphy, S. T., & LaSalle, J. (1999). Balancing biological control strategies in the IPM of new world invasive *Liriomyza* leafminers in field vegetable crops. *Biocontrol News and Information*, 20(3), 91–104.
- Musundire, R., Chabi-Olaye, A., & Krüger, K. (2012). st plant effects on morphometric characteristics of *Liriomyza huidobrensis*, *L. sativae* and *L. trifolii* (Diptera: Agromyzidae). *Journal of Applied Entomology*, 136(1–2), 97–108.
- Nonci, N., & Muis, A. (2021). Bioekologi dan Pengendalian Pengorok Daun *Liriomyza Chinensis* Kato (Diptera: Agromyzidae) Pada Bawang Merah. *Jurnal Litbang Pertanian*, 30(4), 2011.
- Nonci, N., Muis, A., & Hutahaean, L. (2009). *Kajian Usaha Tani Dan Pemasaran Bawang Palu*.
- Noyes, J. S. (2011). *Universal Chalcidoidea Database*. World Wide Web electronic publication. .
- Noyes, J. S. (2013). *Interactive catalogue of world Chalcidoidea*. Taxapad.
- Pertiwi, P. C. (2018). *Keberadaan Hama Pengorok Daun (Diptera:Agromyzidae) Pada Tanaman Kentang (Solanum tuberosum L.) di Dataran Tinggi Sembalun*.
- Petcharat, J., Ling, Z., Weiqiu, Z. , Zaifu, X., & Quisong, W. (2012). Larval parasitoids of agromyzid leaf miner genus *Liriomyza* in the southern Thailand: Species and their host plants. . *Songklanakarin Journal of Science and Technology*, 136(1–2), 97–108.
- Prijono, D., Rauf, A., Dadang, & Harahap, I. S. (2004). Effectiveness of various botanical insecticides and their effects on parasitoids of *Liriomyza huidobrensis* (Blanchard) (Diptera: Agromyzidae). *Journal of ISSAAS*, 10, 98–106.
- Purnomo, Rauf, A., Sosromarsono, S., & Santoso, T. (2012). Parasitoids of leafminer *Liriomyza huidobrensis* (Blanchard) (Diptera: Agromyzidae) on potato in Indonesia. *Indonesian Journal of Entomology*, 9(1), 17–27.

- Purnomo, Zulfiana, D., & Rosyadi, I. (2013). Parasitisasi dan kapasitas reproduksi *Hemiptarsenus varicornis* (Girault) (Hymenoptera: Eulophidae) pada *Liriomyza huidobrensis* (Blanchard) (Diptera: Agromyzidae). *Jurnal Entomologi Indonesia*, 10(2), 60–69.
- Rahmadani, C. (2023). *Potensi Rhizobacteria Bacillus spp. untuk Pertumbuhan Tanaman Bawang Merah (Allium ascalonicum L.) dan Pemicu Ketahanan Tanaman Terhadap Liriomyza sp.* Skripsi. Universitas Andalas.
- Rashid, F., Haq, E., & Khan, A. A. (2003). Bio-ecology of parasitoids (Hymenoptera) of agromyzid leaf miners in Kashmir, India. *Journal of Applied and Natural Science*, 7(2), 886–891.
- Rauf, A., Merle Shepard, B., & Johnson, M. W. (2000). Leafminers in vegetables, ornamental plants and weeds in Indonesia: Surveys of host crops, species composition and parasitoids. *International Journal of Pest Management*, 46(4), 257–266.
- Rauf, A., & Shepard, B. M. (1999). Leafminers in vegetables in Indonesia: Surveys of host crops, species composition, parasitoids and control practices. In G. S. Lim, S. S. Soetikno, & W. H. Loke (Eds.), *Proceedings of a Workshop on Leafminers of Vegetables in Southeast Asia* (pp. 25–35). CAB International Southeast Asia Regional Centre.
- Rifa'i, C. (2021). *Tingkat Serangan Lalat Pengorok Daun (Liriomyza Sp.) Pada Tanaman Bawang Merah (Allium ascalonicum L.) Di Kecamatan Danau Kembar Kabupaten Solok.* Skripsi. Universitas Andalas.
- Rizzo, M. C. (2003). Tritrophic interactions involving eulophid parasitoids (Hymenoptera: Eulophidae) of the citrus leafminer *Phyllocnistis citrella* Stainton (Lepidoptera: Gracillariidae). *Bollettino Di Zoologia Agraria e Di Bachicoltura*, 35(3), 227–239.
- Rustam, R., Rauf, A., Maryana, N., Pudjianto, & Dadang. (2008). Komunitas Parasitoid Lalat Pengorok Daun pada Pertanaman Sayuran Dataran Tinggi. *Jurnal Natur Indonesia*, 11(1), 40–47.
- Salvo, A., & Valladares, G. R. (2002). Plant-related intraspecific size variation in parasitoids (Hymenoptera: Parasitica) of a polyphagous leafminer (Diptera: Agromyzidae). *Ecological Entomology*, 31(5), 874–879.
- Schauff, M. E. (1991). The Holarctic genera of Entedoninae (Hymenoptera: Eulophidae). . *Contributions of the American Entomological Institute*, 26(4), 1–109.
- Scheffer, S.J., Winkler, I.S., & Wiegmann, B.M. (2013). Phylogenetic relationships within the leaf-mining flies (Diptera: Agromyzidae) inferred from sequence data from multiple genes. *Molecular Phylogenetics and Evolution*, 70, 350–364.



- Setiawati, W., Gunaeni, N., Subhan, & Muharam, A. (2015). Pengaruh Pemupukan dan Tumpangsari antara Cabai dan Bawang Merah terhadap Populasi Thrips dan Virus pada Tanaman Cabai. . *Jurnal Hortikultura*, 25(3), 240–250.
- Setiawati, W., Murtiningsih, R., Sopha, G. A., & Handayani, T. (2007). Petunjuk Teknis Budidaya Tanaman Sayuran. In *Budidaya Tanaman Sayuran*.
- Shahabuddin, S., Anshary, A., & Gellang, A. (2012). Tingkat Serangan Dan Jenis Lalat Pengorok Daun Pada Tiga Varietas Lokal Bawang Merah Di Lembah Palu Sulawesi Tengah. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 12(2), 153–161. <https://doi.org/10.23960/j.hptt.212153-161>
- Supartha, I. W., Susila, I. W., Yohanes, Yudha, I. K. W., & Wiradana, P. A. (2022). Potential of parasitoid *Gronotoma micromorpha* Perkin (Hymenoptera: Eucilidae) as a biocontrol agent for pea leafminer fly, *Liriomyza huidobrensis* Blanchard (Diptera: Agromyzidae). *Acta Ecologica Sinica*, 42(2), 90–94.
- Suvanto, L., Saaksjarvi, I. E., & Pujade-Villar, J. (2012). Taxonomic study of the Afrotropical species of *Torymus* Dalman (Hymenoptera: Torymidae). *Zootaxa*, 3356(1), 1–25.
- Tantowijoyo, W., & Hoffmann, A. A. (2010). Identifying factors determining the altitudinal distribution of the invasive pest leafminers *Liriomyza huidobrensis* and *Liriomyza sativae*. *Entomologia Experimentalis et Applicata*, 135, 141–153.
- Tauber, M. J., & Tauber, C. A. (1968). Biology And Leaf-Mining Behavior of *Phytomyza Lanati* (Diptera: Agromyzidae). *The Canadian Entomologist*, 100, 341.
- Téllez, M. M., Sánchez, J. A., Lara, L., & Urbaneja, A. (2006). Influence of the application of pesticides on the survival of the parasitoid *Diglyphus isaea* (Walker) (Hymenoptera: Eulophidae) when attacking the leafminer *Liriomyza bryoniae* (Burgess) (Diptera: Agromyzidae). *Bulletin OILB/SROP*, 29(4), 345–350.
- Thoeming, G., Borgemeister, C., Sétamou, M., & Poehling, H. M. (2006). Systemic effects of neem on western flower thrips, *Frankliniella occidentalis* (Thysanoptera: Thripidae). . *Journal of Economic Entomology*, 99(3), 642–650.
- Thu, G. H. T., & Ueno, T. (2002). Biology of *Hemiptarsenus varicornis* (Hymenoptera: Eulophidae), a parasitoid wasp of the leafminer *Liriomyza trifolii* (Diptera: Agromyzidae). *Journal of the Faculty of Agriculture, Kyushu University*, 47(1), 45–54. <https://doi.org/10.5109/24458>
- Tokumar, S., & Abe, Y. (2006). Hymenopterous parasitoids of leafminers, *Liriomyza sativae* Blanchard, *L. trifolii* (Burgess), and *L. bryoniae*

- (Kaltenbach) in Kyoto Prefecture. *Japanese Journal of Applied Entomology and Zoology*, 50(4), 341–345.
- Tran, D. H., & Hassan, E. (2001). Biology of *Zagrammosoma latilineatum*, an ectoparasitoid of the citrus leafminer *Phyllocnistis citrella*. *BioControl*, 46(4), 461–471.
- Tran, D. H., Mai, L. P., Ueno, T., Takagi, M., & Tran, T. T. A. (2007). Seasonal abundance of *Liriomyza sativae* (Diptera: Agromyzidae) and its parasitoids on vegetables in southern Vietnam. *Journal of the Faculty of Agriculture, Kyushu University*, 52(1), 49–55.
- Tran, D. H., & Takasu, K. (2001). Host age selection by the host-feeding pupal parasitoid *Dinarmus basalis* (Hymenoptera: Pteromalidae). *Journal of the Faculty of Agriculture, Kyushu University*, 45(1), 195–202.
- Ubaidillah, R., LaSalle, J., Quicke, D. L., & Kojima, J. (2000). Cladistic analysis of morphological characters in the eulophine tribe Cirrospilini (Hymenoptera: Eulophidae). *Entomological Science*, 3(1), 131.
- Urbaneja, A., Ll  cer, E., Garrido, A., & Jacas, J. A. (2003). The effect of temperature on the life history parameters of *Cirrospilus vittatus*, an ectoparasitoid of *Phyllocnistis citrella*. *Bulletin of Entomological Research*, 93(2), 103–109.
- Videla, M., Valladares, G. R., & Salvo, A. (2012). Choosing between good and better: Optimal oviposition drives host plant selection when parents and offspring agree on best resources. *Oecologia*, 169(3), 743–751.
- Wahyuni, S., & Supartha, I. (2017). Functional Response Of *Opius Chromatomyiae* Belokobylskij & Wharthon (Hymenoptera: Eulopidae) Parasitoid On Leaf Miner, *Liriomyza Sativae* Blanchard (Diptera: Agromyzidae). *International Journal of Entomological Research*, 5(1), 17-21
- Wang, X., Messing, R. H., & Bautista, R. C. (2009). Host selection behavior of the fruit fly parasitoid *Diachasmimorpha tryoni* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America*, 102(3), 471–477.
- Wei, Q., Mu, X. C., Wei, Y. W., & Zhao, L. J. (2015). Resistance monitoring and cross-resistance of *Liriomyza huidobrensis* to several insecticides in vegetable plantations in Yunnan. *Plant Protection*, 41, 93–96.
- Weintraub, P. G., Scheffer, S. J., Visser, D., Valladares, G., Correa, A. S., Shepard, B. M., Rauf, A., Murphy, S. T., Mujica, N., MacVean, C., Kroschel, J., Kishinevsky, M., Joshi, R. C., Johansen, N. S., Hallett, R. H., Civelek, H. S., Chen, B., & Metzler, H. B. (2017). The invasive *liriomyza huidobrensis* (Diptera: Agromyzidae): Understanding its pest status and management globally. *Journal of Insect Science*, 17(1).



Wiasa, I. P. D., Sunari, A. S., & Supartha, I. W. (2019). Perkembangan Pradewasa dan Perilaku Parasitisasi Hemiptarsenus varicornis (Girault) (Hymenoptera: Eulophidae) sebagai Ektoparasitoid Larva Liriomyza sativae (Blanchard) (Diptera: Agromyzidae). *Agrotrop: Journal on Agriculture Science*, 8(2), 163.

Williams, L., Price, L. D., & Manrique, V. (2003). Toxicity of field-weathered insecticide residues to *Anaphes iole* (Hymenoptera: Mymaridae), an egg parasitoid of *Lygus lineolaris* (Heteroptera: Miridae), and implications for inundative biological control in cotton. . *Biological Control*, 26(3), 217–223.

Xu, Z. H., Chen, Z. X., & Chen, X. X. (2006). Geographical distribution of *Diglyphus isaea* and *D. begini* (Hymenoptera: Eulophidae) in China. *Acta Entomologica Sinica*, 49(5), 899–901.

Yefremova, Z. A., Civelek, H. S., Boyadzhiev, P. S., Dursun, O., & Eskin, A. (2015). A review of Turkish *Diglyphus* Walker (Hymenoptera: Eulophidae) with description of a new species. *Zootaxa*, 3980(2), 281–287.

Zhu, C. D., Huang, D. W., & LaSalle, J. (2007). The genera of Entedoninae of China (Hymenoptera: Eulophidae). *Entomotaxonomia*, 29(1), 27–50.

Zitter, T. A., & Simons, J. N. (1980). Management of viruses by alteration of vector efficiency and by cultural practices. *Annual Review of Phytopathology*, 18, 289–310.

