

DAFTAR PUSTAKA

- Arnon, D. I. (1949). Copper enzym in isolated chloroplasts polyphenoloxidase in *Beta vulgaris*. *Plant Physiology*, 24(1), 1–15. <https://doi.org/10.2307/4118807>
- BBPSI Padi. (2023). *Deskripsi varietas unggul baru*. <https://padi.bsip.pertanian.go.id/>
- BNPB. (2024). *Data Bencana Indonesia 2023*. <https://www.bnpb.go.id/>
- BPS. (2024). *Statistik Indonesia 2024*. <https://www.bps.go.id/id>
- Cheng, C., Motohashi, R., Tsuchimoto, S., Fukuta, Y., Ohtsubo, H., & Ohtsubo, E. (2003). Polyphyletic origin of cultivated rice: Based on the interspersed pattern of SINEs. *Molecular Biology and Evolution*, 20(1), 67–75. <https://doi.org/10.1093/molbev/msg004>
- Collard, B. C. Y., Septiningsih, E. M., Das, S. R., Carandang, J. J., Pamplona, A. M., Sanchez, D. L., Kato, Y., Ye, G., Reddy, J. N., Singh, U. S., Iftekharruddaula, K. M., Venuprasad, R., Vera-Cruz, C. N., Mackill, D. J., & Ismail, A. M. (2013). Developing new flood-tolerant varieties at the international rice research institute (IRRI). *Sabarao Journal of Breeding and Genetics*, 45(1), 42–56.
- Dalimunthe, S. R. (2021). Respon genotipe padi lokal terhadap cekaman rendaman di pembibitan. *Proceedings Series on Physical & Formal Sciences*, 2, 66–76. <https://doi.org/10.30595/pspfs.v2i.169>
- Esteban, J. A. C. (2024). Growth and yield performance of different maize growth stages subjected to waterlogging. *International Journal of Agricultural Technology*, 20(5), 1873–1882.
- Fitriyah, D., Ubaidillah, M., & Oktaviani, F. (2020). Analisis kandungan gizi beras dari beberapa galur padi transgenik PAC Nagdong/IR36. *Jurnal Ilmu Kesehatan*, 1(2), 154–160. <https://doi.org/10.37148/arteri.v1i2.51>
- Fukao, T., & Bailey-Serres, J. (2008). Submergence tolerance conferred by Sub1A is mediated by SLR1 and SLRL1 restriction of gibberellin responses in rice. *Proceedings of the National Academy of Sciences of the United States of America*, 105(43), 16814–16819. <https://doi.org/10.1073/pnas.0807821105>
- Gribaldi, Suwignyo, R. A., Hasmeda, M., & Hayati, R. (2014). Pengaruh pemupukan terhadap perubahan morfofisiologi dua varietas padi pada kondisi cekaman rendaman. *Jurnal Agronomi Indonesia*, 42(1), 17–23. <https://doi.org/10.24831/jai.v42i1.8144>
- Gustanti, V. A., Wening, R. H., & Muharam, M. Y. S. (2022). Uji Toleransi Galur Padi (*Oryza Sativa* L.) Terhadap Cekaman Abiotik Rendaman Stagnan (Stagnant Flooding). *Agrohita*, 7(1), 144–151. <http://jurnal.um-tapsel.ac.id/index.php/agrohita/article/view/6834>

- Hairmansis, A., Supartono, Kustianto, B., Suwarno, & Pane, H. (2012). Perakitan dan pengembangan varietas unggul baru padi toleran rendaman air Inpara 4 dan Inpara 5 untuk daerah rawan banjir. *Jurnal Litbang Pertanian*, 31(1), 1–7. <https://doi.org/10.21082/jp3.v31n1.2012.p%p>
- Hattori, Y., Nagai, K., Furukawa, S., Song, X. J., Kawano, R., Sakakibara, H., Wu, J., Matsumoto, T., Yoshimura, A., Kitano, H., Matsuoka, M., Mori, H., & Ashikari, M. (2009). The ethylene response factors SNORKEL1 and SNORKEL2 allow rice to adapt to deep water. *Nature*, 460(7258), 1026–1030. <https://doi.org/10.1038/nature08258>
- Hermanasari, R., Supartopo, S., Hairmansis, A., Yullianida, Y., & Kustianto, B. (2011). Galur harapan padi rawa toleran rendaman. *Jurnal Penelitian Pertanian Tanaman Pangan*, 30(2), 71–75.
- International Rice Research Institute (IRRI). (2002). *Standard evaluation system (SES) for rice*. Rice Knowledge Bank. <https://www.irri.org/>
- International Rice Research Institute (IRRI). (2007). *Morphology of the Rice Plant*. <https://www.irri.org/>
- Jia, W., Ma, M., Chen, J., & Wu, S. (2021). Plant morphological, physiological and anatomical adaption to flooding stress and the underlying molecular mechanisms. *International Journal of Molecular Sciences*, 22(3), 1–24. <https://doi.org/10.3390/ijms22031088>
- Kato, Y., Collard, B. C. Y., Septiningsih, E. M., & Ismail, A. M. (2019). Increasing flooding tolerance in rice: combining tolerance of submergence and of stagnant flooding. *Annals of Botany*, 124(7), 1199–1209. <https://doi.org/10.1093/aob/mcz118>
- Larasmita, K. A., Agustiani, N. W., Damanhuri, & Waluyo, B. (2019). Interaksi genotip X lingkungan tanaman padi pada cekaman genangan. *Jurnal Produksi Tanaman*, 7(7), 1221–1228.
- Lin, C., Zhang, Z., Shen, X., Liu, D., & Pedersen, O. (2024). Flooding-adaptive root and shoot traits in rice. *Functional Plant Biology*, 51(1). <https://doi.org/10.1071/FP23226>
- Makarim, A. K., & Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi. Subang.
- Miro, B., & Ismail, A. M. (2013). Tolerance of anaerobic conditions caused by flooding during germination and early growth in rice (*Oryza sativa* L.). *Frontiers in Plant Science*, 4, 1–18. <https://doi.org/10.3389/fpls.2013.00269>
- Nikolić, A., Božić, M., Delić, N., Marković, K., Milivojević, M., Čamdžija, Z., & Ignjatović Micić, D. (2025). The Early Growth of Maize Under Waterlogging Stress, as Measured by Growth, Biochemical, and Molecular Characteristics. *Biology*, 14(2). <https://doi.org/10.3390/biology14020111>

- Nugraha, Y., Vergara, G. V., Mackill, D. J., & Bagi, A. (2013). Response of Sub1 Introgression Lines of Rice to Various Flooding Conditions Respon Galur Padi Introgresi SUB1 terhadap Berbagai Kondisi Banjir. *Indones. J. Agric. Sci*, 14(1), 15–26. <http://ejurnal.litbang.pertanian.go.id/index.php/ijas/article/view/1058/904>
- Nuryanto, B. (2018). Pengendalian penyakit tanaman padi berwawasan lingkungan melalui pengelolaan komponen epidemik. *Jurnal Litbang Pertanian*, 37(1), 1–12. <https://doi.org/10.21082/jp3.v37n1.2018.p1-8>
- Pamungkas, C. Y., Suryanti, S., & Purwanti, S. (2025). Pengaruh Cekaman Genangan Air Terhadap Pertumbuhan dan Hasil Tanaman Jagung (*Zea mays* L.). *Jurnal Ilmiah Pertanian*, 10(10), 1–12. <https://doi.org/10.31941/biofarm.v21i1.6095>
- Panda, D., & Barik, J. (2021). Flooding tolerance in rice: focus on mechanisms and approaches. *Rice Science*, 28(1), 43–57. <https://doi.org/10.1016/j.rsci.2020.11.006>
- Peralta Ogorek, L. L., Song, Z., Pellegrini, E., Liu, F., Tomasella, M., Nardini, A., & Pedersen, O. (2024). Root acclimations to soil flooding prime rice (*Oryza sativa* L.) for subsequent conditions of water deficit. *Plant and Soil*, 494(1–2), 529–546. <https://doi.org/10.1007/s11104-023-06299-7>
- Permentan. (2022). Peraturan Menteri Pertanian Republik Indonesia Nomor 13 Tahun 2022 Tentang Penggunaan Dosis Pupuk N, P, K untuk Padi, Jagung, dan Kedelai pada Lahan Sawah. In Permentan. <https://peraturan.bpk.go.id>
- Prakash, M., Sunilkumar, B., Sathiya Narayanan, G., Gokulakrishnan, J., & Anandan, R. (2016). Seed germination and seedling growth of rice varieties as affected by flooding stress. *Indian Journal of Agricultural Research*, 50(3), 268–272. <https://doi.org/10.18805/ijare.v50i3.10748>
- Rozen, N., & Kasim, M. (2018). *Teknik budidaya tanaman padi metode SRI (The System of Rice Intensification)*. PT Rajagrafindo Persada.
- Sarkar, R. K., & Bhattacharjee, B. (2011). Rice Genotypes with SUB1 QTL Differ in Submergence Tolerance, Elongation Ability during Submergence and Re-generation Growth at Re-emergence. *Rice*, 5(1), 1–11. <https://doi.org/10.1007/s12284-011-9065-z>
- Singh, A., Septiningsih, E. M., Balyan, H. S., Singh, N. K., & Rai, V. (2017). Genetics, physiological mechanisms and breeding of flood-tolerant rice (*Oryza sativa* L.). *Plant and Cell Physiology*, 58(2), 185–197. <https://doi.org/10.1093/pcp/pcw206>
- Siregar, M., & Sulardi. (2018). *Agribisnis budidaya padi*. Fakultas Ekonomi Universitas Panca Budi.
- Suryani, N., Widayati, D., & Abdurrachim, R. (2020). Analisis indeks glikemik, kadar serat dan karbohidrat nasi dari Varietas Beras Siam (Mutiar, Unus dan Saba). *Jurnal Kesehatan Indonesia*, 9(1), 1–6. <https://www.jurnal.stikeshb.ac.id/index.php/jurkessia/article/view/217>

- USDA. (2024). *Rice sector at a glance*. Economic Research Servis US. Departement Of Agronomy. <https://www-ers-usda-gov>.
- Vergara, G. V., Nugraha, Y., Esguerra, M. Q., Mackill, D. J., & Ismail, A. M. (2014). Variation in tolerance of rice to long-term stagnant flooding that submerges most of the shoot will aid in breeding tolerant cultivars. *AoB PLANTS*, 6, 1–16. <https://doi.org/10.1093/aobpla/plu055>
- Videmsek, U., Turk, B., & Vodnik, D. (2006). Root aerenchyma – formation and function. *Acta Agriculturae Slovenica*, 87(2). <https://doi.org/10.14720/aas.2006.87.2.15124>
- Xu, K., Xu, X., Fukao, T., Canlas, P., Maghirang-Rodriguez, R., Heuer, S., Ismail, A. M., Bailey-Serres, J., Ronald, P. C., & Mackill, D. J. (2006). Sub1A is an ethylene-response-factor-like gene that confers submergence tolerance to rice. *Nature*, 442(7103), 705–708. <https://doi.org/10.1038/nature04920>
- Yullianida, Ardie, S. W., Suwarno, & Aswidinnoor, H. (2015). Respon dan Produktivitas Padi Rawa terhadap Cekaman Rendaman Stagnan untuk Pengembangan di Lahan Rawa Lebak. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 43(1), 15. <https://doi.org/10.24831/jai.v43i1.9583>
- Yullianida, Suwarno, Ardie, S. W., & Aswidinnoor, H. (2014). Uji cepat toleransi tanaman padi terhadap cekaman rendaman pada fase vegetatif. *Jurnal Agronomi Indonesia*, 42(2), 89–95. <https://doi.org/10.24831/jai.v42i2.8423>

