

DAFTAR PUSTAKA

- Abutaha, N.M. *et al.* (2020) ‘Bioassay-Guided Fractionation of Endophytic Fungal Extract of *Fusarium solani* (Saccardo) against Cancer Cell Lines and Zebrafish Embryo’, 54(2), pp. 301–308. Available at: <https://doi.org/10.5530/ijper.54.2s.87>.
- Al-Rawi, S.S. *et al.* (2024) ‘Therapeutic, and pharmacological prospects of nutmeg seed: A comprehensive review for novel drug potential insights’, *Saudi Pharmaceutical Journal*, 32(6), p. 102067. Available at: <https://doi.org/10.1016/j.jsps.2024.102067>.
- Alexandre, T.R. *et al.* (2017) ‘Ergosterol isolated from the basidiomycete *Pleurotus salmoneostramineus* affects *Trypanosoma cruzi* plasma membrane and mitochondria’, *Journal of Venomous Animals and Toxins Including Tropical Diseases*, 23(1), pp. 1–10. Available at: <https://doi.org/10.1186/s40409-017-0120-0>.
- ARRIJANI, A. (1970) ‘REVIEW: Biology and Conservation of Genus *Myristica* in Indonesia’, *Biodiversitas Journal of Biological Diversity*, 6(2), pp. 147–151. Available at: <https://doi.org/10.13057/biodiv/d060216>.
- Arrizqiyani, T., Sonjaya, N. and Asty, D.A. (2017) ‘Optimalisasi Potensi Tanaman Pala Sebagai Antibakteri *Escherichia coli* Menggunakan Metode Ekstraksi’, *Prosiding Seminar Nasional Publikasi Hasil-Hasil Penelitian dan Pengabdian Masyarakat*, (September), pp. 375–382. Available at: <https://jurnal.unimus.ac.id/index.php/psn12012010/article/view/2890>.
- Barolo, M.I., Castelli, M.V. and López, S.N. (2023) ‘Antimicrobial properties and biotransforming ability of fungal endophytes from *Ficus carica* L. (Moraceae)’, *Mycology*, 14(2), pp. 108–132. Available at: <https://doi.org/10.1080/21501203.2023.2175500>.
- Biswas, D. *et al.* (2020) ‘Endophytes producing podophyllotoxin from *Podophyllum* sp. and other plants: A review on isolation, extraction and bottlenecks’, *South African Journal of Botany*, 134, pp. 303–313. Available at: <https://doi.org/10.1016/j.sajb.2020.02.038>.
- Chang, K.D. and Ketter, T.A. (2001) *Special issues in the treatment of paediatric*

bipolar disorder, Expert Opinion on Pharmacotherapy. Available at: <https://doi.org/10.1517/14656566.2.4.613>.

Chekhun, V.F. *et al.* (2013) ‘Iron metabolism disturbances in the MCF-7 human breast cancer cells with acquired resistance to doxorubicin and cisplatin’, *International Journal of Oncology*, 43(5), pp. 1481–1486. Available at: <https://doi.org/10.3892/ijo.2013.2063>.

Chen, J. *et al.* (2020) ‘Fungal Endophyte Communities of Crucifer Crops Are Seasonally Dynamic and Structured by Plant Identity, Plant Tissue and Environmental Factors’, *Frontiers in Microbiology*, 11(July), pp. 1–13. Available at: <https://doi.org/10.3389/fmicb.2020.01519>.

Darwati, D. *et al.* (2021) ‘Effectiveness and anticancer activity of a novel phenolic compound from garcinia porrecta against the mcf-7 breast cancer cell line in vitro and in silico’, *Drug Design, Development and Therapy*, 15(August), pp. 3523–3533. Available at: <https://doi.org/10.2147/DDDT.S321824>.

Deepthi, V. C. Seepana Sumathi, M.F. and K.K.E. (2018) ‘Isolation and Identification of Endophytic Fungi With Antimicrobial’, *International Journal of Pharmaceutical Sciences and Research*, 9(7), pp. 2783–2791. Available at: [https://doi.org/10.13040/IJPSR.0975-8232.9\(7\).2783-91](https://doi.org/10.13040/IJPSR.0975-8232.9(7).2783-91).

Dinar, L., Suyantohadi, A. and Fajar F, M.A. (2013) ‘Kajian Standar Nasional Indonesia Biji Pala’, *Jurnal Standardisasi*, 15(2), p. 83. Available at: <https://doi.org/10.31153/js.v15i2.111>.

Fajriah, S. *et al.* (2017) ‘New cytotoxic compounds from Myristica fatua Houtt leaves against MCF-7 cell lines’, *Phytochemistry Letters*, 20, pp. 36–39. Available at: <https://doi.org/10.1016/j.phytol.2017.03.013>.

Farcal, L. *et al.* (2015) ‘Comprehensive in vitro toxicity testing of a panel of representative oxide nanomaterials: First steps towards an intelligent testing strategy’, *PLoS ONE*, 10(5), pp. 1–34. Available at: <https://doi.org/10.1371/journal.pone.0127174>.

Ferlay, J. *et al.* (2021) ‘Cancer statistics for the year 2020: An overview’,

International Journal of Cancer, 149(4), pp. 778–789. Available at: <https://doi.org/10.1002/ijc.33588>.

Ghorbannia-Dellavar, S. *et al.* (2024) ‘Bioassay-guided isolation of cytotoxic metabolites from Daphne mucronata and evaluate of apoptosis inductive effect on potent compound’, *Journal of the Iranian Chemical Society*, 21(4), pp. 1089–1099. Available at: <https://doi.org/10.1007/s13738-024-02980-5>.

Ginting, B. *et al.* (2020) ‘Lignan compound isolated from n-Hexane extract myristica fragrans Houtt root as antioxidant and antitumor activities against MCF-7 cell lines data’, *Data in Brief*, 31, p. 105997. Available at: <https://doi.org/10.1016/j.dib.2020.105997>.

Guevara-Suarez, M. *et al.* (2022) ‘Colletotrichum Species Complexes Associated with Crops in Northern South America: A Review’, *Agronomy*, 12(3). Available at: <https://doi.org/10.3390/agronomy12030548>.

Hanley, D.A. and Davison, K.S. (2005) ‘Symposium: Vitamin D Insufficiency: A Significant Risk Factor in Chronic Diseases and Potential Disease-Specific Biomarkers of Vitamin D Sufficiency Vitamin D Insufficiency in North America 1’, *J. Nutr*, 135, pp. 332–337.

Hardoim, P.R. *et al.* (2015) ‘The Hidden World within Plants: Ecological and Evolutionary Considerations for Defining Functioning of Microbial Endophytes’, *Microbiology and Molecular Biology Reviews*, 79(3), pp. 293–320. Available at: <https://doi.org/10.1128/mmbr.00050-14>.

Hiranrat, A. and Hiranrat, W. (2019) ‘Myristigranol, a new diarylpropane derivative from the wood of Myristica fragrans’, *Natural Product Research*, 33(20), pp. 2958–2963. Available at: <https://doi.org/10.1080/14786419.2018.1512988>.

Kabel, A.M. and Baali, F.H. (2015) ‘Breast Cancer: Insights into Risk Factors, Pathogenesis, Diagnosis and Management’, *Journal of Cancer Research and Treatment*, 3(2), pp. 28–33. Available at: <https://doi.org/10.12691/jcrt-3-2-3>.

Kamiloglu, S. *et al.* (2020) ‘Guidelines for cell viability assays’, *Food Frontiers*, 1(3), pp. 332–349. Available at: <https://doi.org/10.1002/fft2.44>.

- Li, Z. *et al.* (2023) ‘Functional Endophytes Regulating Plant Secondary Metabolism: Current Status, Prospects and Applications’, *International Journal of Molecular Sciences*, 24(2). Available at: <https://doi.org/10.3390/ijms24021153>.
- Liu, H.X. *et al.* (2018) ‘Secondary metabolites from the Colletotrichum gloeosporioides A12, an endophytic fungus derived from Aquilaria sinensis’, *Natural Product Research*, 32(19), pp. 2360–2365. Available at: <https://doi.org/10.1080/14786419.2017.1410810>.
- Ma, X. *et al.* (2018) ‘Endophytic Colletotrichum species from Dendrobium spp. In China and northern Thailand’, *MycoKeys*, 43, pp. 23–57. Available at: <https://doi.org/10.3897/mycokes.43.25081>.
- Makki, J. (2015) ‘Diversity of breast carcinoma: Histological subtypes and clinical relevance’, *Clinical Medicine Insights: Pathology*, 8(1), pp. 23–31. Available at: <https://doi.org/10.4137/CPATH.s31563>.
- Mirna, M. *et al.* (2024) ‘Penetapan Kadar Flavonoid Total Ekstrak Etanol Dan Ekstrak Etil Asetat Daun Pala (Myristica Fragrans Houtt) Secara Spektrofotometri Visible’, *Forte Journal*, 4(1), pp. 134–142. Available at: <https://doi.org/10.51771/fj.v4i1.762>.
- Misgiati, M. *et al.* (2021) ‘Ergosterol isolated from Agaricus blazei Murill n-hexane extracts as potential anticancer MCF-7 activity’, *Pharmacognosy Journal*, 13(2), pp. 418–426. Available at: <https://doi.org/10.5530/pj.2021.13.53>.
- Mitra, I. *et al.* (2016) ‘Benzimidazole based Pt(II) complexes with better normal cell viability than cisplatin: Synthesis, substitution behavior, cytotoxicity, DNA binding and DFT study’, *RSC Advances*, 6(80), pp. 76600–76613. Available at: <https://doi.org/10.1039/c6ra17788c>.
- Miyano, Y. and Namerikawa, T. (2015) ‘Optimal pricing algorithm in the electricity market with battery and accumulator and demand-supply balancing’, *Electrical Engineering in Japan (English translation of Denki Gakkai Ronbunshi)*, 191(4), pp. 8–18. Available at: <https://doi.org/10.1002/eej.22698>.
- Neve, R.M. *et al.* (2009) ‘A collection of breast cancer cell lines for the study of

functionally', *Cancer Cell*, 10(6), pp. 515–527. Available at: <https://doi.org/10.1016/j.ccr.2006.10.008.A>.

Nilkhet, S. *et al.* (2024) 'Ergosterol inhibits the proliferation of breast cancer cells by suppressing AKT/GSK-3beta/beta-catenin pathway', *Scientific Reports*, 14(1), pp. 1–13. Available at: <https://doi.org/10.1038/s41598-024-70516-1>.

Nowak, R. *et al.* (2016) 'A new method for the isolation of ergosterol and peroxyergosterol as active compounds of hygrophoropsis aurantiaca and in vitro antiproliferative activity of isolated ergosterol peroxide', *Molecules*, 21(7). Available at: <https://doi.org/10.3390/molecules21070946>.

Nurhasanah, Rafly, M. and Papuangan, N. (2020) 'Endophytic Mycoflora from Mace and Seed of Nutmeg (*Myristica fragrans* Houtt) as a Source of Antifungal Compounds', 194(FANRes 2019), pp. 381–384. Available at: <https://doi.org/10.2991/aer.k.200325.075>.

Okiki, P.A. *et al.* (2023) 'Assessment of nutritional and medicinal properties of nutmeg', *Scientific African*, 19, p. e01548. Available at: <https://doi.org/10.1016/j.sciaf.2023.e01548>.

Palupi, K.D., Ilyas, M. and Agusta, A. (2021) 'Endophytic fungi inhabiting *Physalis angulata* L. plant: Diversity, antioxidant, and antibacterial activities of their ethyl acetate extracts', *Journal of Basic and Clinical Physiology and Pharmacology*, 32(4), pp. 823–829. Available at: <https://doi.org/10.1515/jbcpp-2020-0479>.

Putra, A.B.N. *et al.* (2025) 'In vitro antiproliferative activity, docking study, and plausible mode of action of (+)-2,2'-epicytoskyrin A against breast cancer MCF-7 and T47D cell lines', *Beni-Suef University Journal of Basic and Applied Sciences*, 14(1). Available at: <https://doi.org/10.1186/s43088-025-00632-y>.

Rahmi, D. *et al.* (2023) 'The antioxidant activity of endophytic fungal extract of nutmeg plant (*Myristica fragrans* Houtt.) from Cimande West Java, Indonesia', *IOP Conference Series: Earth and Environmental Science*, 1271(1). Available at: <https://doi.org/10.1088/1755-1315/1271/1/012063>.

Rai, N. *et al.* (2023) 'Ethyl Acetate Extract of *Colletotrichum gloeosporioides*

- Promotes Cytotoxicity and Apoptosis in Human Breast Cancer Cells', *ACS Omega*, 8(4), pp. 3768–3784. Available at: <https://doi.org/10.1021/acsomega.2c05746>.
- Sari, Y.P., Ali, H. and Asri, A. (2018) 'Identifikasi Ekspresi Gen Myc pada Subkultur MCF-7 Breast Cancer Cell Line dengan Sel Punca', *Jurnal Kesehatan Andalas*, 7(3), p. 424. Available at: <https://doi.org/10.25077/jka.v7i3.897>.
- Sharma, V.K. et al. (2017) 'Induction of cryptic and bioactive metabolites through natural dietary components in an endophytic fungus *colletotrichum gloeosporioides* (Penz.) sacc', *Frontiers in Microbiology*, 8(JUN), pp. 1–9. Available at: <https://doi.org/10.3389/fmicb.2017.01126>.
- Smits, W. (1988) *Arenga pinnata (Wurmb) Merr, PROSEA. Plant Resources of South-East Asia: A Selection*.
- Soerjomataram, I. and Bray, F. (2020) 'Planning for tomorrow: global cancer incidence and the role of prevention 2020–2070', *Nature Reviews Clinical Oncology* [Preprint]. Available at: <https://doi.org/10.1038/s41571-021-00514-z>.
- TALLEI, T.E. and KOLONDAM, B.J. (2015) 'DNA Barcoding of Sangihe Nutmeg (*Myristica fragrans*) using matK Gene', *HAYATI Journal of Biosciences*, 22(1), pp. 41–47. Available at: <https://doi.org/10.4308/hjb.22.1.41>.
- Talukdar, R. et al. (2021) 'Isolation and Characterization of an Endophytic Fungus *Colletotrichum coccodes* Producing Tyrosol From *Houttuynia cordata* Thunb. Using ITS2 RNA Secondary Structure and Molecular Docking Study', *Frontiers in Bioengineering and Biotechnology*, 9(June), pp. 1–12. Available at: <https://doi.org/10.3389/fbioe.2021.650247>.
- Wang, Y. et al. (2020) 'Influences of Arbuscular Mycorrhizal Fungi on Plant Growth and Tea Quality of Fuding Dabaicha Seedlings under Different Water Conditions', *Journal of Tea Science*, 40(5), pp. 588–596.
- Yang, Z.D. et al. (2019) 'Secondary Metabolites and PI3K Inhibitory Activity of *Colletotrichum gloeosporioides*, a Fungal Endophyte of *Uncaria rhynchophylla*', *Current Microbiology*, 76(7), pp. 904–908. Available at: <https://doi.org/10.1007/s00284-019-01707-7>.

Yu, S. *et al.* (2017) ‘The T47D cell line is an ideal experimental model to elucidate the progesterone-specific effects of a luminal A subtype of breast cancer’, *Biochemical and Biophysical Research Communications*, 486(3), pp. 752–758. Available at: <https://doi.org/10.1016/j.bbrc.2017.03.114>.

