

DAFTAR PUSTAKA

1. Abdul Malik A, Prayudha JS, Anggreany R, Wulan Sari M, Walid A. Keanekaragaman Hayati Flora Dan Fauna Di Kawasan Taman Nasional Bukit Barisan Selatan (TNBBS) Resort Merpas Bintuhan Kabupaten Kaur. *J Ilm Pendidik Sains* 2020;1(1):35–42.
2. Larassati A, Marmaini, Kartika T. Inventarisasi Tumbuhan Berkhasiat Obat di Sekitar Pekarangan di Kelurahan Sentosa. *J Indobiosains* 2019;1(2):77–87.
3. Wahyudin, Shapna N, Rahmawati Y, Munggali U, Matienatul Iemaaniah Z. Pendampingan Penanaman Tanaman Kunyit (*Curcuma domestica* Val) Menggunakan Polybag di Desa Sukadana Lombok Tengah. *J Siar Ilmu Tani* 2023;4(2):268–278.
4. Rohmah MN. Pemanfaatan dan Kandungan Kunyit (*Curcuma domestica*) Sebagai Obat Dalam Perspektif Islam. *J Islam Sci Technol Integr* 2024;2(1):178–186.
5. Yuliani E, Ratna Sari D, Kurnia D, Rahayu D, Inayah SN. Characterization of Essential Oil Compounds on Leaves and Rhizomes of Turmeric (*Curcuma domestica* Val.). *J Pijar MIPA* 2023;18(1):84–92.
6. Lexmana Azhari I, Herla R, Suryanto D, Sihombing DR. Antimicrobial Activity of Turmeric Leaf Extract Against *Escherichia coli*, *Staphylococcus aureus*, *Shigella dysenteriae*, and *Lactobacillus acidophilus*. In: *IOP Conference Series: Earth and Environmental Science*. Institute of Physics Publishing, 2018;
7. Harmini S, Wibisana DL. Review: Senyawa Fitokimia Daun Kunyit. *J Innov Food Technol Agric Prod* 2023;1(1):18–23.
8. Albaqami JJ, Hamdi H, Narayanankutty A, dkk. Chemical Composition and Biological Activities of the Leaf Essential Oils of *Curcuma longa*, *Curcuma aromatica* and *Curcuma angustifolia*. *Antibiotics* 2022;11(11):1–14.
9. Anggraeni VJ, Kurnia D, Djuanda D, Mardiyani S. Komposisi Kimia dan Penentuan Senyawa Aktif Antioksidan dari Minyak Atsiri Kunyit (*Curcuma longa* L.). *J Farm Higea* 2023;15(1):54–63.
10. Purwaningrum, Kusbiantoro D· Y. Pemanfaatan Kandungan Metabolit Sekunder Pada Tanaman Kunyit Dalam Mendukung Peningkatan Pendapatan Masyarakat. *J Kultiv* 2018;17(1):544–549.
11. Harun N, Saleh RR, Setiawan EF, Kurniasih N. Rimpang, Berpotensi Atau Sekedar Numpang Popular Di Masa Pandemi Covid 19? Yogyakarta: Masa kini, 2022;
12. Mishra R, Gupta AK, Kumar A, Lal RK, Saikia D, Chanotiya CS. Genetic Diversity, Essential Oil Composition, and In Vitro Antioxidant and Antimicrobial Activity of *Curcuma longa* L. Germplasm Collections. *J Appl Res Med Aromat Plants* 2018;1–10.
13. Ahn D, Lee EB, Kim BJ, dkk. Antioxidant and Lifespan Extending Property of Quercetin-3-O-dirhamnoside from *Curcuma longa* L. in *Caenorhabditis elegans*. *J Korean Soc Appl Biol Chem* 2014;57(6):709–714.
14. Iskandar AF, Nurjanah S, Rosalinda S, Nuranjani F. Penyulingan Minyak Atsiri Jahe Merah (*Zingiber officinale* var. *Rubrum*) Menggunakan Metode Hidrodistilasi dengan Variasi Waktu Penyulingan. *Teknotan* 2023;17(1):53.
15. Ramadhanti A, Nurjanah S, Widyasanti A, Ainina N. Pemodelan Kondisi Hidrodistilasi Minyak Atsiri Jahe Merah (*Zingiber officinale* var. *Roscoe*) dengan Menggunakan Response Surface Methodology. *Agrointek J Teknol Ind Pertanian* 2024;18(2):429–439.
16. Sari NM, Setyabudi LSW, Yasiroh HH, Sani, Puspitawati IN. Pemanfaatan Bunga Mawar (*Rosa* Sp.) Sebagai Minyak Atsiri Untuk Peningkatan Ekonomi Masyarakat Desa Kalipucang, Kec Tukur, Kab. Pasuruan. *J Pengabd Masy* 2023;2(2):10–14.
17. Aryani F, Noorcahyati, Arbainsyah. Pengenalan Atsiri (*Melaleuca cajuputi*) Prospek Pengembangan, Budidaya dan Penyulingan. Samarinda: 2020;
18. Sabrina AP, Khoerunnisa A, Putri DIS, Tania E, Fikayuniar L. Identifikasi Komponen Kimia Utama Penyusun Minyak Atsiri Dari Berbagai Bahan Alam Tumbuhan. *J Pendidik dan Konseling* 2023;5(1):718–725.
19. Siswantito F, Nugroho ANR, Iskandar RL, dkk. Produksi Minyak Atsiri melalui Ragam Metode Ekstraksi Dengan Berbahan Baku Jahe. *Inov Tek Kim* 2023;8(3):178–184.
20. Frizqia Jelita S, Setyowati GW, Ferdinand M, Zuhrotun A, Megantara S. Uji Toksisitas Infusa *Acalypha Siamensis* Dengan Metode Brine Shrimp Lethality Test (BSLT). *Farmaka* 2020;18(1):14–22.

21. Suryati, Salim E, Elizar G. Potensi Antimikroba dan Toksisitas Minyak Atsiri yang Diisolasi dari Biji Jintan (*Carum carvi* L.). *J Ris Kim* 2022;13(2):198–207.
22. Sondakh M, Wowor PM. Uji Toksisitas Akut Ekstrak Spons Laut (*Callyspongia aerizusa*) terhadap Larva *Artemia salina* Leach dengan Metode Brine Shrimp Lethality Test. *J e-Biomedik* 2017;5(2):1–4.
23. Arta NKDAT, Indraningrat AAG, Wijaya MD. Phytochemical and Toxicity Analysis of *Sonneratia alba* Mangrove Leaf Extract using the Brine Shrimp Lethality Test (BSLT) Method. *Biol Med Nat Prod Chem* 2024;13(2):443–448.
24. Lestari D, Kartika R, Marliana E, Studi PS, Jurusan K. Uji Brine Shrimp Lethality Test (BSLT) Umbi Bawang Tiwai (*Eleutherine bulbosa* (Mill.) Urb) dan Uji Toksisitas Akut Fraksi Aktif. *J Ris Kefarmasian Indones* 2019;1(1).
25. Hotmian E, Suoth E, Fatimawali F, Tallei T. Analisis GC-MS (Gas Chromatography-Mass Spectrometry) Ekstrak Metanol Dari Umbi Rumpun Teki (*Cyperus rotundus* L.). *Pharmacon* 2021;10(2):849–856.
26. R. P. Adams. Identification of Essential Oil Components by Gas Chromatography/ Mass Spectrometry. In: *Journal of the American Society for Mass Spectrometry*. Allured publishing, 2017; p. 1–804.
27. Sparkman OD, Penton ZE, Kitson FG. *Gas Chromatography and Mass Spectrometry: A Practical Guide*. 2 ed. USA: Academic Press, 2011;
28. Babushok VI, Linstrom PJ, Reed JJ, dkk. Development of a Database of Gas Chromatographic Retention Properties of Organic Compounds. In: *Journal of Chromatography A*. 2007; p. 414–421.
29. Kartika Fitri AC, Proborini WD. Analisa Komposisi Minyak Atsiri Kulit Jeruk Manis Hasil Ekstraksi Metode Microwave Hydrodiffusion and Gravity Dengan GC-MS. *J Reka Buana* 2018;3(1):53–58.
30. Meyer BN, Ferrigni NA, Putnam JE, Jacobsen LB, Nichols DE, Mclaughlin JL. Brine Shrimp: A Convenient General Bioassay for Active Plant Constituents. *J Med Plant Res* 1982;45:31–34.
31. Suryati, Yenuuar TAA, Fadhia SH, Ulia RV, Salsabilla MM, Arifin B. Komponen Kimia Minyak Atsiri yang Diisolasi dari Daun Tanaman Pucuk Merah (*Syzygium myrtifolium* Walp.) dan Potensi Antibakteri serta Toksisitasnya. *J Ris Kim* 2023;14(1):70–80.
32. Dąbrowski Ł. Evaluation of a Simplified Method for GC / MS Qualitative Analysis of Polycyclic Aromatic Hydrocarbons, Polychlorinated Biphenyls, and Organic Pesticides Using PARADISE Computer Program. *Molecules* 2020;25(3727):1–9.
33. Skoog DA, Holler FJ, Crouch SR. *Principles of Instrumental Analysis*. 7 ed. USA: Cengage Learning, 2016;
34. Flexa-ribeiro B, Garcia MDN, Silva ACDJ, dkk. Essential Oil from *Curcuma Longa* Leaves : Using Nanotechnology to Make a Promising Eco-Friendly Bio-Based Pesticide from Medicinal Plant Waste. *Molecules* 2025;30:1–17.
35. Caixeta DS, Millezi AF, Amaral DC, dkk. Chemical composition of essential oils from the leaves of *Curcuma longa* and *Bixa orellana* and antimicrobial activity in *Pseudomonas aeruginosa* and *Listeria monocytogenes*. *Rev Bras Plantas Med* 2020;22(1):8–16.
36. Yanti R, Nurdiawati H, Wulandari P, Pranoto Y, Cahyanto MN. Chemical composition and antifungal activity of oil extracted from leaves turmeric (*Curcuma longa*). *Canrea J Food Technol Nutr Culin* 2021;4(2):123–131.
37. Setzer WN, Duong L, Poudel A, Mentreddy SR. Variation In The Chemical Composition Of Five Varieties Of *Curcuma Longa* Rhizome Essential Oils Cultivated In North Alabama. *Foods* 2021;10(212).
38. Dosoky NS, Setzer WN. Chemical Composition and Biological Activities of Essential Oils of *Curcuma* Species. *Nutrients* 2018;10(1196):1–42.
39. Bakkali F, Idaomar M. Biological effects of essential oils – A review. *Food Chem Toxicol* 2008;46:446–475.
40. Sehaki C, Jullian N, Choque E, dkk. Profiling of Essential Oils from the Leaves of *Pistacia lentiscus* Collected in the Algerian Region of Tizi-Ouzou : Evidence of Chemical Variations Associated with Climatic Contrasts between Littoral and Mountain Samples. *Molecules* 2022;27(4148):1–21.
41. Talebi SM, Nohooji MG, Yarmohammadi M, Khani M. Effect of Altitude On Essential Oil

- Composition and On Glandular Trichome Density in Three *Nepeta* Species (*N . sessilifolia* , *N . heliotropifolia* and *N . Mediterr* Bot 2018;40(1):81–93.
42. Olson CS, Clegg JS. Cell Division During The Development of *Artemia salina*. Wilhelm Roux's Arch Dev Biol 1978;184:1–13.
43. McLaughlin JL, Rogers LL, Anderson JE. The Use Of Assays to Evaluate Botanicals. Drug Inf J 1998;32:513–524.
44. Krishnaraju A V, Rao TVN, Sundararaju D, Vanisree M. Assessment of Bioactivity of Indian Medicinal Plants Using Brine Shrimp (*Artemia salina*) Lethality Assay. 2005;3(2):125–134.
45. Niksic H, Becic F, Koric E, dkk. Cytotoxicity screening of *Thymus vulgaris* L. essential oil in brine shrimp nauplii and cancer cell lines. Sci Rep 2021;11(13178):1–9.
46. Isman MB. Plant essential oils for pest and disease management. Crop Prot 2000;19(8–10):603–608.
47. Tim Assesment Report. Terpinene, Terpinolene and Phellandrene: Human Health Tier II Assessment. 2018;1–22.
48. Kurniawan H, Ropiqa M. Uji Toksisitas Ekstrak Etanol Daun Ekor Kucing (*Acalypha hispida* Burm.f.) Dengan Metode Brine Shrimp Lethality Test (BSLT). J Syifa Sci Clin Res 2021;3(2):52–62.

