

DAFTAR PUSTAKA

1. Gambut DPK. Kesatuan Hidrologis Gambut Nasional (Skala 1:250.000) [Homepage on the Internet]. Kementeri. Lingkung. Hidup dan Kehutan. [cited 2024 Sep 2]; Available from: <http://pkgppkl.menlhk.go.id/v0/kesatuan-hidrologis-gambut-nasional-skala-1250-000/>
2. Susandi S, Oksana O, Arminudin AT. Analisis Sifat Fisika Tanah Gambut Pada Hutan Gambut Di Kecamatan Tambang Kabupaten Kampar Provinsi Riau. *J Agroteknologi* 2015;5(2):23.
3. Budijono, Hardjoyudanto Y. Peningkatan Ekonomi Masyarakat Kota Pekanbaru Melalui Poduksi Serbuk Penjernih Air Gambut. 2021;3(1):5–13.
4. Susilawati. Penerapan Metode Elektrokoagulasi dalam Peningkatan Kualitas Air Gambut. *Pekalongan: Penerbit NEM*, 2021;
5. Zevi Y, Qadafi M, Notodarmojo S. The Presence of Trihalomethanes and Haloacetic Acids in Tropical Peat Water. *J Eng Technol Sci* 2022;54(3).
6. Muhammad J. Peat Water Purification by Hybrid of Slow Sand Filtration and Coagulant Treatment. *J Environ Sci Technol* 2020;13(1):22–28.
7. Abdul Rahman N, Albania Linus A, Gilan UJ, et al. Experimental study of batch electrocoagulation treatment of peat water in Sarawak with aluminium electrodes. *IOP Conf Ser Mater Sci Eng* 2020;778(1).
8. Ali F, Lestari DL, Putri MD. Application of Ozone Plasma Technology for Treating Peat Water into Drinking Water. *IOP Conf Ser Earth Environ Sci* 2019;385(1).
9. Q. Yang, Y. Xie, B. Zhu, Y. Zeng, H. Zhou, P. Ai GC. Positively charged PVC ultrafiltration membrane via micellar enhanced ultrafiltration for removing trace heavy metal cations. *J Water Process Eng* 2022;46.
10. H.Y. Cai, W.L. Wang, W.Y. Ouyang, Q.Y. Wu, L. Zhang HYH. Adsorption of neutral and negatively charged low-molecular-weight carbonyls in reverse osmosis permeates by ion-exchange resins. *Water Cycle* 2022;3:1–7.
11. S.D. Salman, I.M. Rasheed AKM. Adsorption of heavy metal ions using activated carbon derived from Eichhornia (water hyacinth) Adsorption of heavy metal ions using activated carbon derived from Eichhornia (water hyacinth). *Earth Environ Sci* 2021;
12. Notodarmojo S, Mahmud, Larasati A. Adsorption of natural organic matter (NOM) in peat water by local indonesia tropical clay soils. *Int J GEOMATE* 2017;13(38):111–119.
13. Yuliana, Sihombing J, Mamonto PC, Karelius. Review Sintesis Lempung Magnetik Sebagai Adsorben Asam Humat Pada Air Gambut. *J Cendekia Kim [homepage on the Internet]* 2022;01(01):22–37. Available from: <https://e-journal.upr.ac.id/index.php/bohr/22%7C>
14. Prasetyo D. Pemanfaatan Biochar Pelepah Kelapa Sawit dan Bentonit sebagai Adsorben untuk Menurunkan Konsentrasi Logam Mangan pada Air Gambut. *repository.unja.ac.id*. 2021;
15. Safitri W. Penurunan Kadar Logam Mangan (Mn) dan Warna pada Air Gambut Menggunakan Formulasi Karbon Aaktif Bentonit dan Limestone (KBL) Dibandingkan dengan Clean Chemical Bentone 5651. 2021;
16. Patrichia CR. Pengaruh Perlakuan Termal Terhadap Kinerja Adsorpsi Lempung Dari Tanah Datar Dalam Menurunkan Absorbansi Dan Kadar Besi Air Sumur. 2024;
17. Mulyaningsih S. *Kristalografi & Mineralogi*. 1st ed. Yogyakarta: AKPRIND PRESS, 2018;
18. Herman I. Extraction and Characterization Natural Clay of Central Kalimantan as One of Alternatives additives of Geopolimer Concrete. *J Pendidik Teknol dan Kejuru BALANGA* 2017;5(2):1–10.
19. Kumari N, Mohan C. Basics of Clay Minerals and Their Characteristic Properties. *Intech [homepage on the Internet]* 2021; Available from: <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
20. Wójcik-Bania M. Clay minerals in Polysiloxane (silicone) systems. *Polymer (Guildf)* 2024;313(October).

21. Awasthi A, Jadhao P, Kumari K. Clay nano-adsorbent: structures, applications and mechanism for water treatment. *SN Appl Sci* [homepage on the Internet] 2019;1(9):1–21. Available from: <https://doi.org/10.1007/s42452-019-0858-9>
22. Hafiz, Elystia S, Zultinjar. Pengaruh Aktivasi dalam Penurunan Kandungan (Pb) dalam Air Laut Menggunakan Tanah Lempung Sebagai Penukar Ion. *Fteknik* 2015;2(1):1–9.
23. Hanein T, Thienel KC, Zunino F, et al. Clay calcination technology: state-of-the-art review by the RILEM TC 282-CCL. *Mater Struct Constr* 2022;55(1).
24. Admi A, Angellika FT, Rilda Y, Syukri S. Pengaruh Modifikasi Fisika pada Komposisi, Struktur Kristal dan Sifat Katalitik Lempung Solok. *J Fis Unand* 2022;11(4):548–555.
25. Mohammed AK, Saadon SM, Abd Ali ZT, Rashid IM, Hussin AL Sbani N. Removal of amoxicillin from contaminated water using modified bentonite as a reactive material. *Heliyon* 2024;10(3).
26. Uddin MK. A review on the adsorption of heavy metals by clay minerals, with special focus on the past decade. *Chem Eng J* [homepage on the Internet] 2017;308:438–462. Available from: <http://dx.doi.org/10.1016/j.cej.2016.09.029>
27. Lubis KL, Elystia S, Ermal DAS, Zultinjar Z. Penyisihan Logam Fe Pada Air Gambut Menggunakan Membran Chitosan Sebagai Adsorben. *J Sains Teknol Lingkungan* 2022;8(1):15–24.
28. Qadafi M, Notodarmojo S, Zevi Y. Performance of microbubble ozonation on treated tropical peat water: Effects on THM4 and HAA5 precursor formation based on DOM hydrophobicity fractions. *Chemosphere* 2021;279.
29. Qadafi M, Wulan DR, Notodarmojo S, Zevi Y. Characteristics and treatment methods for peat water as clean water sources: A mini review. *Water Cycle* 2023;4(February):60–69.
30. Potts PJ, Webb PC. X-ray fluorescence spectrometry. *J Geochemical Explor* 1992;44(1–3):251–296.
31. Apriani R, Diah Faryuni I, Wahyuni D, et al. Pengaruh Konsentrasi Aktivator Kalium Hidroksida (KOH) Terhadap Kualitas Karbon Aktif Kulit. *Prism Fis* 2013;1(2):82–86.
32. Padmaja K, Cherukuri J, Anji Reddy M. A comparative study of the efficiency of chemical coagulation and electrocoagulation methods in the treatment of pharmaceutical effluent. *J Water Process Eng* [homepage on the Internet] 2020;34(January):101153. Available from: <https://doi.org/10.1016/j.jwpe.2020.101153>
33. Arifianingsih NN, Zevi Y, Helmy Q, et al. Peat water treatment using oxidation and physical filtration system and its performance in reducing iron (Fe), turbidity, and color. *E3S Web Conf* 2020;148:1–5.
34. Elma M, Pratiwi AE, Rahma A, et al. Combination of coagulation, adsorption, and ultrafiltration processes for organic matter removal from peat water. *Sustain* 2022;14(1).
35. Muttaqin R. Pengembangan Buku Panduan Teknik Karakterisasi Material: X-ray Diffractometer (XRD) Panalytical Xpert3 Powder. *Indones J Lab* 2023;1(1):9.
36. Raval N, Maheshwari R, Kalyane D, Youngren-Ortiz SR, Chougule MB, Tekade RK. Importance of physicochemical characterization of nanoparticles in pharmaceutical product development [Homepage on the Internet]. Elsevier Inc., 2018; Available from: <http://dx.doi.org/10.1016/B978-0-12-817909-3.00010-8>
37. Pevelen DD Le. *Small Molecule X-Ray Crystallography , Theory and Workflow*. *Encycl Spectrosc Spectrom (Second Ed* 2010;2559–2576.
38. Doumeng M, Makhlof L, Berthet F, et al. A comparative study of the crystallinity of polyetheretherketone by using density, DSC, XRD, and Raman spectroscopy techniques. *Polym Test* 2021;93(October 2020).
39. Sumadiyasa M, Manuaba IBS. Determining Crystallite Size Using Scherrer Formula, Williamson-Hull Plot, and Particle Size with SEM. *Bul Fis* 2018;19(1):28.
40. Panebianco S, Barone G, Caggiani MC, et al. Quality and origin assessment of pistachio nuts by using X-ray fluorescence spectroscopy and chemometrics. *Appl Radiat Isot* 2025;223(April).
41. Maniar V, Kalsara K, Upadhyay U. A Review of Ftir-An Useful Instrument. *Int J Pharm Res Appl* [homepage on the Internet] 2023;8(1):2486. Available from: www.ijprajournal.com
42. Maharani Putri E. A Comprehensive Review on Atomic Absorption Spectroscopy:

- Principles, Techniques, and Applications. *J Ilm Wahana Pendidik* 2024;10(15):20–29.
43. Ahriani, Zelviani S, Hernawati, Fitriyanti. Analisis Nilai Absorbansi untuk Menentukan Kadar Flavonoid Daun Jarak Merah (*Jatropha gossypifolia* L.) Menggunakan Spektrofotometer Uv-Vis. *J Fis dan Ter [homepage on the Internet]* 2021;8(2):56–64. Available from: <http://journal.uin-alauddin.ac.id/index.php/jft>
 44. Syukri, Fifi F, Rahmayeni, Mai E, Eka PY, Upita S. Effect of Thermal Treatment and Nickel-Salt Modification on the Catalytic Performance of the Illite-Kaolinite Clay from Bukittinggi of West Sumatra in Palm Oil Transesterification. *Her Bauman Moscow State Tech Univ Ser Nat Sci* 2022;(2):125–136.
 45. Nengsih ZW, Rahayu R, Arief S, Septiani U, Alif MF, Syukri S. Separation and Thermal Modification of Montmorillonite from Tanah Datar Clay and its Catalytic Application in Biodiesel Production From Waste Frying Oils. *J Oil Palm Res* 2024;
 46. Kristianingrum S, Sulistyani S, Fillaeli A, Dwi Siswani E, Hasna Nafiisah N. Aplikasi Sistem Kontinyu Menggunakan Karbon Aktif untuk Penurunan Kadar Logam Cu dan Zn dalam Air Limbah. *J Sains Dasar* 2020;9(2):54–59.
 47. Ptáček P, Frajkorová F, Šoukal F, Opravil T. Kinetics and mechanism of three stages of thermal transformation of kaolinite to metakaolinite. *Powder Technol [homepage on the Internet]* 2014;264:439–445. Available from: <http://dx.doi.org/10.1016/j.powtec.2014.05.047>
 48. Gámiz E, Melgosa M, Sánchez-Marañón M, Martín-García JM, Delgado R. Relationships between chemico-mineralogical composition and color properties in selected natural and calcined Spanish kaolins. *Appl Clay Sci* 2005;28(1-4 SPEC. ISS.):269–282.
 49. Jenkins R. X-ray Techniques : Overview. *Encycl Anal Chem* 2000;13269–13288.
 50. Purbasari A, Samadhi TW. Kajian Dehidrosilasi Termal Kaolin menjadi Metakaolin menggunakan Analisis Termogravimetri. *ALCHEMY J Penelit Kim* 2021;17(1):105.
 51. Irawati U, Sunardi S, Suraida S. Sintesis Dan Karakterisasi Gamma Alumina (γ -Al₂O₃) Dari Kaolin Asal Tatakan, Selatan Berdasarkan Variasi Ttemperatur Kalsinasi. *Molekul* 2013;8(1):31.
 52. Dahliyanti A, Widharyanti ID, Curi CA. Produksi dan karakterisasi Silika sebagai Material Multifungsi dari Limbah Jagung. *J Teknol* 2019;2.
 53. Alosaimi HR, Marashdeh MW, El-Soad AMA, et al. Halloysite-based clay bricks as an efficient γ -ray protective material: Experimental evaluation for the structural, thermal, and γ -ray attenuation properties. *J Radiat Res Appl Sci* 2025;18(3):101703.
 54. Damato A, Vianello F, Novelli E, et al. Comprehensive Review on the Interactions of Clay Minerals With Animal Physiology and Production. *Front Vet Sci* 2022;9(May):1–21.
 55. Davidovits Joseph. Geopolymer Chemistry and Applications. 5-th edition [Homepage on the Internet]. 2020; Available from: https://www.researchgate.net/publication/265076752_Geopolymer_Chemistry_and_Applications
 56. Kassa AE, Shibeshi NT, Tizazu BZ, Prabhu SV. Characteristic Investigations on Ethiopian Kaolinite: Effect of Calcination Temperature on Pozzolanic Activity and Specific Surface Area. *Adv Mater Sci Eng* 2022;2022.
 57. Silva RR Da, Lucena GN, MacHado ÂF, Freitas GA De, Matos AT, Abrahão WAP. Spectroscopic and elementary characterization of humic substances in organic substrates. *Comun Sci* 2018;9(2):264–274.
 58. Prasetiowati Y, Koestiari T. Kapasitas Adsorpsi Bentonit Teknis Sebagai Adsorben Ion Cd²⁺. *UNESA J Chem* 2014;3(3):194–200.
 59. Primandini P, Hasanah AN, A. WA, Budiarto E, Sudirman. Pengaruh Suhu Kalsinasi Terhadap Kemampuan Adsorpsi Toksin Pada Kaolin Untuk Penyakit Diare. *J Sains Mater Indones* 2012;13.
 60. Alif MF, Fitria RA, Arief S, et al. Peat water purification using nanohydroxyapatite synthesized from Carbon Negative Precipitated Calcium Carbonate precursor. *Sustain Chem Environ [homepage on the Internet]* 2024;6(April):100105. Available from: <https://doi.org/10.1016/j.scenv.2024.100105>
 61. KemenKes. Peraturan Menteri Kesehatan Republik Indonesia Nomor 2 Tahun 2023

- Tentang Peraturan Pelaksanaan Peraturan Pemerintah Nomor 66 Tahun 2014 Tentang Kesehatan Lingkungan. 2023;(55).
62. Wulan Sari TI, Muhsin M, Wijayanti H. Pengaruh Metode Aktivasi Pada Kemampuan Kaolin sebagai Adsorben Besi (Fe) Air Sumur Garuda. *Konversi* 2018;5(2):20.
 63. Mirwan A, Wijayanti H. Penurunan Ion Fe Dan Mn Air Tanah Kota Banjarbaru Menggunakan Tanah Lempung Gambut Sebagai Adsorben. *Info Tek* 2011;12(1):45–51.
 64. Hidayat AN, Permana E, Wijaya DE. Optimization of Bentonite Thermal Activation for Reducing Fe Metal and Organic Substance in Peat Water. *J Community Based Environ Eng Manag* 2025;9(1):63–70.

