

DAFTAR PUSTAKA

- [1] Y. Warmi and K. Michishita, "Investigation of lightning tripouts on 150-kV transmission lines in West Sumatra in Indonesia," *IEEJ Transactions on Electrical and Electronic Engineering*, vol. 11, no. 5, pp. 671–673, 2016, doi: 10.1002/tee.22286.
- [2] Z. G. Datsios, P. N. Mikropoulos, T. E. Tsovilis, E. Thalassinakis, and G. Pagonis, "Investigation of line surge arresters application to the 150 kV system of Rhodes," *Electric Power Systems Research*, vol. 213, p. 108763, 2022, doi: 10.1016/j.epsr.2022.108763.
- [3] S. Hemour, S. Adhikari, A. Ghiotto, And K. Wu, "Effect Of The Rising Temperature On The Performance Of The Isolator," *Wamicon*, No. Port 1, Pp. 20–22, 2014.
- [4] R. Aryanto *Et Al.*, "Studi Distribusi Tegangan Dan Arus Bocor Pada Isolator Rantai Dengan Pembasahan," Vol. 1.
- [5] D. Fauziah And I. M. Khaidir, "Studi Pola Arus Bocor Isolator Keramik Selama Waktu Pemakaian 24 Jam," Vol. 3, No. 3, Pp. 233–239, 2019.
- [6] A. A. Salem *Et Al.*, "Proposal Of A Dynamic Numerical Approach In Predicting Flashover Critical Voltage," Vol. 10, No. 2, Pp. 602–610, 2019, Doi: 10.11591/Ijped.V10.I2.Pp602-610.
- [7] Muhammad Suyanto, "Pengujian Isolator Pin-Post 20kv Terkontaminasi Garam Mengakibatkan Arus Bocor Flashover Pada Permukaan Isolator," *Snast*, No. November, Pp. 211–216, 2014.
- [8] J. Heri And A. Syakur, "Studi Arus Bocor Permukaan Bahan Isolasi Resin Epoksi Silane Dengan Variasi Pengisi Pasir Silika (Dengan Polutan Pantai)," *Transmisi*, Vol. 14, No. 1, Pp. 20-37–37, 2012.
- [9] J. Xu *Et Al.*, "Applied Sciences Wet Snow Flashover Characteristics Of 500-Kv Ac Insulator Strings With Different Arrangements," Pp. 1–14, 2019, Doi: 10.3390/App9050930.
- [10] M. E. Slama, A. Beroual, and H. Hadi, "Influence of pollution constituents on DC flashover of high-voltage insulators," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 20, no. 2, pp. 401–408, 2013.
- [11] X. Qiao, Z. Zhang, X. Jiang, and D. Zhang, "Contamination characteristics of typical transmission line insulators by wind tunnel simulation," *Electric Power Systems Research*, vol. 184, p. 106288, 2020, doi: 10.1016/j.epsr.2020.106288.
- [12] M. T. Genç, "The pollution flashover on high-voltage insulators," *Electric Power Systems Research*, vol. 78, pp. 1914–1921, 2008, doi:

10.1016/j.epsr.2008.03.019.

- [13] X. Qiao, Z. Zhang, X. Jiang, R. Sundararajan, and J. You, "DC pollution flashover performance of HVDC composite insulator under different non-uniform pollution conditions," *Electric Power Systems Research*, vol. 185, p. 106351, 2020, doi: 10.1016/j.epsr.2020.106351.
- [14] Z. Yang, X. Jiang, X. Han, Z. Zhang, And J. Hu, "Influence Of Pollution Chemical Components On Ac Flashover Performance Of Various Types Of Insulators," *Iet Journals*, Vol. 4, No. 2, Pp. 105–112, 2019, Doi: 10.1049/Hve.2018.5083.
- [15] L. Wibowo And A. Syakur, "Design Of Temperature And Humidity Control Devices In The Leakage Current Test Chamber Of 20 Kv Insulator," *2019 6th Int. Conf. Inf. Technol. Comput. Electr. Eng.*, Pp. 1–6, 2019.
- [16] M. Ghayedi, R. Shariatinasab, And M. Mirzaie, "Ac Flashover Dynamic Model Suggestion And Insulation Level Selection Under Fan-Shaped Pollution," *Int. J. Electr. Power Energy Syst.*, Vol. 134, No. February 2021, P. 107438, 2022, Doi: 10.1016/J.Ijepes.2021.107438.
- [17] Y. Li *Et Al.*, "Study On The Algae Contamination And Its Effects On The Properties Of Rtv-Coated Insulators," Pp. 1–18, 2022.
- [18] Y. Hutaaruk, "Pengaruh Asap Hasil Bakar Kayu Terhadap Tegangan," No. 1, Pp. 71–76, 2012.
- [19] I. Ramirez And G. Montoya, "Measurement Of Leakage Current For Monitoring The Performance Of Outdoor Insulators In Polluted Environments Key," No. October 2014, 2012, Doi: 10.1109/Mei.2012.6232007.
- [20] B. Dong, Z. Zhang, N. Xiang, and H. Yang, "AC flashover voltage model for polluted suspension insulators and an experimental investigation in salt fog," *IEEE Access*, vol. 8, pp. 1–7, 2020, doi: 10.1109/ACCESS.2020.3030326.
- [21] A. Ahmed *Et Al.*, "Influence Of Contamination Distribution In Characterizing The Flashover Phenomenon On Outdoor Insulator," *Ain Shams Eng. J.*, No. Xxxx, P. 102249, 2023, Doi: 10.1016/J.Asej.2023.102249.
- [22] M. Ghayedi, R. Shariatinasab, And M. Mirzaie, "Original Research Paper Ac Flashover Dynamic Theoretical And Experimental Model Under Fan-Shaped And Longitudinal Pollution On Silicone Rubber Insulator," No. April 2020, Pp. 719–729, 2021, Doi: 10.1049/Smt2.12072.
- [23] Y. Warmi And K. Febrian, "Analisis Variasi Ketebalan Coating Senyawa Glasir Terhadap Daya Tahan Dielektrik Isolator Keramik Saluran Transmisi 150kv," *Elkomika J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, Vol. 9, No. 2, Pp. 249–262, 2021, Doi: 10.26760/Elkomika.V9i2.249.

- [24] A. Y. Dewi, Y. Warmi, Peprizal, And A. Effendi, "Studi Pengaruh Backflashover Pada Saluran Transmisi 150 Kv Payakumbuh - Koto Panjang," *Ensiklopedia J. Stud.*, Vol. 2, No. 3, Pp. 270–274, 2020.
- [25] C. Fang, Y. Tao, J. Wang, H. You, Y. Cui, and M. Zhou, "Research on leakage current waveform spectrum characteristics of artificial pollution porcelain insulator," *Frontiers in Energy Research*, vol. 9, Art. 798048, Dec. 2021, doi: 10.3389/fenrg.2021.798048.
- [26] A. A. Salem *Et Al.*, "Pollution Flashover Voltage Of Transmission Line Insulators : Systematic Review Of Experimental Works," Vol. Xx, 2022, Doi: 10.1109/Access.2022.3143534.
- [27] And C. Y. W. D. Zulkarnaini Zulkarnaini, Yusreni Warmi, Abdul Rajab, "Analysis Of The Effect Of Phase Wire Position Upper, Middle, And Lower Against Distraction Back Flashover At Transmission Line 150 Kv Koto Panjang - Payakumbuh," No. January, 2023.
- [28] D. A. N. Basah, "Analisis Flashover Dan Withstand Test Isolator Silicone Rubber Dan Isolator Resin Epoksi Sistem Distribusi 20 Kv Kondisi Kering," Vol. 11, No. 1, Pp. 1–6, 2022.
- [29] V. R. Yandri, P. U. Andalas, And I. Sari, "Fenomena Flashover Akibat Arus Bocor Pada Isolator Keramik Dan Resin Epoksi".
- [30] Z. Li, W. Ding, Y. Liu, Y. Li, And Z. Zheng, "Surface Flashover Characteristics Of Epoxy Insulator In C 4 F 7 N / Co 2 Mixtures In A Uniform Field Under Ac Voltage," Vol. 26, No. 4, 2019, Doi: 10.1109/Tdei.2019.007847.
- [31] A. L. I. A. Salem, W. A. N. Rahiman, S. A. Al-Gailani, S. M. Al-Ameri, M. T. Ishak, And U. U. Sheikh, "Pollution Flashover Under Different Contamination Profiles On High Voltage Insulator: Numerical And Experiment Investigation," Vol. 9, 2021.
- [32] A. A. Salem *Et Al.*, "Pollution Flashover Characteristics Of Coated Insulators Under Different Profiles Of Coating Damage," 2021.
- [33] L. B. Spectroscopy, "Analysis Of Pollution In High Voltage Insulators Via Laser-Induced Breakdown Spectroscopy," Vol. 33, Pp. 1–12, 2020.
- [34] N. A. Algeelani And M. A. M. Piah, "Characterization Of Leakage Current On High Voltage Glass Insulators Using Wavelet Transform Technique," Pp. 882–885, 2012.
- [35] H. Darmawan, "Studi Bentuk Gelombang Arus Bocor Pada Isolator Keramik Pos-Pin 20 Kv Dalam Berbagai Kondisi Lingkungan Studi Bentuk Gelombang Arus Bocor Pada Isolator Keramik Pos-Pin 20 Kv Dalam Berbagai Kondisi Lingkungan," No. January 2000, 2015.
- [36] L. E. I. Lan et al., "The influence of natural contamination on pollution

flashover voltage waveform of porcelain insulators in heavily polluted area,” IEEE Access, vol. 7, pp. 121395–121406, 2019, doi: 10.1109/ACCESS.2019.2936868.

- [37] Y. Warmi, D. Ananda, P. Studi, T. Elektro, And F. Teknologi, “Analisa Pengaruh Panjang Span Terhadap Jumlah Gangguan Petir Pada Saluran Transmisi 150 Kv Payakumbuh – Koto Abstrak : Seminar Nasional Pimimd-5 , Itp , Padang,” 2019, Doi: 10.21063/Pimimd5.2019.23.
- [38] R. P. Luntungan *Et Al.*, “Analisa Daerah Lindung Dan Grounding Pada Tower Transmisi Akibat Terjadinya Back Flashover,” Vol. 7, No. 3, Pp. 199–206, 2018.
- [39] M. Yang, “Prediction Of Industrial Wastewater Quality Parameters Based On Wavelet De-Noised Anfis Model,” Pp. 301–306, 2018.
- [40] A. Damayanti, “Fuzzy Learning Vector Quantization , Neural Network And Fuzzy Systems For Classification Fundus Eye Images With Wavelet Transformation,” Pp. 331–336, 2017.
- [41] Z. G. Datsios, “A Parametric Study On The Critical Lightning Currents Causing Flashover To The Overhead Lines Of A $\pm$ 533 Kv HvdC Transmission System,” No. 1390, 2020, Doi: 10.1109/Eeeic/Icpseurope49358.2020.9160553.
- [42] H. S. Alius And N. Hariyanto, “Perancangan Sistem Transmisi Daya Listrik Bertegangan 150 Kv Dan Berkapasitas 35 Mva Di,” Vol. 2, No. 4, Pp. 250–259, 2014.
- [43] J. Li, W. Sima, C. Sun, and S. A. Sebo, “Use of leakage currents of insulators to determine the stage characteristics of the flashover process and contamination level prediction,” IEEE Transactions on Dielectrics and Electrical Insulation, vol. 17, no. 2, pp. 490–501, Apr. 2010.
- [44] M. Fauzan, F. R. Yanti, M. A. Azzahra, A. Ahmad, And Y. Warmi, “Investigasi Flashover Pada Saluran Transmisi 150 Kv Payakumbuh – Koto Panjang,” Pp. 177–184, 2022.
- [45] A. Setiawan, I. Ridzki, And P. Surya, “Pengaruh Tegangan Kerja Terhadap Spektrum Frekuensi Gelombang Arus Bocor Pada Isolator Keramik,” *J. Eltek*, Vol. 18, No. 2, P. 59, 2020, Doi: 10.33795/Eltek.V18i2.255.
- [46] Jumari, Joslen Sinaga, And Sudirman Zega, “Studi Pengaruh Kontaminasi Polusi Udara Pada Isolator Tegangan Menengah 20 Kv Pada Pt Pln (Persero) Unit Pelaksana Pelayanan Pelanggan (Up3) Medan,” *J. Tek. Elektro*, Vol. 9, No. 1, Pp. 31–43, 2020.
- [47] M. Mahdi, S. Hasanzadeh, And H. Reza, “Flashover Voltage And Time Prediction Of Polluted Silicone Rubber Insulator Based On Artificial Neural Networks,” *Electr. Power Syst. Res.*, Vol. 221, No. April, Pp. 1–10, 2023, Doi: 10.1016/J.Epsr.2023.109456.

- [48] H. Ahmad, M. A. Salam, L. Y. Ying, and N. Bashir, "Harmonic components of leakage current as a diagnostic tool to study the aging of insulators," *Journal of Electrostatics*, vol. 66, no. 3–4, pp. 156–164, 2008, doi: 10.1016/j.elstat.2007.11.004.
- [49] M. A. Douar, A. Mekhaldi, and M. C. Bouzidi, "Flashover process and frequency analysis of the leakage current on insulator model under non-uniform pollution conditions," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 17, no. 4, pp. 1284–1297, Aug. 2010, doi: 10.1109/TDEI.2010.5539701.
- [50] S. Zhao, X. Jiang, Z. Zhang, J. Hu, and L. Shu, "Flashover voltage prediction of composite insulators based on the characteristics of leakage current," *IEEE Transactions on Power Delivery*, vol. 28, no. 3, pp. 1699–1708, Jul. 2013, doi: 10.1109/TPWRD.2013.2257879.
- [51] A. A. Salem, K. Y. Lau, Z. Abdul-Malek, N. Mohammed, A. M. Al-Shaalan, A. A. Al-Shamma'a, and H. M. H. Farh, "Polymeric insulator conditions estimation by using leakage current characteristics based on simulation and experimental investigation," *Polymers*, vol. 14, no. 4, p. 737, Feb. 2022, doi: 10.3390/polym14040737.
- [52] U. Benisheikh, Z. Abdul-Malek, and A. Sahito, "Classification of leakage current odd harmonic component of aged insulator surface condition under different relative humidity using crest factor," *Archives of Electrical Engineering*, vol. 73, no. 4, pp. 1069–1085, 2024, doi: 10.24425/aee.2024.152111.
- [53] A. Nandiyanto, R. Ragadhita, M. Fiandini, And I. Ijost, "Indonesian Journal Of Science & Technology Interpretation Of Fourier Transform Infrared Spectra (Ftir): A Practical Approach In The Polymer / Plastic Thermal Decomposition," No. January 2024, 2023, Doi: 10.17509/Ijost.V8i1.53297.
- [54] T. Nicolet And C. All, "Introduction To Fourier Transform Infrared Spectrometry," 2001.
- [55] E. Darmawan and A. Syakur, "Analisis pengaruh jenis kontaminan terhadap arus bocor dan THD pada isolator polimer resin epoksi 20 kV dengan variasi tegangan uji," *Transient*, vol. 4, no. 3, pp. 532–541, 2015.
- [56] "Long-Term Electric Power Load Forecasting Using Fuzzy Linear Regression Technique".
- [57] H. Mubarak, "Analysis Of Pln ' S Electrical Energy Demand In The Area Of Batam-Indonesia Using The Linear Regression Method," *2018 4th Int. Conf. Sci. Technol.*, Vol. 1, Pp. 1–5, 2018.
- [58] J. W. Kelly, S. Member, A. D. Degenhart, D. P. Siewiorek, A. Smailagic, And W. Wang, "Sparse Linear Regression With Elastic Net Regularization For Brain-Computer Interfaces," Pp. 4275–4278, 2012.

- [59] A. Salem, R. Abd-Rahman, W. Ghanem, S. Al-Gailani, And S. Al-Ameri, "Prediction Flashover Voltage On Polluted Porcelain Insulator Using Ann," No. Lc, 2021, Doi: 10.32604/Cmc.2021.016988.
- [60] S. Y. Qu Shaojie¹, A*, Wang Zhigang², B, "Research On Fault Diagnosis Model Of Transmission Line Under Lightning Stroke Based On Neural Network Research On Fault Diagnosis Model Of Transmission Line Under Lightning Stroke Based On Neural Network", Doi: 10.1088/1742-6596/1684/1/012151.
- [61] P. M. Arsad, N. Buniyamin, And J. A. Manan, "Prediction Of Engineering Students ' Academic Performance Using Artificial Neural Network And Linear Regression : A Comparison," Pp. 43–48, 2013.
- [62] T. Treeratanaporn, "Data Analytics For Electricity Revenue Forecasting By Using Linear Regression And Classification Method," Pp. 468–471, 2021.
- [63] W. C. Fakhruddin Rafi Rizqulloh, Suprihadi Prasetyono, "Analisa Perbandingan Peramalan Beban Listrik Jangka Pendek Antara Metode Backpropagation Neural Network Dengan Metode Regresi Linier".
- [64] Hestrianto, "Bab Ii Tinjauan Pustaka Bab Ii Tinjauan Pustaka 2.1. 1–64," *Gastron. Ecuatoriana Y Tur. Local.*, Vol. 1, No. 69, Pp. 5–24, 2018.
- [65] F. Lumeno, L. Patras, And F. Lisi, "Pengukuran Indeks Polusi Pada Sistem," *E-Journal Tek. Elektro Dan Komput.*, Vol. 5, No. 2, Pp. 50–58, 2016.
- [66] L. S. Nasrat, A. F. Hamed, M. A. Hamid, And S. H. Mansour, "Study The Flashover Voltage For Outdoor Polymer Insulators Under Desert Climatic Conditions," *Egypt. J. Pet.*, Vol. 22, No. 1, Pp. 1–8, 2013, Doi: 10.1016/J.Ejpe.2012.11.011.
- [67] M. A. Salam *Et Al.*, "Development The Relationship Between Esdd And The Distance From The Source Of Contaminants For The Insulator," *Ieee Reg. 10 Annu. Int. Conf. Proceedings/Tencon*, Vol. 3, No. 1, Pp. 190–192, 2000, Doi: 10.1109/Tencon.2000.892248.
- [68] J. Nan, H. Li, X. Wan, T. Xu, F. Huo, and F. Lin, "Study on fast contamination characteristics of cap and pin insulators in straight flow wind tunnel simulation," *IEEE Access*, vol. 9, pp. 125912–125919, 2021, doi: 10.1109/ACCESS.2021.3110802.
- [69] Y. Warmi, S. Amalia, A. Bachtiar, And Z. Anthony, "Modeling And Simulation For Flashover Location Determination On 150 Kv Insulator String," Vol. 14, No. 4, Pp. 3716–3728, 2024, Doi: 10.11591/Ijece.V14i4.Pp3716-3728.
- [70] Suparyanto Dan Rosad (2015, "Isolator Untuk Tegangan Tinggi," *Suparyanto Dan Rosad (2015*, Vol. 5, No. 3, Pp. 248–253, 2020.
- [71] D. H. Santosa, "Analisa Percepatan Umur Isolator Keramik Pada Saluran

Distribusi 20 Kv Di Daerah Pesisir Pantai Akibat Kontaminan Udara,” Pp. 1–39, 2017.

- [72] K. Harmonisa, P. Pemakaian, And T. Listrik, “Kajian Harmonisa Pada Pemakaian Tenaga Listrik Gedung Stt Pln Jakarta,” Vol. 8, No. 2, Pp. 180–189, 2019.
- [73] Y. Liu, H. Zong, S. Gao, And B. X. Du, “Electrical Power And Energy Systems Contamination Deposition And Discharge Characteristics Of Outdoor Insulators In Fog-Haze Conditions,” Vol. 121, No. May, 2020, Doi: 10.1016/J.Ijpes.2020.106176.
- [74] L. Sides, “Dc Flashover Dynamic Model Of Post Insulator Under Non-Uniform Pollution Between Windward,” 2019.
- [75] F. Li, R. Zhang, And M. Li, “Processing And Analyzing Drilling Tools Information By Ni Diadem Software,” *2023 5th Int. Conf. Intell. Control. Meas. Signal Process.*, Pp. 734–738, 2023, Doi: 10.1109/Icmisp58539.2023.10170855.

