

DAFTAR PUSTAKA

- [1] X. Yepez, A. E. Illera, H. Baykara, and K. Keener, "Recent Advances and Potential Applications of Atmospheric Pressure Cold Plasma Technology for Sustainable Food Processing," *Foods*, vol. 11, no. 13, p. 1833, Jun. 2022, doi: 10.3390/foods11131833.
- [2] P. Gururani *et al.*, "Cold plasma technology: advanced and sustainable approach for wastewater treatment," *Environ. Sci. Pollut. Res.*, vol. 28, no. 46, pp. 65062–65082, Dec. 2021, doi: 10.1007/s11356-021-16741-x.
- [3] P. P. Gugin, E. V. Milakhina, and D. E. Zakrevsky, "Peculiarities of Cold Plasma Jet Generation in a Non-Contact Discharge Initiation Method," in *2023 IEEE 24th International Conference of Young Professionals in Electron Devices and Materials (EDM)*, Novosibirsk, Russian Federation: IEEE, Jun. 2023, pp. 1250–1253. doi: 10.1109/EDM58354.2023.10225116.
- [4] D. Ramya, J. Sangeetha, and A. Santhi Mary Antony, "A Soft Switched Safety Enhanced Single Output Flyback Converter," *Res. J. Appl. Sci. Eng. Technol.*, vol. 10, no. 6, pp. 688–693, Jun. 2015, doi: 10.19026/rjaset.10.2478.
- [5] J. Sangeetha, A. Santhi Mary Antony, and D. Ramya, "A Boosting Multi Flyback Converter for Electric Vehicle Application," *Res. J. Appl. Sci. Eng. Technol.*, vol. 10, no. 10, pp. 1133–1140, Aug. 2015, doi: 10.19026/rjaset.10.1881.
- [6] J.-H. Jung and S. Ahmed, "Flyback converter with novel active clamp control and secondary side post regulator for low standby power consumption under high-efficiency operation," *IET Power Electron.*, vol. 4, no. 9, pp. 1058–1067, Nov. 2011, doi: 10.1049/iet-pel.2010.0363.
- [7] G. Balbayev, A. Nussibaliyeva, B. Tultaev, E. Dzhunusbekov, G. Yestemessova, and A. Yelemanova, "A novel regenerative snubber circuit for flyback topology converters," *J. Vibroengineering*, vol. 22, no. 4, pp. 983–992, Jun. 2020, doi: 10.21595/jve.2020.20898.
- [8] Jun Lee, Kyung-Hwan Lee, and Jung-Ik Ha, "Design considerations for high frequency DCM flyback converter," in *2015 6th International Conference on Power Electronics Systems and Applications (PESA)*, Hong Kong, Hong Kong: IEEE, Dec. 2015, pp. 1–6. doi: 10.1109/PESA.2015.7398892.
- [9] M. A. Rezaei, K.-J. Lee, and A. Q. Huang, "A High-Efficiency Flyback Micro-inverter With a New Adaptive Snubber for Photovoltaic Applications," *IEEE Trans. Power Electron.*, vol. 31, no. 1, pp. 318–327, Jan. 2016, doi: 10.1109/TPEL.2015.2407405.
- [10] Y. Zhang, M. Chen, Q. Ding, and Z. Jin, "Study of CM EMI and RCD-L-RC Snubber in a Multi-Winding Flyback Converter," in *2024 CPSS & IEEE International Symposium on Energy Storage and Conversion (ISESC)*, Xi'an, China: IEEE, Nov. 2024, pp. 1160–1164. doi: 10.1109/ISESC63657.2024.10785295.
- [11] W. Haider and Q. P. Ha, "A Lossless Passive Snubber for Soft-Switching of Flyback Converters," in *2024 IEEE 19th Conference on Industrial Electronics and Applications (ICIEA)*, Kristiansand, Norway: IEEE, Aug. 2024, pp. 1–6.

- doi: 10.1109/ICIEA61579.2024.10664895.
- [12] Y. Zhao, S. Chen, and Y. Tang, "Research on High Power Density Flyback Converter With a New Passive Lossless Snubber," *Int. J. Circuit Theory Appl.*, p. cta.4326, Nov. 2024, doi: 10.1002/cta.4326.
 - [13] M. Mohammadi, E. Adib, and H. Farzanehfard, "Passive lossless snubber for double-ended flyback converter," *IET Power Electron.*, vol. 8, no. 1, pp. 56–62, Jan. 2015, doi: 10.1049/iet-pel.2013.0862.
 - [14] G. Tibola, E. Lemmen, J. L. Duarte, and I. Barbi, "Passive Regenerative and Dissipative Snubber Cells for Isolated SEPIC Converters: Analysis, Design, and Comparison," *IEEE Trans. Power Electron.*, vol. 32, no. 12, pp. 9210–9222, Dec. 2017, doi: 10.1109/TPEL.2017.2653940.
 - [15] A. Hani, L. Elmahni, A. Abahazem, and N. Merbahi, "High Voltage Flyback Converter for Cold Plasma Generation," in *2024 International Conference on Circuit, Systems and Communication (ICCSC)*, Fes, Morocco: IEEE, Jun. 2024, pp. 1–6. doi: 10.1109/ICCSC62074.2024.10616583.
 - [16] S. J. Finney, B. W. Williams, and T. C. Green, "RCD snubber revisited," *IEEE Trans. Ind. Appl.*, vol. 32, no. 1, pp. 155–160, Feb. 1996, doi: 10.1109/28.485827.
 - [17] M. Ravikiran Rao, K. Suryanarayana, H. Swathi Hatwar, and A. Raksha, "Design and Implementation of 400 W Flyback Converter Using SiC MOSFET," in *Advances in Electrical and Computer Technologies*, vol. 672, T. Sengodan, M. Murugappan, and S. Misra, Eds., in *Lecture Notes in Electrical Engineering*, vol. 672, Singapore: Springer Singapore, 2020, pp. 1415–1424. doi: 10.1007/978-981-15-5558-9_118.
 - [18] Z. Chen, J. Rice, J. Shao, and Y. Hu, "Optimal DC-Link RC Snubber Design for SiC MOSFET Applications," in *2019 IEEE Energy Conversion Congress and Exposition (ECCE)*, Baltimore, MD, USA: IEEE, Sep. 2019, pp. 1974–1980. doi: 10.1109/ECCE.2019.8912877.
 - [19] Y. Sato *et al.*, "Numerical simulations of stable, high-electron-density atmospheric pressure argon plasma under pin-to-plane electrode geometry: effects of applied voltage polarity," *J. Phys. Appl. Phys.*, vol. 53, no. 26, p. 265204, Jun. 2020, doi: 10.1088/1361-6463/ab7df0.
 - [20] Z. Chen *et al.*, "Cold atmospheric plasma delivery for biomedical applications," *Mater. Today*, vol. 54, pp. 153–188, Apr. 2022, doi: 10.1016/j.mattod.2022.03.001.
 - [21] T. Bolgeo *et al.*, "The Role of Cold Atmospheric Plasma in Wound Healing Processes in Critically Ill Patients," *J. Pers. Med.*, vol. 13, no. 5, p. 736, Apr. 2023, doi: 10.3390/jpm13050736.
 - [22] M. W. Ahmed, K. Gul, and S. Mumtaz, "Recent Advances in Cold Atmospheric Pressure Plasma for E. coli Decontamination in Food: A Review," *Plasma*, vol. 8, no. 2, p. 18, May 2025, doi: 10.3390/plasma8020018.
 - [23] R. C. Martínez Montejano, C. M. Castillo Escandón, V. E. Espinoza López, I. Campos Cantón, M. G. Neira Velázquez, and G. Soria Arguello, "Construction of a power electronic source for cold plasma generation," *Ing. Investig. Tecnol.*, vol. 20, no. 4, pp. 1–12, Oct. 2019, doi: 10.22201/fi.25940732e.2019.20n4.047.
 - [24] A. Laiadi, A. Chentouf, and Y. Laghmich, "Electrical modelling of

- homogeneous and filamentary dielectric barrier discharge at atmospheric pressure,” *Mater. Today Proc.*, vol. 24, pp. 160–165, 2020, doi: 10.1016/j.matpr.2019.10.112.
- [25] R. Zelnik and M. Prazenica, “Multiple Output Flyback Converter Design,” *Trans. Electr. Eng.*, vol. 8, no. 3, pp. 32–39, Mar. 2020, doi: 10.14311/tee.2019.3.032.
- [26] M. F. Yaakub, M. A. M. Radzi, and F. H. M. Noh, “Simulation of DC-DC Converter Considering Parasitic Element in Flyback Transformer and its Effect on the Converter’s Input Current,” in *2023 IEEE 11th Conference on Systems, Process & Control (ICSPC)*, Malacca, Malaysia: IEEE, Dec. 2023, pp. 182–187. doi: 10.1109/ICSPC59664.2023.10420409.
- [27] B. M. Wilamowski and J. D. Irwin, Eds., *Power Electronics and Motor Drives*, 0 ed. CRC Press, 2018. doi: 10.1201/9781315218410.
- [28] Prof. G. B. Murade, “IOT Based Transformer Monitoring and Controlling,” *Int. J. Res. Appl. Sci. Eng. Technol.*, vol. 11, no. 5, pp. 6940–6942, May 2023, doi: 10.22214/ijraset.2023.53347.
- [29] A. Moallemi Khiavi, J. Sobhi, Z. Daie Koozehkanani, and M. Farhadi Kangarlu, “FPGA-Based Reconfigurable PWM Generator for Power Electronic Converter Applications,” *J. Control Autom. Electr. Syst.*, vol. 28, no. 4, pp. 516–531, Aug. 2017, doi: 10.1007/s40313-017-0324-0.
- [30] E. Bielskis, A. Baskys, and M. Sapurov, “Impact of Transformer Design on Flyback Converter Voltage Spikes,” *Elektron. Ir Elektrotechnika*, vol. 22, no. 5, pp. 58–61, Oct. 2016, doi: 10.5755/j01.eie.22.5.16345.
- [31] M. Aghaei, S. Mohsenzade, and S. Kaboli, “On the Calculation of the Leakage Inductance in Transformers With Nonideal Windings,” *IEEE Trans. Power Electron.*, vol. 35, no. 8, pp. 8460–8471, Aug. 2020, doi: 10.1109/TPEL.2019.2963274.
- [32] D. Dwivedi, S. Singh, K. Sarita, R. K. Saket, and P. Sanjeevikumar, “Reliability Aspects in Snubber Circuit for Industrial Power Applications,” in *Reliability Analysis of Modern Power Systems*, 1st ed., R. K. Saket and S. Padmanaban, Eds., Wiley, 2024, pp. 467–479. doi: 10.1002/9781394226771.ch24.
- [33] D. A. Rahardianto, W. Djuriatno, R. N. Hasanah, and Taufik, “Design and Implementation of a RCD Snubber Circuit on Full-Bridge DC-DC Converter,” in *2023 International Conference on Technology and Policy in Energy and Electric Power (ICT-PEP)*, Jakarta, Indonesia: IEEE, Oct. 2023, pp. 244–249. doi: 10.1109/ICT-PEP60152.2023.10351181.
- [34] Z. Wang and E. M. Sankara Narayanan, “Design of a snubber circuit for low voltage DC solid-state circuit breakers,” *IET Power Electron.*, vol. 14, no. 6, pp. 1111–1120, May 2021, doi: 10.1049/pel2.12092.
- [35] L.-F. Wu, Y. Guan, X.-J. Li, and J. Ma, “Anomaly Detection and Degradation Prediction of MOSFET,” *Math. Probl. Eng.*, vol. 2015, pp. 1–5, 2015, doi: 10.1155/2015/573980.
- [36] Karthika V L, Nimmy Sara George, “Design of a Power Supply Using Fly-Back Converter,” *Int. J. Adv. Res. Electr. Electron. Instrum. Eng.*, vol. 3, no. Special issues 5, Dec. 2014, [Online]. Available: <https://www.rroij.com/open-access/design-of-a-power-supply-using-flybackconverter.php?aid=44637>
- [37] G. Vacheva, P. Stanchev, and N. Hinov, “LTSpice Based Stability Analysis

of DC-DC Converter for LED Drivers,” in *2024 Ninth Junior Conference on Lighting (Lighting)*, Sozopol, Bulgaria: IEEE, Jun. 2024, pp. 1–5. doi: 10.1109/Lighting62260.2024.10590706.

