

DAFTAR PUSTAKA

- [1] R. A. Lisan, F. Mahyudin, and F. Mubarak, "Comparison of pre-and post-implantation of Indonesian-made plates in fracture patients: Functional, radiological, biomechanical and chemical analyses," *Narra J*, vol. 4, no. 1, Apr. 2024, doi: 10.52225/narra.v4i1.752.
- [2] T. X. Song, Y. L. Hu, Z. M. He, Y. Cui, Q. Ding, and Z. Y. Qiu, "Clinical applications of the mineralized collagen," in *Mineralized Collagen Bone Graft Substitutes*, Elsevier, 2019, pp. 167–232. doi: 10.1016/B978-0-08-102717-2.00005-9.
- [3] H. Qu, H. Fu, Z. Han, and Y. Sun, "Biomaterials for bone tissue engineering scaffolds: A review," *RSC Advances*, vol. 9, no. 45. Royal Society of Chemistry, pp. 26252–26262, 2019. doi: 10.1039/c9ra05214c.
- [4] A. M. Wu *et al.*, "Global, regional, and national burden of bone fractures in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019," *Lancet Heal. Longev.*, vol. 2, no. 9, pp. e580–e592, Sep. 2021, doi: 10.1016/S2666-7568(21)00172-0.
- [5] World Health Organization, "Global Status Report on Road", Global status report on road safety 2015. World Health Organization. <http://www.who.int/iris/handle/10665/189242>," 2015.
- [6] P. Sasmito, D. Innekerisnawati, D. Letare Hutasoid, R. Aprila, and A. Amara cindy, "Health Education on Fractures Emergencies to Increase Knowledge among SMK Kesehatan Letris Indonesia 1 Students," 2023.
- [7] N. A. S. Mohd Pu'ad, P. Koshy, H. Z. Abdullah, M. I. Idris, and T. C. Lee, "Syntheses of hydroxyapatite from natural sources," *Heliyon*, vol. 5, no. 5. Elsevier Ltd, May 01, 2019. doi: 10.1016/j.heliyon.2019.e01588.
- [8] S. Wang *et al.*, "Mineralized Collagen-Based Composite Bone Materials for Cranial Bone Regeneration in Developing Sheep," *ACS Biomater. Sci. Eng.*, vol. 3, no. 6, pp. 1092–1099, Jun. 2017, doi: 10.1021/acsbiomaterials.7b00159.
- [9] N. Jindapon *et al.*, "Preparation, Characterization, and Biological Properties of Hydroxyapatite from Bigeye Snapper (*Priacanthus tayenus*) Bone," *Int. J. Mol. Sci.*, vol. 24, no. 3, Feb. 2023, doi: 10.3390/ijms24032776.

- [10] G. M. Raghavendra, K. Varaprasad, and T. Jayaramudu, "Biomaterials: Design, Development and Biomedical Applications," in *Nanotechnology Applications for Tissue Engineering*, Elsevier Inc., 2015, pp. 21–44. doi: 10.1016/B978-0-323-32889-0.00002-9.
- [11] A. A. Hendi, "Hydroxyapatite based nanocomposite ceramics," *J. Alloys Compd.*, vol. 712, pp. 147–151, 2017, doi: 10.1016/j.jallcom.2017.04.021.
- [12] P. V. Nam, N. Van Hoa, and T. S. Trung, "Properties of hydroxyapatites prepared from different fish bones: A comparative study," *Ceram. Int.*, vol. 45, no. 16, pp. 20141–20147, Nov. 2019, doi: 10.1016/j.ceramint.2019.06.280.
- [13] D. Agustin Wahjuningrum, et al, A. Bhardwaj, S. Edinda Febriyanti, N. Liliani Soetjipta, and L. Mooduto, "Property Test of Phosphate and Hydroxyl Groups from Lates Carcarifer Fish Scale as a Candidate for Synthetic Hydroxyapatite using the FTIR Method," 2021. [Online]. Available: <http://www.jidmr.com>
- [14] G. Aydin, P. Terzioğlu, H. Ögüt, and A. Kalemtaş, "Production, characterization, and cytotoxicity of calcium phosphate ceramics derived from the bone of meagre fish, *Argyrosomus regius*," *J. Aust. Ceram. Soc.*, vol. 57, no. 1, pp. 37–46, Feb. 2021, doi: 10.1007/s41779-020-00513-w.
- [15] A. F. A. Latif *et al.*, "Extraction of biological hydroxyapatite from tuna fish bone for biomedical applications," in *Materials Science Forum*, 2020, vol. 1010 MSF, pp. 584–589. doi: 10.4028/www.scientific.net/MSF.1010.584.
- [16] K. M. Balabadra, S. Panneer Selvam, R. Ramadoss, and S. Sundar, "Hydroxyapatite synthesis and characterization from marine sources: A comparative study," *J. Oral Biol. Craniofacial Res.*, vol. 14, no. 6, pp. 706–711, Nov. 2024, doi: 10.1016/j.jobcr.2024.09.009.
- [17] T. C. Lee *et al.*, "Tilapia wastes to valuable materials: A brief review of biomedical, wastewater treatment, and biofuel applications," in *Materials Today: Proceedings*, Jan. 2022, vol. 57, pp. 1389–1395. doi: 10.1016/j.matpr.2022.03.174.
- [18] D. Aminin Bin Zairin, S. Wei Phang, D. A. Zairin, and S. W. Phang, "Calcination Time and Temperature Effect on Natural Hydroxyapatite Obtained from Fish Bones for Bone Tissue Engineering," 2017.

- [19] K. Deng *et al.*, "Preparation and characterization of porous HA/ β -TCP biphasic calcium phosphate derived from butterflyfish bone," *Mater. Technol.*, vol. 37, no. 10, pp. 1388–1395, 2022, doi: 10.1080/10667857.2021.1950886.
- [20] Gunawarman *et al.*, "Synthesis and characterization of calcium precursor for hydroxyapatite synthesis from blood clam shell (*Anadara antiquata*) using planetary ball mill process," in *IOP Conference Series: Materials Science and Engineering*, Sep. 2019, vol. 602, no. 1. doi: 10.1088/1757-899X/602/1/012072.
- [21] A. Rimayanto Gintu, E. Betty, E. Kristiani, and D. Y. Martono, "Biokeramik Hidroksiapatit (HAp) Berbahan Dasar Cangkang Tiram *Anodonta nuttaliana* dari Danau Poso Bioceramic Hydroxiapatite (HAp) Made From *Anodonta nuttaliana* Clams Shells from Poso Lake," 2020.
- [22] Alhussein Arkan Majhool *et al.*, "Preparation of Fish Scales Hydroxyapatite (FsHAp) for Potential Use as Fillers in Polymer," *J. Chem. Chem. Eng.*, vol. 13, no. 3, Mar. 2019, doi: 10.17265/1934-7375/2019.03.002.
- [23] D. Kodali, V. Hembrick-Holloman, D. R. Gunturu, T. Samuel, S. Jeelani, and V. K. Rangari, "Influence of Fish Scale-Based Hydroxyapatite on Forcespun Polycaprolactone Fiber Scaffolds," *ACS Omega*, vol. 7, no. 10, pp. 8323–8335, Mar. 2022, doi: 10.1021/acsomega.1c05593.
- [24] P. M. Prathibha *et al.*, "Fish scale-derived hydroxyapatite for alveolar ridge preservation," *Biotechnol. Appl. Biochem.*, Dec. 2024, doi: 10.1002/bab.2627.
- [25] S. Ullah, S. Hussain, Sidra, N. A. Shah, W. Ahmad, and T. Akitsu, "Graphene oxide and hydroxyapatite-based composite extracted from fish scale: Synthesis, characterization and water treatment application," *J. Mol. Liq.*, vol. 417, Jan. 2025, doi: 10.1016/j.molliq.2024.126577.
- [26] S. S. Rahavi, O. Ghaderi, A. Monshi, and M. H. Fathi, "A comparative study on physicochemical properties of hydroxyapatite powders derived from natural and synthetic sources," *Russ. J. Non-Ferrous Met.*, vol. 58, no. 3, pp. 276–286, May 2017, doi: 10.3103/S1067821217030178.
- [27] Z. Catalgol, "Sintering effect on borosilicate glass-bovine hydroxyapatite composites," *J. Aust. Ceram. Soc.*, vol. 55, no. 4, pp. 1075–1079, Dec. 2019, doi: 10.1007/s41779-

- [28] M. A. Gani, A. S. Budiadin, M. L. A. D. Lestari, F. A. Rantam, C. Ardianto, and J. Khotib, "Fabrication and Characterization of Submicron-Scale Bovine Hydroxyapatite: A Top-Down Approach for a Natural Biomaterial," *Materials (Basel)*, vol. 15, no. 6, Mar. 2022, doi: 10.3390/ma15062324.
- [29] E. A. Ofudje, A. Rajendran, A. I. Adeogun, M. A. Idowu, S. O. Kareem, and D. K. Pattanayak, "Synthesis of organic derived hydroxyapatite scaffold from pig bone waste for tissue engineering applications," *Adv. Powder Technol.*, vol. 29, no. 1, pp. 1–8, Jan. 2018, doi: 10.1016/j.apt.2017.09.008.
- [30] N. Sri Wardani and A. Fadli, "Sintesis Hidroksiapatit dari Cangkang Telur dengan Metode Presipitasi," 2015.
- [31] P. Yilmaz, E. Öztürk Er, S. Bakirdere, K. Ülgen, and B. Özbek, "Application of supercritical gel drying method on fabrication of mechanically improved and biologically safe three-component scaffold composed of graphene oxide/chitosan/hydroxyapatite and characterization studies," *J. Mater. Res. Technol.*, vol. 8, no. 6, pp. 5201–5216, Nov. 2019, doi: 10.1016/j.jmrt.2019.08.043.
- [32] D. Muthu, G. S. Kumar, V. S. Kattimani, V. Viswabaskaran, and E. K. Girija, "Optimization of a lab scale and pilot scale conversion of eggshell biowaste into hydroxyapatite using microwave reactor," *Ceram. Int.*, vol. 46, no. 16, pp. 25024–25034, Nov. 2020, doi: 10.1016/j.ceramint.2020.06.288.
- [33] N. A. M. Barakat *et al.*, "Physiochemical characterizations of hydroxyapatite extracted from bovine bones by three different methods: Extraction of biologically desirable HAp," *Mater. Sci. Eng. C*, vol. 28, no. 8, pp. 1381–1387, Dec. 2008, doi: 10.1016/j.msec.2008.03.003.
- [34] P. C. Okpe, O. Folorunso, V. S. Aigbodion, and C. Obayi, "Hydroxyapatite synthesis and characterization from waste animal bones and natural sources for biomedical applications," *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, vol. 112, no. 7. John Wiley and Sons Inc, Jul. 01, 2024. doi: 10.1002/jbm.b.35440.
- [35] W. J. Shih, M. C. Wang, and M. H. Hon, "Morphology and crystallinity of the nanosized hydroxyapatite synthesized by hydrolysis using cetyltrimethylammonium bromide

- (CTAB) as a surfactant,” in *Journal of Crystal Growth*, Feb. 2005, vol. 275, no. 1–2. doi: 10.1016/j.jcrysgro.2004.11.330.
- [36] U. Rahmayuni zein, L. Anggresani, and Yulianis, “Pengaruh waktu sintering terhadap hidroksiapatit berpori tulang ikan tenggiri dengan proses sol-gel,” *CHEMPUBLISH J.*, vol. 5, no. 1, pp. 46–56, May 2020, doi: 10.22437/chp.v5i1.8686.
- [37] S. Hussain and K. Sabiruddin, “Effect of heat treatment on the synthesis of hydroxyapatite from Indian clam seashell by hydrothermal method,” *Ceram. Int.*, vol. 47, no. 21, pp. 29660–29669, Nov. 2021, doi: 10.1016/j.ceramint.2021.07.137.
- [38] H. H. Kusuma, L. Sifah, and S. S. Anggita, “The characterization of hydroxyapatite from blood clam shells and eggs shells: Shyntesis by hydrothermal method,” in *Journal of Physics: Conference Series*, Jun. 2021, vol. 1918, no. 2. doi: 10.1088/1742-6596/1918/2/022040.
- [39] M. Bahraminasab, N. Doostmohammadi, and A. Alizadeh, “Low-cost synthesis of nano-hydroxyapatite from carp bone waste: Effect of calcination time and temperature,” *Int. J. Appl. Ceram. Technol.*, vol. 18, no. 3, pp. 573–582, May 2021, doi: 10.1111/ijac.13678.
- [40] S.-L. Bee, S. N. F. M. Noor, A. Ul-Hamid, and Z. A. A. Hamid, “Effect of calcination temperature on the physicochemical properties of natural hydroxyapatite derived from Catla fish bone,” *J. Phys. Conf. Ser.*, vol. 2907, no. 1, p. 012010, Dec. 2024, doi: 10.1088/1742-6596/2907/1/012010.
- [41] A. Salian, A. K. Prakash, G. Gulladi, S. Andiappan, V. K. R. Surasani, and R. C. Varadaraju, “Valorization of emperor fish (*Lethrinus fraenatus*) filleting waste in to fishbone hydroxyapatite by thermal calcination method,” *Biomass Convers. Biorefinery*, 2024, doi: 10.1007/s13399-024-06177-x.
- [42] M. Ozawa and S. Suzuki, “Microstructural Development of Natural Hydroxyapatite Originated from Fish-Bone Waste through Heat Treatment.”
- [43] K. H. Le Ho *et al.*, “Physicochemical properties, acute and subchronic toxicity of nano-hydroxyapatite obtained from Lates calcarifer fish bone,” *Reg. Stud. Mar. Sci.*, vol. 55, Sep. 2022, doi: 10.1016/j.rsma.2022.102560.
- [44] I. Darmawan, “Material baru dan terbarukan,” 2018, [Online]. Available:

- [45] A. Khamkongkao, A. Jiamprasertboon, N. Jinakul, P. Srabua, S. Tantavisut, and A. Wongrakpanich, "Antibiotic-loaded hydroxyapatite scaffolds fabricated from Nile tilapia bones for orthopaedics," *Int. J. Pharm. X*, vol. 5, Dec. 2023, doi: 10.1016/j.ijpx.2023.100169.
- [46] M. S. Kang *et al.*, "Spontaneous Osteogenic Differentiation of Human Mesenchymal Stem Cells by Tuna-Bone-Derived Hydroxyapatite Composites with Green Tea Polyphenol-Reduced Graphene Oxide," *Cells*, vol. 12, no. 11, Jun. 2023, doi: 10.3390/cells12111448.
- [47] A. A. Alshehri *et al.*, "Optimization of apigenin nanoparticles prepared by planetary ball milling: In vitro and in vivo studies," *Green Process. Synth.*, vol. 12, no. 1, Jan. 2023, doi: 10.1515/gps-2022-8107.
- [48] Z. Hussain, "Comparative Study on Improving the Ball Mill Process Parameters Influencing on the Synthesis of Ultrafine Silica Sand: A Taguchi Coupled Optimization Technique," *Int. J. Precis. Eng. Manuf.*, vol. 22, no. 4, pp. 679–688, Apr. 2021, doi: 10.1007/s12541-021-00492-3.
- [49] H. Shin, S. Lee, H. Suk Jung, and J. B. Kim, "Effect of ball size and powder loading on the milling efficiency of a laboratory-scale wet ball mill," *Ceram. Int.*, vol. 39, no. 8, pp. 8963–8968, Dec. 2013, doi: 10.1016/j.ceramint.2013.04.093.
- [50] F. Hirose, T. Iwasaki, and M. Iwata, "Particle Impact Energy Variation with the Size and Number of Particles in a Planetary Ball Mill," *MATEC Web Conf.*, vol. 333, p. 02016, 2021, doi: 10.1051/mateconf/202133302016.
- [51] P. Arokiasamy *et al.*, "Synthesis methods of hydroxyapatite from natural sources: A review," *Ceramics International*, vol. 48, no. 11, Elsevier Ltd, pp. 14959–14979, Jun. 01, 2022. doi: 10.1016/j.ceramint.2022.03.064.
- [52] E. S. Akpan, M. Dauda, L. S. Kuburi, and D. O. Obada, "Box-Behnken experimental design for the process optimization of catfish bones derived hydroxyapatite: A pedagogical approach," *Mater. Chem. Phys.*, vol. 272, Nov. 2021, doi: 10.1016/j.matchemphys.2021.124916.
- [53] M. F. Alif, S. Arief, Y. Yusuf, Y. Yunita, J. Ramadhani, and S. Triandini, "Synthesis of

- hydroxyapatite from Faunus ater shell biowaste,” *Next Mater.*, vol. 3, p. 100157, Apr. 2024, doi: 10.1016/j.nxmater.2024.100157.
- [54] R. Z. Legeros and J. P. Legeros, “Hydroxyapatite,” in *Bioceramics and their Clinical Applications*, Elsevier Inc., 2008, pp. 367–394. doi: 10.1533/9781845694227.2.367.
- [55] A. Szcześ, L. Hołysz, and E. Chibowski, “Synthesis of hydroxyapatite for biomedical applications,” *Advances in Colloid and Interface Science*, vol. 249. Elsevier B.V., pp. 321–330, Nov. 01, 2017. doi: 10.1016/j.cis.2017.04.007.
- [56] J.-Y. Rho, L. Kuhn-Spearing, and P. Zioupos, “Mechanical properties and the hierarchical structure of bone,” 1998.
- [57] E. Fiume, G. Magnaterra, A. Rahdar, E. Verné, and F. Baino, “Hydroxyapatite for biomedical applications: A short overview,” *Ceramics*, vol. 4, no. 4. MDPI, pp. 542–563, Dec. 01, 2021. doi: 10.3390/ceramics4040039.
- [58] N. I. Agbeboh, I. O. Oladele, O. O. Daramola, A. A. Adediran, O. O. Olasukanmi, and M. O. Tanimola, “Environmentally sustainable processes for the synthesis of hydroxyapatite,” *Heliyon*, vol. 6, no. 4. Elsevier Ltd, Apr. 01, 2020. doi: 10.1016/j.heliyon.2020.e03765.
- [59] M. Sadat-Shojai, M. T. Khorasani, E. Dinpanah-Khoshdargi, and A. Jamshidi, “Synthesis methods for nanosized hydroxyapatite with diverse structures,” *Acta Biomaterialia*, vol. 9, no. 8. Elsevier Ltd, pp. 7591–7621, 2013. doi: 10.1016/j.actbio.2013.04.012.
- [60] M. Descamps, O. Richart, P. Hardouin, J. C. Hornez, and A. Leriche, “Synthesis of macroporous β -tricalcium phosphate with controlled porous architectural,” *Ceram. Int.*, vol. 34, no. 5, pp. 1131–1137, Jul. 2008, doi: 10.1016/j.ceramint.2007.01.004.
- [61] M. F. Vassal, J. Nunes-Pereira, S. P. Miguel, I. J. Correia, and A. P. Silva, “Microstructural, mechanical and biological properties of hydroxyapatite - CaZrO₃ biocomposites,” *Ceram. Int.*, vol. 45, no. 7, pp. 8195–8203, May 2019, doi: 10.1016/j.ceramint.2019.01.122.
- [62] H. Seitz, W. Rieder, S. Irsen, B. Leukers, and C. Tille, “Three-dimensional printing of porous ceramic scaffolds for bone tissue engineering,” *J. Biomed. Mater. Res. - Part B Appl. Biomater.*, vol. 74, no. 2, pp. 782–788, Aug. 2005, doi: 10.1002/jbm.b.30291.

- [63] J. Nie, J. Zhou, X. Huang, L. Wang, G. Liu, and J. Cheng, "Effect of TiO₂ doping on densification and mechanical properties of hydroxyapatite by microwave sintering," *Ceram. Int.*, vol. 45, no. 11, pp. 13647–13655, Aug. 2019, doi: 10.1016/j.ceramint.2019.04.007.
- [64] M. Akram, R. Ahmed, I. Shakir, W. A. W. Ibrahim, and R. Hussain, "Extracting hydroxyapatite and its precursors from natural resources," *Journal of Materials Science*, vol. 49, no. 4, pp. 1461–1475, Feb. 2014. doi: 10.1007/s10853-013-7864-x.
- [65] M. K. Herliansyah, D. A. Nasution, M. H. Bin Abdul Shukor, A. Ide-Ektessabi, M. W. Wildan, and A. E. Tontowi, "Preparation and Characterization of Natural Hydroxyapatite: A Comparative Study of Bovine Bone Hydroxyapatite and Hydroxyapatite from Calcite," *Mater. Sci. Forum*, vol. 561–565, pp. 1441–1444, Oct. 2007, doi: 10.4028/www.scientific.net/msf.561-565.1441.
- [66] A. Ruksudjarit, K. Pengpat, G. Rujijanagul, and T. Tunkasiri, "Synthesis and characterization of nanocrystalline hydroxyapatite from natural bovine bone," *Curr. Appl. Phys.*, vol. 8, no. 3–4, pp. 270–272, May 2008, doi: 10.1016/j.cap.2007.10.076.
- [67] M. R. Ayatollahi, M. Y. Yahya, H. Asgharzadeh Shirazi, and S. A. Hassan, "Mechanical and tribological properties of hydroxyapatite nanoparticles extracted from natural bovine bone and the bone cement developed by nano-sized bovine hydroxyapatite filler," *Ceram. Int.*, vol. 41, no. 9, pp. 10818–10827, Nov. 2015, doi: 10.1016/j.ceramint.2015.05.021.
- [68] N. A. M. Barakat, M. S. Khil, A. M. Omran, F. A. Sheikh, and H. Y. Kim, "Extraction of pure natural hydroxyapatite from the bovine bones bio waste by three different methods," *J. Mater. Process. Technol.*, vol. 209, no. 7, pp. 3408–3415, Apr. 2009, doi: 10.1016/j.jmatprotec.2008.07.040.
- [69] E. Hosseinzadeh, M. Davarpanah, N. H. Nemati, and S. A. Tavakoli, "Fabrication of a Hard Tissue Replacement Using Natural Hydroxyapatite Derived from Bovine Bones by Thermal Decomposition Method," 2014. [Online]. Available: www.ijotm.com
- [70] R. X. Sun *et al.*, "Physicochemical and biological properties of bovine-derived porous hydroxyapatite/collagen composite and its hydroxyapatite powders," *Ceram. Int.*, vol. 43, no. 18, pp. 16792–16798, Dec. 2017, doi: 10.1016/j.ceramint.2017.09.075.

- [71] S. M. Londoño-Restrepo, C. F. Ramirez-Gutierrez, A. del Real, E. Rubio-Rosas, and M. E. Rodriguez-García, "Study of bovine hydroxyapatite obtained by calcination at low heating rates and cooled in furnace air," *J. Mater. Sci.*, vol. 51, no. 9, pp. 4431–4441, May 2016, doi: 10.1007/s10853-016-9755-4.
- [72] H. L. Jaber, A. S. Hammood, and N. Parvin, "Synthesis and characterization of hydroxyapatite powder from natural Camelus bone," *J. Aust. Ceram. Soc.*, vol. 54, no. 1, pp. 1–10, Mar. 2018, doi: 10.1007/s41779-017-0120-0.
- [73] A. Pal, S. Paul, A. R. Choudhury, V. K. Balla, M. Das, and A. Sinha, "Synthesis of hydroxyapatite from Lates calcarifer fish bone for biomedical applications," *Mater. Lett.*, vol. 203, pp. 89–92, Sep. 2017, doi: 10.1016/j.matlet.2017.05.103.
- [74] S. Kongsri, K. Janpradit, K. Buapa, S. Techawongstien, and S. Chanthai, "Nanocrystalline hydroxyapatite from fish scale waste: Preparation, characterization and application for selenium adsorption in aqueous solution," *Chem. Eng. J.*, vol. 215–216, pp. 522–532, Jan. 2013, doi: 10.1016/j.cej.2012.11.054.
- [75] N. N. Panda, K. Pramanik, and L. B. Sukla, "Extraction and characterization of biocompatible hydroxyapatite from fresh water fish scales for tissue engineering scaffold," *Bioprocess Biosyst. Eng.*, vol. 37, no. 3, pp. 433–440, 2014, doi: 10.1007/s00449-013-1009-0.
- [76] W. Pon-On, P. Suntornsaratoon, N. Charoenphandhu, J. Thongbunchoo, N. Krishnamra, and I. M. Tang, "Hydroxyapatite from fish scale for potential use as bone scaffold or regenerative material," *Mater. Sci. Eng. C*, vol. 62, pp. 183–189, May 2016, doi: 10.1016/j.msec.2016.01.051.
- [77] J. A. da Cruz *et al.*, "Low-Cost Hydroxyapatite Powders from Tilapia Fish," *JOM*, vol. 72, no. 4, pp. 1435–1442, Apr. 2020, doi: 10.1007/s11837-019-03998-4.
- [78] B. Mondal, S. Mondal, A. Mondal, and N. Mandal, "Fish scale derived hydroxyapatite scaffold for bone tissue engineering," *Mater. Charact.*, vol. 121, pp. 112–124, Nov. 2016, doi: 10.1016/j.matchar.2016.09.034.
- [79] B. R. Sunil and M. Jagannatham, "Producing hydroxyapatite from fish bones by heat treatment," *Mater. Lett.*, vol. 185, pp. 411–414, Dec. 2016, doi: 10.1016/j.matlet.2016.09.039.

- [80] R. Mustaffa, M. R. Mohd Yusof, and Y. Abdullah, "A Novelty of Synthetic Hydroxyapatite from Cockle Shell and Characterization," *Adv. Mater. Res.*, vol. 1087, pp. 429–433, Feb. 2015, doi: 10.4028/www.scientific.net/amr.1087.429.
- [81] S. C. Wu, H. C. Hsu, S. K. Hsu, C. P. Tseng, and W. F. Ho, "Effects of calcination on synthesis of hydroxyapatite derived from oyster shell powders," *J. Aust. Ceram. Soc.*, vol. 55, no. 4, pp. 1051–1058, Dec. 2019, doi: 10.1007/s41779-019-00317-7.
- [82] N. Razali *et al.*, "Conversion of calcite from cockle shells to bioactive nanorod hydroxyapatite for biomedical applications," 2016. [Online]. Available: http://apps.webofknowledge.com/full_record.do?product=WOS&search_mode=GeneralSearch&qid=10&SID=T2hEzRo9eiffFDEWLi3&page=1&doc=1
- [83] S. Habibie *et al.*, "Production and Characterization of Hydroxyapatite Bone Substitute Material Performed from Indonesian Limestone," *Int. J. Biomed. Eng. Sci.*, vol. 4, no. 1, pp. 11–23, Jan. 2017, doi: 10.5121/ijbes.2017.4102.
- [84] N. Jamarun, A. Asril, Z. Zulhadjri, T. Azharman, and S. Permata, "Effect of hydrothermal temperature on synthesise of hydroxyapatite from limestone through hydrothermal method," *Available online www.jocpr.com J. Chem. Pharm. Res.*, vol. 7, no. 6, pp. 832–837, 2015, [Online]. Available: www.jocpr.com
- [85] J. Klinkaewnarong and S. Utara, "Ultrasonic-assisted conversion of limestone into needle-like hydroxyapatite nanoparticles," 2018.
- [86] J. Singh, S. Sharma, S. Soni, S. Sharma, and R. Chand Singh, "Influence of different milling media on structural, morphological and optical properties of the ZnO nanoparticles synthesized by ball milling process," *Mater. Sci. Semicond. Process.*, vol. 98, pp. 29–38, Aug. 2019, doi: 10.1016/j.mssp.2019.03.026.
- [87] W. S. Choi, H. Y. Chung, B. R. Yoon, and S. S. Kim, "Applications of grinding kinetics analysis to fine grinding characteristics of some inorganic materials using a composite grinding media by planetary ball mill," 2001. [Online]. Available: www.elsevier.com/locate/powtec
- [88] J. O. Carneiro *et al.*, "Synthesis of iron-doped TiO₂ nanoparticles by ball-milling process: The influence of process parameters on the structural, optical, magnetic, and photocatalytic properties," *J. Mater. Sci.*, vol. 49, no. 21, pp. 7476–7488, 2014, doi:

10.1007/s10853-014-8453-3.

- [89] A. A. Othman, M. A. Osman, and A. G. Abd-Elrahim, "The effect of milling time on structural, optical and photoluminescence properties of ZnO nanocrystals," *Optik (Stuttg.)*, vol. 156, pp. 161–168, Mar. 2018, doi: 10.1016/j.ijleo.2017.11.037.
- [90] P. L. Guzzo, J. B. Santos, and R. C. David, "Particle size distribution and structural changes in limestone ground in planetary ball mill," *Int. J. Miner. Process.*, vol. 126, pp. 41–48, Jan. 2014, doi: 10.1016/j.minpro.2013.11.005.
- [91] J. Huang *et al.*, "Effect of ball milling process on the mechanical and thermal properties of the nanodiamond/2024Al composites," *Micron*, vol. 148, Sep. 2021, doi: 10.1016/j.micron.2021.103104.
- [92] J. H. Lee, J. H. Kwon, T. H. Kim, and W. Il Choi, "Impact of planetary ball mills on corn stover characteristics and enzymatic digestibility depending on grinding ball properties," *Bioresour. Technol.*, vol. 241, pp. 1094–1100, 2017, doi: 10.1016/j.biortech.2017.06.044.
- [93] A. A. Sabry and N. A. Salih, "Synthetic properties of hydroxyapatite powder prepared from natural eggs shell," 2020.
- [94] A. Fadli, S. R. Yenti, A. Prabowo, S. P. Aledya, R. Fadila, and R. Susanto, "The Synthesis of Hydroxyapatite Powder Using Shaker Mill Technique," *J. Southwest Jiaotong Univ.*, vol. 56, no. 2, pp. 22–31, Apr. 2021, doi: 10.35741/issn.0258-2724.56.2.3.
- [95] K. M. I. Ismail, C. N. A. Jaafar, I. Zainol, and M. Z. M. . Yusoff, "Preparation and Characterization of Hydroxyapatite from Black Tilapia Fish Scales using Spray-drying Method," *Malaysian J. Microsc.*, vol. 15, pp. 155–163, 2019.
- [96] V. Apalangya, V. Rangari, S. Jeelani, E. Dankyi, A. Yaya, and S. Darko, "Rapid microwave synthesis of needle-liked hydroxyapatite nanoparticles via template directing ball-milled spindle-shaped eggshell particles," *Ceram. Int.*, vol. 44, no. 6, pp. 7165–7171, Apr. 2018, doi: 10.1016/j.ceramint.2018.01.161.
- [97] S. Desmond, D. Kurniawan, and F. M. Nor, "Synthesis of hydroxyapatite from seashells via calcination at various temperature using microwave and furnace," in *AIP Conference Proceedings*, Apr. 2020, vol. 2217. doi: 10.1063/5.0000902.

- [98] V. Santos-Rosales, M. Gallo, P. Jaeger, C. Alvarez-Lorenzo, J. L. Gómez-Amoza, and C. A. García-González, “New insights in the morphological characterization and modelling of poly(ϵ -caprolactone) bone scaffolds obtained by supercritical CO₂ foaming,” *J. Supercrit. Fluids*, vol. 166, Dec. 2020, doi: 10.1016/j.supflu.2020.105012.
- [99] M. Eilbagi, R. Emadi, K. Raeissi, M. Kharaziha, and A. Valiani, “Mechanical and cytotoxicity evaluation of nanostructured hydroxyapatite-bredigite scaffolds for bone regeneration,” *Mater. Sci. Eng. C*, vol. 68, pp. 603–612, Nov. 2016, doi: 10.1016/j.msec.2016.06.030.
- [100] A. Motealleh *et al.*, “Reinforcing 13–93 bioglass scaffolds fabricated by robocasting and pressureless spark plasma sintering with graphene oxide,” *J. Mech. Behav. Biomed. Mater.*, vol. 97, pp. 108–116, Sep. 2019, doi: 10.1016/j.jmbbm.2019.05.016.
- [101] Roger.W and Rhodes.J, “Pressureless of Whiske Reinforced Alumina”. United State Patent, No. 5,656, 217.,” 1997.
- [102] E. Ryshkewitch, “*Oxide Ceramics.*” *Academic Press, New York.* 1960.
- [103] A. Sujatno, R. Salam, and A. Dimyati Pusat Sains dan Teknologi Bahan Maju, “Studi Scanning Electron Microscopy (SEM) untuk Karakterisasi Proses Oksidasi Paduan Zirkonium,” 2015.
- [104] M. Hidouri, S. V. Dorozhkin, and N. Albeladi, “Thermal Behavior, Sintering and Mechanical Characterization of Multiple Ion-Substituted Hydroxyapatite Bioceramics,” *J. Inorg. Organomet. Polym. Mater.*, vol. 29, no. 1, pp. 87–100, Jan. 2019, doi: 10.1007/s10904-018-0969-6.
- [105] W. M. Barsoum, *Fundamentals of Ceramics*. *Mc Graw-Hill Companies, New York.* 1997.
- [106] D. A. Challoor, A. T. Saleh, A. Z. Alshemary, Y. Muhammed, and I. S. Cardakli, “Characterisation and in vitro bioactivity of hydroxyapatite extracted from carp fish bones for biomedical applications,” *Ceram. - Silikaty*, vol. 67, no. 1, pp. 81–86, 2023, doi: 10.13168/cs.2023.0005.
- [107] J. K. Odusote, Y. Danyuo, A. D. Baruwa, and A. A. Azeez, “Synthesis and characterization of hydroxyapatite from bovine bone for production of dental implants,” *J. Appl. Biomater. Funct. Mater.*, vol. 17, no. 2, Apr. 2019, doi:

10.1177/2280800019836829.

- [108] H. A. Permatasari, R. Wati, R. M. Anggraini, A. Almukarramah, and Y. Yusuf, "Hydroxyapatite extracted from fish bone wastes by heat treatment," in *Key Engineering Materials*, 2020, vol. 840 KEM, pp. 318–323. doi: 10.4028/www.scientific.net/kem.840.318.
- [109] S. K. Dermawan, Z. M. M. Ismail, M. Z. Jaffri, and H. Z. Abdullah, "Effect of the Calcination Temperature on the Properties of Hydroxyapatite from Black Tilapia Fish Bone," in *Journal of Physics: Conference Series*, Jan. 2022, vol. 2169, no. 1. doi: 10.1088/1742-6596/2169/1/012034.
- [110] B. Singh, S. Kumar, B. Basu, and R. Gupta, "Enhanced ionic conduction in hydroxyapatites," *Mater. Lett.*, vol. 95, pp. 100–102, 2013, doi: 10.1016/j.matlet.2012.12.074.
- [111] Q. Zhu *et al.*, "The preparation and characterization of HA/ β -TCP biphasic ceramics from fish bones," *Ceram. Int.*, vol. 43, no. 15, pp. 12213–12220, Oct. 2017, doi: 10.1016/j.ceramint.2017.06.082.
- [112] M. T. Hooi, S. W. Phang, H. Y. Yow, E. David, N. X. Kim, and H. L. Choo, "FTIR spectroscopy characterization and critical comparison of poly(vinyl)alcohol and natural hydroxyapatite derived from fish bone composite for bone-scaffold," in *Journal of Physics: Conference Series*, Dec. 2021, vol. 2120, no. 1. doi: 10.1088/1742-6596/2120/1/012004.
- [113] S. Sathiyavimal *et al.*, "Facile synthesis and characterization of hydroxyapatite from fish bones: Photocatalytic degradation of industrial dyes (crystal violet and Congo red)," *Prog. Org. Coatings*, vol. 148, Nov. 2020, doi: 10.1016/j.porgcoat.2020.105890.
- [114] M. U. R. Rehman, A. Qureshi, and M. M. Baloch, "Extraction of Hydroxyapatite from Caprine Bones and its Anti-Bacterial Study," *Mehran Univ. Res. J. Eng. Technol.*, vol. 40, no. 4, pp. 867–873, Oct. 2021, doi: 10.22581/muet1982.2104.16.
- [115] S. Aarthy, D. Thenmuhil, G. Dharunya, and P. Manohar, "Exploring the effect of sintering temperature on naturally derived hydroxyapatite for bio-medical applications," *J. Mater. Sci. Mater. Med.*, vol. 30, no. 2, Feb. 2019, doi: 10.1007/s10856-019-6219-9.
- [116] Daupor and Hasan, "Synthesis of Hydroxyapatite from Budu Waste by Calcination

Method,” 2022.

- [117] H. Hamidah, Iriany, and M. Zuqni, “Characterization of hydroxyapatite from chicken bone via precipitation,” in *Key Engineering Materials*, 2017, vol. 744 744 KEM, pp. 485–489. doi: 10.4028/www.scientific.net/KEM.744.485.
- [118] D. Liu, S. Weiner, and H. D. Wagner, “Anisotropic mechanical properties of lamellar bone using miniature cantilever bending specimens,” vol. 32, pp. 647–654, 1999.
- [119] S. Weiner, W. Traub, and H. D. Wagner, “Lamellar Bone : Structure – Function Relations,” vol. 255, pp. 241–255, 1999.
- [120] T. Ayam *et al.*, “Mochamad Arif Irfa ’ i Abstrak,” 2020.
- [121] I. Salsabila, Z. Jalil, J. Fisika, and F. Matematika, “Pengaruh Temperatur Sintering dan Komposisi Air dalam Suspensi terhadap Ukuran Kristal Hidroksiapatit Berbasis Tulang Sapi Aceh,” vol. 7, no. 3, pp. 157–161, 2018.
- [122] P. Shi, M. Liu, F. Fan, C. Yu, W. Lu, and M. Du, “Characterization of natural hydroxyapatite originated from fish bone and its biocompatibility with osteoblasts,” *Mater. Sci. Eng. C*, vol. 90, pp. 706–712, Sep. 2018, doi: 10.1016/j.msec.2018.04.026.
- [123] N. Hossain *et al.*, “Synthesis and Characterization of Nano-Hydroxyapatite from Hilsha Fish Bone for Biomedical Applications,” *Nano*, Dec. 2024, doi: 10.1142/S1793292024500577.
- [124] A. Gaur, V. S. Chauhan, and R. Vaish, “Planetary ball milling induced piezocatalysis for dye degradation using BaTiO₃ ceramics,” *Environ. Sci. Adv.*, vol. 2, no. 3, pp. 462–472, Jan. 2023, doi: 10.1039/d2va00210h.
- [125] N. A. Nawawi, A. S.F. Alqap, and I. Sopyan, “Recent Progress on Hydroxyapatite-Based Dense Biomaterials for Load Bearing Bone Substitutes,” *Recent Patents Mater. Sci.*, vol. 4, no. 1, pp. 63–80, Mar. 2011, doi: 10.2174/1874465611104010063.
- [126] M. Prakasam, J. Locs, K. Salma-Ancane, D. Loca, A. Largeteau, and L. Berzina-Cimdina, “Fabrication, Properties and Applications of Dense Hydroxyapatite: A Review,” *J. Funct. Biomater.*, vol. 6, no. 4, pp. 1099–1140, Dec. 2015, doi: 10.3390/jfb6041099.
- [127] S. Bose, A. Banerjee, S. Dasgupta, and A. Bandyopadhyay, “Synthesis, processing,

- mechanical, and biological property characterization of hydroxyapatite whisker-reinforced hydroxyapatite composites,” *J. Am. Ceram. Soc.*, vol. 92, no. 2, pp. 323–330, Feb. 2009, doi: 10.1111/j.1551-2916.2008.02881.x.
- [128] A. K. Gain, L. Zhang, and W. Liu, “Microstructure and material properties of porous hydroxyapatite-zirconia nanocomposites using polymethyl methacrylate powders,” *Mater. Des.*, vol. 67, pp. 136–144, Feb. 2015, doi: 10.1016/j.matdes.2014.11.028.
- [129] V. Karthik, S. K. Pabi, and S. K. R. Chowdhury, “Development of hydroxyapatite/polyvinyl alcohol bionanocomposite for prosthesis implants,” in *IOP Conference Series: Materials Science and Engineering*, Mar. 2018, vol. 314, no. 1. doi: 10.1088/1757-899X/314/1/012031.
- [130] S. Mondal *et al.*, “Nano-hydroxyapatite bioactive glass composite scaffold with enhanced mechanical and biological performance for tissue engineering application,” *Ceram. Int.*, vol. 44, no. 13, pp. 15735–15746, Sep. 2018, doi: 10.1016/j.ceramint.2018.05.248.
- [131] B. Li *et al.*, “Characterization of Minerals, Metals, and Materials,” 2019.
- [132] A. Indra, R. Firdaus, I. H. Mulyadi, J. Affi, and Gunawarman, “Enhancing the physical and mechanical properties of pellet-shaped hydroxyapatite by controlling micron- and nano-sized powder ratios,” *Ceram. Int.*, vol. 46, no. 10, pp. 15882–15888, Jul. 2020, doi: 10.1016/j.ceramint.2020.03.136.
- [133] O. A. Osuchukwu, A. Salihi, I. Abdullahi, P. O. Etinosa, and D. O. Obada, “A comparative study of the mechanical properties of sol-gel derived hydroxyapatite produced from a novel mixture of two natural biowastes for biomedical applications,” *Mater. Chem. Phys.*, vol. 297, Mar. 2023, doi: 10.1016/j.matchemphys.2023.127434.
- [134] A. G. El-Shamy, W. Attia, and K. M. Abd El-Kader, “The optical and mechanical properties of PVA-Ag nanocomposite films,” *J. Alloys Compd.*, vol. 590, pp. 309–312, Mar. 2014, doi: 10.1016/j.jallcom.2013.11.203.
- [135] M. Hema, S. Selvasekarapandian, D. Arunkumar, A. Sakunthala, and H. Nithya, “FTIR, XRD and ac impedance spectroscopic study on PVA based polymer electrolyte doped with NH₄X (X = Cl, Br, I),” *J. Non. Cryst. Solids*, vol. 355, no. 2, pp. 84–90, Jan. 2009, doi: 10.1016/j.jnoncrsol.2008.10.009.

- [136] H. S. Mansur and A. A. P. Mansur, "Synchrotron SAXS, XRD and FTIR Characterization of Nanostructured PVA/TEOS Hybrid Cross-Linked with Glutaraldehyde," *Solid State Phenom.*, vol. 121–123, pp. 855–858, Mar. 2007, doi: 10.4028/www.scientific.net/ssp.121-123.855.
- [137] A. K. Patel, R. Bajpai, and J. M. Keller, "On the crystallinity of PVA/palm leaf biocomposite using DSC and XRD techniques," *Microsyst. Technol.*, vol. 20, no. 1, pp. 41–49, Jan. 2014, doi: 10.1007/s00542-013-1882-0.
- [138] R. Ricciardi, F. Auriemma, C. De Rosa, and F. Lauprêtre, "X-ray Diffraction Analysis of Poly(vinyl alcohol) Hydrogels, Obtained by Freezing and Thawing Techniques," *Macromolecules*, vol. 37, no. 5, pp. 1921–1927, Mar. 2004, doi: 10.1021/ma035663q.
- [139] H. Wang, P. Fang, Z. Chen, and S. Wang, "Synthesis and characterization of CdS/PVA nanocomposite films," *Appl. Surf. Sci.*, vol. 253, no. 20, pp. 8495–8499, Aug. 2007, doi: 10.1016/j.apsusc.2007.04.020.
- [140] H. Pingan, J. Mengjun, Z. Yanyan, and H. Ling, "A silica/PVA adhesive hybrid material with high transparency, thermostability and mechanical strength," *RSC Adv.*, vol. 7, no. 5, pp. 2450–2459, 2017, doi: 10.1039/C6RA25579E.
- [141] A. Indra, F. Hadi, I. H. Mulyadi, J. Affi, and Gunawarman, "A novel fabrication procedure for producing high strength hydroxyapatite ceramic scaffolds with high porosity," *Ceram. Int.*, vol. 47, no. 19, pp. 26991–27001, Oct. 2021, doi: 10.1016/j.ceramint.2021.06.112.
- [142] S. Ramesh *et al.*, "Sintering behaviour and properties of magnesium orthosilicate-hydroxyapatite ceramic," *Ceram. Int.*, vol. 42, no. 14, pp. 15756–15761, Nov. 2016, doi: 10.1016/j.ceramint.2016.07.037.
- [143] R. M. JONES, "Mechanics of Composites Materials." p. 554, 1998.
- [144] F. H. Perera, F. J. Martínez-Vázquez, P. Miranda, A. L. Ortiz, and A. Pajares, "Clarifying the effect of sintering conditions on the microstructure and mechanical properties of β -tricalcium phosphate," *Ceram. Int.*, vol. 36, no. 6, pp. 1929–1935, Aug. 2010, doi: 10.1016/j.ceramint.2010.03.015.
- [145] A. Sinha, A. Ingle, K. R. Munim, S. N. Vaidya † † †, B. P. Sharma, and A. N. Bhisey, "Development of calcium phosphate based bioceramics," 2001.

- [146] X. Cai, H. Tong, X. Shen, W. Chen, J. Yan, and J. Hu, "Preparation and characterization of homogeneous chitosan-poly(lactic acid)/hydroxyapatite nanocomposite for bone tissue engineering and evaluation of its mechanical properties," *Acta Biomater.*, vol. 5, no. 7, pp. 2693–2703, 2009, doi: 10.1016/j.actbio.2009.03.005.
- [147] V. Pivodovaa, J. Frankovaa, and J. Ulrichovaa, "Osteoblast and gingival fibroblast markers in dental implant studies," *Biomed. Pap.*, vol. 155, no. 2, pp. 109–116, 2011, doi: 10.5507/bp.2011.021.
- [148] S. P. Suriyaraj, G. Ramadoss, K. Chandraraj, and R. Selvakumar, "One pot facile green synthesis of crystalline bio-ZrO₂ nanoparticles using *Acinetobacter* sp. KCSII under room temperature," *Mater. Sci. Eng. C. Mater. Biol. Appl.*, vol. 105, p. 110021, Dec. 2019, doi: 10.1016/j.msec.2019.110021.
- [149] D. Slota *et al.*, "Composites based on hydroxyapatite and whey protein isolate for applications in bone regeneration," *Materials (Basel)*, vol. 14, no. 9, May 2021, doi: 10.3390/ma14092317.
- [150] "Biological evaluation of medical devices-16:45:28 MDT," 2009.
- [151] R. M. Kavasi, C. C. Coelho, V. Platania, P. A. Quadros, and M. Chatzinikolaidou, "In vitro biocompatibility assessment of nano-hydroxyapatite," *Nanomaterials*, vol. 11, no. 5, May 2021, doi: 10.3390/nano11051152.
- [152] M. U. Jahangir *et al.*, "Comparative analysis and antibacterial properties of thermally sintered apatites with varied processing conditions," *J. Am. Ceram. Soc.*, vol. 104, no. 2, pp. 1023–1039, Feb. 2021, doi: 10.1111/jace.17525.
- [153] S. Sultana *et al.*, "UV-assisted synthesis of hydroxyapatite from eggshells at ambient temperature: cytotoxicity, drug delivery and bioactivity," *RSC Adv.*, vol. 11, no. 6, pp. 3686–3694, Jan. 2021, doi: 10.1039/d0ra09673c.
- [154] M. K. dos Santos Horta *et al.*, "Nanostructured Hydroxyapatite from Hen's Eggshells Using Sucrose as a Template," *Mater. Res.*, vol. 23, no. 6, 2020, doi: 10.1590/1980-5373-MR-2020-0266.
- [155] S. M. Mousavi *et al.*, "Antibacterial and cytotoxic efficacy of Nano- Hydroxyapatite Synthesized from Eggshell and Sheep bones bio Waste." Oct. 27, 2022. doi: 10.21203/rs.3.rs-2195140/v1.

