

DAFTAR PUSTAKA

- [1] D. A. Pratama, F. Damsi, and M. S. Zarkasih, "Simulation of *Maximum Power Point* Tracking with Fuzzy Logic Control Method on Solar Panels Using MATLAB," *Jurnal Teknologi Informasi dan Pendidikan*, vol. 17, no. 1, Jan. 2024, doi: 10.24036/jtip.v17i1.731.
- [2] H. Hasan, "Perancangan Pembangkit Listrik Tenaga Surya Di Pulau Saugi," 2012.
- [3] M. Faishal Ammar and C. Rangkuti, "Pengaruh Aplikasi Pelacak Surya Satu Sumbu Terhadap Pembangkit Listrik Tenaga Matahari Menggunakan Panel Surya Berkapasitas 10 Watt," 2020.
- [4] M. Victoria *et al.*, "Solar photovoltaics is ready to power a sustainable future," May 19, 2021, *Cell Press*. doi: 10.1016/j.joule.2021.03.005.
- [5] W. Azizah and A. Sumardionot, "Rancang Bangun Mesin Pengupas Kacang Tanah Dengan Switching Pln Dan Pv Sebagai Sumber Penggerak Motor Ac," Oktober.
- [6] R. Mahindra and U. Malik Jurusan Fisika, "Pengaruh Serapan Sinar Matahari Oleh Kaca Film Terhadap Daya Keluaran Plat Sel Surya," 2015.
- [7] E. Aljdaeh *et al.*, "Performance enhancement of self-cleaning hydrophobic nanocoated photovoltaic panels in a dusty environment," *Energies (Basel)*, vol. 14, no. 20, Oct. 2021, doi: 10.3390/en14206800.
- [8] D. Matusz-Kalász and I. Bodnár, "Operation problems of solar panel caused by the surface contamination," *Energies (Basel)*, vol. 14, no. 17, Sep. 2021, doi: 10.3390/en14175461.
- [9] M. Rashid, M. Yousif, Z. Rashid, A. Muhammad, M. Altaf, and A. Mustafa, "Effect of dust accumulation on the performance of photovoltaic modules for different climate regions," *Heliyon*, vol. 9, no. 12, Dec. 2023, doi: 10.1016/j.heliyon.2023.e23069.
- [10] W. Luo *et al.*, "Leaf cuticular wax composition of a genetically diverse collection of lettuce (*Lactuca sativa* L.) cultivars evaluated under field conditions," *Heliyon*, vol. 10, no. 5, Mar. 2024, doi: 10.1016/j.heliyon.2024.e27226.
- [11] W. Wu *et al.*, "Structures and Functions of Cuticular Wax in Postharvest Fruit and Its Regulation: A Comprehensive Review with Future Perspectives," Apr. 01, 2023, *Elsevier Ltd*. doi: 10.1016/j.eng.2022.12.006.
- [12] H. W. Coover, D. W. Dreifus, and J. T. O'connor, "Cyanoacrylate Adhesives."
- [13] V. Dwisari, "Pemanfaatan Energi Matahari: Masa Depan Energi Terbarukan."

- [14] B. Hari Purwoto, E. Penggunaan Panel Surya Sebagai Sumber Energi Alternatif, M. F. Alimul, and I. Fahmi Huda, "Efisiensi Penggunaan Panel Surya Sebagai Sumber Energi Alternatif."
- [15] Y. I. Lukmanto *et al.*, "Agustus 2022, Hal. 37-44 Yogik Indra Lukmanto dkk / Analisis Losses Daya Sel Surya Dalam Fabrikasi Modul Surya...", vol. 1, no.1,[Online].Available:<http://jurnal.poliwangi.ac.id/index.php/jinggo/>
- [16] N. Miftahhul Janna and dan Djoko Adi Widodo, "Analisis Karakteristik Modul Panel Surya Dengan Sistem Pendingin Air," 2016. [Online]. Available: <http://ojs.uho.ac.id/index.php/jfe/>
- [17] B. Hari Purwoto, E. Penggunaan Panel Surya Sebagai Sumber Energi Alternatif, M. F. Alimul, and I. Fahmi Huda, "Efisiensi Penggunaan Panel Surya Sebagai Sumber Energi Alternatif."
- [18] M. Khumaidi Usman, "Analisis Intensitas Cahaya Terhadap Energi Listrik Yang Dihasilkan Panel Surya," *Jurnal Polektro: Jurnal Power Elektronik*, vol.9,no.2,2020,[Online].Available:<http://ejournal.poltektegal.ac.id/index.php/powerelektro>
- [19] I. Ramli, F. Arya Samman, and S. Mawar Said, "Panel Surya dengan Sistem Pelacakan Arah Sinar Matahari."
- [20] P. Kusumaning Tiyas and M. Widyartono, "Pengaruh Efek Suhu Terhadap Kinerja Panel Surya."
- [21] D. Matusz-Kalász and I. Bodnár, "Operation problems of solar panel caused by the surface contamination," *Energies (Basel)*, vol. 14, no. 17, Sep. 2021, doi: 10.3390/en14175461.
- [22] A. Makkulau, S. Samsurizal, and S. Kevin, "Karakteristik Temperatur Pada Permukaan Sel Surya Polycrystalline Terhadap Efektifitas Daya Keluaran Pembangkit Listrik Tenaga Surya," *SUTET*, vol. 10, no. 2, pp. 69–78, Dec. 2020, doi: 10.33322/sutet.v10i2.1291.
- [23] M. Dedik Zakariya and M. Arif Irfa, "Daya Output Panel Surya Tipe *Polycrystalline* Dengan Kemiringan Sudut 10 o Pada Instalasi Penerangan Rumah."
- [24] A. Ramadhan, D. Wardana, and R. Alfi Fadhilah, "The Potency of Wax Content in Banana Leaves as a Waterproof Spray," 2020.
- [25] A. R. Putri and) Munasir, "Review: Lapisan Superhidrofobik Berbasis Silika Sebagai Aplikasi Self-Cleaning 1)," *Jurnal Inovasi Fisika Indonesia (IFI)*, vol. 12, pp. 66–81, 2023.
- [26] A. D. Srivastav, V. Singh, D. Singh, B. S. Giri, and D. Singh, "Analysis of natural wax from *Nelumbo nucifera* leaves by using polar and non-polar organic solvents," *Process Biochemistry*, vol. 106, pp. 96–102, Jul. 2021, doi: 10.1016/j.procbio.2021.04.007.
- [27] N. S. Nasri, M. M. Ahmed, N. Mohd Noor, J. Mohammed, U. D. Hamza, and H. Mohd Zain, "Hydrophobicity characterization of bio-wax derived

- from taro leaf for surface *coating* applications,” in *Advanced Materials Research*, Trans Tech Publications Ltd, 2014, pp. 184–188. doi: 10.4028/www.scientific.net/AMR.1043.184.
- [28] M. S. Mozumder, A. H. I. Mourad, H. Pervez, and R. Surkatti, “Recent developments in multifunctional *coatings* for solar panel applications: A review,” *Solar Energy Materials and Solar cells*, vol. 189, pp. 75–102, Jan. 2019, doi: 10.1016/j.solmat.2018.09.015.
- [29] A. S. Sarkin, N. Ekren, and Ş. Sağlam, “A review of anti-reflection and self-cleaning *coatings* on photovoltaic panels,” Mar. 15, 2020, *Elsevier Ltd*. doi: 10.1016/j.solener.2020.01.084.
- [30] E. Yenie, S. Elystia, A. Kalvin, and M. Irfhan, “Pembuatan Pestisida Organik Menggunakan Metode Ekstraksi Dari Sampah Daun Pepaya Dan Umbi Bawang Putih.”
- [31] D. Verep, S. Ates, and E. Karaogul, “A Review of Extraction Methods for Obtaining Bioactive Compounds in Plant-Based Raw Materials,” *Bartın Orman Fakültesi Dergisi*, vol. 25, no. 3, pp. 492–513, Dec. 2023, doi: 10.24011/barofd.1303285.
- [32] S. B. Triyanti *et al.*, “Pengaruh Metode Ekstraksi Maserasi, Sonikasi, dan Sokletasi Terhadap Nilai Rendemen Sampel Kulit Buah Naga (*Hylocereus polyrhizus*),” *Jurnal Sains dan Edukasi Sains*, vol. 8, no. 1, pp. 71–78, Feb. 2025, doi: 10.24246/juses.v8i1p71-78.
- [33] S. Auliata, E. Sribudiani, S. Somadona Jurusan Kehutanan, F. Pertanian, and U. Riau, “Karakteristik Perekat Dan Perekatan Tanin Resorsinol Formaldehida Pada Sirekat Akasia (*Acacia Mangium*) Dan Pulai (*Alstonia Scholaris*),” *Perennial*, vol. 17, no. 2, pp. 35–44, 2021, doi: 10.24259/perennial.v17i2.12759.
- [34] P. M. Paraskar, M. S. Prabhudesai, V. M. Hatkar, and R. D. Kulkarni, “Vegetable oil based polyurethane *coatings* – A sustainable approach: A review,” Jul. 01, 2021, *Elsevier B.V.* doi: 10.1016/j.porgcoat.2021.106267.
- [35] B. Ou, Y. Wang, and Y. Lu, “A review on fundamentals and strategy of epoxy-resin-based anticorrosive *coating* materials,” 2021, *Bellwether Publishing, Ltd*. doi: 10.1080/25740881.2020.1819317.
- [36] A. Nugroho, A. Sri Redjeki, and P. Waktu Pemanasan Pada Pembuatan Senyawa Alum Dari, “Pengaruh Waktu Pemanasan pada Pembuatan Senyawa Alum dari Limbah Foil Blister untuk Keperluan Industri Farmasi.”