

DAFTAR PUSTAKA

- Aghaee, M., R. Mohammadi, S. Nobavati. 2010. Agromorphological characterization of durum wheat accessions using pattern analysis. *AJCS*. 4:505-514
- Amiteye, S. 2021. Basic concepts and methodologies of DNA marker systems in plant molecular breeding. *Heliyon*.
- Arif I.A., Bakir M.A., Khan H.A., Al Farhan A.H., Al Homaidan A.A., Bahkali A.H., Al Sadoon M., Shobrak M. 2010. Application of RAPD for molecular characterization of plant species of medicinal value from an arid environment. *Genet Mol Res* 9: 2191-9198.
- Bardakci, F. 2001. Random Amplified Polymorphic DNA (RAPD) Markers. *Turk. J. Biol.* 25: 185-196.
- Bekele Atnafua dan Endashaw Bekele. 2014. Morphological and Molecular Markers role in Crop Improvement Programs. *International Journal of Current Research in Life Sciences*. Vol. 3, No. 3, hal 035-042.
- Bontrager, M., & Angert, A. L. (2018). *Gene flow improves fitness at a range edge under climate change*. *Evolution Letters*, 3(1), 55–68
- Darwis, Atmawi, Imam Wahyudi ., & Ratih Damayanti. 2012. Struktur Anatomi Kayu Surian (*Toona sinensis* Roem). *Jurnal Ilmu Dan Teknologi Kayu Tropis*. Vol.10(2): 159–167.
- Demeke, T. and R.P. Adams. 1994. *The Use of PCR-RAPD Analysis in Plant Taxonomy and Evolution*. p. 179-1 91. In H.G. Griffin and A.M. Griffin (Ed.). PCR Technology Current Innovations. CRC Press Inc., London.
- Dharmawati F., Djam'an dan Dede J. Sudrajat. 2017. Keragaman Morfo-Fisiologi Benih Suren (*Toona sinensis*) Dari Berbagai Tempat Tumbuh Di Sumatera Dan Jawa. *Jurnal Pemuliaan Tanaman Hutan* Vol. 11 No. 2. Hal 139 – 150
- Edmonds, J. M., & Staniforth, M. 1998. 348. *Toona sinensis*: Meliaceae. *Curtis's Botanical Magazine*, 15(3), 186–193.
- Finkeldey, R. 2005. An Introduction To Tropical Forest Genetiks: Molekuler Basic The Gene As A Function Unit. Institute Of Forest Genetiks And Forest Tree Breeding. Germany.
- Hamrick, J. L., & Godt, M. J. W. (1989). Allozyme diversity in plant species. In A. H. D. Brown, M. T. Clegg, A. L. Kahler, & B. S. Weir (Eds.), *Population genetics and germplasm resources in crop improvement* (pp. 43–63). Sunderland, MA: Sinauer Associates.
- Heyne, K. 1987. Tumbuhan Berguna Indonesia II. Badan Penelitian dan Pengembangan Kehutanan. Jakarta.

- Hua, P., Edmonds, J. M. 2008. *Toona Meliaceae*. Diakses dari <http://hua.huh.harvard.edu/china/mss/volume11/Meliaceae.pdf>. 11:113 (26 Maret 2022).
- Huang, W., Zhao, X., Zhao, X., Li, Y. and J. Lian. 2016. effects of environmental factors on genetic diversity of *Caranga microphylla* in Horqin Sandy Land, Northeast China. *Ecology and Evolution Journal*. 6(22):8256-8266.
- Jayusman, Na'iem, M., Indrioko, S., Hardiyanto, E.B., and I.L.G Nurcahyaningasih. 2017. Assessment of gene c diversity among Surian *Toona sinensis* Roem in progenies test using random amplified polymorphic DNA markers. *Indon J. Biotechnol*, 22(1): 22–30.
- Jayusman, Na'iem, M., Indrioko, S., Hardiyanto, E.B., and I.L.G Nurcahyaningasih. 2018. Estimasi laju perkawinan silang pada *Toona sinensis* Roem dengan penanda RAPD (Random Amplified Polymorphic DNA). *Jurnal Faloak*, 2(1): 13-28.
- Jayusman dan A. Fiani. 2019. Karakterisasi morfologi 15 populasi Surian (*Toona sinensis*) di plot konservasi eksitu umur 12 tahun. *Pros Sem Nas Masy Biodiv Indon* 5(3): 419-425. DOI: 10.13057/psnmbi/m050301
- Kumar, N.S. and Guru Subramanian, G. 2011. Random Amplified Polymorphic DNA (RAPD) Markers and Its Applications. *Science Vision*, 11, 116-124
- Lee, H., Kang, H. and P. Wan-Geun. 2018. A rare duodichogamous flowering system in monoecious *Toona sinensis* (Meliaceae). *J. Ecol. Environ*. 42(7): 2-10.
- Leland, Hartwell H., Leroy Hood, Michael L. Goldberg, Ann E. Reynolds, and Lee M. Silver. 2011. *Genetics: From Genes to Genomes* (fourth Edision). New York: McGraw-Hill
- Larekeng. S.H., R. Dermawan, H. Iswoyo, and K. Mustari. 2019. RAPD Primer Screening for Amplification on Katokkon Pepper from Toraja, South Sulawesi, Indonesia. *IOP Conf.Ser:Earth Environ.Sci*. 270 01202
- Mabberley, David J., CM Pannell, and AM Sing. 1995. : *Flora Malesiana, Series 1: Spermatophyta (Seed Plants)*. Inggris : National Herbarium of the Netherlands.
- Mshelmbula, B. P., Anoliefo, G. O., Ikhajiagbe, B., & Edegba, B. O. (2022). *Genetic diversity assessment of neem (Azadirachta indica A. Juss) in northern Nigeria*. *Journal of Materials and Environmental Science*, 13(4), 547–560
- Muchugi, A. Muluvi, G.M., Simon, A.J, Wachira, F.N & Jamnadass, R. H. 2008. Estimates of out crossing rates in natural breeding population of *Warburgia ugandensis* using Amplified Fragment Length Polymorphism (AFLP). *African Journal of Biotechnology*, 7(2), 139–146.
- Oluwajuwon, T.V., Attafuah, R., Offiah, C.J., & Krabel, D. (2022). Genetic variation in tropical tree species and plantations: A review. *Open Journal of Forestry*, 12(3), 350–366.

- Pramono, A.A., Palupi, E.R., Siregar, I.Z., dan C. Kusmana. 2016a. Bunga Surian (*Toona sinensis* (A. Juss.) M. Roem.): Morfologi, fenologi, dan serangga pengunjung. *JPTH*.
- Pramono, A.A., Palupi, E.R., Siregar, I.Z., dan C. Kusmana. 2016b. Characteristics of Surian flower, fruit and seed productions (*Toona sinensis* (A. Juss.) M. Roem.) in Sumedang, West Java. *Trop. Life Sci. Res.*, 27(1): 77–91.
- Randriani, Enny., Tresniawati Cici, dan Syafaruddin, Syafaruddin. 2012. Pemanfaatan Teknik Random Amplified Polymorphic DNA (RAPD) Untuk Pengelompokan Secara Genetik Plasma Nutfah Jambu Mete (*Anacardium occidentale* L.). *Journal of Industrial and Beverage Crops*. Vol 3, No 1, hal. 1-6.
- Rao, V.R. and T. Hodgkin. 2002. Genetic diversity and conservation and utilization of plant genetic resources. *Plant Cell, Tissue and Organ Culture*, 68:1-19.
- Sulistiyawati P, Widyatmoko AYPBC. 2017. Keragaman Genetik Populasi Kayu Merah (*Pterocarpus indicus*. Will) Menggunakan Penanda RAPD. *Jurnal Pemuliaan Tanaman Hutan* 11(1): 67-76
- Suprpto, S., & Kairudin, N. M. 2017. Variasi Genetik, Heritabilitas, Tindak Gen Dan Kemajuan Genetik Kedelai (*Glycine Max* Merrill) Pada Ultisol. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 9(2), 183–190.
- Tanmay M. and S. Bhattacharjee. “Genetic Diversity”. In *Conserving Biological Diversity*. New Delhi: Research India Publications. Edition 2016. Hal 251-295
- Tinuk, S.W. 2012. Konservasi koleksi plasma nutfah ubi jalar. *Buletin Palawija*, No. 23:27-37.
- [USDA] United State Department of Agriculture. 2012. USDA Weed Risk Assessment for *Toona sinensis* (A. Juss.) M. Roem. (Meliaceae) Chinese toon/Chinese mahogany.
- Wang, C., Cao, J., Tian, S. *et al.* 2008. Germplasm resources research of *Toona sinensis* with RAPD and isoenzyme analysis. *Biologia* 63, 320–326.
- Wei Peng, Yujie Liu, Meibian Hu, Mengmeng Zhang, Jing Yang, Fang Liang, Qinwan Huang, Chunjie Wu. 2019. *Toona sinensis*: a comprehensive review on its traditional usages, phytochemistry, pharmacology and toxicology. *Revista Brasileira de Farmacognosia*. Volume 29, hal 111-124.
- Weising, K., Nybom, H., Wolff, K., & Kahl, G. (2005). *DNA fingerprinting in plants: Principles, methods, and applications* (2nd ed.). Boca Raton, FL: CRC Press.
- Williams J.G.K., Kubelik A.R., Livaks K.J., Rafalski J.A. and S.V. Tingey. 1990. The identification of duplicate accessions within a rice germplasm collection using RAPD analysis. *Theor. Appl. Genet*, 90:1049-1055.
- Wright, S. 1978. *Evolution and the Genetic of Population, Variability Within and Among Natural Populations*. University of Chicago Press. Chicago. p. 213-220.

- Yeh, F., R.C. Yang and T. Boyle. 1997. *POPGENE, the user-friendly shareware for population enetic analysis*. Molecular Biology and Biotechnology Center University of Alberta, Canada.
- Yulita, K. S. 2011. Genetic variations of *Lansium domesticum* Corr. accessions from Java, Sumatra and Ceram based on Random Amplified Polymorphic DNA fingerprints. *Biodiversitas: Journal of Biological Diversity*, 12(3), 125–130.
- Zulfahmi. 2013. Penanda DNA untuk analisis genetik tanaman. *Jurnal Agroteknologi*. 3: 41 – 52.

