

DAFTAR PUSTAKA

- Abdullah, R. F., Rashid, U., Taufiq-Yap, Y. H., Ibrahim, M. L., Ngamcharussrivichai, C., & Azam, M. (2020). Synthesis of bifunctional nanocatalyst from waste palm kernel shell and its application for biodiesel production. *RSC Advances*, 10, 27183–27193. <https://doi.org/10.1039/d0ra04306k>
- Adepoju, T. F., Victor, E., Ekop, E. I., Emberru, R. E., Balogun, T. A., & Adeniyi, A. D. (2022). Residual wood ash powder : A predecessor for the synthesis of CaO–K₂O–SiO₂ base catalyst employed for the production of biodiesel from Asimina triloba oil seed. *Case Studies in Chemical and Environmental Engineering*, 6. <https://doi.org/10.1016/j.cscee.2022.100252>
- Aisien, F. A., & Aisien, E. T. (2023). Modeling and optimization of transesterification of rubber seed oil using sulfonated CaO derived from giant African land snail (*Achatina fulica*) catalyst by response surface methodology. *Renewable Energy*, 207, 137–146. <https://doi.org/10.1016/j.renene.2023.02.093>
- Aisien, F. A., Uwadiae, K. O., & Aisien, E. T. (2023). Process optimization for blended waste frying oil in biodiesel production using CaO derived from African periwinkle shell catalyst through response surface methodology. *Sustainable Chemistry for the Environment*, 4, 100042. <https://doi.org/10.1016/j.scenv.2023.100042>
- Akhabue, E. R., Eyibio, U. P., Ukanwa, K. S., Adepoju, T. F., Amabogha, B., & Balogun, T. A. (2023). Osamilite (K–Na–Ca–Mg–Fe–Al–S): A derived base catalyst for the synthesis of biodiesel from blends of pumpkin seed oil-goat fat-poultry waste fat. *Case Studies in Chemical and Environmental Engineering*, 7. <https://doi.org/10.1016/j.cscee.2023.100347>
- Aman, A. M. N., Selvarajoo, A., Lau, T. L., & Chen, W. H. (2023). Optimization via response surface methodology of palm kernel shell biochar for supplementary cementitious replacement. *Chemosphere*, 313. <https://doi.org/10.1016/j.chemosphere.2022.137477>
- Ambat, I., Srivastava, V., & Sillanpää, M. (2018). Recent advancement in biodiesel production methodologies using various feedstock: A review. *Renewable and Sustainable Energy Reviews*, 90, 356–369. <https://doi.org/10.1016/j.rser.2018.03.069>
- Amenaghawon, A. N., Obahiagbon, K., Isesele, V., & Usman, F. (2022). Optimized biodiesel production from waste cooking oil using a functionalized bio-based heterogeneous catalyst. *Cleaner Engineering and Technology*, 8, 100501. <https://doi.org/10.1016/j.clet.2022.100501>
- Annal, U. N., R, V., Natarajan, A., Rajadurai, V., Kumar, P. S. M., & Li, Y. Y. (2024).

Electrolytic biodiesel production from spent coffee grounds: Optimization through response surface methodology and artificial neural network. *Journal of the Taiwan Institute of Chemical Engineers*, 165. <https://doi.org/10.1016/j.jtice.2024.105697>

Ao, S., Changmai, B., Vanlalveni, C., Chhandama, M. V. L., Wheatley, A. E. H., & Rokhum, S. L. (2024). Biomass waste-derived catalysts for biodiesel production: Recent advances and key challenges. *Renewable Energy*, 223. <https://doi.org/10.1016/j.renene.2024.120031>

American Oil Chemists' Society (AOCS). (2017). Official methods and recommended practices of the AOCS (7th ed.). Champaign, IL: AOCS.

Asaad, S. M., Inayat, A., Ghenai, C., & Shanableh, A. (2024). Response Surface Methodology in Biodiesel Production and Engine Performance Assessment. *International Journal of Thermofluids*, 21, 100551. <https://doi.org/10.1016/j.ijft.2023.100551>

Asci, F., Aydin, B., Akkus, G. U., Unal, A., Erdogmus, S. F., Korcan, S. E., & Jahan, I. (2020). Fatty acid methyl ester analysis of *Aspergillus fumigatus* isolated from fruit pulps for biodiesel production using GC-MS spectrometry. *Bioengineered*, 11(1), 408–415. <https://doi.org/10.1080/21655979.2020.1739379>

Atashkar, H., & Saidi, M. (2024). Green biodiesel production from *Nannochloropsis* microalgae-derived oil using ZnAl-LDH catalyst: Process optimization and kinetic study. *Fuel*, 370, 131804. <https://doi.org/10.1016/j.fuel.2024.131804>

Baby, R., Hussein, M. Z., Zainal, Z., & Abdullah, A. H. (2023). Preparation of Functionalized Palm Kernel Shell Bio-adsorbent for the treatment of heavy metal-contaminated water. *Journal of Hazardous Materials Advances*, 10. <https://doi.org/10.1016/j.hazadv.2023.100253>

Badan Pusat Statistik Indonesia. (2023). Statistik kelapa sawit Indonesia. Jakarta: Badan Pusat Statistik.

Bajwa, W., Ikram, A., Malik, M. A. I., Razzaq, L., Khan, A. R., Latif, A., Hussain, F., & Qazi, A. (2024). Optimization of biodiesel yield from waste cooking oil and sesame oil using RSM and ANN techniques. *Heliyon*, 10(15). <https://doi.org/10.1016/j.heliyon.2024.e34804>

Barros, S., Pessoa Junior, W. A. G., Sá, I. S. C., Takeno, M. L., Nobre, F. X., Pinheiro, W., Manzato, L., Iglauer, S., & de Freitas, F. A. (2020). Pineapple (*Ananas comosus*) leaves ash as a solid base catalyst for biodiesel synthesis. *Bioresource Technology*, 312, 123569. <https://doi.org/10.1016/j.biortech.2020.123569>

Basumatary, B., Das, B., Nath, B., & Basumatary, S. (2021). Synthesis and characterization of heterogeneous catalyst from sugarcane bagasse: Production of

- jatropha seed oil methyl esters. *Current Research in Green and Sustainable Chemistry*, 4, 100082. <https://doi.org/10.1016/j.crgsc.2021.100082>
- Bazargan, A., Sharma, Y. C., & Korst, J. (2015). A calcium oxide-based catalyst derived from palm kernel shell gasification residues for biodiesel production. *Fuel*, 150, 519–525.
- Behera, B., Selvam S, M., Dey, B., & Balasubramanian, P. (2020). Algal biodiesel production with engineered biochar as a heterogeneous solid acid catalyst. *Bioresource Technology*, 310. <https://doi.org/10.1016/j.biortech.2020.123392>
- Bello, U., Amran, N. A., Hazwan Ruslan, M. S., Yáñez, E. H., Suparmaniam, U., Adamu, H., Abba, S. I., Tafida, U. I., & Mahmoud, A. A. (2024). Enhancing oxidative stability of biodiesel using fruit peel waste extracts blend: Comparison of predictive modelling via RSM and ANN techniques. *Results in Engineering*, 21. <https://doi.org/10.1016/j.rineng.2024.101853>
- Benedicto, G. P., Legnoverde, M. S., Tara, J. C., Sotelo, R. M., & Basaldella, E. I. (2019). Synthesis of K + /MgO heterogeneous catalysts derived from MgCO_3 for biodiesel production. *Materials Letters*, 246, 199–202. <https://doi.org/10.1016/j.matlet.2019.03.081>
- Bharadwaj, A. V. S. L. S., Chinnam, S., Joseph Phillips, J., Janani, V., Gajendra, K. S., Archana, V., Singh Chauhan, A., & Kumar Gupta, N. (2024). Cavitation-assisted synthesis and characterization of a novel catalyst from waste coconut trunk biomass for biodiesel production. *Bioresource Technology*, 412. <https://doi.org/10.1016/j.biortech.2024.131397>
- Brahma, S., Nath, B., Basumatary, B., Das, B., Saikia, P., Patir, K., & Basumatary, S. (2022). Biodiesel production from mixed oils: A sustainable approach towards industrial biofuel production. *Chemical Engineering Journal Advances*, 10, 100284. <https://doi.org/10.1016/j.cej.2022.100284>
- Buasri, A., Sirikoom, P., Pattane, S., Buachum, O., & Loryuenyong, V. (2023). Process Optimization of Biodiesel from Used Cooking Oil in a Microwave Reactor : A Case of Machine Learning and Box – Behnken Design. *Chemengineering*, 7(65). <https://doi.org/https://doi.org/10.3390/chemengineering7040065>
- Buasri, A., Unkaew, C., Sawatkoed, P., Pipattananchaiyanan, P., & Loryuenyong, V. (2024). Application of response surface methodology for optimization of biodiesel production parameters from waste vegetable oil using N- (2-hydroxy) propyl-3-trimethyl ammonium chitosan chloride-based catalyst. *South African Journal of Chemical Engineering*, 47, 50–59. <https://doi.org/https://doi.org/10.1016/j.sajce.2023.10.004>
- Chua, S. Y., Periasamy, L. A., Goh, C. M. H., Tan, Y. H., Mubarak, N. M., Kansedo, J., Khalid, M., Walvekar, R., & Abdullah, E. C. (2020). Biodiesel synthesis using

- natural solid catalyst derived from biomass waste — A review. *Journal of Industrial and Engineering Chemistry*, 81, 41–60. <https://doi.org/10.1016/j.jiec.2019.09.022>
- Cong, W. J., Wang, Y. T., Li, H., Fang, Z., Sun, J., Liu, H. T., Liu, J. T., Tang, S., & Xu, L. (2020). Direct production of biodiesel from waste oils with a strong solid base from alkalized industrial clay ash. *Applied Energy*, 264, 114735. <https://doi.org/10.1016/j.apenergy.2020.114735>
- Das, A., Kumbhakar, B., Pachfule, P., Baskar, G., Li, H., Kodgire, P., & Rokhum, S. L. (2024). Valorization of Bambusa striata shavings into functional superparamagnetic material and its application in biodiesel production: Response surface optimization, kinetics, thermodynamics and economic assessment. *Process Safety and Environmental Protection*, 189, 894–910. <https://doi.org/10.1016/j.psep.2024.06.116>
- Dharmalingam, B., Balamurugan, S., Wetwatana, U., Tongnan, V., Sekhar, C., Paramasivam, B., Cheenkachorn, K., Tawai, A., & Sriariyanun, M. (2023). Comparison of neural network and response surface methodology techniques on optimization of biodiesel production from mixed waste cooking oil using heterogeneous biocatalyst. *Fuel*, 340. <https://doi.org/10.1016/j.fuel.2023.127503>
- Emeji, I. C., & Patel, B. (2024). Box-Behnken assisted RSM and ANN modelling for biodiesel production over titanium supported zinc-oxide catalyst. *Energy*, 308. <https://doi.org/10.1016/j.energy.2024.132765>
- Etim, A. O., Musonge, P., & Eloka-Eboka, A. C. (2022). Process optimization of bio-alkaline catalysed transesterification of flax seed oil methyl ester. *Scientific African*, 16, e01275. <https://doi.org/10.1016/j.sciaf.2022.e01275>
- Faleh, N., Khila, Z., Wahada, Z., Pons, M. N., Houas, A., & Hajjaji, N. (2018). Exergo-environmental life cycle assessment of biodiesel production from mutton tallow transesterification. *Renewable Energy*, 127, 74–83. <https://doi.org/10.1016/j.renene.2018.04.046>
- Fatimah, I., Purwiandono, G., Sahroni, I., Sagadevan, S., Chun-Oh, W., Ghazali, S. A. I. S. M., & Doong, R. an. (2022). Recyclable catalyst of ZnO/SiO₂ prepared from salacca leaves ash for sustainable biodiesel conversion. *South African Journal of Chemical Engineering*, 40(2022), 134–143. <https://doi.org/10.1016/j.sajce.2022.02.008>
- Freitas, F. A., Mendonça, I. R. S., Barros, S. de S., Pessoa, W. G. A., Sá, I. S. C., Gato, L. B., Silva, E. P., Farias, M. A. S., Nobre, F. X., Maia, P. J. S., Iglauer, S., & Isla, K. K. Y. (2022). Biodiesel production from tucumã (*Astrocaryum aculeatum* Meyer) almond oil applying the electrolytic paste of spent batteries as a catalyst. *Renewable Energy*, 191, 919–931. <https://doi.org/10.1016/j.renene.2022.04.083>

- Fricke, T. B. (2009). *Buku Panduan Pabrik Kelapa Sawit Skala Kecil untuk Produksi Bahan Baku Bahan Bakar Nabati (BBN)*. Environmental Services Program.
- Gao, X., Asgar, H., Kuzmenko, I., & Gadikota, G. (2021). Architected mesoporous crystalline magnesium silicates with ordered pore structures. *Microporous and Mesoporous Materials*, 327, 19–22. <https://doi.org/10.1016/j.micromeso.2021.111381>
- Gaur, A., Dwivedi, G., & Baredar, P. (2022). An Indian perspective on biodiesel production from rice By-Products. *Materials Today: Proceedings*, 49, 289–295. <https://doi.org/10.1016/j.matpr.2021.02.100>
- Ghasemzadeh, B., Abbas, A., Habibi, B., & Ebadi, M. (2022). Rubber- $\text{Fe}_3\text{O}_4@\text{SiO}_2@\text{H}_3\text{PMo}_{12}\text{O}_{40}$ as heterogeneous catalyst for biodiesel production : Optimized by response surface methodology. *Materials Chemistry and Physics*, 287. <https://doi.org/10.1016/j.matchemphys.2022.126268>
- Ghosh, N., Rhithuparna, D., Rokhum, S. L., & Halder, G. (2023). Ethical issues pertaining to sustainable biodiesel synthesis over trans/esterification process. *Sustainable Chemistry and Pharmacy*, 33, 101123. <https://doi.org/10.1016/j.scp.2023.101123>
- Girsang, E., Kiswandono, A. A., Aziz, H., Chaidir, Z., & Zein, R. (2015). Serbuk biji salak (*Salacca zalacca*) sebagai bioadsorben dalam memperbaiki kualitas minyak goreng bekas. *Prosiding Seminar Nasional Pendidikan Sains (SNPS)*, November, 583–594.
- Guo, F., Peng, Z. G., Dai, J. Y., & Xiu, Z. L. (2010). Calcined sodium silicate as solid base catalyst for biodiesel production. *Fuel Processing Technology*, 91(3), 322–328. <https://doi.org/10.1016/j.fuproc.2009.11.003>
- Hadiyanto, H., Afianti, A. H., Navi'A, U. I., Adetya, N. P., Widayat, W., & Sutanto, H. (2017). The development of heterogeneous catalyst C/CaO/NaOH from waste of green mussel shell (*Perna varidis*) for biodiesel synthesis. *Journal of Environmental Chemical Engineering*, 5. <https://doi.org/10.1016/j.jece.2017.08.049>
- Hariprasath, P., Selvamani, S. T., Vigneshwar, M., Palanikumar, K., & Jayaperumal, D. (2019). Comparative analysis of cashew and canola oil biodiesel with homogeneous catalyst by transesterification method. *Materials Today: Proceedings*, 16, 1357–1362. <https://doi.org/10.1016/j.matpr.2019.05.236>
- Hayyan, A., Yeow, A. T. H., Alkahli, N. A. M., Saleh, J., Aldeehani, A. K., Alkandari, K. H., Alajmi, F. D., Alias, Y., Junaidi, M. U. M., Hashim, M. A., Basirun, W. J., & Abdelrahman, M. A. A. (2022). Application of acidic ionic liquids for the treatment of acidic low grade palm oil for biodiesel production. *Journal of Ionic Liquids*, 2(1), 100023. <https://doi.org/10.1016/j.jil.2022.100023>

- Helmi, M., Tahvildari, K., Hemmati, A., Aberoomand azar, P., & Safekordi, A. (2021). Phosphomolybdic acid/graphene oxide as novel green catalyst using for biodiesel production from waste cooking oil via electrolysis method: Optimization using with response surface methodology (RSM). *Fuel*, 287. <https://doi.org/10.1016/j.fuel.2020.119528>
- Ibrahim, N. A., Rashid, U., Hazmi, B., Moser, B. R., Alharthi, F. A., Rokhum, S. L., & Ngamcharussrivichai, C. (2022). Biodiesel production from waste cooking oil using magnetic bifunctional calcium and iron oxide nanocatalysts derived from empty fruit bunch. *Fuel*, 317, 123525. <https://doi.org/10.1016/j.fuel.2022.123525>
- Ijaz, A., Anwar, Z., & Zafar, M. (2023). Screening of wastewater Oedogonium oblongum algae for hyper-oil transformation into biodiesel by response surface methodology. *Kuwait Journal of Science*, 50(4), 627–638. <https://doi.org/10.1016/j.kjs.2023.03.005>
- Imoisili, P. E., Ukoba, K. O., & Jen, T. C. (2020a). Green technology extraction and characterisation of silica nanoparticles from palm kernel shell ash via sol-gel. *Journal of Materials Research and Technology*, 9(1), 307–313. <https://doi.org/10.1016/j.jmrt.2019.10.059>
- Imoisili, P. E., Ukoba, K. O., & Jen, T. C. (2020b). Synthesis and characterization of amorphous mesoporous silica from palm kernel shell ash. *Boletin de La Sociedad Espanola de Ceramica y Vidrio*, 59(4), 159–164. <https://doi.org/10.1016/j.bsecv.2019.09.006>
- Islam, M. G. U., Jan, M. T., Farooq, M., Naeem, A., Khan, I. W., & Khattak, H. U. (2022). Biodiesel production from wild olive oil using TPA decorated Cr–Al acid heterogeneous catalyst. *Chemical Engineering Research and Design*, 178, 540–549. <https://doi.org/10.1016/j.cherd.2021.12.040>
- Jasri, K., Abdulhameed, A. S., Jawad, A. H., AlOthman, Z. A., Yousef, T. A., & Al Duaij, O. K. (2023). Mesoporous activated carbon produced from mixed wastes of oil palm frond and palm kernel shell using microwave radiation-assisted K₂CO₃ activation for methylene blue dye removal: Optimization by response surface methodology. *Diamond and Related Materials*, 131. <https://doi.org/10.1016/j.diamond.2022.109581>
- Jazie, A. A., Abed, S. A., Nuhma, M. J., & Mutar, M. A. (2020). Continuous biodiesel production in a packed bed reactor from microalgae Chlorella sp. using DBSA catalyst. *Engineering Science and Technology, an International Journal*, 23(3), 642–649. <https://doi.org/10.1016/j.jestech.2019.08.002>
- Johari, S. A. M., Ahmad Farid, M. A., Ayoub, M., Rashidi, N. A., & Andou, Y. (2024). Optimization and kinetic studies for biodiesel production from dairy waste scum oil via microwave assisted transesterification. *Environmental Technology and Innovation*, 34, 103580. <https://doi.org/10.1016/j.eti.2024.103580>

- Khan, I. W., Naeem, A., Farooq, M., Din, I. U., Ghazi, Z. A., & Saeed, T. (2021). Reusable Na-SiO₂@CeO₂ catalyst for efficient biodiesel production from non-edible wild olive oil as a new and potential feedstock. *Energy Conversion and Management*, 231. <https://doi.org/10.1016/j.enconman.2021.113854>
- Khan, I. W., Naeem, A., Farooq, M., Ghazi, Z. A., Saeed, T., Perveen, F., & Malik, T. (2022). Biodiesel production by valorizing waste non-edible wild olive oil using heterogeneous base catalyst: Process optimization and cost estimation. *Fuel*, 320. <https://doi.org/10.1016/j.fuel.2022.123828>
- Khanjani, A., & Sobati, M. A. (2021). Performance and emission of a diesel engine using different water/waste fish oil (WFO) biodiesel/diesel emulsion fuels: Optimization of fuel formulation via response surface methodology (RSM). *Fuel*, 288, 119662. <https://doi.org/10.1016/j.fuel.2020.119662>
- Khodadadi, M. R., Malpartida, I., Tsang, C. W., Lin, C. S. K., & Len, C. (2020). Recent advances on the catalytic conversion of waste cooking oil. *Molecular Catalysis*, 494. <https://doi.org/10.1016/j.mcat.2020.111128>
- Kolakoti, A., & Satish, G. (2023). Biodiesel production from low-grade oil using heterogeneous catalyst: an optimisation and ANN modelling. *Australian Journal of Mechanical Engineering*, 21(1), 316–328. <https://doi.org/10.1080/14484846.2020.1842298>
- Kostić, M. D., Bazargan, A., Stamenković, O. S., Veljković, V. B., & McKay, G. (2016). Optimization and kinetics of sunflower oil methanolysis catalyzed by calcium oxide-based catalyst derived from palm kernel shell biochar. *Fuel*, 163, 304–313. <https://doi.org/10.1016/j.fuel.2015.09.042>
- Kumar, D., Kumar, G., Poonam, & Singh, C. P. (2010). Fast, easy ethanolysis of coconut oil for biodiesel production assisted by ultrasonication. *Ultrasonics Sonochemistry*, 17, 555–559. <https://doi.org/10.1016/j.ultsonch.2009.10.018>
- Leesing, R., Siwina, S., & Fiala, K. (2021). Yeast-based biodiesel production using sulfonated carbon-based solid acid catalyst by an integrated biorefinery of durian peel waste. *Renewable Energy*, 171, 647–657. <https://doi.org/10.1016/j.renene.2021.02.146>
- Maheshwari, P., Haider, M. B., Yusuf, M., Klemeš, J. J., Bokhari, A., Beg, M., Al-Othman, A., Kumar, R., & Jaiswal, A. K. (2022). A review on latest trends in cleaner biodiesel production: Role of feedstock, production methods, and catalysts. *Journal of Cleaner Production*, 355, 131588. <https://doi.org/10.1016/j.jclepro.2022.131588>
- Maleki, B., Singh, B., Eamaeili, H., Venkatesh, Y. K., Talesh, S. S. A., & Seetharaman, S. (2023). Transesterification of waste cooking oil to biodiesel by walnut shell/sawdust as a novel, low-cost and green heterogeneous catalyst: Optimization

via RSM and ANN. *Industrial Crops and Products*, 193. <https://doi.org/10.1016/j.indcrop.2023.116261>

- Maneechakr, P., & Karnjanakom, S. (2021). Systematic production of biodiesel fuel from palm oil over porous $K_2O@CaO$ catalyst derived from waste chicken eggshell via RSM/kinetic/thermodynamic studies. *Journal of Environmental Chemical Engineering*, 9(6). <https://doi.org/10.1016/j.jece.2021.106542>
- Mawlid, O. A., Abdelhady, H. H., & El-Deab, M. S. (2023). Highly active novel K_2CO_3 supported on $MgFe_2O_4$ magnetic nanocatalyst for low-temperature conversion of waste cooking oil to biodiesel: RSM optimization, kinetic, and thermodynamic studies. *Journal of Environmental Chemical Engineering*, 11(5), 110623. <https://doi.org/10.1016/j.jece.2023.110623>
- Miladinović, M. R., Krstić, J. B., Zdujić, M. V., Veselinović, L. M., Veljović, D. N., Banković-Ilić, I. B., Stamenković, O. S., & Veljković, V. B. (2022). Transesterification of used cooking sunflower oil catalyzed by hazelnut shell ash. *Renewable Energy*, 183, 103–113. <https://doi.org/10.1016/j.renene.2021.10.071>
- Mirasol, E. S., & Shimomura, M. (2023). Synthesis and characterization of nanostructured silica powders using rice hull ash-based sodium silicate solution by precipitation and calcination. *Materials Letters: X*, 17, 100175. <https://doi.org/10.1016/j.mlblux.2022.100175>
- Miriam, L. R. M., Kings, A. J., Edwin Raj, R., Marshel, J. B., Rimal Isaac, R. S., Saravanan, A., Ashwand Jesvil, L. J., & Rajan, A. N. (2024). Synthesis of biodiesel from an unique potential oil reserve *Delonix regia* using a novel biocatalyst bamboo stem – A comparative study by RSM and ANN. *Industrial Crops and Products*, 208. <https://doi.org/10.1016/j.indcrop.2023.117763>
- Moazeni, F., Chen, Y. C., & Zhang, G. (2019). Enzymatic transesterification for biodiesel production from used cooking oil, a review. *Journal of Cleaner Production*, 216, 117–128. <https://doi.org/10.1016/j.jclepro.2019.01.181>
- Mohammadi, N., Ostovar, N., Niromand, R., & Absalan, F. (2023). Advancing biodiesel production from *Pyrus glabra* seed oil: Kinetic study and RSM optimization via microwave-assisted transesterification with biocompatible hydroxyapatite catalyst. *Sustainable Chemistry and Pharmacy*, 36. <https://doi.org/10.1016/j.scp.2023.101272>
- Mohammed, N. A., Alwared, A. I., Shakhir, K. S., & Sulaiman, F. A. (2024). Synthesis, characterization of $FeNi_3@SiO_2@CuS$ for enhance solar photocatalytic degradation of atrazine herbicides: Application of RSM. *Results in Surfaces and Interfaces*, 16. <https://doi.org/10.1016/j.rsurfi.2024.100253>
- Moorthi, K. P., Shrivastava, P., & Krishnan, S. (2018). Transesterification of *Moringa Oleifera* seed oil by sodium silicate catalyst using different co-solvents.

International Journal of Engineering & Technology, 7, 1–5.
<https://doi.org/10.14419/ijet.v7i3.36.29068>

- Mulyatun, M., Prameswari, J., Istadi, I., & Widayat, W. (2022). Production of non-food feedstock based biodiesel using acid-base bifunctional heterogeneous catalysts: A review. *Fuel*, 314. <https://doi.org/10.1016/j.fuel.2021.122749>
- Munyentwali, A., Li, H., & Yang, Q. (2022). Review of advances in bifunctional solid acid/base catalysts for sustainable biodiesel production. *Applied Catalysis A: General*, 633. <https://doi.org/10.1016/j.apcata.2022.118525>
- Mutalib, A. A. A., Ibrahim, M. L., Matmin, J., Kassim, M. F., Mastuli, M. S., Taufiq-Yap, Y. H., Shohaimi, N. A. M., Islam, A., Tan, Y. H., & Kaus, N. H. M. (2020). SiO₂-rich sugar cane bagasse ash catalyst for transesterification of palm oil. *Bioenergy Research*, 13(3), 986–997. <https://doi.org/10.1007/s12155-020-10119-6>
- Novita, L., Asih, E. R., & Arsil, Y. (2020). Utilization of palm kernel shell ash to improve used palm cooking oil quality. *Atlantis Press*, 22(ISHR 2019), 255–260. <https://doi.org/10.2991/ahsr.k.200215.049>
- Novita, L., & Idris, I. (2022). Effectiveness of silica gel from palm kernel shell ash as a moisture absorber of bottle packaging medicine. *IOP Conference Series: Earth and Environmental Science*, 1041. <https://doi.org/10.1088/1755-1315/1041/1/012044>
- Novita, L., Safni, Emriadi, de Freitas, F. A., & Zein, R. (2025). Response surface methodology and artificial neural network modeling for biodiesel production over *Elaeis guineensis* shell ash-derived MgSiO₃ catalyst. *Results in Surfaces and Interfaces*, 19. <https://doi.org/10.1016/j.rsurfi.2025.100552>
- Odetoeye, T. E., Agu, J. O., & Ajala, E. O. (2021). Biodiesel production from poultry wastes: Waste chicken fat and eggshell. *Journal of Environmental Chemical Engineering*, 9, 105654. <https://doi.org/10.1016/j.jece.2021.105654>
- Okechukwu, O. D., Joseph, E., Nonso, U. C., & Kenechi, N.-O. (2022). Improving heterogeneous catalysis for biodiesel production process. *Cleaner Chemical Engineering*, 3, 100038. <https://doi.org/10.1016/j.clce.2022.100038>
- Oko, S., Syahrir, I., & Irwan, M. (2018). The utilization of CaO catalyst impregnated with KOH in biodiesel production from waste cooking oil. *International Journal of Scientific and Technology Research*, 7(11), 115–118.
- Okoduwa, I. G., Oiwoh, O., Amenaghawon, A. N., & Okieimen, C. O. (2024). A biobased mixed metal oxide catalyst for biodiesel production from waste cooking oil: reaction conditions modeling, optimization and sensitivity analysis study. *Journal of Engineering Research (Kuwait)*, February.

<https://doi.org/10.1016/j.jer.2024.03.009>

- Okolie, J. A., Ivan Escobar, J., Umenweke, G., Khanday, W., & Okoye, P. U. (2022). Continuous biodiesel production: A review of advances in catalysis, microfluidic and cavitation reactors. *Fuel*, 307, 121821. <https://doi.org/10.1016/j.fuel.2021.121821>
- Okoye, E. K., Edeh, C. P. C., Ezumezu, C. O., & Ejiogu, E. C. (2013). Biodiesel production from used cooking oil using controlled reactor plant. *IEEE AFRICON Conference*, 1–4. <https://doi.org/10.1109/AFRCON.2013.6757725>
- Oliveira, K. G., de Lima, R. R. S., de Longe, C., de C. Bicudo, T., Sales, R. V., & de Carvalho, L. S. (2022). Sodium and potassium silicate-based catalysts prepared using sand silica concerning biodiesel production from waste oil. *Arabian Journal of Chemistry*, 15, 103603. <https://doi.org/10.1016/j.arabjc.2021.103603>
- Orege, J. I., Oderinde, O., Kifle, G. A., Ibikunle, A. A., Raheem, S. A., Ejeromedoghene, O., Okeke, E. S., Olukowi, O. M., Orege, O. B., Fagbohun, E. O., Ogundipe, T. O., Avor, E. P., Ajayi, O. O., & Daramola, M. O. (2022). Recent advances in heterogeneous catalysis for green biodiesel production by transesterification. In *Energy Conversion and Management* (Vol. 258). Elsevier Ltd. <https://doi.org/10.1016/j.enconman.2022.115406>
- Parida, S., Singh, M., & Pradhan, S. (2022). Biomass wastes: A potential catalyst source for biodiesel production. *Bioresource Technology Reports*, 18, 101081. <https://doi.org/10.1016/j.biteb.2022.101081>
- Pavlović, S. M., Marinković, D. M., Kostić, M. D., Lončarević, D. R., Mojović, L. V., Stanković, M. V., & Veljković, V. B. (2021). The chicken eggshell calcium oxide ultrasonically dispersed over lignite coal fly ash-based cancrinite zeolite support as a catalyst for biodiesel production. *Fuel*, 289, 119912. <https://doi.org/10.1016/j.fuel.2020.119912>
- Pitchaiah, S., Juchelková, D., Sathyamurthy, R., & Atabani, A. E. (2023). Prediction and performance optimisation of a DI CI engine fuelled diesel–Bael biodiesel blends with DMC additive using RSM and ANN: Energy and exergy analysis. *Energy Conversion and Management*, 292. <https://doi.org/10.1016/j.enconman.2023.117386>
- Prasetyo, J., Kusmardini, D., Sa'adah, T. N., Sari, D. P., Dahnum, D., Adelia, N., Kurniati, E., Wibisana, A., Hidayat, H., & Ndruru, S. T. C. L. (2024). Optimization of used cooking oil for biodiesel using CaO-derived of bovine bone catalyst. *South African Journal of Chemical Engineering*, 48, 95–102. <https://doi.org/10.1016/j.sajce.2024.01.008>
- Quah, R. V., Tan, Y. H., Mubarak, N. M., Kansedo, J., Khalid, M., Abdullah, E. C., & Abdullah, M. O. (2020). Magnetic biochar derived from waste palm kernel shell

- for biodiesel production via sulfonation. *Waste Management*, 118, 626–636. <https://doi.org/10.1016/j.wasman.2020.09.016>
- Rabie, A. M., Shaban, M., Abukhadra, M. R., Hosny, R., Ahmed, S. A., & Negm, N. A. (2019). Diatomite supported by CaO/MgO nanocomposite as heterogeneous catalyst for biodiesel production from waste cooking oil. *Journal of Molecular Liquids*, 279, 224–231. <https://doi.org/10.1016/j.molliq.2019.01.096>
- Rahimi, T., Kahrizi, D., Feyzi, M., Ahmadvandi, H. R., & Mostafaei, M. (2021). Catalytic performance of MgO/Fe₂O₃-SiO₂ core-shell magnetic nanocatalyst for biodiesel production of Camelina sativa seed oil: Optimization by RSM-CCD method. *Industrial Crops and Products*, 159, 113065. <https://doi.org/10.1016/j.indcrop.2020.113065>
- Raj, J. V. A., Praveen Kumar, R., Vijayakumar, B., Gnansounou, E., & Bharathiraja, B. (2021). Modelling and process optimization for biodiesel production from Nannochloropsis salina using artificial neural network. *Bioresource Technology*, 329, 2–9. <https://doi.org/10.1016/j.biortech.2021.124872>
- Roschat, W., Siritanon, T., Yoosuk, B., & Promarak, V. (2016). Rice husk-derived sodium silicate as a highly efficient and low-cost basic heterogeneous catalyst for biodiesel production. *Energy Conversion and Management*, 119, 453–462. <https://doi.org/10.1016/j.enconman.2016.04.071>
- Roy, T., Ágarwal, A. K., & Sharma, Y. C. (2021). A cleaner route of biodiesel production from waste frying oil using novel potassium tin oxide catalyst: A smart liquid-waste management. *Waste Management*, 135, 243–255. <https://doi.org/10.1016/j.wasman.2021.08.046>
- Rudiyanto, B., Andrianto, M., Susmiati, Y., Pambudi, N. A., & Riyanto. (2019). Optimization and validation of hydrated magnesium silicate on dry washing purification biodiesel using response surface methodology. *Energy Procedia*, 158, 333–338. <https://doi.org/10.1016/j.egypro.2019.01.098>
- Saad, M., Siyo, B., & Alrakkad, H. (2023). Preparation and characterization of biodiesel from waste cooking oils using heterogeneous catalyst (Cat.TS-7) based on natural zeolite. *Heliyon*, 9(6), e15836. <https://doi.org/10.1016/j.heliyon.2023.e15836>
- Saetiao, P., Kongrit, N., Cheng, C. K., Jitjamnong, J., Direksilp, C., & Khantikulanon, N. (2023). Catalytic conversion of palm oil into sustainable biodiesel using rice straw ash supported-calcium oxide as a heterogeneous catalyst: Process simulation and techno-economic analysis. *Case Studies in Chemical and Environmental Engineering*, 8. <https://doi.org/10.1016/j.cscee.2023.100432>
- Sahu, O. (2021). Characterisation and utilization of heterogeneous catalyst from waste rice-straw for biodiesel conversion. *Fuel*, 287, 119543.

<https://doi.org/10.1016/j.fuel.2020.119543>

- Sai, B. A. V. S. L., Subramaniapillai, N., Khadhar Mohamed, M. S. B., & Narayanan, A. (2020). Optimization of continuous biodiesel production from rubber seed oil (RSO) using calcined eggshells as heterogeneous catalyst. *Journal of Environmental Chemical Engineering*, 8, 103603. <https://doi.org/10.1016/j.jece.2019.103603>
- Saidi, M., Safaripour, M., Ameri, F. A., & Jomeh, M. E. (2023). Application of sulfonated biochar-based magnetic catalyst for biodiesel production: Sensitivity analysis and process optimization. *Chemical Engineering and Processing - Process Intensification*, 190. <https://doi.org/10.1016/j.cep.2023.109419>
- Sanli, H. (2025). Characterizing three generation biodiesel feedstocks: A statistical approach and empirical modeling of fuel properties. *Waste Management*, 200. <https://doi.org/10.1016/j.wasman.2025.114755>
- Saragih, I. K., Rachmina, D., & Krisnamurthi, B. (2020). Analisis status keberlanjutan perkebunan kelapa sawit rakyat provinsi Jambi. *Jurnal Agribisnis Indonesia*, 8(1), 17–32. <https://doi.org/10.29244/jai.2020.8.1.17-32>
- Sendzikiene, E., & Makareviciene, V. (2021). Catalytic biodiesel synthesis under supercritical conditions. *Mendeleev Communications*, 31(4), 442–450. <https://doi.org/10.1016/j.mencom.2021.07.003>
- Shafiq, F., Mumtaz, M. W., Mukhtar, H., Touqeer, T., Raza, S. A., Rashid, U., Nehdi, I. A., & Choong, T. S. Y. (2020). Response surface methodology approach for optimized biodiesel production from waste chicken fat oil. *Catalysts*, 10(6), 1–12. <https://doi.org/10.3390/catal10060633>
- Silva, A. L., Farias, A. F. F., Meneghetti, S. M. P., Antonio dos Santos Filho, E., & Figueiredo de Melo Costa, A. C. (2022). Optimization of biodiesel production via transesterification of soybean oil using α -MoO₃ catalyst obtained by the combustion method. *Arabian Journal of Chemistry*, 15, 104012. <https://doi.org/10.1016/j.arabjc.2022.104012>
- Siregar, A. G. A., Manurung, R., & Taslim, T. (2021). Synthesis and characterization of sodium silicate produced from corncobs as a heterogeneous catalyst in biodiesel production. *Indonesian Journal of Chemistry*, 21(1), 88–96. <https://doi.org/10.22146/ijc.53057>
- Suresh, A. B., C., M. P. G., Prakash, S. B., Thippeshnaik, G., & Samuel, O. D. (2024). Optimizing engine performance and emission properties with *Garcinia indica* biodiesel: a holistic RSM-TLBO-DFA strategy. *Biofuels*. <https://doi.org/10.1080/17597269.2024.2437609>
- Suzihaque, M. U. H., Alwi, H., Kalthum Ibrahim, U., Abdullah, S., & Haron, N. (2022).

Biodiesel production from waste cooking oil: A brief review. *Materials Today: Proceedings*, 63, S490–S495. <https://doi.org/10.1016/j.matpr.2022.04.527>

Syukri, S., Ferdian, F., Rilda, Y., Putri, Y. E., Efdi, M., & Septiani, U. (2021). Synthesis of graphene oxide enriched natural kaolinite clay and its application for biodiesel production. *International Journal of Renewable Energy Development*, 10(2), 307–315. <https://doi.org/10.14710/ijred.2021.32915>

Tan, S. X., Lim, S., Ong, H. C., Pang, Y. L., Fitranto, K., Goh, B. H. H., & Chong, C. T. (2019). Two-step catalytic reactive extraction and transesterification process via ultrasonic irradiation for biodiesel production from solid *Jatropha* oil seeds. *Chemical Engineering and Processing - Process Intensification*, 146, 107687. <https://doi.org/10.1016/j.cep.2019.107687>

Vinu, V., & Binitha, N. N. (2020). Lithium silicate based catalysts prepared using arecanut husk ash for biodiesel production from used cooking oil. *Materials Today: Proceedings*, 25, 241–245. <https://doi.org/10.1016/j.matpr.2020.01.210>

Wang, H., Zhou, H., Yan, Q., Wu, X., & Zhang, H. (2023). Superparamagnetic nanospheres with efficient bifunctional acidic sites enable sustainable production of biodiesel from budget non-edible oils. *Energy Conversion and Management*, 297. <https://doi.org/https://doi.org/10.1016/j.enconman.2023.117758>

Yanti, R. N., & Lestari, I. (2020). Potensi limbah padat perkebunan kelapa sawit di provinsi Riau. *Wahana Forestra: Jurnal Kehutanan*, 15(2), 1–11. <https://doi.org/10.31849/forestra.v15i2.4696>

Zayed, M. A., Abd El-Kareem, M. S. M., & Zaky, N. H. S. (2017). Gas Chromatography-Mass Spectrometry studies of waste vegetable mixed and pure used oils and its biodiesel products. *Journal of Pharmaceutical and Applied Chemistry*, 3(2), 109–116. <https://doi.org/10.18576/jpac/030204>

Zheng, B., Ban, L., Nie, Y., Chen, L., Yang, S., & Zhang, H. (2024). Sustainable production of biodiesel enabled by acid-base bifunctional ZnF_2 via one-pot transformation of *Koelreuteria integrifoliola* oil : Process optimization , kinetics study and cost analysis. *Journal of Cleaner Production*, 453. <https://doi.org/https://doi.org/10.1016/j.jclepro.2024.142263>