

DAFTAR PUSTAKA

1. Nengsih ZW, Rahayu R, Arief S, Septiani U, Syukri S. Separation and Thermal Modification of Montmorillonite From Tanah Datar Clay and Its Catalytic Application in Biodiesel Production From Waste Frying Oils. *J Oil Palm Res* [Internet]. 2024; <https://doi.org/10.21894/jopr.2024.0041%0ASEPARATION>
2. Alif MF, Fitria RA, Arief S, Triandini S, Manawan M, Purnama P, et al. Peat water purification using nanohydroxyapatite synthesized from Carbon Negative Precipitated Calcium Carbonate precursor. *Sustain Chem Environ* [Internet]. 2024;6(December 2023):100105. <https://doi.org/10.1016/j.scenv.2024.100105>
3. Musdad DA. Pengaruh Air Gambut Terhadap Kesehatan dan Upaya Pemecahannya. Vol. VIII, Media Litbangkes. 1998. p. 8–13.
4. Admi A, Angellika FT, Rilda Y, Syukri S. Pengaruh Modifikasi Fisika pada Komposisi, Struktur Kristal dan Sifat Katalitik Lempung Solok. *J Fis Unand*. 2022;11(4):548–55.
5. Syukri, Fikri A, Safni, Tetra ON. Synthesis of Zeolite From Natural Clay and Rice Husk Ash To Lower the Band Gap of Titania As a Promising Photocatalyst. *J Chem Technol*. 2022;30(1):60–8.
6. Adewuyi A, Oderinde RA. Removal of phenolphthalein and methyl orange from laboratory wastewater using tetraethylammonium modified kaolinite clay. *Curr Res Green Sustain Chem* [Internet]. 2022;5(March):100320. <https://doi.org/10.1016/j.crgsc.2022.100320>
7. Taurozzi JS, Hackley VA, Wiesner MR. Ultrasonic dispersion of nanoparticles for environmental, health and safety assessment--issues and recommendations. *Nanotoxicology*. 2011 Dec;5(4):711–29.
8. Hayatullah, Shathi AS, Mostafa MG, Rahman MA, Biswas PK, Alam MS, et al. Iron removal from red clay using oxalic acid leaching for enhanced ceramic industry applications. *Heliyon* [Internet]. 2024;10(19):e38863. <https://doi.org/10.1016/j.heliyon.2024.e38863>
9. Xu J, Morris PJ, Liu J, Holden J. PEATMAP: Refining estimates of global peatland distribution based on a meta-analysis. *CATENA* [Internet]. 2018;160:134–40. <https://www.sciencedirect.com/science/article/pii/S0341816217303004>
10. Ali F, Lestari DL, Putri MD. Peat Water Treatment as an Alternative for Raw water in Peatlands Area. *IOP Conf Ser Mater Sci Eng* [Internet]. 2021;1144(1):12052. <https://dx.doi.org/10.1088/1757-899X/1144/1/012052>
11. Qadafi M, Notodarmojo S, Zevi Y. Effects of microbubble pre-ozonation time and pH on trihalomethanes and haloacetic acids formation in pilot-scale tropical peat water treatments for drinking water purposes. *Sci Total Environ* [Internet]. 2020;747:141540. <https://www.sciencedirect.com/science/article/pii/S0048969720350695>

12. Tsai ML, Yen CC, Lu FJ, Ting HC, Chang HR. Environmentally relevant concentration of arsenic trioxide and humic acid promoted tumor progression of human cervical cancer cells: In vivo and in vitro studies. *Environ Toxicol*. 2016 Sep;31(9):1121–32.
13. Mahmud M, Abdi C, Mu'min B. Removal Natural Organic Matter (NOM) in Peat Water from Wetland Area by Coagulation-Ultrafiltration Hybrid Process with Pretreatment Two-Stage Coagulation. *J Wetl Environ Manag*. 2016;1(1):42–9.
14. Notodarmojo S, Mahmud, Larasati A. Adsorption of natural organic matter (NOM) in peat water by local indonesia tropical clay soils. *Int J GEOMATE*. 2017;13(38):111–9.
15. Qadafi M, Notodarmojo S, Zevi Y. Performance of microbubble ozonation on treated tropical peat water: Effects on THM4 and HAA5 precursor formation based on DOM hydrophobicity fractions. *Chemosphere*. 2021 Sep;279:130642.
16. Zevi Y, Qadafi M, Notodarmojo S. The Presence of Trihalomethanes and Haloacetic Acids in Tropical Peat Water. *J Eng Technol Sci*. 2022;54(3).
17. Raghunandan ME, Sriraam AS. An overview of the basic engineering properties of Malaysian peats. *Geoderma Reg* [Internet]. 2017;11:1–7.
<https://www.sciencedirect.com/science/article/pii/S2352009417300305>
18. Qadafi M, Wulan DR, Notodarmojo S, Zevi Y. Characteristics and treatment methods for peat water as clean water sources: A mini review. *Water Cycle*. 2023;4(January):60–9.
19. Atmana Sutapa ID, Prihatinningtyas E, Daryanta. IPAG60 as Alternative Solution to Provide Clean Water in Peatland Areas. *IOP Conf Ser Earth Environ Sci*. 2020;477(1).
20. Rahman NA, Jose Jol C, Albania Linus A, Dampam FL, Abdul Jalal NS, Baharudin N, et al. Desalination of Borneo tropical brackish peat water with adsorption process in continuous electrocoagulation treatment. *Desalination* [Internet]. 2022;527:115574.
<https://www.sciencedirect.com/science/article/pii/S0011916422000297>
21. Rahman N, Tomiran N, Hakim A. Batch Electrocoagulation Treatment of Peat Water in Sarawak with Galvanized Iron Electrodes. *Mater Sci Forum*. 2020;997:127–38.
22. Li X, Wu B, Zhang Q, Liu Y, Wang J, Li F, et al. Complexation of humic acid with Fe ions upon persulfate/ferrous oxidation: Further insight from spectral analysis. *J Hazard Mater* [Internet]. 2020;399(April):123071.
<https://doi.org/10.1016/j.jhazmat.2020.123071>
23. Senesi N, Saiz-Jiminez C, Miano TM. Spectroscopic characterization of metal-humic acid-like complexes of earthworm-composted organic wastes. *Sci Total Environ*. 1992;117–118(C):111–20.
24. Ming C, Kamis N, Radin Mohamed RMS. Using a Peat Media for Laundry Greywater Filtration: Geochemical and Water Quality Check. *Middle-East J Sci Res*. 2014;21:1365–70.

25. Singh G, Bulasara VK. Preparation of low-cost microfiltration membranes from fly ash. *Desalin Water Treat* [Internet]. 2015;53(5):1204–12. <https://www.sciencedirect.com/science/article/pii/S1944398624046320>
26. Li S, Du H, Guo A, Xu H, Yang D. Preparation of self-reinforcement of porous mullite ceramics through in situ synthesis of mullite whisker in flyash body. *Ceram Int* [Internet]. 2012;38(2):1027–32. <https://www.sciencedirect.com/science/article/pii/S027288421100736X>
27. Li S, Li N. Influences of composition of starting powders and sintering temperature on the pore size distribution of porous corundum-mullite ceramics. *Sci Sinter*. 2005;37(3):173–80.
28. Liu YF, Liu XQ, Wei H, Meng GY. Porous mullite ceramics from national clay produced by gelcasting. *Ceram Int* [Internet]. 2001;27(1):1–7. <https://www.sciencedirect.com/science/article/pii/S0272884200000341>
29. Vida-Simiti I, Jumate N, Moldovan V, Thalmaier G, Sechel N. Characterization of Gradual Porous Ceramic Structures Obtained by Powder Sedimentation. *J Mater Sci Technol* [Internet]. 2012;28(4):362–6. <https://www.sciencedirect.com/science/article/pii/S1005030212600681>
30. Kharton V V, Yaremchenko AA, Kovalevsky A V, Viskup AP, Naumovich EN, Kerko PF. Perovskite-type oxides for high-temperature oxygen separation membranes. *J Memb Sci* [Internet]. 1999;163(2):307–17. <https://www.sciencedirect.com/science/article/pii/S0376738899001726>
31. El Qacimi N, El Baraka N, Saffaj N, Mamouni R, Laknifli A, Younssi SA, et al. Preparation and characterization of flat membrane support based on Sahara Moroccan clay: application to the filtration of textile effluents. *Desalin Water Treat* [Internet]. 2019;143:111–7. <https://www.sciencedirect.com/science/article/pii/S194439862415477X>
32. Khemakhem S, Larbot A, Ben Amar R. New ceramic microfiltration membranes from Tunisian natural materials: Application for the cuttlefish effluents treatment. *Ceram Int* [Internet]. 2009;35(1):55–61. <https://www.sciencedirect.com/science/article/pii/S0272884207003926>
33. Chichkan A, Chesnokov V, Gerasimov E, Parmon V. Production of nanoporous ceramic membranes using carbon nanomaterials. *Dokl Phys Chem*. 2013;450.
34. Zhang G, Ji S, Gao X, Liu Z. Adsorptive fouling of extracellular polymeric substances with polymeric ultrafiltration membranes. *J Memb Sci* [Internet]. 2008;309(1):28–35. <https://www.sciencedirect.com/science/article/pii/S0376738807007260>
35. Nandi BK, Uppaluri R, Purkait MK. Effects of dip coating parameters on the morphology and transport properties of cellulose acetate–ceramic composite membranes. *J Memb*

- Sci [Internet]. 2009;330(1):246–58.
<https://www.sciencedirect.com/science/article/pii/S0376738809000076>
36. Zhang H, Hu X, Li T, Zhang Y, Xu H, Sun Y, et al. MIL series of metal organic frameworks (MOFs) as novel adsorbents for heavy metals in water: A review. *J Hazard Mater*. 2022 May;429:128271.
 37. Sahu D, Pervez S, Karbhal I, Tamrakar A, Mishra A, Verma SR, et al. Applications of different adsorbent materials for the removal of organic and inorganic contaminants from water and wastewater – A review. *Desalin Water Treat* [Internet]. 2024;317(February):100253. <https://doi.org/10.1016/j.dwt.2024.100253>
 38. Park KY, Yu YJ, Yun SJ, Kweon JH. Natural organic matter removal from algal-rich water and disinfection by-products formation potential reduction by powdered activated carbon adsorption. *J Environ Manage* [Internet]. 2019;235:310–8. <https://www.sciencedirect.com/science/article/pii/S0301479719300969>
 39. Ittisupornrat S, Pihusut D, Kitkaew D, Sangkarak S, Phetrak A. Performance of dissolved organic matter removal from membrane bioreactor effluent by magnetic powdered activated carbon. *J Environ Manage* [Internet]. 2019;248:109314. <https://www.sciencedirect.com/science/article/pii/S0301479719310163>
 40. Tsuchiya Y, Yamaya Y, Amano Y, Machida M. Effect of two types of adsorption sites of activated carbon fibers on nitrate ion adsorption. *J Environ Manage*. 2021 Jul;289:112484.
 41. Abouleish MYZ, Wells MJM. Trihalomethane formation potential of aquatic and terrestrial fulvic and humic acids: Sorption on activated carbon. *Sci Total Environ*. 2015 Jul;521–522:293–304.
 42. Gholamifard H, Rasul MG, Rahideh H, Azari A, Abbasi M, Karami R. Experimental and numerical analysis of oily wastewater treatment using low-cost mineral adsorbent in a single and multi-fixed bed column. *Chem Eng J Adv* [Internet]. 2023;16:100551. <https://www.sciencedirect.com/science/article/pii/S2666821123001084>
 43. Worasith N, Goodman BA. Clay mineral products for improving environmental quality. *Appl Clay Sci*. 2023;242:106980.
 44. Benny K.G. Theng. *The Chemistry of Clay-Organic Reactions* [Internet]. 2nd Editio. Boca Raton: CRC Press; 2024. 330 p. <https://lccn.loc.gov/2023046363>
 45. Amutenya ELM, Zhou F, Liu J, Long W, Ma L, Liu M, et al. Preparation of humic acid-bentonite polymer composite: A heavy metal ion adsorbent. *Heliyon*. 2022;8(6):e09720.
 46. Liu H, Chang L, Liu W, Xiong Z, Zhao Y, Zhang J. Advances in mercury removal from coal-fired flue gas by mineral adsorbents. *Chem Eng J*. 2019 Jul 1;379:122263.
 47. Xie S, Huang L, Su C, Yan J, Chen Z, Li M, et al. Application of clay minerals as adsorbents for removing heavy metals from the environment. *Green Smart Min Eng*

- [Internet]. 2024;1(3):249–61. <https://doi.org/10.1016/j.gsme.2024.07.002>
48. Qi J, Yu J, Shah KJ, Shah DD, You Z. Applicability of Clay/Organic Clay to Environmental Pollutants: Green Way—An Overview. *Appl Sci*. 2023;13(16).
 49. Wang H, Tian L, Zhang K, Liu Z, Huang C, Jiang L, et al. How is ultrasonic-assisted CO₂ EOR to unlock oils from unconventional reservoirs? *Sustainability*. 2021;13(18):10010.
 50. Taurozzi JS, Hackley VA, Wiesner MR. Ultrasonic dispersion of nanoparticles for environmental, health and safety assessment issues and recommendations. *Nanotoxicology*. 2011;5(4):711–29.
 51. Tian L, Wang H, Wu T, Yang H, Xu S, Chai X, et al. In-depth analysis of ultrasonic-induced geological pore re-structures. *Ultrason Sonochem*. 2022 Apr;85:105990.
 52. Zhang Z, Wang W, Kang Y, Wang Q, Wang A. Structure evolution of brick-red palygorskite induced by hydroxylammonium chloride. *Powder Technol* [Internet]. 2018;327:246–54.
<https://www.sciencedirect.com/science/article/pii/S0032591017310252>
 53. Shen L, Zhou H, Qiu G, Zhao H. A review of bioleaching combined with low-cost fermentation and metabolic engineering technology to leach rare earth elements. *J Environ Chem Eng* [Internet]. 2024;12(2):112117.
<https://www.sciencedirect.com/science/article/pii/S2213343724002471>
 54. Lu Y, Wang W, Xu J, Ding J, Wang Q, Wang A. Solid-phase oxalic acid leaching of natural red palygorskite-rich clay: A solvent-free way to change color and properties. *Appl Clay Sci* [Internet]. 2020;198(May):105848.
<https://doi.org/10.1016/j.clay.2020.105848>
 55. Lu Y, Yu H, Zhu Y, Mu B, Wang A. Recovering metal ions from oxalic acid leaching palygorskite-rich clay wastewater to fabricate layered mixed metal oxide/carbon composites for high-efficient removing Congo red. *Chemosphere* [Internet]. 2022;290:132543.
<https://www.sciencedirect.com/science/article/pii/S0045653521030150>
 56. Tita AM, Mends EA, Kar U, Hussaini S, Chu P. Leaching of Li-bearing sedimentary claystones using organic acids. *Green Smart Min Eng* [Internet]. 2025;2(2):156–67.
<https://doi.org/10.1016/j.gsme.2025.06.002>
 57. Firoozi AA, Taha MR, Firoozi AA, Khan TA. Effect of ultrasonic treatment on clay microfabric evaluation by atomic force microscopy. *Meas J Int Meas Confed* [Internet]. 2015;66:244–52. <http://dx.doi.org/10.1016/j.measurement.2015.02.033>
 58. www.google.com/maps. Gunung Sarik Kuranji Padang City West Sumatra [Internet]. <https://maps.app.goo.gl/5ksj8gfrTvC9DZRH8>
 59. Lima Poli A, Batista T, Schmitt C, Gessner F, Neumann M. Effect of sonication on the

- particle size of montmorillonite clays. *J Colloid Interface Sci.* 2008;325:386–90.
60. Bentama J, El Ghzizal A, Ferrandis JY. Ultrasonic waves for characterisation of clay membranes. *Desalination.* 2007;206(1–3):1–8.
61. Nnanwube IA, Keke M, Onukwuli OD. Assessment of calcined Owhe kaolinite for potential alumina recovery via nitric acid route. *Results Chem [Internet].* 2024;7(August 2023):101262. <https://doi.org/10.1016/j.rechem.2023.101262>
62. Veglió F, Passariello B, Barbaro M, Plescia P, Marabini AM. Drum leaching tests in iron removal from quartz using oxalic and sulphuric acids. *Int J Miner Process [Internet].* 1998;54(3):183–200. <https://www.sciencedirect.com/science/article/pii/S0301751698000143>
63. Daryono ED, Mustiadi L. *Jurnal Teknik Kimia USU. J Tek Kim USU.* 2020;09(2):80–6.
64. Şenol D, Kaya İ. Synthesis and characterization of substituted poly(naphthalene)s with imine bonding containing thiophene unit. *Mater Chem Phys [Internet].* 2019;237:121876. <https://www.sciencedirect.com/science/article/pii/S025405841930673X>
65. Meroni D, Jiménez-Salcedo M, Falletta E, Bresolin BM, Kait CF, Boffito DC, et al. Sonophotocatalytic degradation of sodium diclofenac using low power ultrasound and micro sized TiO₂. *Ultrason Sonochem [Internet].* 2020;67:105123. <https://www.sciencedirect.com/science/article/pii/S1350417720301073>
66. Xia GH, Lu M, Su XL, Zhao XD. Iron removal from kaolin using thiourea assisted by ultrasonic wave. *Ultrason Sonochem [Internet].* 2012;19(1):38–42. <http://dx.doi.org/10.1016/j.ultsonch.2011.05.008>
67. Eze KA, Nwadiogbu J, Nwamkwere ET. Effect of acid treatment on the physicochemical properties of kaolin clay. *Arch Appl Sci Res.* 2012;4:792–4.
68. Purbasari A, Samadhi T. Kajian Dehidroksilasi Termal Kaolin menjadi Metakaolin menggunakan Analisis Termogravimetri. *ALCHEMY J Penelit Kim.* 2021;17:105.
69. Davidovits J. *Geopolymer Chemistry and Applications.* Vol. 171. 2008.
70. Madejová J. FTIR techniques in clay mineral studies. *Vib Spectrosc [Internet].* 2003;31(1):1–10. <https://www.sciencedirect.com/science/article/pii/S0924203102000656>
71. Saikia BJ, Parthasarathy G, Borah RR, Borthakur R. Raman and FTIR Spectroscopic Evaluation of Clay Minerals and Estimation of Metal Contaminations in Natural Deposition of Surface Sediments from Brahmaputra River. *Int J Geosci.* 2016;07(07):873–83.
72. Madejová J, Komadel P. Baseline studies of the clay minerals society source clays: Infrared methods. *Clays Clay Miner.* 2001;49(5):410–32.
73. Xie S, Huang L, Su C, Yan J, Chen Z, Li M, et al. Application of clay minerals as adsorbents for removing heavy metals from the environment. *Green Smart Min Eng*

- [Internet]. 2024;1(3):249–61.
74. Pawar RR, Lalmunsiam, Kim M, Kim JG, Hong SM, Sawant SY, et al. Efficient removal of hazardous lead, cadmium, and arsenic from aqueous environment by iron oxide modified clay-activated carbon composite beads. Appl Clay Sci [Internet]. 2018;162:339–50.
<https://www.sciencedirect.com/science/article/pii/S0169131718302680>

