

DAFTAR PUSTAKA

1. Shariq OA, McKenzie TJ. Obesity-related hypertension: a review of pathophysiology, management, and the role of metabolic surgery. *Gland Surg.* 2020;9(1):80–93.
2. World Health Organization (WHO). Obesity and overweight [Internet]. 2024 [cited 2025 Feb 15]. Available from: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>
3. World Health Organization (WHO). Obesity [Internet]. 2024 [cited 2025 Feb 21]. Available from: https://www.who.int/health-topics/obesity#tab=tab_1
4. Kementerian Kesehatan Republik Indonesia (Kemenkes RI). Status gizi pada dewasa (IMT dan obesitas sentral) [Internet]. 2023 [cited 2025 Feb 21]. Available from: <https://www.badankebijakan.kemkes.go.id/daftar-frequently-asked-question-seputar-hasil-utama-ski-2023/hasil-utama-ski-2023/>
5. Kementerian Kesehatan Republik Indonesia (Kemenkes RI). Ayo bersatu kita cegah dan obati obesitas [Internet]. 2022 [cited 2025 Feb 23]. p. 1–15. Available from: <https://p2ptm.kemkes.go.id>
6. Kwon S, Han AL. The correlation between the ratio of visceral fat area to subcutaneous fat area on computed tomography and lipid accumulation product as indexes of cardiovascular risk. *J Obes Metab Syndr.* 2019;28(3):186–93.
7. Lee G, Choi S, Park SM. Association of waist circumference with muscle and fat mass in adults with a normal body mass index. *Nutr Res Pract.* 2020;15(5):604–12.
8. Mathew DE, Jayakaran JAJ, Hansdak SG, Iyadurai R. Cost effective and adaptable measures of estimation of visceral adiposity. *Clin Epidemiol Glob Heal.* 2023;23:101362.
9. Kementerian Kesehatan Republik Indonesia (Kemenkes RI). Berikut ini adalah cara mengukur obesitas [Internet]. 2021 [cited 2025 Feb 18]. Available from: <https://p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/berikut-ini-adalah-cara-mengukur-obesitas>
10. Correa-Rodríguez M, González-Ruiz K, Rincón-Pabón D, Izquierdo M, García-Hermoso A, Agostinis-Sobrinho C, et al. Normal-weight obesity is associated with increased cardiometabolic risk in young adults. *Nutrients.* 2020;12(4):1106.
11. Parfenteva OI, Kulemin NA, Bondareva EA, Ahmetov II. Prevalence and predictors of normal-weight obesity among women. *Nutrients.* 2024;16(16).
12. De Lorenzo A, Soldati L, Sarlo F, Calvani M, Di Lorenzo N, Di Renzo L. New obesity classification criteria as a tool for bariatric surgery indication.

World J Gastroenterol. 2016;22(2):681–703.

13. Wijayatunga NN, Dhurandhar EJ. Normal weight obesity and unaddressed cardiometabolic health risk—a narrative review. *Int J Obes.* 2021;45:2141–55.
14. Kapoor N, Lotfaliany M, Sathish T, Thankappan KR, Thomas N, Furler J, et al. Prevalence of normal weight obesity and its associated cardio-metabolic risk factors - Results from the baseline data of the Kerala Diabetes Prevention Program (KDPP). *PLoS One.* 2020;15(8):e0237974.
15. Ji T, Zhang L, Tang Z, Sun F, Li Y, Ma L. Prevalence of normal-weight obesity in community-dwelling Chinese older adults: Results from the Beijing longitudinal study of aging. *Dovepress.* 2020;13:1611–7.
16. Azzubaidi SBS, Rachman ME, Muchsin AH, Nurmadilla N, Nurhikmawati. Hubungan tekanan darah dengan IMT (indeks massa tubuh) pada mahasiswa angkatan 2020 Fakultas Kedokteran Universitas Muslim Indonesia. *Fakumi Med J.* 2023;3(1):54–61.
17. Whelton PK, Carey RM, Aronow WS, Casey DE, Collins KJ, Himmelfarb CD, et al. 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA guideline for the prevention, detection, evaluation, and management of high blood pressure in adults. *J Am Coll Cardiol.* 2018;71(19).
18. Gebremedhin S, Mekonene M, Hagos S, Baye K, Shikur B, Berhane A, et al. Association between normal-weight obesity and cardiometabolic risk factors among adults in Addis Ababa, Ethiopia. *Sci Rep.* 2023;13(22772).
19. Yogesh, Trivedi N, Makwana N, Krishna PHPP, Kadalarasu. Prevalence of normal weight obesity and its cardiometabolic implications among government doctors in Gujarat, India: A cross-sectional study. *Clin Diabetes Endocrinol.* 2024;10(28).
20. Cho YH, Sakong H, Oh MJ, Seo TB. Assessing the risk of normal weight obesity in Korean women across generations: A study on body composition and physical fitness. *Healthcare.* 2024;12(11):1142.
21. Ashtary-Larky D, Niknam S, Alipour M, Bagheri R, Asbaghi O, Mohammadian M, et al. Are women with normal-weight obesity at higher risk for cardiometabolic disorders? *Biomedicines.* 2023;11(2):341.
22. Goit LN, Yang S. Treatment of hypertension: A review. *Yangtze Med.* 2019;3(2):101–23.
23. Guirgius-Blake JM, Evans C V, Webber EM, Coppola EL, Perdue L, Weyrich MS. Screening for hypertension in adults: An updated systematic evidence review for the U.S. preventive services task force. U.S.: Agency for Healthcare Research and Quality; 2021. 1–5 p.

24. Perhimpunan Dokter Hipertensi Indonesia (PERHI). Konsensus penatalaksanaan hipertensi 2019 [Internet]. Lukito AA, Harmeiwaty E, Hustrini NM, editors. Jakarta; 2019. 1–90 p. Available from: http://faber.inash.or.id/upload/pdf/article_Update_konsensus_201939.pdf
25. Kementerian Kesehatan Republik Indonesia (Kemenkes RI). Hipertensi penyebab utama penyakit jantung, gagal ginjal, dan stroke [Internet]. 2021 [cited 2025 Feb 9]. Available from: <https://p2ptm.kemkes.go.id/artikel-sehat/hipertensi-penyebab-utama-penyakit-jantung-gagal-ginjal-dan-stroke>
26. Kusumarahmawati A, Bachtar F, Mailani R, Sirada A. Indeks massa tubuh dan obesitas sentral kaitannya dengan tekanan darah pada anggota batalyon X. *J Fisioter Terap Indones*. 2023;2(2).
27. Rehman S, Hashmi MF. Blood pressure measurement [Internet]. StatPearls Publishing, Treasure Island; 2022. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK482189/>
28. Huang Y, Chen H, Liu Q, Hu J, Hu D, Huang Z, et al. Obesity difference on association blood malondialdehyde level and diastolic hypertension in the elderly population: A cross-sectional analysis. *Eur J Med Res*. 2023;28(44):1–8.
29. Oussaada SM, Galen KA Van, Cooiman MI, Kleinendorst L, Hazebroek EJ, Haelst MM Van, et al. The pathogenesis of obesity. *Metab Clin Exp*. 2019;92:26–36.
30. Seyedhoseinpour A, Barzin M, Mahdavi M, Valizadeh M, Azizi F, Ghareh S, et al. BMI category-specific waist circumference thresholds based on cardiovascular disease outcomes and all-cause mortality: Tehran lipid and glucose study (TLGS). *BMC Public Health*. 2023;23(1):1297.
31. Ahmad N, Adam SIM, Nawati AM, Hassan MR, Ghazi HF. Abdominal obesity indicators: Waist circumference or waist-to-hip ratio in Malaysian adults population. *Int J Prev Med*. 2016;7(1):82.
32. Ross R, Neeland IJ, Yamashita S, Shai I, Seidell J, Magni P, et al. Waist circumference as a vital sign in clinical practice: A consensus statement from the IAS and ICCR working group on visceral obesity. *Nat Rev Endocrinol*. 2020;16:177–89.
33. Yogyantini MDT, Wahyunani BD. Gambaran status gizi dan komposisi tubuh pada pasien geriatrik di klinik golden care rumah sakit panti rapih Yogyakarta. *Tin Persagi*. 2022;193–200.
34. Budiman LA, Rosiyana, Sari AS, Safitri SJ, Prasetyo RD, Rizqina HA, et al. Analisis status gizi menggunakan pengukuran indeks massa tubuh dan beban kerja dengan metode 10 denyut pada tenaga kesehatan. *Nutrizione*. 2021;01(01):6–15.
35. Casadei K, Kiel J. Anthropometric measurement [Internet]. StatPearls; 2022.

Available from: <https://www.ncbi.nlm.nih.gov/books/NBK537315/>

36. Kementerian Kesehatan Republik Indonesia (Kemenkes RI). Memahami obesitas : Panduan praktis mengukur indeks massa tubuh [Internet]. 2024 [cited 2025 Feb 23]. Available from: <https://p2ptm.kemkes.go.id>
37. Kementerian Kesehatan Republik Indonesia (Kemenkes RI). Tabel batas ambang indeks massa tubuh (IMT) [Internet]. 2019 [cited 2025 Jan 10]. Available from: <https://p2ptm.kemkes.go.id>
38. Mulyasari I, Afiatna P, Maryanto S, Aryani AN. Body mass index as hypertension predictor: Comparison between world health organization and asia-pasific standard. *Amerta Nutr.* 2023;7(2SP):247–51.
39. Wu Y, Li D, Vermund SH. Advantages and limitations of the body mass index (BMI) to assess adult obesity. *Int J Environ Res Public Health.* 2024;21(6):757.
40. Branco MG, Mateus C, Capelas ML, Pimenta N, Santos T, Makitie A, et al. Bioelectrical impedance analysis (BIA) for the assessment of body composition in oncology: A scoping review. *Nutrients.* 2023;15(22):4792.
41. Smolik R, Gawel M, Kliszczuk D, Sasin N, Szewczyk K, Gornicka M. Comparative analysis of body composition results obtained by air displacement plethysmography (ADP) and bioelectrical impedance analysis (BIA) in adults. *Appl Sci.* 2025;15(7):3480.
42. Amaral MA, Mundstock E, Scarpatto CH, Cañon-Montañez W, Mattiello R. Reference percentiles for bioimpedance body composition parameters of healthy individuals: A cross-sectional study. *Clinics.* 2022;77.
43. Zhu Y, Wang Z, Maruyama H, Onoda K, Huang Q. Body fat percentage and normal-weight obesity in the Chinese population: Development of a simple evaluation indicator using anthropometric measurements. *Int J Environ Res Public Health.* 2022;19(7):4238.
44. Anoop S, Kapoor N. Normal-weight obesity: A hidden pandemic. In: Faintuch J, Faintuch S, editors. *Obesity and Diabetes: Scientific Advances and Best Practice* [Internet]. 2nd ed. Switzerland: Springer; 2020. p. 347–59. Available from: https://link.springer.com/chapter/10.1007/978-3-030-53370-0_26
45. Morais NDS De, Azevedo FM, Rocha ARDF, Morais DDC, Ribeiro SAV, Gonçalves VSS, et al. Body fat is superior to body mass index in predicting cardiometabolic risk factors in adolescents. *Int J Environ Res Public Health.* 2023;20(3):2074.
46. Angriani W, Elliyanti A, Desmawati. The thin fat paradox: Understanding normal weight obesity and its clinical relevance. *World J Adv Res Rev.* 2024;22(2):354–62.

47. Goossens GH. The metabolic phenotype in obesity: Fat mass, body fat distribution, and adipose tissue function. *Obes Facts*. 2017;10(3):207–15.
48. Musálek M, Clark CCT, Kokštejn J, Vokounova Š, Hnízdil J, Mess F. Impaired cardiorespiratory fitness and muscle strength in children with normal-weight obesity. *Int J Environ Res Public Health*. 2020;17(24):9198.
49. Mosca S, Araújo G, Costa V, Correia J, Bandeira A, Martins E, et al. Dyslipidemia diagnosis and treatment: Risk stratification in children and adolescents. *J Nutr Metab*. 2022;1–10.
50. Chandrasekaran P, Weiskirchen R. The role of obesity in type 2 diabetes mellitus—an overview. *Int J Mol Sci*. 2024;25(3).
51. Panuganti KK, Nguyen M, Kshirsagar RK. Obesity [Internet]. StatPearls. 2023. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK459357/>
52. Jeong SM, Jung JH, Yang YS, Kim W, Cho IY, Lee YB, et al. 2023 Obesity fact sheet: Prevalence of obesity and abdominal obesity in adults, adolescents, and children in Korea from 2012 to 2021. *J Obes Metab Syndr*. 2024;33(1):27–35.
53. Kementerian Kesehatan Republik Indonesia (Kemenkes RI). Laporan nasional riskesdas 2018 [Internet]. Jakarta: Badan Penelitian dan Pengembangan Kesehatan; 2019. Available from: <https://repository.badankebijakan.kemkes.go.id/id/eprint/3514>
54. Pileggi C, Papadopoli R, Sarro C De, Nobile CGA, Pavia M. Obesity, blood pressure, and intraocular pressure: A cross-sectional study in Italian children. *Obes Facts*. 2021;14(2):169–77.
55. Perone F, Pingitore A, Conte E, Halasz G, Ambrosetti M, Peruzzi M, et al. Obesity and cardiovascular risk: Systematic intervention is the key for prevention. *Healthcare*. 2023;11(6):902.
56. Kuriyan R. Body composition techniques. *Indian J Med Res*. 2018;148:648–58.
57. Marra M, Sammarco R, De Lorenzo A, Lellamo F, Siervo M, Pietrobelli A, et al. Assessment of body composition in health and disease using bioelectrical impedance analysis (BIA) and dual energy X-ray absorptiometry (DXA): A critical overview. *Contrast Media and Molecular Imaging*. 2019.
58. Shin SC, Lee J, Choe S, Yang HI, Min J, Ahn KY, et al. Dry electrode-based body fat estimation system with anthropometric data for use in a wearable device. *Sensors*. 2019;19(9):2177.
59. Sulistyio E, Ramadhan IP, Hermawan APA, Yudhi. Rancang bangun alat ukur lemak tubuh menggunakan metode bioelectrical impedance analysis. *J Inov Teknol Terap*. 2023;01(2).

60. Khairani N, Sudiarti T. Model prediksi persen lemak tubuh remaja putri: Studi cross sectional. *J Gizi*. 2020;4(1):51–66.
61. Pertiwi HP. Perbedaan komposisi tubuh dan indikator antropometri orang dewasa berdasarkan status gizi di Kota Malang. Universitas Brawijaya; 2018.
62. Zhao Y, Zhang M, Luo X, Yin L, Pang C, Feng T, et al. Association of obesity categories and high blood pressure in a rural adult Chinese population. *J Hum Hypertens*. 2016;30(10):613–8.
63. Siyoto S, Sodik MA. Dasar metodologi penelitian. cetakan 1. Ayub, editor. Yogyakarta: Literasi Media; 2015. 81–88 p.
64. Nalendra ARA, Rosalinah Y, Priadi A, Subroto I, Rahayuningsih R, Lestari R, et al. Statistika seri dasar dengan SPSS. Bandung: Media Sains Indonesia; 2021. 23–43 p.
65. Brzezinski WA. Blood pressure. In: Walker HK, Hall WD, Hurst JW, editors. *Clinical Methods* [Internet]. 3rd ed. Boston: Butterworths; 1990. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK268/>
66. Omron Healthcare. Monitor tekanan darah - lengan atas [Internet]. 2022 [cited 2025 Jun 24]. Available from: <https://www.omronhealthcare-ap.com/id/category/8-blood-pressure-monitor>
67. One Med. Alat ukur lingkar perut OD235 onemed [Internet]. 2024 [cited 2025 Jun 24]. Available from: <https://onemedstore.id/product/alat-ukur-lingkar-perut-od235-onemed>
68. One Health. Onehealth stature meter alat ukur tinggi badan [Internet]. 2023 [cited 2025 Jun 24]. Available from: <https://www.onehealth.com/timbangan/timbangan-dan-alat-ukur-tinggi-badan>
69. Omron Healthcare. Pengukur komposisi tubuh HBF-375 [Internet]. [cited 2025 Jun 24]. Available from: <https://omronhealthcare-ap.com/id/product/305-hbf-375>
70. Adiputra IMS, Trisnadewi NW, Oktaviani NPW, Munthe SA, Hulu VT, Budiastutik I, et al. Teknik pengumpulan data kualitatif dan kuantitatif. In: Watrianthos R, Simarmata J, editors. *Metodologi penelitian kesehatan*. Denpasar: Yayasan Kita Menulis; 2021. p. 181–221.
71. Notoadmodjo S. Pengolahan dan analisis data. In: *Metodologi penelitian kesehatan*. 1st ed. Jakarta: Rineka Cipta; 2010. p. 171–87.
72. Nuryadi, Astuti TD, Utami ES, Budiantara M. Dasar-dasar statistik penelitian. 1st ed. Yogyakarta: Sibuku Media; 2017. 43–68 p.
73. Armstrong RA. When to use the bonferroni correction. *Ophthalmic Physiol Opt*. 2014;34(5):502–8.

74. Jia A, Xu S, Xing Y, Zhang W, Yu X, Zhao Y, et al. Prevalence and cardiometabolic risks of normal weight obesity in Chinese population: A nationwide study. *Nutr Metab Cardiovasc Dis*. 2018;28(10):1045–53.
75. Shimrah C, Kaur S, Chandel S. Hypertension in individuals with normal-weight obesity and normal weight central obesity: A study on sunni muslims on Uttar Pradesh, North India. *Orient Anthropol*. 2023;23(2).
76. Ramsaran C, Maharaj RG. Normal weight obesity among young adults in Trinidad and Tobago: Prevalence and associated factors. *Int J Adolesc Med Health*. 2017;29(2).
77. Khonsari NM, Khashayar P, Shahrestanaki E, Kelishadi R, Nami SM, Heidari-Beni M, et al. Normal weight obesity and cardiometabolic risk factors: A systematic review and meta-analysis. *Front Endocrinol (Lausanne)*. 2022;13.
78. Chandra A, Neeland IJ, Berry JD, Ayers CR, Rohatgi A, Das SR, et al. The relationship of body mass and fat distribution with incident hypertension: Observations from the dallas heart study. *JACC*. 2014;64(10):997–1002.
79. Alser M, Naja K, Elrayess MA. Mechanisms of body fat distribution and gluteal-femoral fat protection against metabolic disorders. *Front Nutr*. 2024;11.
80. Lazaridis A, Malliora A, Gkaliagkousi E. The particularities of arterial hypertension in female sex: From pathophysiology to therapeutic management. *J Clin Med*. 2025;14(9):3137.
81. Dun Q, Xu W, Fu M, Wu N, Moore JB, Yu T, et al. Physical activity, obesity, and hypertension among adults in a rapidly urbanised city. *Int J Hypertens*. 2021;(1).
82. Moon JY, Wang T, Sofer T, North KE, Isasi CR, Cai J, et al. Objectively measured physical activity, sedentary behavior, and genetic predisposition to obesity in U.S. hispanics/latinos: Results from the hispanic community health study/study of latinos (HCHS/SOL). *Am Diabetes Assoc*. 2017;66(12):3001–12.
83. Cho YK, Lee Y La, Jung CH. Pathogenesis, murine models, and clinical implications of metabolically healthy obesity. *Int J Mol Sci*. 2022;23(17).
84. Cembrowska P, Stefanska A, Sypniewska GO. Obesity phenotypes: normal-weight individuals with metabolic disorders versus metabolically healthy obese. *Med Res J*. 2016;1(3):95–9.
85. Kim S, Kyung C, Park JS, Lee SP, Kim HK, Ahn CW, et al. Normal-weight obesity is associated with increased risk of subclinical atherosclerosis. *Cardiovasc Diabetol*. 2015;14(58).
86. Kim J, Kang S, Kang H. Normal-weight obesity and metabolic syndrome in

korean adults: A population-based cross-sectional study. *Healthc.* 2023;11(16).

87. Xu S, Ming J, Jia A, Yu X, Cai J, Jing C, et al. Normal weight obesity and the risk of diabetes in Chinese people: a 9-year population-based cohort study. *Sci Rep.* 2021;11(6090).
88. Hadaye RS, Manapurath RM, Gadapani BP. Obesity prevalence and determinants among young adults, with special focus on normal-weight obesity; A cross-sectional study in Mumbai. *Indian J Community Med.* 2020;45(3):358–62.
89. Bosomworth NJ. Normal-weight central obesity: Unique hazard of the toxic waist. *Can Fam Physician.* 2019;65(6):399–408.
90. Litwin M, Kulaga Z. Obesity, metabolic syndrome, and primary hypertension. *Pediatr Nephrol.* 2021;36:825–37.

