

DAFTAR PUSTAKA

- Adila, D. R., Saputri, D., Niriyah, S., Studi, P., Keperawatan, I., Hang, S., & Pekanbaru, T. (2019). Pengalaman Postpartum Blues Pada Ibu Primipara. *Jurnal Ners Indonesia*, 9(2).
- Ahlbom, A. (2021). Modern Epidemiology, 4th edition. TL Lash, TJ VanderWeele, S Haneuse, KJ Rothman. Wolters Kluwer, 2021. In *European journal of epidemiology* (Vol. 36, Issue 8, pp. 767–768). NLM (Medline). <https://doi.org/10.1007/s10654-021-00778-w>
- Ahmad, A. H., Alkhatib, A., & Luo, J. (2021). Prevalence and risk factors of postpartum depression in the Middle East: a systematic review and meta-analysis. *BMC Pregnancy and Childbirth*, 21(1). <https://doi.org/10.1186/s12884-021-04016-9>
- Akbarzadeh, M., Mokhtaryan, T., Amooee, S., Moshfeghy, Z., & Zare, N. (2015). Investigation of the effect of religious doctrines on religious knowledge and attitude and postpartum blues in primiparous women. *Iranian Journal of Nursing and Midwifery Research*, 20(5), 570–576. <https://doi.org/10.4103/1735-9066.164586>
- Akhmaddhian, S., & Yuhandra, E. (2018). Bantuan Hukum Bagi Tenaga Pendidik Dan Kependidikan Di Desa Mancagar Kabupaten Kuningan, Indonesia. *Empowerment : Jurnal Pengabdian Masyarakat*, 1(02), 72–78. <https://doi.org/10.25134/empowerment.v1i02.1578>
- Allport, G. W., & Ross, J. M. (1967). Personal Religious Orentation and Predujice. In *Journal of Personality and Social Psychology* (Vol. 5, Issue 4).
- Alshowkan, A., Shdaifat, E., Alnass, F. A., Alqahtani, F. M., AlOtaibi, N. G., & AlSaleh, N. S. (2023). Coping strategies in postpartum women: exploring the influence of demographic and maternity factors. *BMC Women's Health*, 23(1). <https://doi.org/10.1186/s12905-023-02751-z>
- Ambarsarie, R., Prima, I., & Sudjatmoko, A. (2024). Knowledge Analysis of Postnatal Mother about Essential Newborn Care with Incidence of Postpartum Blues: A Cross-Sectional Study. *Mutiara Medika: Jurnal Kedokteran Dan Kesehatan*, 24(1), 25–31. <https://doi.org/10.18196/mmjkk.v24i1.19830>

- Ambarwati, E. R., Susanti, S., & Risdayanti, R. (2021). Participatory Appraisal Rural: Asuhan Kebidanan Berkelanjutan Sebagai Model Pendampingan Keluarga Dalam Pelayanan Kebidanan. *JMM (Jurnal Masyarakat Mandiri)*, 5(1), 196–205. <http://journal.ummat.ac.id/index.php/jmm/article/view/3748>
- Andarini, A., & Ulya, Z. (2022). Coping Strategy in Mother With Post Partum Blues Experience in Kediri : a Case Report. *Journal of Psychiatry Psychology and Behavioral Research*, 3(1), 16–19. <https://doi.org/10.21776/ub.jppbr.2022.003.01.5>
- Andi Syahputra, T., & Farizca, A. (2022). Hubungan Antara Kesehatan Mental Ibu dengan Pola Asuh Terhadap Anak. *Jurnal Kedokteran Nanggroe Medika*, 5(1).
- Ardiyanti, D., & Dinni, S. M. (2018). Aplikasi Model Rasch dalam Pengembangan Instrumen Deteksi Dini Postpartum Depression. *Jurnal Psikologi*, 45(2), 81. <https://doi.org/10.22146/jpsi.29818>
- Arief, M., Adama, W., & Santy, I. (2024). Risk Factors Affecting The Incident Of Baby Blues Syndrome-Muh. Arief Wahyu Adama Risk Factors Affecting The Incident Of Baby Blues Syndrome. *Jurnal Eduhealth*, 15. <https://doi.org/10.54209/eduhealth.v15i03>
- Armaya, L. D., & Purwarini, Ju. (2021). Faktor-faktor yang berhubungan dengan kejadian postpartum blues di RS'Y' Bekasi. *MPPKI Media Publikasi Promosi Kesehatan Indonesia*, 4(4), 482–487. <https://doi.org/https://doi.org/10.56338/mppki.v4i4.1455>
- Asgarlou, Z., Arzanlou, M., & Mohseni, M. (2021). The importance of screening in prevention of postpartum depression. *Iranian Journal of Public Health*, 50(5), 1072–1073. <https://doi.org/10.18502/ijph.v50i5.6127>
- Austin, M., & Lumley, J. (2003). Antenatal screening for postnatal depression: a systematic review. *Acta Psychiatr Scand*, 107(1).
- Azale, T., Fekadu, A., Medhin, G., & Hanlon, C. (2018). Coping strategies of women with postpartum depression symptoms in rural Ethiopia: A cross-sectional community study. *BMC Psychiatry*, 18(1). <https://doi.org/10.1186/s12888-018-1624-z>
- Azwar, S. (2008). *Sikap manusia: Teori dan pengukurannya* (4th ed.). Pustaka Pelajar.

- Badr, H. A., & Zauszniewski, J. A. (2017). International Journal of Nursing Sciences Kangaroo care and postpartum depression : The role of oxytocin. *International Journal of Nursing Sciences*, 4(2), 1–5. <https://doi.org/10.1016/j.ijnss.2017.01.001>
- Balaram, K., & Raman Marwaha. (2022). *Postpartum Blues*. StatPearls Publishing LLC. This.
- Batubara, I. M. S., Silvy Irdianty, M., Aziz Pramudita, D., Husada Surakarta, K., & Jaya, J. (2022). Smart Diagnosing System Design To Accelerating Early Detection Of Postpartum Blues. *Jurnal Keperawatan Global*, 7(2). <https://doi.org/10.37341/jkg.v0i0.596>
- Bergly, T. H., Nordfjærn, T., & Hagen, R. (2014). The dimensional structure of SCL-90-R in a sample of patients with substance use disorder. *Journal of Substance Use*, 19(3), 257–261. <https://doi.org/10.3109/14659891.2013.790494>
- Betty Rahayuningsih, F. (2023). Postpartum Mom Mood Disorders under a Creative Commons Attribution-Non Commercial 4.0 International License (CC BY-NC 4.0). *Jurnal Eduhealt*, 14(04), 2023. <http://ejournal.seaninstitute.or.id/index.php/health>
- Bhengu, N. P. (2016). *The Experiences of Teenage Learners From Single Parent Households*. University of KwaZulu-Natal.
- Bloch, M., Rotenberg, N., Koren, D., & Klein, E. (2005). Risk factors associated with the development of postpartum mood disorders. *Journal of Affective Disorders*, 88(1), 9–18. <https://doi.org/10.1016/j.jad.2005.04.007>
- Buttner, M. M., O'Hara, M. W., & Watson, D. (2012). The Structure of Women's Mood in the Early Postpartum. *Assessment*, 19(2), 247–256. <https://doi.org/10.1177/1073191111429388>
- Cheng, D., Schwarz, E. B., Douglas, E., & Horon, I. (2009). Unintended pregnancy and associated maternal preconception, prenatal and postpartum behaviors. *Contraception*, 79(3), 194–198. <https://doi.org/10.1016/j.contraception.2008.09.009>
- Chiavarino, C., Rabellino, D., Ardito, R. B., Cavallero, E., Palumbo, L., Bergerone, S., Gaita, F., & Bara, B. G. (2012). Emotional coping is a better predictor of

- cardiac prognosis than depression and anxiety. *Journal of Psychosomatic Research*, 73(6), 473–475. <https://doi.org/10.1016/j.jpsychores.2012.10.002>
- Connelly, M., Brown, H., van der Pligt, P., & Teychenne, M. (2015). Modifiable barriers to leisure-time physical activity during pregnancy: A qualitative study investigating first time mother's views and experiences. *BMC Pregnancy and Childbirth*, 15(1), 1–7. <https://doi.org/10.1186/s12884-015-0529-9>
- Cooper, P. J., Murray, L., Hooper, R., & West, A. (1996). The development and validation of a predictive index for postpartum depression. In *Psychological Medicine* (Vol. 26).
- Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression: Development of the 10-Item Edinburgh Postnatal Depression Scale. *Br. J. Psychiatry*, 150, 782–786.
- Dahlan, M. S. (2011). *Penelitian Prognostik dan Sistem Skoring : Disertai Paktik dengan SPSS dan STATA* (1st ed.). Alqaprint Jatinangor.
- Darusman, & Sari, M. (2019). Hubungan Peran Petugas Kesehatan dan Dukungan Keluarga dengan Pengetahuan Ibu Hamil tentang Baby Blues di Banda Aceh. *Jurnal Pendidikan, Sains, Dan Humaniora*, 7(6), 808–816.
- Deniati, E. N. (2022). The Effect of Sports on the Phenomenon of Baby Blues Syndrome (Postpartum Blues) in Postpartum Mothers. *5th International Conference on Sport Science and Health (ICSSH 2021)*, 66–74.
- Dennis, C. L., Brown, H. K., & Brennenstuhl, S. (2017). The Postpartum Partner Support Scale: Development, psychometric assessment, and predictive validity in a Canadian prospective cohort. *Midwifery*, 54, 18–24. <https://doi.org/10.1016/j.midw.2017.07.018>
- Desai, N., & Gross, J. (2019). Scoring systems in the critically ill: uses, cautions, and future directions. In *BJA Education* (Vol. 19, Issue 7, pp. 212–218). Elsevier Ltd. <https://doi.org/10.1016/j.bjae.2019.03.002>
- Dewi, A. S., & Laelatul Qomar, U. (2022). Dukungan Keluarga pada Postpartum Blues (Family Support for Postpartum Blues). *Jurnal Surya Jurnal Media Komunikasi Ilmu Kesehatan*, 14(03). <https://doi.org/https://doi.org/10.>
- Ditjen P2P Kemenkes. (2020). *Rencana Aksi Kegiatan 2020-2024 Direktorat P2 Kesehatan Jiwa dan Napza*.

- Doornbos, B., Fekkes, D., Tanke, M. A. C., de Jonge, P., & Korf, J. (2008). Sequential serotonin and noradrenalin associated processes involved in postpartum blues. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 32(5), 1320–1325. <https://doi.org/10.1016/j.pnpbp.2008.04.010>
- Dorota Majewska, M., Ford-Rice, F., & Falkay, G. (1989). Pregnancy-induced alterations of GABAA receptor sensitivity in maternal brain: an antecedent of post-partum “blues”? In *Brain Research* (Vol. 482).
- Dphil, S. G., Dsc, T. S., & Dm, A. H. (2008). Screening and case-finding instruments for depression: a meta-analysis. *Cmaj*, 178(8), 997–1003. <http://www.cmaj.ca/cgi/reprint/178/8/997.pdf>
- Dunna, H. M. (2023). *Hubungan Antara Tingkat Stres Dan Strategi Koping Mahasiswa Bekerja Sebagai Perawat*. Universitas Islam Sultan Agung Semarang.
- DW, S., Y, S., TW, R., DR, P., IES, D., & NR, S. (2022). Social and Religious Support for Postpartum Blues During Covid-19 Pandemic in Cangkringan. *Iranian Journal of Nursing and Midwifery Research*, 20(5). <https://doi.org/10.4108/eai.30-8-2021.2316304>
- Earp, J. A., & Ennett, S. T. (1991). Conceptual models for health education research and practice Downloaded from. In *HEALTH EDUCATION RESEARCH Theory & Practice* (Vol. 6, Issue 2). <http://her.oxfordjournals.org/>
- Eckerdal, P., Georgakis, M. K., Kollia, N., Wikström, A. K., Högberg, U., & Skalkidou, A. (2018). Delineating the association between mode of delivery and postpartum depression symptoms: a longitudinal study. *Acta Obstetrica et Gynecologica Scandinavica*, 97(3), 301–311. <https://doi.org/10.1111/aogs.13275>
- Edhborg, M., Matthiesen, A. S., Lundh, W., & Widström, A. M. (2005). Some early indicators for depressive symptoms and bonding 2 months postpartum - A study of new mothers and fathers. *Archives of Women's Mental Health*, 8(4), 221–231. <https://doi.org/10.1007/s00737-005-0097-5>
- Eldawati, S. (2015). Hubungan Pengetahuan dan Sikap Ibu Nifas dengan Praktik Perawatan Masa Nifas di Kecamatan Gunungpati Kota Semarang Bulan Januari-Maret. *Jurnal Kesehatan Masyarakat*, 3(3).

- Ernawati, D., Merlin, W. O., & Ismawarti, I. (2020). Kejadian Postpartum Blues pada Ibu postpartum di RS PKU Muhammadiyah Yogyakarta. *Jurnal Ners Dan Kebidanan*, 7(2), 203–212. <https://doi.org/10.26699/jnk.v7i2.ART.p203>
- Faisal-Cury, A., Menezes, P. R., Tedesco, J. J. A., Kahalle, S., & Zugaib, M. (2008). Maternity “Blues”: Prevalence and Risk Factors. *The Spanish Journal of Psychology Copyright*, 11(2), 593.
- Fallon, V., Davies, S. M., Silverio, S. A., Jackson, L., De Pascalis, L., & Harrold, J. A. (2021). Psychosocial experiences of postnatal women during the COVID-19 pandemic. A UK-wide study of prevalence rates and risk factors for clinically relevant depression and anxiety. *Journal of Psychiatric Research*, 136(August 2020), 157–166. <https://doi.org/10.1016/j.jpsychires.2021.01.048>
- Fatimah, S., Fatmasaanti, A. U., Batari, A. K., & Watampone, T. (2020). Analisis Faktor Yang Berhubungan Dengan Jenis Persalinan Pada Ibu Hamil. *Jurnal Kebidanan*, 6(3), 277–281.
- Fatmawati, A., & Gartika, N. (2019). Hubungan Dukungan Sosial dan Perencanaan Kehamilan dengan Kejadian Postpartum Blues pada Ibu Remaja. *Jurnal Bimtas*, 3(2), 44–51.
- Fatmawati, D. A. (2015). Faktor resiko yang berpengaruh terhadap postpartum blues. *EduHealth*, 5(2), 83. <https://media.neliti.com/media/publications/244985-faktor-risiko-yang-berpengaruh-terhadap-552517d0.pdf>
- Febrina, F. (2021). Faktor-faktor yang berhubungan dengan kejadian postpartum blues di RSUD Indrasari Rengat. *Journal of Midwifery and Reproduction*, 4(2).
- Ferguson, M. K. (2007). The Rationale for Developing Scoring Systems for Clinical Practice. In *Thoracic Surgery Clinics* (Vol. 17, Issue 3, pp. 343–351). <https://doi.org/10.1016/j.thorsurg.2007.07.004>
- Fiala, A., Jan, Š., & Klánová, J. (2017a). Sociodemographic and delivery risk factors for developing postpartum depression in a sample of 3233 mothers from the Czech ELSPAC study. *BMC Psychiatry*, 17(1), 1–10. <https://doi.org/10.1186/s12888-017-1261-y>
- Fiala, A., Jan, Š., & Klánová, J. (2017b). Sociodemographic and delivery risk factors for developing postpartum depression in a sample of 3233 mothers from the

- Czech ELSPAC study. *BMC Psychiatry*, 17(1), 1–10.
<https://doi.org/10.1186/s12888-017-1261-y>
- Field, T. (1998). Maternal Depression Effects on Infants and Early Interventions 1. In *PREVENTIVE MEDICINE* (Vol. 27).
- Field, T., Diego, M., & Hernandez-Reif, M. (2009). Depressed mothers' infants are less responsive to faces and voices. In *Infant Behavior and Development* (Vol. 32, Issue 3, pp. 239–244). <https://doi.org/10.1016/j.infbeh.2009.03.005>
- Fitri, L. E., & Noviyani, E. P. (2024). Hubungan Pengetahuan, Sikap, dan Dukungan Suami terhadap Kejadian Ibu Postpartum Blues. *OPEN ACOpen ACESS Jakarta Journal Of Health Sciences OAJJHS*, 3(4).
<https://doi.org/10.53801/oajjhs.v3i4.253>
- Forman, N. D., Consultant, V., Hedegaard, M., Dalby, J., Registrar, S., & Consultant, N. J. S. (2000). Postpartum depression: identification of women at risk. In *British Journal of Obstetrics and Gynaecology* (Vol. 107).
- Gartika, N., & Fatmawati, A. (2024). Analysis of Factors Related to the Incidence of Postpartum Blues in Adolescent Mother. *Open Access Macedonian Journal of Medical Sciences*, 12(1), 1–5. <https://doi.org/10.3889/oamjms.2024.8511>
- Gerli, S., Fraternale, F., Lucarini, E., Chiaraluce, S., Tortorella, A., Bini, V., Giardina, I., Moretti, P., & Favilli, A. (2021). Obstetric and psychosocial risk factors associated with maternity blues. *Journal of Maternal-Fetal and Neonatal Medicine*, 34(8), 1227–1232. <https://doi.org/10.1080/14767058.2019.1630818>
- Ghodrati, F. (2020). Investigating Some Spiritual-Personality and Religious Aspects in the Prevention of Postpartum Blues. *International Journal of Multicultural and Multireligious Understanding*, 7(1). <https://doi.org/10.18415/ijmmu.v7i1.1335>
- Ghodrati, F., Moghtariyan, T., & Akbarzadeh, M. (2016). Islamic based Preventive Strategies for Postpartum Blues. *Scholars Journal of Applied Medical Sciences (SJAMS)*, 4(3E), 954–958. <https://doi.org/10.36347/sjams.2016.v04i03.063>
- Gondo, H. K. (2012). SKRINING EDINBURGH POSTNATAL DEPRESSION SCALE (EPDS) PADA POST PARTUM BLUES. *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 1(2), 1–13.
- Green, J., C, S., & Statham, H. (1991). EPDS by post. *Br J Psychiatry*, 1192. [10.1192/bjp.182.4.368](https://doi.org/10.1192/bjp.182.4.368)

- Grissette, B. G. (2022). An Educational Intervention Addressing Postpartum Depression and Help-Seeking Behavior : A Pilot Study. In *Georgia State University*. <https://doi.org/https://doi.org/10.31922/hjka-fy80>
- Grissette, B. G., Spratling, R., & Aycock, D. M. (2018). Barriers to Help-Seeking Behavior Among Women With Postpartum Depression. *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 47(6), 812–819. <https://doi.org/10.1016/j.jogn.2018.09.006>
- Grussu, P., & Quatraro, R. M. (2013a). Maternity Blues in Italian Primipara Women: Symptoms and Mood States in the First Fifteen Days After Childbirth. *Health Care for Women International*, 34(7), 556–576. <https://doi.org/10.1080/07399332.2012.708373>
- Grussu, P., & Quatraro, R. M. (2013b). Maternity Blues in Italian Primipara Women: Symptoms and Mood States in the First Fifteen Days After Childbirth. *Health Care for Women International*, 34(7), 556–576. <https://doi.org/10.1080/07399332.2012.708373>
- Guardino, C. M., & Dunkel Schetter, C. (2014). Coping during pregnancy: a systematic review and recommendations. In *Health Psychology Review* (Vol. 8, Issue 1, pp. 70–94). <https://doi.org/10.1080/17437199.2012.752659>
- Gutiérrez-Zotes, A., Labad, J., Martín-Santos, R., García-Esteve, L., Gelabert, E., Jover, M., Guillamat, R., Mayoral, F., Gornemann, I., Canellas, F., Gratacós, M., Guitart, M., Roca, M., Costas, J., Luis Ivorra, J., Navinés, R., de Diego-Otero, Y., Vilella, E., & Sanjuan, J. (2015). Coping strategies and postpartum depressive symptoms: A structural equation modelling approach. *European Psychiatry*, 30(6), 701–708. <https://doi.org/10.1016/j.eurpsy.2015.06.001>
- Gynecologists, A. C. of O. and. (2017). *Guidelines for Perinatal Care Eighth Edition*.
- Halima, S., Supriyadi, S., & Deniati, E. N. (2022). Dukungan Sosial Terhadap Kejadian Baby Blues di Wilayah Kerja Puskesmas Krejengan Kabupaten Probolinggo. *Sport Science and Health*, 4(3), 219–228. <https://doi.org/10.17977/um062v4i32022p219-228>
- Hamilton, J. A. (1962). Postpartum Psychiatric Problems. *Acad. Med.*, 37.
- Handayani, D. S., & Purwati, Y. (2021a). Upaya Pencegahan Gangguan Postpartum Mood Sejak Kehamilan di Masa Pandemi Covid-19 Efforts to Prevent

- Postpartum Mood Disorders Since Pregnancy During the Covid- 19 Pandemic postpartum blues merupakan sindroma Menurut data Profil kesehatan Kabupaten Bantu. *Jurnal Surya Masyarakat*, 3(2), 95–103.
- Handayani, D. S., & Purwati, Y. (2021b). Upaya Pencegahan Gangguan Postpartum Mood Sejak Kehamilan di Masa Pandemi Covid-19 Efforts to Prevent Postpartum Mood Disorders Since Pregnancy During the Covid- 19 Pandemic postpartum blues merupakan sindroma Menurut data Profil kesehatan Kabupaten Bantu. *Jurnal Surya Masyarakat*, 3(2), 95–103.
- Handayani, T. E., Santosa, B. J., Suparji, S., & Setyasih, P. A. (2021). Determinants of postpartum blues for postpartum mothers survey study at the madiun city general hospital. *Open Access Macedonian Journal of Medical Sciences*, 9(G), 288–292. <https://doi.org/10.3889/oamjms.2021.7348>
- Hardisman, H. (2021). *Penelitian Diagnostik dan prognostikLangkah Praktis Analisis Data dengan program JAMOVl, IBM-SPSS, dan STATA*. (1st ed.). Kencana.
- Harianis, S., & Sari, N. I. (2022). Analisis Faktor Yang Mempengaruhi Postpartum Blues. *JOMIS (Journal of Midwifery Science)*, 6(1), 85–94. <https://doi.org/10.36341/jomis.v6i1.2141>
- Harris, B., Lovett, L., Newcombe, R. G., Read, G. F., Walker, R., & Riad-Fahmy, D. (1994). Maternity blues and major endocrine changes: Cardiffpuerperal mood and hormone study II. *BMJ*.
- Haryanto, C. H. (2016). Apa Manfaat dari Agama? (Studi Pada Masyarakat Berama Islam Di Jakarta)A. *InSight: Jurnal Ilmiah Psikolog*, 18(1).
- Hidaayah, N. (2018). Hubungan Kesiapan Kehamilan Dengan Kejadian Post Partum Blues Pada Ibu Nifas Di RSIA Prima Husada Sidoarjo. *Journal of Health Sciences*, 8(2).
- Hosmer, D. W. ., Lemeshow, Stanley., & Sturdivant, R. X. . (2013). *Applied logistic regression*. Wiley.
- Howard, L. M., & Khalifeh, H. (2020). Perinatal mental health: a review of progress and challenges. In *World Psychiatry* (Vol. 19, Issue 3, pp. 313–327). Blackwell Publishing Ltd. <https://doi.org/10.1002/wps.20769>

- Howard, L. M., Molyneaux, E., Dennis, C. L., Rochat, T., Stein, A., & Milgrom, J. (2014). Non-psychotic mental disorders in the perinatal period. *The Lancet*, 384(9956), 1775–1788. [https://doi.org/10.1016/S0140-6736\(14\)61276-9](https://doi.org/10.1016/S0140-6736(14)61276-9)
- Huber, S., Allemand, M., & Huber, O. (2011). Forgiveness by God and Human Forgiveness: The Centrality of the Religiosity Makes the Difference. *Archive for the Psychology of Religion / Archiv Für Religionspsychologie*, 33, 115–134. <https://doi.org/10.1163/157361211X565737>
- Huber, S., & Huber, O. W. (2012). The Centrality of Religiosity Scale (CRS). *Religions*, 3(3), 710–724. <https://doi.org/10.3390/rel3030710>
- Husna Ali, R. N., Nur Octaviani Katili, D., Umar, S., & DIV Kebidanan, P. (2020). The Type of Childbirth on Post Partum Blues in Dr. MM. Dunda Hospital Limboto. *J*, 1(1), 38–43. <https://doi.org/10.36590/kepo>
- ICM. (2021). Annual & Financial Report 2021. In *International Confederation of Midwives*.
- Ijuin, T., Douchi, T., Yamamoto, S., Ijuin, Y., & Nagata, Y. (1998). The Relationship between Maternity Blues and Thyroid Dysfunction. *J. Obstet. Gynaecol. Res*, 24, 49–55.
- Indriani, I. (2022). PENANGANAN BABY BLUES SYNDROME DALAM AL-QURAN. *FITUA Jurnal Studi Islam*, 3(1).
- Indriyani, R. (2015). Hubungan Postpartum Blues, Dan Efikasi Diri Dengan Pelaksanaan Senam Nifas Di Polindes Tunas Bunda Desa Manddelen Kecamatan Lenteng Tahun 2015. *Jurnal Kesehatan "Wiraraja Medika,"* 5(1), 21–35.
- Irma, M., Liani, M., Kurniawati, D., & Sulistyorini, L. (2022). Gambaran Kejadian Postpartum Blues pada Ibu Remaja di Sukowono , Jember (The Feature of Postpartum Bues in Adolescent Mother in. 10(1), 52–58.
- Iwanowicz-Palus, G., Marcewicz, A., & Bień, A. (2021). Analysis of determinants of postpartum emotional disorders. *BMC Pregnancy and Childbirth*, 21(1). <https://doi.org/10.1186/s12884-021-03983-3>
- Jairaj, C., Fitzsimons, C. M., McAuliffe, F. M., O'Leary, N., Joyce, N., McCarthy, A., Cassidy, E., Donnelly, J., Tully, E., Imcha, M., Austin, J., Doolin, K., Farrell, C., & O'Keane, V. (2019). A population survey of prevalence rates of antenatal depression in the Irish obstetric services using the Edinburgh Postnatal

- Depression Scale (EPDS). *Archives of Women's Mental Health*, 22(3), 349–355.
<https://doi.org/10.1007/s00737-018-0893-3>
- Jayaseelan, J., & Mohan, M. P. (2020). Coping strategies used by postnatal mothers with perceived stress. In *Indian Journal of Psychiatry* (Vol. 62, Issue 4, pp. 451–452). Wolters Kluwer Medknow Publications.
https://doi.org/10.4103/psychiatry.IndianJPsychiatry_373_19
- Jeung, M.-H., & Kim, J. I. (2005). A Study on the Relationship among Prenatal Emotional Status, Preparation for Delivery, Postpartum Social Support and Postpartum Blues. *Korean J Women Health Nurs*, 11(1), 38–45.
- Jouppé, J. (2007). On postpartum blues. *Annales Médico-Psychologiques*, 165(10), 749–767. <https://doi.org/10.1016/j.amp.2007.10.015>
- Kasim, E., & Info, A. (2023). Factors Associated with Baby Blues Syndrome in Post Partum Mothers in Daya Hospital. *Journal Asia Africa Focus in Health*, 1(3).
<http://creativecommons.org/licenses/by-sa/4.0/>
- Kemendes RI. (2019). Panduan Pelayanan Pasca Persalinan bagi Ibu dan Bayi Baru Lahir. In Kementerian Kesehatan RI.
http://kesga.kemkes.go.id/images/pedoman/Buku_Panduan_Pelayanan_Pasca_Persalinan_bagi_Ibu_dan_Bayi_Baru_Lahir-Combination.pdf
- Kemendes RI. (2020). *Pedoman Pelayanan Antenatal Terpadu Edisi Ketiga*.
- Kemendes RI. (2021a). *Buku Kesehatan Ibu dan Anak*.
- Kemendes RI. (2021b). Buku KIA Kesehatan Ibu dan Anak. In *Kementrian kesehatan RI*. <https://kesmas.kemkes.go.id/konten/133/0/061918-sosialisasi-buku-kia-edisi-revisi-tahun-2020>
- Kementrian Kesehatan Republik Indonesia. (2021). Laporan Kinerja Kementrian Kesehatan Tahun 2020. *Kementrian Kesehatan Republik Indonesia Tahun 2021*, 1–224.
- Kendell, R. E., McGuire, R. J., Connor, Y., & Cox, J. L. (1981). Mood changes in the first three weeks after childbirth. *Journal of Affective Disorders*, 3(4), 317–326.
[https://doi.org/10.1016/0165-0327\(81\)90001-X](https://doi.org/10.1016/0165-0327(81)90001-X)
- Kennerley, H. (1986). Maternity Blues Reassessed. *Psychiatr. Dev.*

- Kepmenkes NOMOR HK.01.07/MENKES/320/2020 (2020).
<http://dx.doi.org/10.1016/j.ndteint.2014.07.001><https://doi.org/10.1016/j.ndteint.2017.12.003><http://dx.doi.org/10.1016/j.matdes.2017.02.024>
- Khorsandi, M., Ghofranipour, F., Hidarnia, A., Khorsandi, M.; Ghofranipour, F., Hidarnia, A., & Faghihzadeh, S. (2012a). The effect of PRECEDE PROCEED model combined with the health belief model and the theory of self-efficacy to increase normal delivery among nulliparous women. *Procedia - Social and Behavioral Sciences*, 46(4), 187–194.
<https://doi.org/10.1016/j.sbspro.2012.05.091>
- Khorsandi, M., Ghofranipour, F., Hidarnia, A., Khorsandi, M.; Ghofranipour, F., Hidarnia, A., & Faghihzadeh, S. (2012b). The effect of PRECEDE PROCEED model combined with the health belief model and the theory of self-efficacy to increase normal delivery among nulliparous women. *Procedia - Social and Behavioral Sciences*, 46(4), 187–194.
<https://doi.org/10.1016/j.sbspro.2012.05.091>
- Koenig, H. G., King, D. E., & Carson, V. B. (2012). *Handbook of religion and health* (2nd ed.). Oxford University Press.
- Kohl, C., Walch, T., Huber, R., Kemmler, G., Neurauter, G., Fuchs, D., Sölder, E., Schröcksnadel, H., & Sperner-Unterwieser, B. (2005). Measurement of tryptophan, kynurenine and neopterin in women with and without postpartum blues. *Journal of Affective Disorders*, 86(2–3), 135–142.
<https://doi.org/10.1016/j.jad.2004.12.013>
- Komite Etik Penelitian dan Pengembangan Kesehatan Nasional Kemenkes RI. (2021). *Pedoman dan Standar Etik Penelitian dan Pengembangan Kesehatan Nasional*.
- Kristi Purwadi, L., Krismayani, I., & Korespondensi, P. (2016). Kemampuan Literasi Informasi Ibu Hamil Dalam Persiapan persalinan di Kecamatan Wonosobo. *Jurnal Ilmu Perpustakaan*, 5(4).
- Kuevi, V., Causon, R., Dixson, A. F., Everard, D. M., Hall, J. M., Hole, D., Whitehead, S. A., Wilson, C. A., & Wise, J. C. M. (1983). Plasma amine and hormone changes in “post-partum blues.” In *Clinical Endocrinology* (Vol. 19).

- Kumalasari, I., & Hendawati, H. (2019). Faktor Risiko Kejadian Postpartum Blues Di Kota Palembang. *JPP (Jurnal Kesehatan Poltekkes Palembang)*, 14(2), 91–95. <https://doi.org/10.36086/jpp.v14i2.408>
- Kundaryanti, R., & Mutiara, R. (2016). Hubungan Antara Pendidikan dan Sumber Informasi dengan Tingkat pengetahuan Ibu tentang Postpartum Blues di RB Ratna Komala Bekasi Jawa Barat T. *Cyberpreneurship Innovative and Creative Exact and Social Science*, 2(1), 2356–5209.
- Kurniawati, D., & Septiyono, E. A. (2022). Determinants of Postpartum Blues in Indonesia. *Pedimaternat Nursing Journal*, 8(1), 1–8.
- Laela, S., Anna Keliat, B., & Mustikasari. (2018). Thought stopping and supportive therapy can reduce postpartum blues and anxiety parents of premature babies. *Enfermeria Clinica*, 28(Supl 1 Part A), 126–129. [https://doi.org/10.1016/S1130-8621\(18\)30051-2](https://doi.org/10.1016/S1130-8621(18)30051-2)
- Lambrinouadaki I, Rizos D, Armeni E, Pliatsika P, Leonardou A, Sygelou A, Argeitis J, & Spentzou G. (2010). Thyroid function and postpartum mood disturbances in Greek women. *Journal of Affective Disorders*, 121(3).
- LaMorte, W. W. (2019). The Health Belief Model. Boston. *University School of Public Health*, 2019.
- Lanczik, M., & Brockington, F. (1999). Das postpartale dysphorische Syndrom. *Neurol. Psychiat*, 67.
- Lara-Cinisomo, S., & Akinbode, T. D. (2020). Research Recommendations on the Effects of Postpartum Depression and Pain on Infant Care and Development. *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 49(5), 416–422. <https://doi.org/10.1016/j.jogn.2020.05.005>
- Leahy-Warren, P., Mccarthy, G., & Corcoran, P. (2012). First-time mothers: Social support, maternal parental self-efficacy and postnatal depression. *Journal of Clinical Nursing*, 21(3–4), 388–397. <https://doi.org/10.1111/j.1365-2702.2011.03701.x>
- Learman, L. A. (2018). Screening for Depression in Pregnancy and the Postpartum Period. *Clinical Obstetrics and Gynecology*, 61(3), 525–532. <https://doi.org/10.1097/GRF.0000000000000359>

- Lemeshow., Stanley. , Hosmer. , D. W. , Klar. , J. (1990). *Adequacy of sample size in health studies*. Wiley.
- LPPM UNS. (2021). *Tahapan Penelitian*. LPPM UNS.
- Lugita Sari, L., Rossita, T., & Putri, Y. (2022). The Relationship of Mother Characteristics and Family Support with the Event of Post partum Blues In BPM Listiorini. *Science Midwifery*, 10(2), 2721–9453. www.midwifery.iocspublisher.org
- Made, N., Febriyanti, A., Putu, N., Kristina, A., & Widianari, K. (2021). Hubungan Karakteristik Ibu dan Dukungan Suami Dengan Resiko Terjadinya Postpartum Blues Pada Ibu Postpartum The Relationship of Mother Characteristics and Husband Support With The Risk of Postpartum Blues In Postpartum Mothers. *PLACENTUM Jurnal Ilmiah Kesehatan Dan Aplikasinya*, 9(2), 75–81.
- Manning, B. (2011). *Transition to Parenthood*. http://www.coursewareobjects.com/objects/evolve/E2/book_pages/lowdermilk/pdfs/496-530_CH17_Lowdermilk.qxd.pdf
- Mantis, I., Mercuri, M., Stack, D. M., & Field, T. M. (2018). Depressed and non-depressed mothers' touching during social interactions with their infants. *Developmental Cognitive Neuroscience*, 35, 57–65. <https://doi.org/10.1016/j.dcn.2018.01.005>
- Manuaba. (2014). Ilmu Kebidanan, Penyakit Kandungan dan KB. In *International Journal of Africa Nursing Sciences*. EGC. <https://doi.org/10.1016/j.ijans.2020.100244>
- Manurung, S. (2018). *Penerapan Skala Maternal Blues Model Suryani Periode Antepartum Dan Postpartum Dalam Memprediksi Postpartum Blues Di DKI Wilayah Jakarta Selatan*. Universitas Indonesia.
- Manurung, S., & Setyowati, S. (2021). Development and validation of the maternal blues scale through bonding attachments in predicting postpartum blues. *Malaysian Family Physician*, 16(1), 64–74. <https://doi.org/10.51866/OA1037>
- Manurung, S., Setyowati, S., Ginanjar, A. S., Soesilo, T. E. B., & Tyastuti, D. (2019). The Item Development of Maternal Blues Suryani (MBS) Scale in the antepartum period through bonding attachment that predicting postpartum blues. *Enfermeria Clinica*, 29, 752–759. <https://doi.org/10.1016/j.enfcli.2019.06.013>

- Marwiyah, N., Suwardiman, D., Kurnia Mutia, H., Ayu Alkarimah, N., Rahayu, R., & Uzzakiyyah, I. (2022). Faktor Determinan yang Mempengaruhi terjadinya Postpartum Blues pada Ibu Nifas. *Faletehan Health Journal*, 9(1), 89–99. www.journal.lppm-stikesfa.ac.id/ojs/index.php/FHJ
- Mathisen, S. E., Glavin, K., Lien, L., & Lagerlöv, P. (2013). Prevalence and risk factors for postpartum depressive symptoms in Argentina: A cross-sectional study. *International Journal of Women's Health*, 5(1), 787–793. <https://doi.org/10.2147/IJWH.S51436>
- Mattar, B., Me, N., Rmeileh, A., & Wahdan, Y. (2023). *Postpartum Depression: Prevalence, Risk Factors, and Childbirth Experiences in Palestine*. <https://doi.org/10.21203/rs.3.rs-2680706/v1>
- M'Bailara, K., Henry, C., Lestage, J., Launay, J. M., Parrot, F., Swendsen, J., Sutter, A. L., Roux, D., Dallay, D., & Demotes-Mainard, J. (2006). Decreased brain tryptophan availability as a partial determinant of post-partum blues. *Psychoneuroendocrinology*, 31(3), 407–413. <https://doi.org/10.1016/j.psyneuen.2005.10.001>
- M'Bailara, K., Swendsen, J., Dallay, D., Roux, D., Sutter, A. L., & Henry, C. (2005). Le baby blues : caractérisation clinique et influence de variables. *L'Encéphale*, 31(3), 331–336. [https://doi.org/10.1016/S0013-7006\(05\)82398-X](https://doi.org/10.1016/S0013-7006(05)82398-X)
- Miño, M. A. A., & Flores, G. N. V. (2023). Risk Factors Associated With Maternity Blues and Postpartum Depression in Ecuadorian Women Going Through Their Immediate Puerperium During 2021: A Cross-sectional Study. *Revista Colombiana de Psiquiatría*, Oktober. <https://www.sciencedirect.com/science/article/abs/pii/S0034745023000914>
- Mochtar, A. A., Hakim, S., Priyatini, T., Tunggadewi, S. A., Erwinanto, E., & Arifin, M. T. (2018). Sistem skoring faktor risiko sebagai model prediktor kejadian cedera sfingter ani obstetrik. *Intisari Sains Medis*, 9(3), 78–84. <https://doi.org/10.1556/ism.v9i3.333>
- Mokhtaryan, T., Ghodrati, F., & Akbarzadeh, M. (2016). The Relationship between the Level of Religious Attitudes and Postpartum Blues among Pregnant Women. In *J Health Sci Surveillance Sys April* (Vol. 4, Issue 2).

- Mones, S. Y., Lada, C. O., Jutomo, L., Trisno, I., & Roga, A. U. (2023). The Influence of Individual Characteristics, Internal and External Factors of Postpartum Mothers with Baby Blues Syndrome in Rural and Urban Areas in Kupang City. *EAS Journal of Nursing and Midwifery*, 5(1), 1–9. <https://doi.org/10.36349/easjnm.2023.v05i01.001>
- Monzani, D., Steca, P., Greco, A., D'Addario, M., Cappelletti, E., & Pancani, L. (2015). The situational version of the brief COPE: Dimensionality and relationships with goal-related variables. *Europe's Journal of Psychology*, 11(2), 295–310. <https://doi.org/10.5964/ejop.v11i2.935>
- Mujab, S. T. A., Theresa, R. M., Saleh, A. Y., & Lardo, S. (2023). Social Determinants in Association with Postpartum Blues during the Transition Period of COVID-19 Pandemic. *Journal of Maternal and Child Health*, 8(2), 227–236. <https://doi.org/10.26911/thejmch.2023.08.02.10>
- Mulder, E. J. H., Robles De Medina, P. G., Huizink, A. C., van den Bergh, B. R. H., Buitelaar, J. K., & Visser, G. H. A. (2002). *Prenatal maternal stress: effects on pregnancy and the (unborn) child*. 70, 3–14. www.elsevier.com/locate/earlhumdev
- Nadariah, S., Febriyana, N., & Budiono, D. I. (2021). Hubungan Karakteristik Ibu Primipara Dengan Terjadinya Baby Blues. *Indonesian Midwifery and Health Sciences Journal*, 3(4), 278–286. <https://doi.org/10.20473/imhsj.v3i4.2019.278-286>
- Nappi, R. E., Petraglia, F., Luisi, S., Polatti, F., Farina, C., & Genazzani, A. R. (2001). Serum Allopregnanolone in Women With Postpartum “Blues.” *Obstet Gynecol*, 9(1).
- Nawrocki Maciej, Anna, Z., Piotr, W., Ilona, N., Wojciech, W., Jakub, G., & Olga, A.-G. (2021a). The problem of baby blues among Polish obstetricians - the scope of knowledge among medical students. *Journal of Education, Health and Sport*, 11(12), 80–88. <https://doi.org/http://dx.doi.org/10.12775/JEHS.2021.11.12.007>
- Nawrocki Maciej, Anna, Z., Piotr, W., Ilona, N., Wojciech, W., Jakub, G., & Olga, A.-G. (2021b). The problem of baby blues among Polish obstetricians - the scope of knowledge among medical students. *Journal of Education, Health and Sport*, 11(12), 80–88. <https://doi.org/http://dx.doi.org/10.12775/JEHS.2021.11.12.007>

- Newnham, J. P., Dennett, P. M., Ferron, S. A., Tomlin, S., Legg, C., Bourne A N D, G. L., & Rees, L. H. (1984). A Study Of The Relationship Between And Post Partum “Blues” Circulating β -Endorphin-Like Immunoreactivity. *Clinical Endocrinology*, 20, 77.
- Nirmala Sari, D., Diatri, H., Siregar, K., & Pratomo, H. (2021). *Adaptation of the edinburgh postnatal depression scale in the indonesian version: Self-reported anxiety and depression symptoms in pregnant women*. <https://scholar.ui.ac.id/en/publications/adaptation-of-the-edinburgh-postnatal-depression-scale-in-the-ind>
- Nisa, F., Damayanti, N., Suhariadi, F., Anggasari, Y., Dewi, F. E., Arini, D., & Rahman, F. S. (2021). Breastfeeding based on breastfeeding self-efficacy and social support in wonokromo surabaya. *Open Access Macedonian Journal of Medical Sciences*, 9(January 2020), 1026–1031. <https://doi.org/10.3889/oamjms.2021.6381>
- Ntaouti, E., Gonidakis, F., Nikaina, E., Varelas, D., Creatsas, G., Chrousos, G., & Sihanidou, T. (2018a). Maternity Blues: risk factors in Greek population and validity of the Greek version of Kennerley and Gath’s Blues Questionnaire. *The Journal of Maternal-Fetal & Neonatal Medicine*, 33(13). <https://doi.org/10.1080/14767058.2018.1548594>
- Ntaouti, E., Gonidakis, F., Nikaina, E., Varelas, D., Creatsas, G., Chrousos, G., & Sihanidou, T. (2018b). Maternity Blues: risk factors in Greek population and validity of the Greek version of Kennerley and Gath’s Blues Questionnaire. *The Journal of Maternal-Fetal & Neonatal Medicine*, 33(13). <https://doi.org/10.1080/14767058.2018.1548594>
- Nurbaeti, I., Lestari, K. B., & Syafii, M. (2023). Association between Islamic religiosity, social support, marriage satisfaction, and postpartum depression in teenage mothers in West Java, Indonesia: A cross-sectional study. *Belitung Nursing Journal*, 9(4), 313–321. <https://doi.org/10.33546/bnj.2661>
- Nurhayati, F., & Sophia, S. (2022). Factors Influencing the Incidence of Postpartum Blues During the COVID-19 Pandemic in Cimahi City. *KnE Medicine*, 4, 12–20. <https://doi.org/10.18502/kme.v2i2.11063>

- Nursalma, D., Sari, I. N., & Maria, C. (2023). The Relationship of Husband's Support with the Incident of Baby Blues Syndrome in the Working Area of the Baloi Permai Health Center Batam City 2022. *Zona Keperawatan: Program Studi Keperawatan Universitas Batam*, 13(3), 9–16. <https://doi.org/10.37776/zk.v13i1>
- Nyoman, N., Pradani, W., & Widyaningrum, P. (2021). Pengaruh Pendidikan Kesehatan terhadap Pengetahuan Ibu Hamil Trimester III Tentang baby Blues. *Jurnal Kesehatan Bakti Indonesia*, 2(2).
- O'Hara, M. W., & Wisner, K. L. (2014a). Perinatal mental illness: Definition, description and etiology. *Best Pract Res Clin Obstet Gynaecol.*, 28(1), 1–15. <https://doi.org/10.1016/j.bpobgyn.2013.09.002>.Perinatal
- O'Hara, M. W., & Wisner, K. L. (2014b). Perinatal mental illness: Definition, description and etiology. *Best Pract Res Clin Obstet Gynaecol.*, 28(1), 1–15. <https://doi.org/10.1016/j.bpobgyn.2013.09.002>.Perinatal
- O'Keane, V., Lightman, S., Patrick, K., Marsh, M., Papadopoulos, A. S., Pawlby, S., Seneviratne, G., Taylor, A., & Moore, R. (2011). Changes in the maternal hypothalamic-pituitary-adrenal axis during the early puerperium may be related to the postpartum “blues.” *Journal of Neuroendocrinology*, 23(11), 1149–1155. <https://doi.org/10.1111/j.1365-2826.2011.02139.x>
- Oktafia, R., Rahmayanti, R., Ainun Maghpira, D., Studi Ilmu Keperawatan, P., Muhammadiyah Yogyakarta, U., & MERCUBAKTIJAYA Padang, Stik. (2022). Peremberdayaan Masyarakat Terhadap Pencegahan Masalah Psikologis Pada Ibu Pasca Melahirkan di Wilayah Padukuhan Kalirandu Bantul Yogyakarta. *Jurnal Abdi Mercusuar*, 02(01).
- Oktaputurning, D., C., S., & Suroso, S. (2018). Post Partum Blues: Pentingnya Dukungan Sosial Dan Kepuasan Pernikahan Pada Ibu Primipara. *Psikodimensia*, 16(2), 151. <https://doi.org/10.24167/psiko.v16i2.1217>
- Okunola, T. O., Awoleke, J. O., Olofinbiyi, B., Rosiji, B., Omoya, S., & Olubiyi, A. O. (2021). Posnatal Blues: a mirage or reality. *Journal of Affective Disorders Reports*, 6(December).
- Olii, N., Salman, S., Abdul, N. A., Astuti, S. C. D., Porouw, H. S., Mohamad, S., Claudia, J. G., & Astuti, E. R. (2023). Literature Riview: Determinants of

- Postpartum Blues. *Jurnal Aisyah : Jurnal Ilmu Kesehatan*, 8(S1).
<https://doi.org/10.30604/jika.v8is1.1688>
- Omoladun, T., Olumuyiwa, J., Olofinbiyi, B., Rosiji, B., Omoya, S., & Olaolu, A. (2021). Postnatal Blues : a Mirage or Reality. *Journal of Affective Disorders Reports*, 6, 100237. <https://doi.org/10.1016/j.jadr.2021.100237>
- O'Neill, P., Cycon, A., & Friedman, L. (2019). Seeking social support and postpartum depression: A pilot retrospective study of perceived changes. *Midwifery*, 71, 56–62. <https://doi.org/10.1016/j.midw.2019.01.003>
- Palumbo, G., Mirabella, F., & Gigantesco, A. (2017). Positive screening and risk factors for postpartum depression. *European Psychiatry*, 42, 77–85. <https://doi.org/10.1016/j.eurpsy.2016.11.009>
- Pasiak, T. (2012). *Spiritualitas dan Neurosains: Tuhan Dalam Otak Manusia*. PT Mizan Pustaka.
- Pazriani, A. P. L., & Fretty Hayati, U. (2021). Pengalaman Ibu yang Mengalami postpartum blues : Literatur Revie. *Tanjungpura Journal of Nursing Practice and Education*, 3(1).
- Pebryatie, E., Paek, S. C., Sherer, P., & Meemon, N. (2022). Associations Between Spousal Relationship, Husband Involvement, and Postpartum Depression Among Postpartum Mothers in West Java, Indonesia. *Journal of Primary Care and Community Health*, 13. <https://doi.org/10.1177/21501319221088355>
- Pemko Bukittinggi. (2023). *Tentang Bukittinggi Kota Wisata dengan Pesona Alam*. <https://bukittinggikota.go.id/profil>
- Penley, J. A., Tomaka, J., & Wiebe, J. S. (2002). The Association of Coping To Physical and Psychological Health Outcomes: A Meta-Analytic Review. In *Journal of Behavioral Medicine* (Vol. 16, Issue 6).
- Peraturan Menteri Kesehatan Republik Indonesia No 21 Tahun 2021, 1 (2021).
- Pereira, A. T., Bos, S. C., Marques, M., Maia, B. R., Soares, M. J., Valente, J., Gomes, A. A., MacEdo, A., & de Azevedo, M. H. P. (2011). The postpartum depression screening scale: Is it valid to screen for antenatal depression? *Archives of Women's Mental Health*, 14(3), 227–238. <https://doi.org/10.1007/s00737-010-0178-y>

- Petersen, J., & Jhala, D. (2022). Practical Risk Scoring System for Predicting Severity of COVID-19 Disease. *Clinical Pathology*, 15. <https://doi.org/10.1177/2632010X211068427>
- Pitt, B. (1973). Maternity Blues. *The British Journal of Psychiatry*.
- Plopa, M. (2008). Rostowski, J. Kwestionariusz Dobranego Małżeństwa (KDM-2),(w:). *Więzi W Małżeństwie I Rodzinie. Metod. Badań*, 49–106.
- Porter, C. M. (2015). Revisiting Precede-Proceed: A leading model for ecological and ethical health promotion. *Health Education Journal*, 75(6), 753–764. <https://doi.org/10.1177/0017896915619645>
- Prawiroharjo, S. (2014). *Ilmu Kebidanan* (4th ed.). Yayasan Bina Pustaka Sarwono Prawirohardjo.
- Prawita, A. ayu, & Salima, M. (2018). Hubungan Pengetahuan dan Sikap Ibu Nifas tentang Perawatan Payudara dengan Pelaksanaan Perawatan Payudara. *Jurnal Bidan Komunitas*, 1(3).
- Prinz, U., Nutzinger, D. O., Schulz, H., Petermann, F., Braukhaus, C., & Andreas, S. (2013). *Comparative psychometric analyses of the SCL-90-R and its short versions in patients with affective disorders*. <http://www.biomedcentral.com/1471-244X/13/104>
- Purnamaningrum, Y. E., Kusmiyati, Y., Nugraheni, H. T., & Waryana, W. (2018). Young age pregnancy and postpartum blues incidences. *International Journal of Scientific Research And Education*, 6(2). <https://doi.org/10.18535/ij sre/v6i2.02>
- Purwati, A. I., Fitria, N., & Aifa, W. E. (2023). Faktor-Faktor yang Mempengaruhi Postpartum Blues Di BPM Elizabet Pekanbaru. *Health Care : Jurnal Kesehatan*, 12(1), 171–176.
- Purwati, Y., & Kustiningsih, K. (2018). Benefit of Childbirth Care Counseling for Mood of Postpartum Period. *Jurnal Kesehatan Masyarakat*, 13(3), 356–365. <https://doi.org/10.15294/kemas.v13i3.11275>
- Putra, W. G. A. E., Sutarga, M., Kardiwinata, M. P., Suariyani, N. L. P., Septarini, N. W., & Subrata, M. (2016). *Penelitian Uji diagnostik dan Skrining*. Program Studi Kesehatan Masyarakat Fakultas Kedokteran Universitas Udayana.

- Putri, H. F. W., & Putri, F. R. (2022). How to cope with baby blues: a case report. *Journal of Psychiatry Psychology and Behavioral*, 3(1), 10–12. <https://doi.org/10.21776/ub.jppbr.2022.003.01.4>
- Putriarsih, R., Budihastuti, U. R., & Murti, B. (2018). Prevalence and Determinants of Postpartum Depression in Sukoharjo District, Central Java. *Journal of Maternal and Child Health*, 03(01), 395–408. <https://doi.org/10.26911/thejmch.2017.03.01.02>
- Putriarsih, R., Retno Budihastuti, U., & Murti, B. (2018). Prevalence and Determinants of Postpartum Depression in Sukoharjo District, Central Java. *Journal of Maternal and Child Health (JMCH)*, 3(1). <https://doi.org/10.26911/thejmch.2018.03.01.02>
- Qiftiyah, M. (2018). Gambaran Faktor-Faktor (Dukungan Keluarga, Pengetahuan, Status Kehamilan Dan Jenis Persalinan) Yang Melatarbelakangi Kejadian Post Partum Blues Pada Ibu Nifas Hari Ke-7 (Di Polindes Doa Ibu Gesikharjo dan Polindes Teratai Kradenan Palang). *Jurnal Kebidanan Universitas Islam Lamongan*, 10(2).
- Qonita, Q., Umalilhayati, U., & Muhida, V. (2021). Analisis Faktor Risiko Terjadinya Postpartum Blues Di Ruang Wijaya Kusuma. *Journal Of Applied Health Research And Development*, 3(1), 1–16.
- Rahmah, N., & Kurniawati, W. (2021). Relationship between marriage readiness and pregnancy planning among prospective brides. In *Journal of Public Health Research* (Vol. 10, Issue s1).
- Rahmawati, R., Junuda, J., & Rukmiyanti, R. (2021). Dukungan keluarga, Sindrom baby blues, Ibu pasca melahirkan C. *Jurnal Imiah Obsgin*, 13(2), 1–9.
- Raja, S. N., Finster, M., & Wood, M. (2005). The Apgar Score Has Survived the Test of Time. *Anesthesiology*, 32, 260–267. <http://www.anesthesiology.org>,
- Reck, C., Stehle, E., Reinig, K., & Mundt, C. (2009). Maternity blues as a predictor of DSM-IV depression and anxiety disorders in the first three months postpartum. *Journal of Affective Disorders*, 113(1–2), 77–87. <https://doi.org/10.1016/j.jad.2008.05.003>

- Renata, B., & Agus, D. (2021). Association of husband support and postpartum blues in postpartum women. *Indonesian Journal of Obstetrics and Gynecology*, 9(3), 140–143. <https://doi.org/10.32771/inajog.v9i3.1467>
- Rezaie-keikhaie, Khadije, Arbabshastan, Edris, M., Ra, Hosein, & Amirshahi, M. (2020a). Prevalence of the Maternity Blues in the Postpartum Period. *J Obstet Gynecol Neonatal Nurs*, 49(2 February), 127–136. <https://doi.org/10.1016/j.jogn.2020.01.001>
- Rezaie-keikhaie, Khadije, Arbabshastan, Edris, M., Ra, Hosein, & Amirshahi, M. (2020b). Prevalence of the Maternity Blues in the Postpartum Period. *J Obstet Gynecol Neonatal Nurs*, 49(2 February), 127–136. <https://doi.org/10.1016/j.jogn.2020.01.001>
- Riskesdas. (2018). *Riset Kesehatan Dasar*.
- Risnawati, R., & Susilawati, D. (2018). Gambaran Kejadian Post Partum Blues Pada Ibu Nifas Di Kelurahan Nanggalo Wilayah Kerja Puskesmas Nanggalo Padang Tahun 2018. *Jurnal Kesehatan Paca Bhakti Lampung*, VI(2), 138–148.
- Ristanti, A. D., & Masita, E. D. (2020). The Influence of Husbands's Support on health seeking Behavior in Madurase Mothers with postpartum blues. *Childhood Stunting, Wasting, and Obesity, as the Critical Global Health Issues: Forging Cross-Sectoral Solutions*, 63–68. <https://doi.org/10.26911/the7thicph-FP.03.13>
- Rizki, I. W. S. (2022). *Pengaruh Coping Strategies terhadap Psychological Distress pada Remaja Panti Asuhan*. Universitas ANdalas.
- Rizki Sepriani, D., Indo Virawati, D., & Wiyadi, W. (2020). *Faktor Yang Berhubungan Dengan Kejadian Postpartum Blues Di Wilayah Puskesmas Remaja Tahun 2020*. Poltekkes Kemenkes Kalimantan Timur.
- Rondó, P. H. C., Ferreira, R. F., Nogueira, F., Ribeiro, M. C. N., Lobert, H., & Artes, R. (2003). Maternal psychological stress and distress as predictors of low birth weight, prematurity and intrauterine growth retardation. *European Journal of Clinical Nutrition*, 57(2), 266–272. <https://doi.org/10.1038/sj.ejcn.1601526>
- Ronneberg, C. R., Miller, E. A., Dugan, E., & Porell, F. (2016). The protective effects of religiosity on depression: A 2-year prospective study. *Gerontologist*, 56(3), 421–431. <https://doi.org/10.1093/geront/gnu073>

- Rosa, E. M., Apriyanti, P., & Astuti, D. A. (2021). Husband ' s Support in the Taking- hold Phase of Postpartum (Phenomenology Study). *Macedonian Journal of Medical Sciences*, 9(T4), 97–100. <https://doi.org/https://doi.org/10.3889/oamjms.2021.5761>
- Rosmiarti, Ria, G., Maya, A., & Jamalluddin, S. B. (2020). Murotal Al-Quran therapy on decreasing labor pain and anxiety in maternity mothers first phase. *Enfermeria Clinica*, 30, 110–114. <https://doi.org/10.1016/j.enfcli.2019.11.034>
- Sacher, J., Chechko, N., Dannlowski, U., Walter, M., & Derntl, B. (2020). The peripartum human brain: Current understanding and future perspectives. In *Frontiers in Neuroendocrinology* (Vol. 59). Academic Press Inc. <https://doi.org/10.1016/j.yfrne.2020.100859>
- Sacher, J., Wilson, A. A., Houle, S., Rusjan, P., Hassan, S., Bloomfield, P. M., Stewart, D. E., & Meyer, J. H. (2010). Elevated brain monoamine oxidase A binding in the early postpartum period. *Archives of General Psychiatry*, 67(5), 468–474. <https://doi.org/10.1001/archgenpsychiatry.2010.32>
- Samria, S., & Indah Haerunisa. (2021). Hubungan Dukungan Suami Dengan Kejadian Post Partum Blues Di Wilayah Perkotaan. *Jurnal Kesehatan Masyarakat*, 07(1), 52–58. <https://doi.org/http://dx.doi.org/10.35329/jkesmas.v7i1>
- Santy, F. N., & Wahid, S. N. (2019). PENURUNAN GEJALA BABY BLUES MELALUI TERAPI MUSIK KLASIK MOZART PADA IBU POST PARTUM Kelahiran seorang bayi merupakan salah satu kehidupan dan Postnatal ibu Post partum Secara umum ada tiga partum Blues atau lebih sering dikenal Baby blues , depresi Post p. *Jurnal Panca Bhakti Lampung*, VII(September), 117–124.
- Saraswati, E. D. (2018). Faktor yang berpengaruh terhadap kejadian postpartum blues. *Jurnal Ilmiah Kesehatan*, 11(2).
- Sari, I. N., & Sansuwito, T. Bin. (2024). Correlation Between Age, Education, Parity, Social Support, And the Incidence of Postpartum Blues. *MEDIS: Jurnal Riset Ilmu Kesehatan*, 1(1).
- Sarli, D., Gunawan, I., Novinaldi, & Poddar, S. (2020). Early screening of baby blues based on Android applications: First-week postpartum. *Enfermeria Clinica*, 30(2019), 129–132. <https://doi.org/10.1016/j.enfcli.2019.11.038>

- Sarli, D., & Ifayanti, T. (2018). Baby Blues Screening on Post-Partum Mother By Comparing Epds and Phq-9 Methods for Health-Care Service and Public Applications in Lubuk Buaya Community Health Care Padang City, Indonesia. *Malaysian Journal of Medical Research*, 2(2), 75–79. <https://doi.org/10.31674/mjmr.2018.v02i02.011>
- Schwarzer, R., & Schulz, U. (2003). Soziale Unterstützung bei der Krankheitsbewältigung: Die Berliner Social Support Skalen (BSSS) Social Support in Coping with Illness: The Berlin Social Support Scales (BSSS). *Diagnostica*, 49, 73–82. <http://www.coping.de>
- Shoae, F., Mohsenpour, Z., Najarzadegan, M. R., Nekouhi, S., Razmjouei, P., Babakhanian, M., Ghazanfarpour, M., Dizavandi, F. R., & Kareshki, H. (2019). Sensitivity and Specificity of the Edinburgh Postnatal Depression Scale (EPDS) among Iranian Mothers: A Psychometric Study. *Systematic Review*, 7(72), 10533–10540. <https://doi.org/10.22038/ijp.2019.44006.3653>
- Silbert-Flagg, J., & Adele Pillitter. (2018). *Maternal & child health nursing care of the childbearing and childrearing family 8th edition* (8th ed.). Wolters Kluwer Health.
- Slamet, W. N., & Aprilina, H. D. (2019). Hubungan Kematangan Emosional dan Peran Suami dengan Kesiapan Primigravida Menghadapi Persalinan. *Jurnal Smart Keperawatan*, 6(2), 86. <https://doi.org/10.34310/jskp.v6i2.266>
- Slavin, V., Creedy, D. K., & Gamble, J. (2020). Comparison of screening accuracy of the Patient Health Questionnaire-2 using two case-identification methods during pregnancy and postpartum. *BMC Pregnancy and Childbirth*, 20(1), 1–15. <https://doi.org/10.1186/s12884-020-02891-2>
- Soemanto, R., & Murti, B. (2020). Meta-Analysis: The Association between Social Support and Postpartum Depression. *Journal of Maternal and Child Health*, 06, 641–650. <https://doi.org/10.26911/thejmch.2020.05>
- Soetrisno, S., Hari Respati, S., Sulistyowati, S., & Kurniawan, H. (2017). The Impacts of Stimulation in Protracted Labor to Cortisol Levels and Post-Partum Blues. *Folia Medica Indonesiana*, 53(1).

- Sofah, F., Endang, I., Surjaningrum, R., Endang, K. :, Surjaningrum, R., Klinis, D. P., Mental, K., Psikologi, F., Airlangga, U., Dalam, J. D., & Surabaya, S. (2010). Coping Strategy pada Mahasiswa Salah Jurusan. *Jurnal Isan*, 12(2).
- Sofi, A. (n.d.). *Metode Scoring System*. Retrieved January 27, 2023, from <http://methodmetode.blogspot.com/2013/09/metode-scoring-system.html>
- Spielberger, C., Gorsuch, R., Lushene, R., Vagg, P., & Jacobs, G. (1983). Manual for the State-Trait Anxiety Inventory (Self-evaluation Questionnaire) Factor Structure, Reliability, and Validity of the Japanese Version of the Disgust Propensity and Sensitivity Scale-Revised. In *Consulting Psychologists Press*. Consulting Psychologists Press. <https://cir.nii.ac.jp/crid/1370285712575158016>
- Stein, G. S. (1980). The pattern of mental change and body weight change in the first post-partum week. *Journal of Psychosomatic Research*, 24(3–4), 165–171. [https://doi.org/10.1016/0022-3999\(80\)90038-0](https://doi.org/10.1016/0022-3999(80)90038-0)
- Stovyanti, S. (2021). *Determinan Persiapan Persalinan Dan Kesiapsiagaan Komplikasi Pada Wanita Hamil Yang Menghadiri Layanan Antenatal Di Indonesia*. Universitas Hasanudin.
- Sugiyono. (2013). *Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif, dan R&D*. Alfabeta.
- Sumarni, D., Santi, Y., Ronny, T., Prima, D., Diannisa, I., & Siti, N. (2022, April 21). *Social and Religious Support for Postpartum Blues During Covid-19 Pandemic in Cangkringan*. <https://doi.org/10.4108/eai.30-8-2021.2316304>
- Supriyanti, M. (2022). Jenis Persalinan, Kesiapan Ibu dan Komplikasi/Penyulit Persalinan berhubungan dengan Pospartum Blues di Desa Sukawening. *Open Access Jakarta Journal of Health Sciences*, 1(11), 380–386. <https://doi.org/10.53801/oajjhs.v1i11.80>
- Susanti, L. W., & Sulistiyanti. (2017). Analisa faktor-faktor penyebab terjadinya baby blues syndrom pada ibi nifas. *INFOKES*, 7(2).
- Susilawati, B., Dewayani, E. R., Oktaviani, W., & Rahadhian, A. (2019). *Faktor-Faktor Yang Mempengaruhi Kejadian Post Partum Blues Di RS Akademik Universitas Gadjah Mada (Factors Influencing The Post Partum Blues Incidence At Universitas Gadjah Mada Academic Hospital) Rumah Sakit Akademik Universitas Gadjah Mada Jl . Kabupa*. 5(1), 77–86.

- Syafma, N. K., Haryanti, D., Kartika Ningsih, N., & Mariana, S. (2024). Hubungan Usia dan Dukungan Suami pada Ibu Hamil terhadap Pencegahan terjadinya Baby Blues di PMB Azimah Kota Jambi. *JETISH: Journal of Education Technology Information Social Sciences and Health* , 1(1).
- Syahidah, A. N., & Rumiyati, E. (2021). *Pengaruh Pendidikan Kesehatan dengan Media Booklet Postpartum Blues terhadap Pengetahuan Ibu Primipara Di Rumah Sakit Kasih Ibu Surakarta*. Universitas kusuma Husada.
- Tarisa, N., Octarianingsih, F., Ladyani, F., & Pramesti, W. (2020). Distribusi Frekuensi Kejadian Postpartum Blues Pada Ibu Pascamelahirkan. *Jurnal Ilmiah Kesehatan Sandi Husada* , 12(2). <https://doi.org/10.35816/jiskh.v10i2.430>
- Teissèdre, F., & Chabrol, H. (2004). Detecting Women at Risk for Postnatal Depression Using the Edinburgh Postnatal Depression Scale at 2 to 3 Days Postpartum. *Canadian Journal of Psychiatry*, 49(1), 51–54. <https://doi.org/10.1177/070674370404900108>
- Tosto, V., Ceccobelli, M., Lucarini, E., Tortorella, A., Gerli, S., Parazzini, F., & Favilli, A. (2023). Maternity Blues: A Narrative Review. In *Journal of Personalized Medicine* (Vol. 13, Issue 1). MDPI. <https://doi.org/10.3390/jpm13010154>
- Triasani, D., & Hikmawati, R. (2016). Hubungan Kecemasan Ibu Hamil Terhadap Kejadian Preeklamsia Di RSUD Majalaya Kabupaten Bandung. *Jurnal Ilmiah Bidan*, 1(3), 14–18. <https://e-journal.ibi.or.id/index.php/jib/article/view/13>
- Tsai, S. Y. (2023). Perinatal Depressive Symptoms among Pregnant Employees in Taiwan. *International Journal of Environmental Research and Public Health*, 20(4). <https://doi.org/10.3390/ijerph20043354>
- Upadhyay, R. P., Chowdhury, R., Salehi, A., Sarkar, K., & Singh, K. (2017). Systematic reviews Postpartum depression in India : a systematic review and meta-analysis. *Bulletin of the World Health Organization*, 95(10), 706–717.
- Utami, F. P., & Nurfita, D. (2022). Postpartum blues reviewed by the risk factors in Indonesia. *Journal of Ideas in Health*, 5(4). <https://doi.org/10.47108/jidhealth.Vol5.Iss4.258>
- UU No 13 Tahun 2003.

- Verkerk, G. J. M., Denollet, J., Van Heck, G. L., Van Son, M. J. M., & Pop, V. J. M. (2005). Personality factors as determinants of depression in postpartum women: A prospective 1-year follow-up study. *Psychosomatic Medicine*, 67(4), 632–637. <https://doi.org/10.1097/01.psy.0000170832.14718.98>
- Vidayati, L. A., & Zainiyah, H. (2021). Determinant Factors that has Associated with Incidence of Postpartum Blues in the one of Primary General and Maternity Clinic in East Java, Indonesia. *Journal of International Dental and Medical Research*, 14(2), 845–848.
- Walker, L. O., & Murry, N. (2022). Maternal Stressors and Coping Strategies During the Extended Postpartum Period: A Retrospective Analysis with Contemporary Implications. *Women's Health Reports*, 3(1), 104–114. <https://doi.org/10.1089/whr.2021.0134>
- Watson, J. P., ELLIOTT, S. A., RUGG, A. J., & BROUGH, D. I. (1984). Psychiatric Disorder in Pregnancy and the First Postnatal Year. *British Journal of Psychiatry*, 144, 453–462. <https://doi.org/10.1192/bjp.144.5.453>
- Wawan A, & Dewi. M. (2011). *Teori dan Pengukuran Pengetahuan, Sikap, dan Perilaku Manusia. Dilengkapi Contoh Kuesioner*. Nuha Medika.
- WHO. (2022). WHO urges quality care for women and newborns in critical first weeks after childbirth. *Who*, 22–24. <https://www.who.int/news/item/30-03-2022-who-urges-quality-care-for-women-and-newborns-in-critical-first-weeks-after-childbirth>
- Wildali, D., Nazzal, S., Hamshari, S., & Belkebir, S. (2024). Prevalence and risk factors of postpartum depression among women attending primary healthcare centers in northern of West Bank/ Palestine: a cross-sectional study, 2022. *BMC Women's Health*, 24(1). <https://doi.org/10.1186/s12905-024-02887-6>
- Wilkinson, A., Anderson, S., Wheeler, S. B., Health, C., Hill, C., Drive, D., & Hill, C. (2018). Screening for and treating postpartum depression and psychosis: A cost-effectiveness analysis. *Maternal and Child Health Journal*, 21(4), 903–914. <https://doi.org/10.1007/s10995-016-2192-9>
- Wulansari, P. S., Istiaji, E., & Ririanty, M. (2017). Hubungan antara Pengetahuan Ibu tentang baby Blues, Proses Persalinan dan paritas dengan baby Blues Di RSIA

- Srikandi IBI Kabupaten Jember. *IKESMA Jurnal Ilmu Kesehatan Masyarakat*, 13(1).
- Wurisastuti, T., & Mubasyiroh, R. (2020). Prevalensi dan Prediktor depresi pasca persalinan : Data Komunitas Riskesdas 2018. *Seminar Nasional Kesehatan Masyarakat*.
- Yalom, I. D., Lunde, D. T., Moos, R. H., & Hamburg, D. A. (1968). Postpartum Blues” Syndrome. A Description and Related Variables. *Acta Obstetrica et Gynaecologica Japonica*, 18, 16–27.
<https://doi.org/10.1001/archpsyc.1968.01740010018003>
- Yanti, Y. D., & Farida. (2022). Hubungan Riwayat Persalinan Normal Dengan Tindakan Dengan Kejadian Postpartum Blues Di Puskesmas Wara Kota Palopo. *Bina Generasi ; Jurnal Kesehatan*, 3(EDISI 13 VOLUME), p-ISSN : 1979-150X ; e-ISSN: 2621-2919.
<https://ejurnal.biges.ac.id/index.php/kesehatan/article/view/171/115>
- Yohannes, A. M., Koenig, H. G., Baldwin, R. C., & Connolly, M. J. (2008). Health behaviour, depression and religiosity in older patients admitted to intermediate care. *International Journal of Geriatric Psychiatry*, 23(7), 735–740.
<https://doi.org/10.1002/gps.1968>
- Yolanda, D. (2019). Faktor Determinan yang Mempengaruhi Kejadian Post Partum Blues pada Ibu Nifas di Wilayah Kerja Puskesmas Ibul Kota Payakumbuh. *Dinamika Kesehatan Jurnal Kebidanan Dan Keperawatan*, 10(2), 537–545.
<https://doi.org/10.33859/dksm.v10i2.521>
- Yunita, S., Salat, S., & Suprayitno, E. (2022). Relationship Between Age , Parity Status With The Incidence Of Postpartum. *Healthy MU Journal*, 6(1), 20–23.
- Yunitasari, E., & Suryani, S. (2020a). Postpartum Blues : Sebuah Tinjauan Literatur. *Wellness and Healthy Magazine*, 2(2), 303–307.
- Yunitasari, E., & Suryani, S. (2020b). Postpartum Blues : Sebuah Tinjauan Literatur. *Wellness and Healthy Magazine*, 2(2), 303–307.
- Yuniwati, C., Fahriany, F., & Fahriany, C. (2016). Kejadian Baby Blues Syndrom pada Ibu Postpartum di Rumah Sakit Ibu dan Anak Kota Banda Aceh. *Jurnal Imiah PANnMED*, 10(3), 305–308.
<https://doi.org/https://doi.org/10.36911/pannmed.v10i3.157>

Zanardo, V., Volpe, F., Luca, F. De, Giliberti, L., Parotto, M., Straface, G., Soldera, G., Zanardo, V., Volpe, F., Luca, F. De, & Giliberti, L. (2020). Maternity blues : a risk factor for anhedonia , anxiety , and depression components of Edinburgh Postnatal Depression Scale. *The Journal of Maternal-Fetal & Neonatal Medicine*, 33(23), 1–7. <https://doi.org/10.1080/14767058.2019.1593363>

Zawadzki, B., & Strelau, J. (1998). Structure of personality: Search for a general factor viewed from a temperament perspective. In *Personality and Individual Differences* (Vol. 49, Issue 2, pp. 77–82). <https://doi.org/10.1016/j.paid.2010.03.025>

Zulianti, E., & Aniroh, U. (2021). Korelasi Paritas dengan Kemampuan Ibu Postpartum dalam Merawat Bayi Baru Lahir. *Cendikia Utama Jurnal Keperawatand an Kesehatan Masyarakat*, 10(1).

