

DAFTAR PUSTAKA

1. Waliullah RM, Rehan AI, Awual ME, Rasee AI, Sheikh MC, Salman MS, et al. Optimization of toxic dye removal from contaminated water using chitosan-grafted novel nanocomposite adsorbent. *J Mol Liq*. 2023;388(July).
2. Wang G, Yang R, Liu Y, Wang J, Tan W, Liu X, et al. Adsorption of Cd(II) onto *Auricularia auricula* spent substrate biochar modified by CS₂: Characteristics, mechanism and application in wastewater treatment. *J Clean Prod* [Internet]. 2022;367(November 2021):132882. Available from: <https://doi.org/10.1016/j.jclepro.2022.132882>
3. Yuan X, Zhao C, Chen X, Zhou Y, Xi S, Liu S. Desalination and Water Treatment. *Desalin Water Treat*. 2018;319(May).
4. Chowdhury P, Athapaththu S, Elkamel A, Ray AK. Visible-solar-light-driven photo-reduction and removal of cadmium ion with Eosin Y-sensitized TiO₂ in aqueous solution of triethanolamine. *Sep Purif Technol* [Internet]. 2017;174:109–15. Available from: <http://dx.doi.org/10.1016/j.seppur.2016.10.011>
5. Chen D, Sivakumar M, Ray AK. Heterogeneous photocatalysis in environmental remediation. *Dev Chem Eng Miner Process*. 2000;8(5–6):505–50.
6. Kumordzi G, Malekshoar G, Yanful EK, Ray AK. Solar photocatalytic degradation of Zn²⁺ using graphene based TiO₂. *Sep Purif Technol* [Internet]. 2016;168:294–301. Available from: <http://dx.doi.org/10.1016/j.seppur.2016.05.040>
7. Nguyen VNH, Amal R, Beydoun D. Effect of formate and methanol on photoreduction/removal of toxic cadmium ions using TiO₂ semiconductor as photocatalyst. *Chem Eng Sci*. 2003;58(19):4429–39.
8. Wu R, Liu W, Bai R, Tian X, Lin W, Li L, et al. Enhanced photocatalytic activity of porous TiO₂ containing C/P/K derived from grapefruit peel. *RSC Adv*. 2024;14(22):15604–18.
9. Wang D, Choi D, Yang Z, Viswanathan V V., Nie Z, Wang C, et al. Synthesis and li-ion insertion properties of highly crystalline mesoporous rutile TiO₂. *Chem Mater*. 2008;20(10):3435–42.
10. Pan L, Huang H, Lim CK, Hong QY, Tse MS, Tan OK. TiO₂ rutile-anatase core-shell nanorod and nanotube arrays for photocatalytic applications. *RSC Adv*. 2013;3(11):3566–71.
11. Yan H, Wang X, Yao M, Yao X. Band structure design of semiconductors for enhanced photocatalytic activity: The case of TiO₂. *Prog Nat Sci Mater Int*. 2013;23(4):402–7.
12. Ahmad W, Shah R, Ali J, Shah NS, Al-anazi A. International Journal of Hydrogen Energy TiO₂ and non-metal doped TiO₂ nanoparticles : Synthesis and applications for green energy production. 2025;149(June).
13. Zhou J, Tian G, Chen Y, Wang JQ, Cao X, Shi Y, et al. Synthesis of hierarchical TiO₂ nanoflower with anatase-rutile heterojunction as Ag support for efficient visible-light

- photocatalytic activity. *Dalt Trans.* 2013;42(31):11242–51.
14. Khan JA, Han C, Shah NS, Khan HM, Nadagouda MN, Likodimos V, et al. Ultraviolet-Visible Light-Sensitive High Surface Area Phosphorous-Fluorine-Co-Doped TiO₂ Nanoparticles for the Degradation of Atrazine in Water. *Environ Eng Sci.* 2014;31(7):435–46.
 15. Wang J, Tafen DN, Lewis JP, Hong Z, Manivannan A, Zhi M, et al. Origin of photocatalytic activity of Nitrogen-doped TiO₂ nanobelts. *J Am Chem Soc.* 2009;131(34):12290–7.
 16. Wellia DV, Nofebriani D, Pratiwi N, Safni S. Synthesis of Porous N-doped TiO₂ by Using Peroxo Sol-Gel Method for Photocatalytic Reduction of Cd(II). *Bull Chem React Eng Catal.* 2022;17(1):103–12.
 17. Wellia DV, Syafawi A, Putri YE, Muldarisnur N. The effect of cetyltrimethylammonium bromide (CTAB) addition on green synthesis of porous N-doped TiO₂ for photoreduction of heavy metal ion Cr(vi). *RSC Adv.* 2023;13(42):29645–56.
 18. Akhter P, Arshad A, Saleem A, Hussain M. Recent Development in Non-Metal-Doped Titanium Dioxide Photocatalysts for Different Dyes Degradation and the Study of Their Strategic Factors: A Review. *Catalysts.* 2022;12(11).
 19. Program Ujedinjenih nacija za životnu sredinu (UNEP). Final review of scientific information on cadmium. UNEP Chem Branch, Geneva, Switz. 2010;(December):201.
 20. A.C.T. Per P, P. Kodithu S, V. Sundara T, Edirisingh U. Bioaccumulation of Cadmium in Freshwater Fish: An Environmental Perspective. *Insight Ecol.* 2015;4(1):1–12.
 21. Onyenanu C, Onyenanu IU. Advanced Treatment Technologies for Heavy Metal Removal from Water and Wastewater : 2025;(June).
 22. Honda AF and K. Electrochemical Photolysis of Water at a Semiconductor Electrode One and Two-dimensional Structure of Alpha-Helix and Beta-Sheet Forms of Poly (L- Alanine) shown by Specific Heat Measurements at Low Temperatures (1 . 5-20 K). *Nature.* 1972;238:37–8.
 23. Carey JH, Lawrence J, Tosine HM. Titanium Dioxide in Aqueous Suspensions. *Bull Environ Contam Toxicol.* 1976;16(6):697–701.
 24. Wang G, Lv S, Shen Y, Li W, Lin L, Li Z. Advancements in heterojunction, cocatalyst, defect and morphology engineering of semiconductor oxide photocatalysts. *J Mater.* 2024;10(2):315–38.
 25. Vajda K, Saszet K, Kedves EZ, Kása Z, Danciu V, Baia L, et al. Shape-controlled agglomeration of TiO₂ nanoparticles. New insights on polycrystallinity vs. single crystals in photocatalysis. *Ceram Int [Internet].* 2016;42(2):3077–87. Available from: <http://dx.doi.org/10.1016/j.ceramint.2015.10.095>
 26. Mohsin M, Bhatti IA, Zeshan M, Yousaf M, Iqbal M. Prospects, challenges, and opportunities of the metals-modified TiO₂ based photocatalysts for hydrogen generation

- under solar light irradiation: A review. *FlatChem*. 2023;42(August).
27. Sadia SI, Shishir MKH, Ahmed S, Aidid AR, Islam MM, Rana MM, et al. Crystallographic biography on nanocrystalline phase of polymorphs titanium dioxide (TiO_2): A perspective static review. *South African J Chem Eng*. 2024;50(July):51–64.
 28. Wei L, Yu C, Zhang Q, Liu H, Wang Y. TiO_2 -based heterojunction photocatalysts for photocatalytic reduction of CO_2 into solar fuels. *J Mater Chem A*. 2018;6(45):22411–36.
 29. Basavarajappa PS, Patil SB, Ganganagappa N, Reddy KR, Raghu A V., Reddy CV. Recent progress in metal-doped TiO_2 , non-metal doped/codoped TiO_2 and TiO_2 nanostructured hybrids for enhanced photocatalysis. *Int J Hydrogen Energy*. 2020;45(13):7764–78.
 30. Fakhouri H. Dépôt de couches minces de TiO_2 par pulvérisation magnétron et stratégie de dopage à l'azote pour des applications photocatalytiques dans le visible. 2013;(September).
 31. Asahi R, Morikawa T, Ohwaki T, Aoki K, Taga Y. Visible-light photocatalysis in nitrogen-doped titanium oxides. *Science (80-)*. 2001;293(5528):269–71.
 32. Romero-Gómez P, Hamad S, González JC, Barranco A, Espinós JP, Cotrino J, et al. Band gap narrowing versus formation of electronic states in the gap in N- TiO_2 thin films. *J Phys Chem C*. 2010;114(51):22546–57.
 33. Schwarzmann LS, Benninghaus L, Lindner SN, Wendisch VF. Prospects of formamide as nitrogen source in biotechnological production processes. *Appl Microbiol Biotechnol*. 2024;108(1):1–16.
 34. Lan K, Wang R, Zhang W, Zhao Z, Elzatahry A, Zhang X, et al. Mesoporous TiO_2 Microspheres with Precisely Controlled Crystallites and Architectures. *Chem*. 2018;4(10):2436–50.
 35. Bellardita M, Di Paola A, Megna B, Palmisano L. Determination of the crystallinity of TiO_2 photocatalysts. *J Photochem Photobiol A Chem*. 2018;367:312–20.
 36. Zuryati UK. Modifikasi TiO_2 Melalui Penambahan Mesopori dan Doping Material Berbasis Karbon untuk Meningkatkan Efektifitasnya dalam Reaksi Fotokatalisis. *Artik Rev*. 2019;1(1):1–8.
 37. Calatayud DG, Rodríguez M, Jardiel T. Controlling the morphology of TiO_2 nanocrystals with different capping agents. *Bol la Soc Esp Ceram y Vidr*. 2015;54(4):159–65.
 38. Mursal I, Dahlan D. Pengaruh Penambahan CTAB Terhadap Nilai Absorbansi Dan. 2016;1:5–9.
 39. Luo L, Liang R, Zhong J, Li J. Polyethylene glycol assisted preparation of AgI with enhanced photocatalytic activity. *Solid State Sci [Internet]*. 2021;116(January):106610. Available from: <https://doi.org/10.1016/j.solidstatesciences.2021.106610>
 40. El-Desoky MM, Morad I, Wasfy MH, Mansour AF. Synthesis, structural and electrical properties of PVA/ TiO_2 nanocomposite films with different TiO_2 phases prepared by sol–

- gel technique. *J Mater Sci Mater Electron* [Internet]. 2020;31(20):17574–84. Available from: <https://doi.org/10.1007/s10854-020-04313-7>
41. Sheha E, Nasr M, El-Mansy MK. Characterization of poly (vinyl alcohol)/poly(3,4-ethylenedioxythiophene) poly(styrenesulfonate) polymer blend: Structure, optical absorption, electrical and dielectric properties. *Phys Scr*. 2013;88(3).
 42. Sinha S, Chatterjee SK, Ghosh J, Meikap AK. Dielectric relaxation and ac conductivity behaviour of polyvinyl alcohol–HgSe quantum dot hybrid films. *J Phys D Appl Phys* [Internet]. 2014 Jun;47(27):275301. Available from: <https://dx.doi.org/10.1088/0022-3727/47/27/275301>
 43. Sagadevan S, Imteyaz S, Murugan B, Anita Lett J, Sridewi N, Weldegebrerial GK, et al. A comprehensive review on green synthesis of titanium dioxide nanoparticles and their diverse biomedical applications. *Green Process Synth*. 2022;11(1):44–63.
 44. Iravani S. Green synthesis of metal nanoparticles using plants. *Green Chem*. 2011;13(10):2638–50.
 45. Mohan S, Vellakkat M, Aravind A, Reka U. Hydrothermal synthesis and characterization of Zinc Oxide nanoparticles of various shapes under different reaction conditions. *Nano Express*. 2020;1(3).
 46. Hossain MZ, Nayem SMA, Alam MS, Islam MI, Seong G, Chowdhury AN. Hydrothermal ZnO Nanomaterials: Tailored Properties and Infinite Possibilities. *Nanomaterials*. 2025;15(8).
 47. Gan YX, Jayatissa AH, Yu Z, Chen X, Li M. Hydrothermal Synthesis of Nanomaterials. *J Nanomater*. 2020;2020.
 48. Ahmadi S, Asim N, Alghoul MA, Hammadi FY, Saeedfar K, Ludin NA, et al. The role of physical techniques on the preparation of photoanodes for dye sensitized solar cells. *Int J Photoenergy*. 2014;2014.
 49. Holder CF, Schaak RE. Tutorial on Powder X-ray Diffraction for Characterizing Nanoscale Materials. *ACS Nano*. 2019;13(7):7359–65.
 50. Bunaciu AA, Udriștioiu E gabriela, Aboul-Enein HY. X-Ray Diffraction: Instrumentation and Applications. *Crit Rev Anal Chem*. 2015;45(4):289–99.
 51. Cheng X, Yu X, Xing Z, Yang L. Synthesis and characterization of N-doped TiO₂ and its enhanced visible-light photocatalytic activity. *Arab J Chem*. 2016;9:S1706–11.
 52. Gong Y, Chen X, Wu W. Application of fourier transform infrared (FTIR) spectroscopy in sample preparation: Material characterization and mechanism investigation. *Adv Sample Prep* [Internet]. 2024;11(June):100122. Available from: <https://doi.org/10.1016/j.sampre.2024.100122>
 53. Rajamannan B, Mugundan S, Viruthagiri G, Praveen P, Shanmugam N. Linear and nonlinear optical studies of bare and copper doped TiO₂ nanoparticles via sol gel technique. *Spectrochim Acta - Part A Mol Biomol Spectrosc* [Internet]. 2014;118:651–6.

- Available from: <http://dx.doi.org/10.1016/j.saa.2013.09.045>
54. Mohammed Azad, Abdullah Avin. Scanning Electron Microscopy (SEM): A review. *Proc 2018 Int Conf Hydraul Pneum - HERVEX*. 2018;7(January):77–85.
 55. Sahdiah H, Kurniawan R. Optimasi Tegangan Akselerasi pada Scanning Electron Microscope – Energy Dispersive X-Ray Spectroscopy (SEM-EDX) untuk Pengamatan Morfologi Sampel Biologi. *J Sains dan Edukasi Sains*. 2023;6(2):117–23.
 56. Hull M, Kennedy AJ, Detzel C, Vikesland P, Chappell MA. T © 2012. 2012;10881–2.
 57. Ambroz F, Macdonald TJ, Martis V, Parkin IP. Evaluation of the BET theory for the characterization of meso and microporous MOFs. *Small Methods*. 2018;2(11).
 58. Armbruster MH, Austin JB. The Adsorption of Gases on Plane Surfaces of Mica. *J Am Chem Soc*. 1938;60(2):467–75.
 59. Brunauer S, Emmett PH, Teller E. Adsorption of Gases in Multimolecular Layers. *J Am Chem Soc*. 1938;60(2):309–19.
 60. Akash MSH, Rehman K. Essentials of pharmaceutical analysis. *Essentials of Pharmaceutical Analysis*. 2019. 1–222 p.
 61. Praveen P, Viruthagiri G, Mugundan S, Shanmugam N. Structural, optical and morphological analyses of pristine titanium di-oxide nanoparticles - Synthesized via sol-gel route. *Spectrochim Acta - Part A Mol Biomol Spectrosc* [Internet]. 2014;117(October 2017):622–9. Available from: <http://dx.doi.org/10.1016/j.saa.2013.09.037>
 62. Skoog HN. *Principals of Instrumental Analysis*, 5th edition. Canada; 1997.
 63. Yudoyono B. *Spektrometri*. Palembang; 2017. 60 p.
 64. Esmat M, El-Hosainy H, Tahawy R, Jevasuwan W, Tsunoji N, Fukata N, et al. Nitrogen doping-mediated oxygen vacancies enhancing co-catalyst-free solar photocatalytic H₂ production activity in anatase TiO₂ nanosheet assembly. *Appl Catal B Environ* [Internet]. 2021;285(November 2020):119755. Available from: <https://doi.org/10.1016/j.apcatb.2020.119755>
 65. Goutam SP, Saxena G, Singh V, Yadav AK, Bharagava RN, Thapa KB. Green synthesis of TiO₂ nanoparticles using leaf extract of *Jatropha curcas* L. for photocatalytic degradation of tannery wastewater. *Chem Eng J*. 2018;336(December 2017):386–96.
 66. Manzoli M, Freyria FS, Blangetti N, Bonelli B. Brookite, a sometimes under evaluated TiO₂ polymorph. *RSC Adv*. 2022;12(6):3322–34.
 67. Mahendrasingh P, Vrushali N, Manisha G, Anita K, Rahul T. Effect of Nitrogen Doping on Photocatalytic Activity of TiO₂. *J Nanosci Technol*. 2020;6(4):918–23.
 68. Pelizzetti E, Calza P, Mariella G, Maurino V, Minero C, Hidaka H. Different photocatalytic fate of amido nitrogen in formamide and urea. *Chem Commun*. 2004;4(13):1504–5.
 69. Wu W, Zhang L, Zhai X, Liang C, Yu K. Preparation and photocatalytic activity analysis of nanometer TiO₂ modified by surfactant. *Nanomater Nanotechnol*. 2018;8:1–8.
 70. Li L, Zheng X, Zhang F, Yu H, Wang H, Jia Z, et al. Formamide hydrothermal

- pretreatment assisted camellia shell for upgrading to N-containing chemical and supercapacitor electrode preparation using the residue. *Energy*. 2023;265(July 2022).
71. Yue W, Xu X, Irvine JTS, Attidekou PS, Liu C, He H, et al. Mesoporous monocrystalline TiO_2 and its solid-state electrochemical properties. *Chem Mater*. 2009;21(12):2540–6.
 72. Sing KSW, Williams RT. Physisorption hysteresis loops and the characterization of nanoporous materials. *Adsorpt Sci Technol*. 2004;22(10):773–82.
 73. Zhang M, Lei J, Shi Y, Zhang L, Ye Y, Li D, et al. Molecular weight effects of PEG on the crystal structure and photocatalytic activities of PEG-capped TiO_2 nanoparticles. *RSC Adv*. 2016;6(86):83366–72.
 74. Hanaor DAH, Sorrell CC. Review of the anatase to rutile phase transformation. *J Mater Sci*. 2011;46(4):855–74.
 75. Schwardmann LS, Benninghaus L, Lindner SN, Wendisch VF. Prospects of formamide as nitrogen source in biotechnological production processes. *Appl Microbiol Biotechnol* [Internet]. 2024;108(1):1–16. Available from: <https://doi.org/10.1007/s00253-023-12962-x>
 76. da Silva Cardoso R, Maria de Amorim S, Scaratti G, Moura-Nickel CD, Muniz Moreira RP, Li Puma G, et al. Structural, optical and photocatalytic properties of erbium (Er^{3+}) and yttrium (Y^{3+}) doped TiO_2 thin films with remarkable self-cleaning super-hydrophilic properties. *RSC Adv*. 2020;10(29):17247–54.
 77. Nawawi WI, Zaharudin R, Ishak MAM, Ismail K, Zuliahani A. The preparation and characterization of immobilized TiO_2 /PEG by using DSAT as a support binder. *Appl Sci*. 2017;7(1).
 78. Natarajan TS, Mozhiarasi V, Tayade RJ. Nitrogen Doped Titanium Dioxide (N- TiO_2): Synopsis of Synthesis Methodologies, Doping Mechanisms, Property Evaluation and Visible Light Photocatalytic Applications. *Photochem*. 2021;1(3):371–410.
 79. Christoforidis KC, Fornasiero P. Photocatalytic Hydrogen Production: A Rift into the Future Energy Supply. *ChemCatChem*. 2017;9(9):1523–44.
 80. Oboh IO, Aluyor EO, Audu TOK. Second-order kinetic model for the adsorption of divalent metal ions on *Sida acuta* leaves. *Int J Phys Sci*. 2013;8(34):1722–8.
 81. Tmacl K, Tunggal B. Jurnal Kimia Sains dan Aplikasi Sintesis Silika Kristalin Menggunakan Surfactan Cetiltrimetilamonium Bromida (CTAB) dan Trimetilamonium. 2018;11(1):20–8.
 82. Sun X, Yi M, Feng B, Liu R, Sun L, Zhai L, et al. Shape-stabilized composite phase change material PEG@ TiO_2 through in situ encapsulation of PEG into 3D nanoporous TiO_2 for thermal energy storage. *Renew Energy* [Internet]. 2021;170:27–37. Available from: <https://doi.org/10.1016/j.renene.2021.01.114>