

DAFTAR PUSTAKA

- Abdulah, L. (2019). The growth and yield of *Calliandra calothyrsus* trees as biomass-based energy feedstock. *IOP Conference Series: Earth and Environmental Science*, 308(1). <https://doi.org/10.1088/1755-1315/308/1/012078>
- Abqoriyah, Utomo, R., & Suwignyo, B. (2015). Productivity of calliandra (*calliandra calothyrsus*) as a forage in the different defoliation time. *Buletin Peternakan*, 39(2), 103–108.
- Adaganti, S. Y., Yaliwal, V. S., Kulkarni, B. M., Desai, G. P., & Banapurmath, N. R. (2014). Factors affecting bioethanol production from lignocellulosic biomass (*Calliandra calothyrsus*). *Waste and Biomass Valorization*, 5(6), 963–971. <https://doi.org/10.1007/s12649-014-9305-8>
- Adelia, P., Nurcahyani, E., dan Tundjung, T. H. (2020). Analisis kandungan klorofil total dan karbohidrat terlarut planlet sawi caisim (*Brassica rapa*.L.) resisten terhadap cekaman kekeringan secara *in vitro* dengan *Polyethylene Glycol* (PEG) 6000. *Bioeksperimen*, 20(20), 10-20.
- Ahmed, U., Rao, M. J., Qi, C., Xie, Q., Noushahi, H. A., Yaseen, M., Shi, X., & Zheng, B. (2021). Expression profiling of flavonoid biosynthesis genes and secondary metabolites accumulation in *populus* under drought stress. *Molecules*, 26(18), 5546. <https://doi.org/10.3390/molecules26185546>
- Akbar, R. I. N. (2017). *Karakteristik Pellet Kaliandra Merah (Calliandra calothyrsus) Sebagai Energi Bahan Bakar Ramah Lingkungan*. Skripsi Sarjana Kehutanan Fakultas Kehutanan Institut Pertanian Bogor. Bogor. <http://repository.ipb.ac.id/handle/123456789/84210>
- Almaghrabi, O.A. (2012). Impact of drought stress on germination and seedling growth parameters of some wheat cultivars. *Life Sci. J*, 9, 590–598
- Alscher, K.T., Phang, P., Mc-Donald, T.E., & Walley, K.R. (2001). Enteral feeding deceases gut apoptosis, permeability, and lung inflammation during murine endotoxemia. *Am J Physiol Gastrointest LiverPhysiol*, 281, 569-576
- Anindya, W., Palupi, D., & Budisantoso, I. (2024). Efektivitas Pertumbuhan dan Hasil Tanam Beberapa Kultivar Kedelai (*Glycine max* (L) Merr.) dengan Pemberian Polietilena Glikol (PEG) Untuk Simulasi Cekaman Kekeringan. *Al-Kauniyah: Jurnal Biologi*, 17(1), 133–143. <https://doi.org/10.15408/kauniyah.v17i1.29345>
- Anjarsari, I. R. D., Suminar, E., & Murgayanti, M. (2022). Studi pendahuluan regenerasi eksplan teh sebagai upaya percepatan penyediaan bibit unggul secara *in vitro*. *Kultivasi*, 21(3), 360-368. <https://doi.org/10.24198/kultivasi.v21i3.36607>

- Anjum, S. A., Ashraf, U., Tanveer, M., Khan, I., Hussain, S., Shahzad, B., Zohaib, A., Abbas, F., Saleem, M. F., Ali, I., & Wang, L. C. (2017). Drought induced changes in growth, osmolyte accumulation and antioxidant metabolism of three maize hybrids. *Frontiers in Plant Science*, 8, 1–12. <https://doi.org/10.3389/fpls.2017.00069>
- Arif, M.F. & Aloysius, S. (2024). Pengaruh perlakuan PEG (Polyethylene Glycol) pada media kultur in vitro terhadap anatomi akar, kandungan katalase dan akumulasi malondialdehid kedelai varietas deja 2 (*Glycine max* cv. “deja 2”). *Biota : Jurnal Ilmiah Ilmu-Ilmu Hayati*, 9(1), 58–66. <https://doi.org/10.24002/biota.v9i1.7346>
- Arimarsetiowati, R. (2012). Kultur jaringan tanaman kopi. *Warta*, 24(2), 13–17.
- Ashraf, M., Ahmad, A., & McNeilly, T. (2001). Growth and photosynthetic characteristics in pearl millet under water stress and different potassium supply. *Photosynthetica*, 39, 389–394. <https://doi.org/10.1023/A:1015182310754>
- Augustien, N., Pribadi, D. H., & Purwanto, D. A. (2020). *In Vitro Culture Technology for the Production of Secondary Metabolites and the Development of Plants That are Resistant to Climate Change*. 30–36. <https://doi.org/10.11594/nstp.2020.0604>
- Awad, W., Byrne, P. F., Reid, S. D., Comas, L. H., & Haley, S. D. (2018). Great plains winter wheat varies for root length and diameter under drought stress. *Agronomy Journal*, 110(1), 226–235. <https://doi.org/10.2134/agronj2017.07.0377>
- Azhari, S. (2019). Identification of drought tolerance of west sumatera local rice (*Oryza sativa* L.) at germination stage using PEG 8000. *Department of Biology, Faculty of Mathematics and Natural Sciences, Universitas Negeri Padang*, 4(1), 21–28.
- Barney, D. L., Lopez, O. A., & King, E. (2007). Micropropagation of cascade huckleberry, mountain huckleberry, and oval-leaf bilberry using woody plant medium and Murashige and Skoog medium formulations. *HortTechnology*, 17(3), 279–284. <https://doi.org/10.21273/horttech.17.3.279>
- Basri, A. H. H. (2016). Kajian Pemanfaatan Kultur Jaringan Dalam Perbanyakan Tanaman Bebas Virus. *Agrica Ekstensi*, 10(1), 64–73.
- Bates, L. S., Waldre, R. P., & Teare, L. D. (1973). Rapid determination of free praline for water stress studies. *Plant and Soil*, 39, 85–92.
- Beers, R. F., & Sizer, I. W. (1952). A spectrophotometric method for measuring the breakdown of hydrogen peroxide by catalase. *The Journal of Biological Chemistry*, 195(1), 133–140. [https://doi.org/10.1016/s0021-9258\(19\)50881-x](https://doi.org/10.1016/s0021-9258(19)50881-x)

- Bell, R.L., Srinivasan, C., & Lomberg, D. (2009). Effect of nutrient media on axillary shoot proliferation and preconditioning for adventitious shoot regeneration of pears *in vitro* cell. *In Vitro Cellular and Developmental Biology – Plant*, 45(6), 708–714. [10.1007/s11627-009-9196-8](https://doi.org/10.1007/s11627-009-9196-8)
- Bhusnure, O.G., & Kazi, P. A. S. G. (2014). Solid dispersion : an ever green method for solubility enhancement of poorly water soluble drugs. *International Journal of Research in Pharmacy and Chemistry*, 4(4), 906–918.
- Bozin, B., Mimica-Dukic, N., Samojlik, I., Goran, A., & Igic, R. (2008). Phenolics as antioxidants in garlic (*Allium sativum* L., Alliaceae). *Food Chemistry*, 111(4), 925–929. <https://doi.org/10.1016/j.foodchem.2008.04.071>
- Cartelat, A., Cerovic, Z. G., Goulas, Y., Meyer, S., Lelarge, C., Prioul, J. L., Barbottin, A., Jeuffroy, M. H., Gate, P., Agati, G., & Moya, I. (2005). Optically assessed contents of leaf polyphenolics and chlorophyll as indicators of nitrogen deficiency in wheat (*Triticum aestivum* L.). *Field Crops Research*, 91(1), 35–49. <https://doi.org/10.1016/j.fcr.2004.05.002>
- Chamberlain, J. R. (2001). *Calliandra calothyrsus* an agroforestry tree for the humid tropics. *Tropical Forestry Papers*, 40(0), 1–100.
- Cirillo, V., D'Amelia, V., Esposito, M., Amitrano, C., Carillo, P., Carputo, D., & Maggio, A. (2021). Anthocyanins are key regulators of drought stress tolerance in tobacco. *Biology*, 10(2), 139. <https://doi.org/10.3390/biology10020139>
- Crupi, P., Faienza, M. F., Naeem, M. Y., Corbo, F., Clodoveo, M. L., & Muraglia, M. (2023). Overview of the potential beneficial effects of carotenoids on consumer health and well-being. *Antioxidants (Basel, Switzerland)*, 12(5), 1069. <https://doi.org/10.3390/antiox12051069>
- Dabravolski, S. A., & Isayenkov, S. V. (2023). The role of anthocyanins in plant tolerance to drought and salt stresses. *Plants*, 12(13), 2558. <https://doi.org/10.3390/plants12132558>
- Daning, D. R. A., & Foekh, B. (2018). Evaluasi produksi dan kualitas nutrisi pada bagian daun dan kulit kayu *Calliandra callotirsus* dan *Gliricidia sepium*. *Sains Peternakan*, 16(1), 7. <https://doi.org/10.20961/sainspet.v16i1.14984>
- De Vega, J. J., Teshome, A., Klaas, M., Grant, J., Finnan, J., & Barth, S. (2021). Physiological and transcriptional response to drought stress among bioenergy grass *Miscanthus* species. *Biotechnology for Biofuels*, 14(1), 1–13. <https://doi.org/10.1186/s13068-021-01915-z>
- Demmig-Adams, B., & Adams, W. W. (1996). The role of xanthophyll cycle carotenoids in the protection of photosynthesis. *Trends in Plant Science*, 1(1), 21–26. [https://doi.org/10.1016/S1360-1385\(96\)80019-7](https://doi.org/10.1016/S1360-1385(96)80019-7)
- Depkes RI. (2017). *Farmakope Herbal Indonesia*. Edisi II. Departemen Kesehatan

Republik Indonesia. Jakarta.

- Dietrich, D. (2018). Hydrotropism: How roots search for water. *Journal of Experimental Botany*, 69(11), 2759–2771. <https://doi.org/10.1093/jxb/ery034>
- Dixon, R.A., & Gonzales, R.A. (1994). *Plant Cell Culture a Practical Approach*. Second Edition. Oxford University Press. New York.
- Dumanović, J., Nepovimova, E., Natić, M., Kuća, K., & Jaćević, V. (2021). The significance of reactive oxygen species and antioxidant defense system in plants: a concise overview. *Frontiers in Plant Science*, 11. <https://doi.org/10.3389/fpls.2020.552969>
- Ekasari, I. (2019). Affect of canopy stratum and methods of breaking seed dormancy on seedling growth of *Calliandra tetragona* Beth. and *Acacia tamarindifolia* (L.) Willd. *Jurnal Biologi Indonesia*, 7(2), 243–249.
- El Moukhtari, A., Cabassa-Hourton, C., Farissi, M., & Savouré, A. (2020). How does proline treatment promote salt stress tolerance during crop plant development?. *Frontiers in Plant Science*, 11(7), 1–16. <https://doi.org/10.3389/fpls.2020.01127>
- Fajarditta, F., Sumarsono, S., & Kusmiyati F. (2012). Serapan unsur hara nitrogen dan fosfor beberapa tanaman legum pada jenis tanah yang berbeda. *Animal Agriculture Journal*, 1 (2), 41-50.
- Farooq, M., Wahid, A., Kobayashi, N., & S.M.A. Fujita, D. B. (2009). Plant drought stress : effects , mechanisms and management To cite this version : Review article. *Agronomy for Sustainable Development*, 29(1), 185–212.
- Fathurrahman, F., Mulyani, S., & Candra, R. P. (2022). Pengaruh waktu pemberian dan konsentrasi paclobutrazol terhadap perlambatan pertumbuhan trembesi (*Albizia saman* Jacq). *Jurnal Agrotek Tropika*, 10(1), 137. <https://doi.org/10.23960/jat.v10i1.5481>
- Fenta, B. A., Beebe, S. E., Kunert, K. J., Burrige, J. D., Barlow, K. M., Lynch, J. P., & Foyer, C. H. (2014). Field phenotyping of soybean roots for drought stress tolerance. *Agronomy*, 4(3), 418–435. <https://doi.org/10.3390/agronomy4030418>
- Filartiga, A. L., Klimeš, A., Altman, J., Nobis, M. P., Crivellaro, A., Schweingruber, F., & Doležal, J. (2022). Comparative anatomy of leaf petioles in temperate trees and shrubs: the role of plant size, environment and phylogeny. *Annals of botany*, 129(5), 567–582. <https://doi.org/10.1093/aob/mcac014>
- Gharibi, S., Sayed Tabatabaei, B. E., Saeidi, G., Talebi, M., & Matkowski, A. (2019). The effect of drought stress on polyphenolic compounds and expression of flavonoid biosynthesis related genes in *Achillea pachycephala* Rech.f. *Phytochemistry*, 162, 90–98. <https://doi.org/10.1016/j.phytochem.2019.03.004>

- Gill, S. S., & Tuteja, N. (2010). Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiology and Biochemistry*, 48(12), 909–930. <https://doi.org/10.1016/j.plaphy.2010.08.016>
- Global Biodiversity Information Facility. (2024). *Calliandra calothyrsus* Meisn. <https://www.gbif.org/species/2982069>. 13 November 2024.
- Haghpanah, M., Hashemipetroudi, S., Arzani, A., & Araniti, F. (2024). Drought tolerance in plants: physiological and molecular responses. *Plants*, 13(21), 1–30. <https://doi.org/10.3390/plants13212962>
- Hapsari, B. W., Martin, A. F., & Ermayanti, M. (2017). Perlakuan Polyethylene Glycol secara in vitro terhadap pertumbuhan tunas mutan taka untuk seleksi toleran kekeringan. *Proshiding*, 262–271.
- Hartanti, D. L., Maharani, L., & Sucianingtyas Sukamto, D. (2017). Perbandingan kombinasi konsentrasi ZPT (BAP & NAA) media WPM Terhadap induksi kalus pada eksplan daun muda tanaman karet (*Hevea Brasilliensis* Muell. Arg). *Prosiding Seminar Nasional Simbiosis II*, 246–254.
- Hendrati, R.L., & Hidayati, N. (2014). *Budidaya Kaliandra (Calliandra calothyrsus) untuk bahan baku sumber energi*. Bogor. IPB Press.
- Hendrati, R. L., & Nurrohmah, S. H. (2015). Genetic improvement of *Leucaena leucocephala* for wood energy. *Tropical Grasslands-Forrajes Tropicales*, 7(2), 210–213. [https://doi.org/10.17138/TGFT\(7\)210-213](https://doi.org/10.17138/TGFT(7)210-213)
- Hendrati, R. L., & Nurrohmah, S. H. (2018). Quality of genetically-improved *Acacia auriculiformis* for renewable short-rotation wood-energy. *Jurnal Manajemen Hutan Tropika*, 24(3), 136–143. <https://doi.org/10.7226/jtfm.24.3.136>
- Hendrati, R. L., & Nurrohmah, S. H. (2019). Breeding for better growth of *Calliandra calothyrsus* Meissn., a fast growing legume for wood-energy. *Jurnal Perbenihan Tanaman Hutan*, 7(1), 13–20. <https://doi.org/10.20886/bptpth.2019.7.1.13-20>
- Herman, E. B. (2017). Plant tissue culture contamination: Challenges and opportunities. *Acta Horticulturae*, 1155, 231–237. <https://doi.org/10.17660/ActaHortic.2017.1155.33>
- Herdiawan, I., Fanindi, A. dan, & Semali, A. (2000). Karakteristik dan pemanfaatan kaliandra (*Calliandra calothyrsus*). *Lokakarya Nasional Tanaman Pakan Ternak*, 141–148.
- Idris, M., & Mansyurdin. (2011). Tanggapan fisiologis somaktonal andalas (*Morus macroura* Miq.var. *macroura*) pada peningkatan kandungan Polietilena Glikol dalam medium seleksi cekaman kekeringan in vitro. *Prosiding Seminar Nasional Biologi, Januari*, 717-728.
- Idris, M., Asman, A., Sore, D., Joniarti, E., Mohtar, U., Harmailis, Nefri, J. & Salvia.

- (2024a). Propagasi *in vitro* kaliandra merah (*Calliandra calothyrsus* Meisn.) I: perkecambahan biji dan inisiasi tunas dari eksplan hipokotil dan nodus. *Jurnal Pendidikan Biologi*, 11, 32-45.
- Idris, M., Asman, A., Sore, D., Joniarti, E., Mohtar, U., Harmailis, Nefri, J. & Salvia. (2024b). Propagasi *in vitro* kaliandra merah (*Calliandra calothyrsus* Meisn.) II: induksi perakaran tunas dan aklimatisasi planlet. *Jurnal Ilmu Biologi*, 12, 351-366.
- Imana, C., Aguyoh, J. N., & Opiyo, A. (2010). Growth and physiological changes of tomato as influenced by soil moisture levels Résumé. 11(September), 69–75.
- Inahana, A. (2020). *Simulasi Kekeringan PEG 6000 Beberapa Kultivar Kentang (Solanum tuberosum L.) secara In Vitro*. Skripsi Sarjana Biologi Fakultas Sains dan Teknologi Universitas Islam (UIN) Maulana Malik Ibrahim. Malang, Jawa Tengah.
- iNaturalist. (2024). *Zapoteca tetragona*. iNaturalist. <https://www.inaturalist.org/taxa/287905-Zapoteca-tetragona>. 13 November 2024.
- Ji, H., Liu, L., Li, K., Xie, Q., Wang, Z., Zhao, X., & Li, X. (2014). PEG-mediated osmotic stress induces premature differentiation of the root apical meristem and outgrowth of lateral roots in wheat. *Journal of Experimental Botany*, 65(17), 4863–4872. <https://doi.org/10.1093/jxb/eru255>
- Jomo, O. M., Netondo, G. W., & Musyimi, D. M. (2015). Growth changes of seven *Amaranthus* (spp) during the vegetative and reproductive stages of development as influenced by variations in soil water deficit. *International Journal of Research and Innovations in Earth Science*, 2(6), 2394–1375.
- Kang, J., Peng, Y., & Xu, W. (2022). Crop root responses to drought stress: molecular mechanisms, nutrient regulations, and interactions with microorganisms in the rhizosphere. *International Journal of Molecular Sciences*, 23(16). <https://doi.org/10.3390/ijms23169310>
- Kariuki, L. W., Masinde, P., Githiri, S., & Onyango, A. N. (2016). Effect of water stress on growth of three linseed (*Linum usitatissimum* L.) varieties. *SpringerPlus*, 5(1). <https://doi.org/10.1186/s40064-016-2348-5>
- Khafid, A., Suedy, S. W. A., & Nurchayati, Y. (2021). Chlorophylls and carotenoid content of indonesian bay leaf (*Syzgium polyanthym* (Wight) Walp.) at different ages. *Buletin Anatomi Dan Fisiologi*, 6(1), 74–80. <http://ejournal2.undip.ac.id>
- Khafri, A.Z., Mahmood, S., Reza, Z., Baratali, F., Nafiseh, M., & Masoud, N. (2020). *In vitro* propagation of three Iranian apricot cultivars. *In Vitro Cellular & Developmental Biology – Plant*, 57(1), 102–117. <https://doi.org/10.1007/s11627-020-10112-w>

- Khayatnezhad, M., Gholamin, R., Jamaati-E-Somarin, S., & Zabihi-E-Mahmoodabad, R. (2010). Effects of PEG stress on corn cultivars (*Zea mays* L.) at germination stage. *World Applied Sciences Journal*, 11(5), 504–506.
- Kholová, J., Hash, C. T., Kočová, M., & Vadez, V. (2011). Does a terminal drought tolerance QTL contribute to differences in ROS scavenging enzymes and photosynthetic pigments in pearl millet exposed to drought? *Environmental and Experimental Botany*, 71(1), 99–106. <https://doi.org/10.1016/j.envexpbot.2010.11.001>
- Kovalikova, Z., Jiroutova, P., Toman, J., Dobrovolna, D., & Drbohlavova, L. (2020). Physiological responses of apple and cherry in vitro culture under different levels of drought stress. *Agronomy*, 10(11), 1–13. <https://doi.org/10.3390/agronomy10111689>
- Kulkarni, M., & Deshpande, U. (2007). In vitro screening of tomato genotypes for drought resistance using polyethylene glycol. *African Journal of Biotechnology*, 6(6), 691–696.
- Lensari, D., Yuningsih, L., & Rosalia, I. (2019). *Pertumbuhan bibit kaliandra pada media semai lahan pascatambang batu bara*. 275–285.
- Lesueur, D., Founoune, H., & Lebonvallet, S. (2010). Effect of rhizobial inoculation on growth of *Calliandra* tree species under nursery conditions. *New Forests*, 39(3), 129–137. <https://doi.org/10.1007/s11056-009-9166-3>
- Liu, Y., Wang, L., Li, Y., Li, X., & Zhang, J. (2019). Proline metabolism-related gene expression in four potato genotypes in response to drought stress. *Biologia Plantarum*, 63, 757–764. <https://doi.org/10.32615/bp.2019.153>
- Lovelli, S., Potenza, G., Castronuovo, D., Perniola, M., & Candido, V. (2017). Yield, quality and water use efficiency of processing tomatoes produced under different irrigation regimes in Mediterranean environment. *Italian Journal of Agronomy*, 12(1), 17–24. <https://doi.org/10.4081/ija.2016.795>
- Lynch, J. (1995). Root architecture and plant productivity. *Plant Physiology*, 109(1), 7–13. <https://doi.org/10.1104/pp.109.1.7>
- Malekpour, F. A., Salimi, A., Pirbalouti, G. (2016). The effect of chitosan and jasmonate eliminators on physiological and phytochemical properties and expression of chavicol-o-methyltransferase gene in Iranian basil under drought stress. Thesis in Plant Physiology, Kharazmi University of Tehran, Iran.
- Medina-Lozano, I., Bertolín, J. R., & Díaz, A. (2024). Impact of drought stress on vitamin C and anthocyanin content in cultivated lettuces (*Lactuca sativa* L.) and wild relatives (*Lactuca* spp.). *Frontiers in Plant Science*, 15(March), 1–10. <https://doi.org/10.3389/fpls.2024.1369658>
- Meher, Shivakrishna, P., Ashok Reddy, K., & Manohar Rao, D. (2018). Effect of PEG-

- 6000 imposed drought stress on RNA content, relative water content (RWC), and chlorophyll content in peanut leaves and roots. *Saudi Journal of Biological Sciences*, 25(2), 285–289. <https://doi.org/10.1016/j.sjbs.2017.04.008>
- Minarti, S., Jaya, F., & Merlina, P. (2016). The effect of honey harvesting time on kaliandra plant area (*Calliandra calothyrsus*) to the production, moisture, viscosity and sugar content. *Jurnal Ilmu Dan Teknologi Hasil Ternak*, 11(1), 46–51. <https://doi.org/10.21776/ub.jitek.2016.011.01.1.5>
- Mishra, N., Tripathi, M. K., Tiwari, S., Tripathi, N., Sapre, S., Ahuja, A., & Tiwari, S. (2021). Cell suspension culture and in vitro screening for drought tolerance in soybean using Poly-Ethylene Glycol. *Plants*, 10(3), 1–20. <https://doi.org/10.3390/plants10030517>
- Molnar, S., Clapa, D., & Mitre, V. (2022). Response of the five highbush blueberry cultivars to in vitro induced drought stress by Polyethylene Glycol. *Agronomy*, 12(3), 1–16. <https://doi.org/10.3390/agronomy12030732>
- Mustamu, N. E., Tampubolon, K., Alridiwersah, Basyuni, M., Al-Taey, D. K. A., Jawad Kadhim Al Janabi, H., & Mehdizadeh, M. (2023). Drought stress induced by polyethylene glycol (PEG) in local maize at the early seedling stage. *Heliyon*, 9(9), e20209. <https://doi.org/10.1016/j.heliyon.2023.e20209>
- Nakabayashi, R., Mori, T., & Saito, K. (2014). Alternation of flavonoid accumulation under drought stress in *Arabidopsis thaliana*. *Plant signaling & behavior*, 9(8), e29518. <https://doi.org/10.4161/psb.29518>
- Nas, N.M., Leyla, G., Nevzat, S., Murat, A., Merve, D., & Zahide, S. (2012). Micropropagation of mature *Crataegus aronia* L., a medicinal and ornamental plant with rootstock potential for pome fruit. *Plant Growth Regul*, 67(1), 57-63. [10.1007/s10725-012-9662-x](https://doi.org/10.1007/s10725-012-9662-x)
- Nazirah, L. (2024). Pengaruh PEG (Polietilena Glikol) 6000 terhadap ketahanan kekeringan pada fase perkecambahan tanaman padi (*Oryza sativa* L.). *Jurnal Pertanian Agros*, 26(1), 46. <https://doi.org/10.37159/jpa.v26i1.4136>
- Nicolescu, V. N., Hernea, C., Bakti, B., Keserű, Z., Antal, B., & Rédei, K. (2018). Black locust (*Robinia pseudoacacia* L.) as a multi-purpose tree species in Hungary and Romania: a review. *Journal of Forestry Research*, 29(6), 1449–1463. <https://doi.org/10.1007/s11676-018-0626-5>
- Niinemets, Ü., Al Afas, N., Cescatti, A., Pellis, A., & Ceulemans, R. (2004). Petiole length and biomass investment in support modify light-interception efficiency in dense poplar plantations. *Tree Physiology*, 24(2), 141–154. <https://doi.org/10.1093/treephys/24.2.141>
- Novanursandy, N. B., & Rachmawati, D. (2023). Pengaruh osmopriming benih terhadap perkecambahan dan pertumbuhan tanaman cabai rawit (*Capsicum*

- frutescens* L.) pada cekaman kekeringan. *Bioscientist : Jurnal Ilmiah Biologi*, 11(2), 1001. <https://doi.org/10.33394/bioscientist.v11i2.8151>
- Nurcahyani, E., Insan Qudus, H., & Palupi, Asma, B. (2019). Analysis of chlorophyll *Phalaenopsis amabilis* (L.) Bl. results of the resistance to fusarium oxysporum and drought stress. *Issue 11 Ser. I*, 12(11), 41–46. <https://doi.org/10.9790/2380-1211014146>
- Okello, O., Nawiri, M., Musila, W., & Gweyi-Onyango, J. (2017). Water stress effect on total antioxidant activity and total phenolic content of *Solanum scabrum* Mill and *Solanum scabrum* in Kiambu, Kenya. *International Journal of Biochemistry Research & Review*, 17(1), 1–9. <https://doi.org/10.9734/ijberr/2017/33715>
- Oliveira, L. A. R. de, Cardoso, M. N., Oliveira, A. C. A. de, Machado, C. D. A., Cardoso, B. T., Silva, A. V. C. da, & Léo, A. D. S. (2018). Effects of in vitro drought stress on growth, proline accumulation and antioxidant defense in sugarcane. *Journal of Agricultural Science*, 10(5), 135. <https://doi.org/10.5539/jas.v10n5p135>
- Osmolovskaya, N., Shumilina, J., Kim, A., Didio, A., Grishina, T., Bilova, T., Keltsieva, O. A., Zhukov, V., Tikhonovich, I., Tarakhovskaya, E., Frolov, A., & Wessjohann, L. A. (2018). Methodology of drought stress research: Experimental setup and physiological characterization. *International Journal of Molecular Sciences*, 19(12). <https://doi.org/10.3390/ijms19124089>
- Pangestika, D., Samanhudi, & Triharyanto, E. (2015). Kajian pemberian IAA dan paclobutrazol terhadap pertumbuhan eksplan bawang putih. *Jurnal Kewirausahaan Bisnis*, 17(9), 34–47.
- Parida, A. K., & Das, A. B. (2005). Salt tolerance and salinity effects on plants: A review. *Ecotoxicology and Environmental Safety*, 60(3), 324–349. <https://doi.org/10.1016/j.ecoenv.2004.06.010>
- Pasaribu, S. A., Basyuni, M., Purba, E., & Hasanah, Y. (2021). Drought tolerance selection of gt1 rubber seedlings with the addition of Polyethylene Glycol (PEG) 6000. *Biodiversitas*, 22(1), 394–400. <https://doi.org/10.13057/biodiv/d220148>
- Patharkar, O. R., & Walker, J. C. (2016). Core mechanisms regulating developmentally timed and environmentally triggered abscission. *Plant Physiology*, 172(1), 510–520. <https://doi.org/10.1104/pp.16.01004>
- Pereira, M. F., Nicolau, V. P., & Bazzo, E. (2018). Exergoenvironmental analysis concerning the wood chips and wood pellets production chains. *Biomass and Bioenergy*, 119(October 2017), 253–262. <https://doi.org/10.1016/j.biombioe.2018.09.022>
- Pérez-Álvarez, E. P., Intrigliolo, D. S., Almajano, M. P., Rubio-Bretón, P., & Garde-Cerdán, T. (2021). Effects of water deficit irrigation on phenolic composition and

- antioxidant activity of monastrell grapes under semiarid conditions. *Antioxidants (Basel, Switzerland)*, 10(8), 1301. <https://doi.org/10.3390/antiox10081301>
- Piwowarczyk, B., Kamińska, I., & Rybiński, W. (2014). Influence of PEG generated osmotic stress on shoot regeneration and some biochemical parameters in *Lathyrus* culture. *Czech Journal of Genetics and Plant Breeding*, 50(2), 77–83. <https://doi.org/10.17221/110/2013-cjgpb>
- Plant of the World Online. (2024). <https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:287185-2/images>. 13 November 2024.
- PlantNet. (2024). <https://identify.plantnet.org/da/useful/species/Calliandra%20calothyrsus%20Meisn./data#galleries>. 13 November 2024.
- Prabawati, D., & Rahmi, N. (2017). Evaluasi ketahanan beberapa galur kacang bogor (*Vigna subterranea* (L.) Verdc) terhadap cekaman kekeringan. *Jurnal Produksi Tanaman*, 5(6), 895–903.
- Pradana, W., & Bunyamin, A. (2021). Pemanfaatan kayu kaliandra dan limbah teh sebagai bahan baku biobriket. *Jurnal Teknologi Pertanian Andalas*, 25 (1), 114–119. <https://doi.org/10.25077/jtpa.25.1.46-51.2021>
- Pratiwi, A. R. (2016). *Kajian Efek Poly Ethylene Glykol (PEG) 6000 Terhadap Cekaman Kekeringan Planlet Kedelai (Glycine max (L.) Merrill) Varietas Tanggamus Secara In Vitro*. Skripsi Sarjana Biologi Fakultas Matematika dan Ilmu Pegetahuan Alam Universitas Lampung. Lampung.
- Qi, Y., L. Ma, M.I. Ghani, Q. Peng, R.X. Hu, and X. ChenHu, X. (2023). *Effects of drought stress induced by hypertonic*. 12(2296), 1–14.
- Rahmawati, L., Yuliana, Y., Zahara, M., Islam, U., & Banda, N. A. (2023). Upaya perbanyak tanaman jeumpa (*Magnolia champaca*) dengan menggunakan teknik kultur. *Biotik*, 11(1), 99–110.
- Rasud, Y., & Bustaman, B. (2020). In vitro callus induction from clove (*Syzigium aromaticum* L.) leaves on medium containing various auxin concentrations. *Jurnal Ilmu Pertanian Indonesia*, 25(1), 67–72. <https://doi.org/10.18343/jipi.25.1.67>
- Rini, D. S., Budiarjo, B., Gunawan, I., Agung, R. H., & Munazar, R. (2020). Mekanisme respon tanaman terhadap cekaman kekeringan. *Berita Biologi*, 19(3B). <https://doi.org/10.14203/beritabiologi.v19i3b.4025>
- Rosawanti, P. (2016). Pertumbuhan akar kedelai pada cekaman kekeringan. *Daun: Jurnal Ilmiah Pertanian Dan Kehutanan*, 3(1), 21–28.

<https://doi.org/10.33084/daun.v3i1.163>

- Roshetko, J.M., Leuser, D & Sarrailh, J-M. (1997). Establishment. In : M.H. Powel (ed) *Calliandra calothyrsus* production and use : A field manual. Forest, Farm, and Community Tree Network. Marrilton, Arkansas, USA : Winrock Internasional and Taiwan Forestry Research Institute. P. 11-22.
- Sacita, A. S. (2019). Intersepsi radiasi matahari tanaman kedelai (*Glicine max* L.) pada berbagai cekaman kekeringan. *Jurnal Perbal*, 7(1), 10–18.
- Saha, D., Choyal, P., Mishra, U. N., Dey, P., Bose, B., MD, P., Gupta, N. K., Mehta, B. K., Kumar, P., Pandey, S., Chauhan, J., & Singhal, R. K. (2022). Drought stress responses and inducing tolerance by seed priming approach in plants. *Plant Stress*, 4(January), 100066. <https://doi.org/10.1016/j.stress.2022.100066>
- Said, E. M., Mahmoud, R. A., Al-Akshar, R., & Safwat, G. (2015). Drought Stress tolerance and enhancement of banana plantlets *in vitro*. *Austin Journal of Biotechnology & Bioengineering*, 2(2), 1040. full text/ajb tube-v2-id1040.pdf.
- Sari, A. N., Indrayati, A., & Nopianti, V. (2024). Aktivitas Enzim Superoksida Dismutase (SOD) dalam ekstrak bayam hijau (*Amaranthus hybridus* L.) dengan metode water soluble tetrazolium salt-1. *Lambung Farmasi: Jurnal Ilmu Kefarmasian*, 5(1), 1. <https://doi.org/10.31764/lf.v5i1.13209>
- Sarmadi, M., Karimi, N., Palazón, J., Ghassempour, A., & Mirjalili, M. H. (2019). Improved effects of polyethylene glycol on the growth, antioxidative enzymes activity and taxanes production in a *Taxus baccata* L. callus culture. *Plant Cell, Tissue and Organ Culture*, 137(2), 319–328. <https://doi.org/10.1007/s11240-019-01573-y>
- Shahverdi, M. A., Omid, H., dan Tabatabaei, S. J. (2019). Stevia (*Stevia rebaudiana* Bertoni) responses to NaCl stress: Growth, photosynthetic pigments, diterpene glycosides and ion content in root and shoot. *Journal of the Saudi Society of Agricultural Sciences*, 18(4), 355-360.
- Shi, T., Su, Y., Lan, Y., Duan, C., & Yu, K. (2024). The molecular basis of flavonoid biosynthesis response to water, light, and temperature in grape berries. *Frontiers in plant science*, 15, 1441893. <https://doi.org/10.3389/fpls.2024.1441893>
- Siaga, E., Maharijaya, A., & Rahayu, M. S. (2016). Plant growth of eggplant (*Solanum melongena* L.) in vitro in drought stress Polyethylene Glycol (PEG). *Biovalentia: Biological Research Journal*, 2(1), 10–17. <https://doi.org/10.24233/biov.2.1.2016.29>
- Sigala, C., Songke, N. G., Tumoka, K. P., Butarbutar, R. R., & Nio, S. A. (2019). Konsentrasi klorofil total pada daun tanaman puring (*Codiaeum variegatum* L.) yang diberi perlakuan naungan. *Jurnal Ilmiah Sains*, 19(2), 70. <https://doi.org/10.35799/jis.19.2.2019.23316>

- Sila, A.M. (1996). Calliandra for community development in Sulawesi. In D. O. Evans, ed. International Workshop on the Genus Calliandra. Forest, Farm, and Community Tree Research Reports (Special issue). Winrock International. Morrilton, Arkansas, USA. p. 134-36.
- Sinaga, E., Sri Rahayu dan Awang Maharijaya, M., Sri Rahayu, M., & Awang Maharijaya, dan. (2015). Seleksi toleransi kekeringan in vitro terhadap enam belas aksesori tanaman terung (*Solanum melongena* L.) dengan Polietilena Glikol (PEG) *In Vitro Selection of Sixteen of Eggplant (Solanum melongena* L.) accessions to drought with tolerance Polyethylene Glycol. *J. Hort. Indonesia*, 6(1), 20–28.
- Soendjoto, M. A., Dharmono, Mahrudin, Riefani, M. K., & Triwibowo, D. (2014). Plant species richness after revegetation on the reclaimed coal mine land of PT Adaro Indonesia, South Kalimantan. *Jurnal Manajemen Hutan Tropika*, 20(3), 150–158. <https://doi.org/10.7226/jtfm.20.3.150>
- Sofo, A., Scopa, A., Nuzzaci, M., & Vitti, A. (2015). Ascorbate peroxidase and catalase activities and their genetic regulation in plants subjected to drought and salinity stresses. *International Journal of Molecular Sciences*, 16(6), 13561–13578. <https://doi.org/10.3390/ijms160613561>
- Sumadji, A. R., & Purbasari, K. (2018). Indeks stomata, panjang akar dan tinggi tanaman sebagai indikator kekurangan air pada tanaman padi varietas ir64 dan ciherang. *Jurnal Agri-Tek : Jurnal Penelitian Ilmu-Ilmu Eksakta*, 19(2), 82–85. <https://doi.org/10.33319/agtek.v19i2.7>
- Sunaryo, & Tihurua, E. F. (2010). Komposisi jenis dan potensi ancaman tumbuhan asing invasif di Taman Nasional Gunung Halimun-Salak, Jawa Barat. *Berita Biologi*, 11(2), 231–239.
- Suswati, Indrawaty, A., & Friardi. (2015). Aktivitas enzim peroksidase pisang kepok dengan aplikasi glomus tipe 1. *J. HPT Tropika*, 15(2), 141–151.
- Syamsuwida, D., Kurniaty, R., Putri, K. P., & Suita, E. (2014). Kaliandra (*Calliandra calothyrsus*) as a timber for energy: In a point of view of seeds and seedlings procurement. *Energy Procedia*, 47, 62–70. <https://doi.org/10.1016/j.egypro.2014.01.197>
- Tan, U., & Gören, H. K. (2024). Comprehensive evaluation of drought stress on medicinal plants: a meta-analysis. *PeerJ*, 12, e17801. <https://doi.org/10.7717/peerj.17801>
- Tangendjaja, B. E., Wina, T. M., Ibrahim, B., Palmer. (1992). Calliandra (*Calliandra calothyrsus*) dan manfaatnya. Balai Penelitian Ternak dan The Australian Centre for Institute Agricultural Research. pp. 13-42.

- Tassin, J., Perret, S., Cattet, R. and Leuser, D. (1996). Improving soil physical properties with Calliandra hedgerows in Reunion Island. In: D. O. Evans (Ed). Proceedings of international workshop in the genus Calliandra. Forest, Farm and Community Tree Research Reports (Special Issue). Winrock International, Morrilton Arkansas, USA. pp. 164-67.
- Thana, D. P., & Haryati, B. Z. (2022). Pengaruh pemberian bokashi daun kaliandra dan dosis dolomit terhadap tanaman terong ungu (*Solanum melongena* L.) varietas laguna F1. *AgroSaint*, 12(1), 1–13. <https://doi.org/10.47178/agro.v12i1.1290>
- Tun, W., Yoon, J., Jeon, J.S, & An, G. (2021). Influence of climate change on flowering time. *Journal of Plant Biology*, 64, 193-203.
- Ustadi, U., Radiati, L., & Thohari, I. (2017). Bioactive components of rubber tree honey (*Hevea brasiliensis*) and calliandra (*Calliandra calothyrsus*) and kapok honey (*Ceiba pentandra*). *Jurnal Ilmu Dan Teknologi Hasil Ternak*, 12(2), 97–102. <https://doi.org/10.21776/ub.jitek.2017.012.02.6>
- Verbruggen, N., & Hermans, C. (2008). Proline accumulation in plants: A review. *Amino Acids*, 35(4), 753–759. <https://doi.org/10.1007/s00726-008-0061-6>
- Vuksanović, V., Kovačević, B., Stojnić, S., Kebert, M., Kesić, L., Galović, V., & Orlović, S. (2022). Variability of tolerance of Wild cherry clones to PEG-induced osmotic stress in vitro. *IForest*, 15(4), 265–272. <https://doi.org/10.3832/ifor4033-015>
- Wang, J. Y., Turner, N. C., Liu, Y. X., Siddique, K. H. M., & Xiong, Y. C. (2017). Effects of drought stress on morphological, physiological and biochemical characteristics of wheat species differing in ploidy level. *Functional Plant Biology*, 44(2), 219–234. <https://doi.org/10.1071/FP16082>
- Wang, Z., Li, G., Sun, H., Ma, L., Guo, Y., Zhao, Z., Gao, H., & Mei, L. (2018). Effects of drought stress on photosynthesis and photosynthetic electron transport chain in young apple tree leaves. *Biology Open*, 7(11), 1–9. <https://doi.org/10.1242/bio.035279>
- Wang, Z., Yung, W. S., Gao, Y., Huang, C., Zhao, X., Chen, Y., Li, M. W., & Lam, H. M. (2024). From phenotyping to genetic mapping: identifying water-stress adaptations in legume root traits. *BMC Plant Biology*, 24(1). <https://doi.org/10.1186/s12870-024-05477-8>
- Wardhani, P. C. K., Suryawati, A., & Lagiman. (2018). Uji kekeringan terhadap viabilitas dan vigor benih beberapa varietas cabai (*Capsicum annum* L.) dengan berbagai konsentrasi PEG-6000 di fase perkecambahan dan pertumbuhan. *Jurnal Agrivet*, 24(1), 1–11.
- Wetherell, D.F. (1982). *Pengantar Propagasi Tanaman Secara In Vitro*. Semarang:

IKIP Semarang Press.

- Wijaya, A. A., Sukmasari, M. D., Dani, U., & Waluyo, B. (2017). Respon sembilan varietas kedelai (*Glycine max.* L (Merril) yang ditanam pada kondisi jenuh air. *Jurnal Agronomika*, 12(2), 87- 91.
- Winger, M., De Vries, A. H., & Van Gunsteren, W. F. (2009). Force-field dependence of the conformational properties of α , ω -dimethoxypolyethylene glycol. *Molecular Physics*, 107(13), 1313–1321. <https://doi.org/10.1080/00268970902794826>
- Witham, F. H., Blaydes., B. F., & Devlin, R. M. (1986). *Exercises in Plant Physiology Second Edition*. Prindle, Weber and Schmidt. Boston.
- Yang, X., Lu, M., Wang, Y., Wang, Y., Liu, Z., & Chen, S. (2021). Response mechanism of plants to drought stress. *Horticulturae*, 7(3). <https://doi.org/10.3390/horticulturae7030050>
- Yatno, Nelson, Murni, R., Suparjo, & Syarifa, H. L. (2018). Isolasi protein dan analisis asam amino konsentrat protein daun kaliandra sebagai upaya penyediaan suplemen pakan ternak: kualitas asam amino konsentrat protein hasil ekstraksi daun kaliandra. *Seminar Nasional Fakultas Pertanian Universitas Jambi*, 699–707. <http://www.conference.unja.ac.id/SemnasSDL/article/view/75>
- Yulianti, M., Nurrochmat, D. R., & Kuncahyo, B. (2018). *Simulasi Model Pengembangan Gasifikasi Listrik*. 5(1), 49–70.
- Yusufa, M.H. Ardianto, W. Hugeng, L.O.I. Hakim, W. Kurnianto, A. (2020). *Prospektus Budidaya Lebah Madu Trigona Organik*. PT. HRL Internasional. Pacet.
- Zakaria, Z., Muslim, D., Sophian, R. I., Kuswaryan, S., & Tanuwiria, U. H. (2013). Bio-engineering, melalui pemanfaatan tanaman kaliandra (*Caliandra calothyrsus*) di wilayah zona rawan longsor, Jawa Barat. *Bulletin of Scientific Contribution*, 11(3), 168–175.
- Zhang, X., Xing, R., Ding, Y., Yu, J., Wang, R., Li, X., Yang, Z., & Zhuang, L. (2023). Overexpression of gibberellin 2-oxidase 4 from tall fescue affected plant height, tillering, and drought tolerance in rice. *Environmental and Experimental Botany*, 205(1), 1-11. <https://doi.org/10.1016/j.envexpbot.2022.105118>.