

DAFTAR PUSTAKA

- Akai, S. S., Oriyama, T. M., Risu, A. U., & Aitani, T. M. (2007). *Specific Detection of Soybean Residues in Processed Foods by the Polymerase Chain Reaction*. 60485(038), 3–6. <https://doi.org/10.1271/bbb.60485>
- B. Mahajan, V. (2019). Hair - A Good Source of DNA to Solve the Crime. *Archives of Clinical and Biomedical Research*, 03(04), 287–295. <https://doi.org/10.26502/acbr.50170074>
- Ballmer-Weber, B. K., Holzhauser, T., Scibilia, J., Mittag, D., Zisa, G., Ortolani, C., Oesterballe, M., Poulsen, L. K., Vieths, S., & Bindslev-Jensen, C. (2007). Clinical characteristics of soybean allergy in Europe: A double-blind, placebo-controlled food challenge study. *Journal of Allergy and Clinical Immunology*, 119(6), 1489–1496. <https://doi.org/10.1016/j.jaci.2007.01.049>
- Ballmer-Weber, B. K., & Vieths, S. (2008). Soy allergy in perspective. *Current Opinion in Allergy and Clinical Immunology*, 8(3). https://journals.lww.com/co-allergy/fulltext/2008/06000/soy_allergy_in_perspective.12.aspx
- Bedford, B., Liggans, G., Williams, L., & Jackson, L. (2020). Alergen removal and transfer with wiping and cleaning methods used in retail and food service establishments. *Journal of Food Protection*, 83(7), 1248–1260. <https://doi.org/10.4315/JFP-20-025>
- BPOM RI. (2023). *Pedoman Sertifikasi Pelulusan Bets/Lot vaksin*. 1–33.
- Candra, Y., & dkk. (2011). Gambaran Sensitivitas Alergen terhadap Makanan. *Jurnal Kesehatan*, 15(4), 44–50.
- Candrea, A. M., Smaldini, P. L., Curciarello, R., Cauerhff, A., Fossati, C. A., Docena, G. H., & Petruccelli, S. (2015). Cross-reactivity between the soybean protein p34 and bovine caseins. *Allergy, Asthma Immunol. Res.*, 7, 60.
- Di Pinto, A., Forte, V. T., Conversano, M. C., & Tantillo, G. M. (2005). Duplex polymerase chain reaction for detection of pork meat in horse meat fresh sausages from Italian retail sources. *Food Control*, 16(5), 391–394. <https://doi.org/10.1016/j.foodcont.2004.04.004>

- Eling KS, D., Kurniawan, R., & Muhimmah, I. (2014). Karakteristik Primer pada Polymerase Chain Reaction(PCR) untuk Sekuensing DNA: Mini Review. *Seminar Informatika Medis 2014*, 93–102. <http://snimed.fit.uui.ac.id/>
- Fidel, N. and toldra. L. M. . (2011). *Safety Analysis Of Food Of Animal Origin*. CRC Press.
- Green, M. R., & Sambrook, J. (2019). Analysis of DNA by Agarose Gel Electrophoresis. *Cold Spring Harbor Protocols*, 2019(1). <https://doi.org/10.1101/pdb.top100388>
- Handoyo, D., & Rudiretna, A. (2001). Prinsip umum dan pelaksanaan Polymerase Chain Reaction (PCR). *Unitas*, 9(1), 17–29.
- Harisah, S. U. (2017). Analisis Cemarkan Daging Babi pada Sosis Sapi yang Beredar di Pasar Parung Menggunakan Metode Real Time Polymerase Chain Reaction (PCR). In *UIN Syarif Hidayatullah Jakarta*.
- Holzhauser, T., Wackermann, O., Ballmer-Weber, B. K., Bindslev-Jensen, C., Scibilia, J., Perono-Garoffo, L., Utsumi, S., Poulsen, L. K., & Vieths, S. (2009). Soybean (Glycine max) allergy in Europe: Gly m 5 (β -conglycinin) and Gly m 6 (glycinin) are potential diagnostic markers for severe allergic reactions to soy. *Journal of Allergy and Clinical Immunology*, 123(2). <https://doi.org/10.1016/j.jaci.2008.09.034>
- Iniesto, E., Jiménez, A., Prieto, N., Cabanillas, B., Burbano, C., Pedrosa, M. M., Rodríguez, J., Muzquiz, M., Crespo, J. F., Cuadrado, C., & Linacero, R. (2013). Real Time PCR to detect hazelnut allergen coding sequences in processed foods. *Food Chemistry*, 138(2–3), 1976–1981. <https://doi.org/10.1016/j.foodchem.2012.11.036>
- Kern, K., Havenith, H., Delaroque, N., Rautenberger, P., Lehmann, J., Fischer, M., Spiegel, H., Schillberg, S., Ehrentreich-Foerster, E., Aurich, S., Treudler, R., & Szardenings, M. (2019). The immunome of soy bean allergy: Comprehensive identification and characterization of epitopes. *Clinical and Experimental Allergy: Journal of the British Society for Allergy and Clinical Immunology*, 49(2), 239–251. <https://doi.org/10.1111/cea.13285>
- Kutateladze, T., Bitskinashvili, K., Sapojnikova, N., Kartvelishvili,

- T., Asatiani, N., Vishnepolsky, B., & Datukishvili, N. (2021). Development of *multiplex* PCR coupled DNA chip technology for assessment of endogenous and exogenous allergens in GM soybean. *Biosensors*, 11(12). <https://doi.org/10.3390/bios11120481>
- López-Andreo, M., Garrido-Pertierra, A., & Puyet, A. (2006). Evaluation of Post-Polymerase Chain Reaction Melting Temperature Analysis for Meat Species Identification in Mixed DNA Samples. *Journal of Agricultural and Food Chemistry*, 54(21), 7973–7978. <https://doi.org/10.1021/jf0615045>
- Lu, M., Jin, Y., Cerny, R., Ballmer-Weber, B., & Goodman, R. E. (2018). Combining 2-DE immunoblots and mass spectrometry to identify putative soybean (*Glycine max*) allergens. *Food and Chemical Toxicology*, 116(April), 207–215. <https://doi.org/10.1016/j.fct.2018.04.032>
- Luo, J., Zhang, Q., Gu, Y., Wang, J., Liu, G., He, T., & Che, H. (2022). Meta-Analysis: Prevalence of Food Allergy and Food Allergens — China, 2000–2021. *China CDC Weekly*, 4(34), 766–770. <https://doi.org/10.46234/ccdcw2022.162>
- Madrid, R., García-García, A., Cabrera, P., González, I., Martín, R., & García, T. (2021). Survey of commercial food products for detection of walnut (*Juglans regia*) by two elisa methods and real time PCR. *Foods*, 10(2), 1–14. <https://doi.org/10.3390/foods10020440>
- Maksum, I. P., Sriwidodo, Gaffar, S., Hassan, K., Subroto, T., & Soetisojo Soemitro. (2019). Buku Teknik Biologi Molekular. In *Alqaprint* (Issue September).
- Mandaci, M., Çakır, Ö., Turgut-Kara, N., Meriç, S., Ari, Ş., & Ari, Ş. (2015). Detection of genetically modified organisms in soy products sold in turkish market. *Food Science and Technology (Brazil)*, 34(4), 717–722. <https://doi.org/10.1590/1678-457X.6441>
- Marmioli, N., & Maestri, E. (2007). Polymerase Chain Reaction (PCR). *Food Toxicants Analysis: Techniques, Strategies and Developments*, 5(6), 147–187. <https://doi.org/10.1016/B978-044452843-8/50007-9>
- Muhammad, D. W., Kautsar, I. Al, & Latifah, E. (2023).

- Pencantuman Label Alergen dalam Pelabelan Produk Pangan Sebagai Bentuk Perlindungan Konsumen. *Jurnal Hukum Ius Quia Iustum*, 30(2), 420–441. <https://doi.org/10.20885/iustum.vol30.iss2.art9>
- Muladno. (2010). *Teknologi Rekayasa Genetika*. IPB Press.
- Mulalapele, L. T., & Xi, J. (2021). Detection and inactivation of allergens in soybeans: A brief review of recent research advances. *Grain and Oil Science and Technology*, 4(4), 191–200. <https://doi.org/10.1016/j.gaost.2021.11.001>
- Mullis, K. B., & Faloona, F. A. (1987). Specific synthesis of DNA *in vitro* via a polymerase-catalyzed chain reaction. *Methods in Enzymology*, 155, 335–350. [https://doi.org/10.1016/0076-6879\(87\)55023-6](https://doi.org/10.1016/0076-6879(87)55023-6)
- Murakami, H., Ogawa, T., Takafuta, A., Yano, E., Zaima, N., & Moriyama, T. (2018). Identification of the 7S and 11S globulins as percutaneously sensitizing soybean allergens as demonstrated through epidermal application of crude soybean extract. *Bioscience, Biotechnology and Biochemistry*, 82(8), 1408–1416. <https://doi.org/10.1080/09168451.2018.1460573>
- Ogawa, T., Tsuji, H., Bando, N., Kitamura, K., Zhu, Y. L., Hirano, H., & Nishikawa, K. (1993). Identification of the soybean allergenic protein, Gly m Bd 30K, with the soybean seed 34-kDa oil-body-associated protein. *Bioscience, Biotechnology, and Biochemistry*, 57(6), 1030–1033. <https://doi.org/10.1271/bbb.57.1030>
- Olson, N. D., & Morrow, J. B. (2012). DNA extract characterization process for microbial detection methods development and validation. *BMC Research Notes*, 5(1), 1. <https://doi.org/10.1186/1756-0500-5-668>
- Pedersen, M. H., Holzhauser, T., Bisson, C., & Conti, A. (2008). Soybean allergen detection methods – a comparison study. *Mol. Nutr. Food Res.*, 52, 1486.
- Peraturan Pemerintah. (2019). Peraturan Pemerintah Republik Indonesia Nomor 86 Tahun 2019 Tentang Keamanan Pangan. *Peraturan Pemerintah Tentang Keamanan Pangan*, 2019(86), 1–102.
- Platteau, C., De Loose, M., De Meulenaer, B., & Taverniers, I. (2011). Detection of allergenic ingredients using real-time

- PCR: a case study on hazelnut (*Corylus avellana*) and soy (*Glycine max*). *Journal of Agricultural and Food Chemistry*, 59(20), 10803–10814. <https://doi.org/10.1021/jf202110f>
- Pradnyaniti, D., Wirajana, I., & Yowani, S. (2013). Desain Primer secara *in silico* untuk amplifikasi fragmen Gen *rpoB* Mycobacterium tuberculosis dengan Polymerase Chain Reaction (PCR). *Jurnal AGRITECH*, 2(3), 124–130. <https://ojs.unud.ac.id/index.php/jfu/article/download/7387/5641>
- Renčová, E., Piskatá, Z., Kostelníková, D., & Tremlová, B. (2014). Simultaneous detection of peanut and hazelnut allergens in food matrices using *multiplex* PCR method. *Acta Veterinaria Brno*, 83(September), S77–S83. <https://doi.org/10.2754/avb201483S10S77>
- Renčová, E., & Tremlová, B. (2009). ELISA for detection of soya proteins in meat products. *Acta Veterinaria Brno*, 78(4), 667–671. <https://doi.org/10.2754/avb200978040667>
- Riantika Pratiwi. (2019). Pencantuman Komposisi Bahan Pada Label Makanan Kemasan Sebagai Hak Hukum Di Kota Pekanbaru. *Jurnal Gagasan Hukum*, 1(01), 63–87. <https://doi.org/10.31849/jgh.v1i01.2903>
- Rosenthal, A. (1992). PCR amplification techniques for chromosome walking. *Trends in Biotechnology*, 10(1–2), 44–48. [https://doi.org/10.1016/0167-7799\(92\)90167-t](https://doi.org/10.1016/0167-7799(92)90167-t)
- Russo, A., Mayjonade, B., Frei, D., Potente, G., Kellenberger, R. T., Frachon, L., Copetti, D., Studer, B., Frey, J. E., Grossniklaus, U., & Schlüter, P. M. (2022). Low-Input High-Molecular-Weight DNA Extraction for Long-Read Sequencing From Plants of Diverse Families. *Frontiers in Plant Science*, 13(May), 1–12. <https://doi.org/10.3389/fpls.2022.883897>
- Sambrook, J. and Russell, D. W. (2001). *Molecular Cloning: A Laboratory Manual*. Cold Spring Harbor Laboratory Press, New York. 2001.
- Santaclara, F. J., Espiñeira, M., Cabado, A. G., Aldasoro, A., Gonzalez-Lavín, N., & Vieites, J. M. (2006). Development of a Method for the Genetic Identification of Mussel Species Belonging to *Mytilus*, *Perna*, *Aulacomya*, and Other Genera.

- Journal of Agricultural and Food Chemistry*, 54(22), 8461–8470. <https://doi.org/10.1021/jf061400u>
- Shin, J., Kim, M.-J., & Kim, H.-Y. (2021). Development of triplex PCR for simultaneous detection of soybean and wheat. *Food Science and Biotechnology*, 30. <https://doi.org/10.1007/s10068-021-00926-8>
- Soares, S., Mafra, I., Amaral, J. S., & Oliveira, M. B. P. P. (2010). A PCR assay to detect trace amounts of soybean in meat sausages. *International Journal of Food Science & Technology*, 45(12), 2581–2588. <https://doi.org/10.1111/j.1365-2621.2010.02421.x>
- Sovová, T., Křížová, B., Kučera, L., & Ovesná, J. (2020). Detecting soybean and milk in dairy and soy products with post-PCR high resolution melting assays. *Czech Journal of Food Sciences*, 38(4), 209–214. <https://doi.org/10.17221/125/2020-CJFS>
- Spolidoro, G. C. I., Nyassi, S., Lisik, D., Ioannidou, A., Ali, M. M., Amera, Y. T., Rovner, G., Khaleva, E., Venter, C., van Ree, R., Worm, M., Vlieg-Boerstra, B., Sheikh, A., Muraro, A., Roberts, G., & Nwaru, B. I. (2024). Food allergy outside the eight big foods in Europe: A systematic review and meta-analysis. *Clinical and Translational Allergy*, 14(2), 1–22. <https://doi.org/10.1002/clt2.12338>
- Suseno, R., Palupi, N. S., & Prangdimurti, E. (2017). Alergenisitas Sistem Glikasi Isolat Protein Kedelai-Fruktooligosakarida (Alergenicity Properties of Soy Protein Isolate-Fructooligosaccharide Glycation Systems). *Agritech*, 36(4), 450. <https://doi.org/10.22146/agritech.16770>
- ThermoScientific. (2010). Detection and Avoidance of Polysaccharides in Plant Nucleic Acid Extractions. *Application Note Nanodrop 2000/2000c*, 1–2. <http://www.nanodrop.com/Library/T111-Detection-and-Avoidance-of-Polysaccharides-in-Plant-Nucleic-Acid-Extractions.pdf>
- Tian, F., Guan, Q., Wang, X., Teng, D., & Wang, J. (2014). Influence of Different Processing Treatments on the Detectability of Nucleic Acid and Protein Targets in

- Transgenic Soybean Meal. *Applied Biochemistry and Biotechnology*, 172(7), 3686–3700. <https://doi.org/10.1007/s12010-014-0760-2>
- Torp, A. M., Olesen, A., Sten, E., Stahl Skov, P., Bindslev-Jensen, U., Poulsen, L. K., Bindslev-Jensen, C., & Andersen, S. B. (2006). Specific, semi-quantitative detection of the soybean allergen *Gly m Bd 30K* DNA by PCR. *Food Control*, 17(1), 30–36. <https://doi.org/10.1016/j.foodcont.2004.08.005>
- Tramuta, C., Decastelli, L., Barcucci, E., Ingravalle, F., Fragassi, S., Lupi, S., & Bianchi, D. M. (2022). Detection of Peanut Traces in Food by an Official Food Safety Laboratory. *Foods*, 11(5). <https://doi.org/10.3390/foods11050643>
- Trotta, M., Schönhuth, S., Pepe, T., Cortesi, M. L., Puyet, A., & Bautista, J. M. (2005). Multiplex PCR method for use in real-time PCR for identification of fish fillets from grouper (*Epinephelus* and *Mycteroperca* species) and common substitute species. *Journal of Agricultural and Food Chemistry*, 53(6), 2039–2045. <https://doi.org/10.1021/jf048542d>
- Tsai, J.-J., Chang, C.-Y., & Liao, E.-C. (2017). Comparison of Alergenicity at *Gly m 4* and *Gly m Bd 30K* of Soybean after Genetic Modification. *Journal of Agricultural and Food Chemistry*, 65(6), 1255–1262. <https://doi.org/10.1021/acs.jafc.6b05135>
- Wang, B., Li, Z., Pawar, R., Wang, X., & Lin, H. (2012). PCR-based detection of traces of potentially allergenic soybean (*glycine max*) in food matrices. *Advanced Materials Research*, 343–344(September 2011), 618–624. <https://doi.org/10.4028/www.scientific.net/AMR.343-344.618>
- Warren, C. M., Jiang, J., & Gupta, R. S. (2020). Epidemiology and Burden of Food Allergy. *Current Allergy and Asthma Reports*, 20(2). <https://doi.org/10.1007/s11882-020-0898-7>
- Weder, J. K. P. (2002). Identification of Plant Food Raw Material by RAPD-PCR: Legumes. *Journal of Agricultural and Food Chemistry*, 50(16), 4456–4463. <https://doi.org/10.1021/jf020216f>
- Yu, Y., Wang, X., Qu, R., OuYang, Z., Guo, J., Zhao, Y., & Huang,

- L. (2024). Extraction and analysis of high-quality chloroplast DNA with reduced nuclear DNA for medicinal plants. *BMC Biotechnology*, 24(1), 1–10. <https://doi.org/10.1186/s12896-024-00843-8>
- Yusuf. (2010). Polymerase Chain Reaction (PCR). *Food Toxicants Analysis: Techniques, Strategies and Developments*, 147–187. <https://doi.org/10.1016/B978-044452843-8/50007-9>
- Yuwono, T. (2006). *Teori dan Aplikasi Polymerase Chain Reaction*. Andi Offset.
- Zhu, L., Li, S., Sun, L., Zhao, J., Huang, J., Jiang, Y., Wan, S., Pavase, T. R., & Li, Z. (2022). Development and validation of a specific sandwich ELISA for determination of soybean allergens and its application in processed foods. *Process Biochemistry*, 117, 134–141. <https://doi.org/https://doi.org/10.1016/j.procbio.2022.03.022>

