

DAFTAR PUSTAKA

1. Daniels R, Nutbeam T, editors. The sepsis manual 7th edition. United Kingdom: United Kingdom Sepsis Trust. 2024.
2. WHO. Sepsis. World Health Organization. 2024. diakses <https://www.who.int/news-room/fact-sheets/detail/sepsis> -diakses pada September 2024
3. Evans L, Rhodes A, Alhazzani W, Antonelli M, Coopersmith C, French C, et al. Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. *Intensive Care Med* (2021) 47:1181-1247.
4. Rudd KE, Johnson SC, Agesa KM, Shackelford KA, Tsoi D, Kievlan DR, et al. Global, regional, and national sepsis incidence and mortality, 1990-2017: analysis for the global burden of disease study. *Lancet*. 2020; 395:200-11.
5. Via LL, Sangiorgio G, Stefani S, Marino A, Nunnari G, Cocuzza S, et al. The global burden of sepsis and septic shock. *Epidemiologia*. 2024, 5, 456-478.
6. Keputusan Menteri Kesehatan Republik Indonesia. Pedoman nasional pelayanan kedokteran tata laksana sepsis. Kemenkes RI. 2017.
7. Purba AKR, Mariana N, Aliska G, Wijaya SH, Wulandari RR, Hadi U, et al. The burden and cost of sepsis and reimbursement of its treatment in a developing country: an observational study on focal infections in Indonesia. *Internasional Journal of Infectious Disease*. Elsevier. 2020. 211-218.
8. Fataya E, Fadrian, Noer M, Elvira D, Syafrita Y, Suharti. Characteristics of adult sepsis patients admitted to departemen of internal medicine, dr. m. djamil general hospital, padang, Indonesia. *Bioscientia Medicina: Journal of Biomedicine & Translational Research*. 2023.
9. Prest J, Nguyen T, Rajah T, Prest AB, Sathananthan M, Jeganathan N, et al. Sepsis-related mortality rates and trends based on site of infection. *Critical Care Explorations Journal*. 2022.
10. Brooks JA. Unsuspecting bedfellows: sepsis and nonventilator hospital-acquired pneumonia. *Infection Control Journal*. 2024.
11. Ceccato A, Torres A. Sepsis and community-acquired pneumonia. *Annals of Research Hospitals*. 2018. Vol2.06.01.

12. Keputusan Menteri Kesehatan Republik Indonesia. Pedoman nasional pelayanan kedokteran tata laksana pneumonia pada dewasa. Kemenkes RI. 2023.
13. Dahlan Z, Setiati S, Alwi I, Sudaya AW, Simadibrata KM, Setyahadi B, et al. Pneumonia. Buku Ajar Ilmu Penyakit Dalam Jilid II Edisi VI. Jakarta: Interna Publishing. 2014. hal. 1608–19.
14. Metlay JP, Waterer GW, Long AC, Anzueto A, Brozek J, Crother K, et al. Diagnosis and treatment of adults with community-acquired pneumonia. An official clinical practice guideline of the American thoracic society and infectious disease society of America. American Thoracic Society Documents. 2019.
15. Kalil AC, Metersky ML, Klompas M, Muscedere J, Sweeney D, Palmer LB, et al. Management of adults with hospital-acquired and ventilator-associated pneumonia: 2016 clinical practice guidelines by the infectious disease society of America and the American thoracic society. Infectious Disease Society of America. 2016.
16. Restrepo MI, Aliberti S, Dela Cruz CS, Amati F, Sotgiu G. Community-acquired pneumonia. Lancet. 2021;398: 906–19.
17. Badan Kebijakan Pembangunan Kesehatan. Survei Kesehatan Indonesia (SKI) tahun 2023. Kementerian Kesehatan Republik Indonesia. 2023.
18. Cecconi M, Evans L, Levy M, Rhodes A. Sepsis and septic shock. Lancet. 2018 Jul 7;392(10141):75-87.
19. Gotts JE, Matthay MA. Sepsis: pathophysiology and clinical management. British Medical Journal. 2016.
20. Chen C, Wu X, Zhang W, Pu Y, Xu X, Su Y, et al. Predictive value of risk factor for prognosis of patients with sepsis in intensive care unit. Medicine. 2023. 102:23.
21. Song JE, Kim MH, Jeong WY, Jung IY, Oh DH, Kim YC, et al. Mortality risk factor for patient with septic shock after implementation of the surviving sepsis campaign bundles. Infection & Chemotherapy Journal. 2016; 48(3):199-208.
22. Begenen M, Durak VA, Akalin H, Armagan E. Evaluation of prognostic value of MEDS, MEWS, and CURB-65 criteria and sepsis I and sepsis III criteria in

patients with community-acquired infection in emergency departement. Hong Kong Journal of Emergency Medicine. 2020. Vol 27(5) 277-285.

23. Wen JN, Li N, Guo CX, Shen N, He B. Performance and comparison of assessment models to predict 30-day mortality in patients with hospital-acquired pneumonia. Chinese Medical Journal. 2020;133(24).
24. Singer M, Deutschman CS, Seymour CW, Hari MS, Annane D, Bauer M, et al. The third international concensus definitions for sepsis and septic shock (sepsis-3). JAMA. 2016; 315(8): 801-810.
25. Hermawan AG. Sepsis dalam buku ajar : ilmu penyakit dalam edisi VII. PIP Interna. Jakarta. 2024. hal 5104-10.
26. Putra IAS, Update tatalaksana sepsis. Cermin Dunia Kedokteran. 2019.vol46.no11.
27. Guarino M, Perna B, Cesaro AE, Maritati M, Spampinato MD, Contini C, et al. 2023 update on sepsis and septic shock in adult patient: management in the emergency departemen. Journal of Clinical Medicine. 2023,12,3188.
28. Ginting WA, Abidin A. Pneumonia komunitas. Dalam buku ajar : ilmu penyakit edisi VII. PIP Interna. Jakarta. 2024. hal 1797-1805.
29. Regunath H, Oba Y. Community-acquired pneumonia. National Library of Medicine. 2024.
30. Suaya JA, Fletcher MA, Georgalis L, Arguedas AG, McLaughlin JM, Ferreira G, et al. Identification of stretococcus pneumonia in hospital-acquired pneumonia in adults. Journal of Hospital Infection. Elsevier. 2021. Vol 108.p146-157.
31. CDC. Pneumonia. Centrrers for Disease Control and Prevention. 2024. diakses <https://www.cdc.gov/pneumonia/index.html> diakses pada Oktober 2024.
32. Moldoveanu B, Otmishi P, Jani P, Wlker J, Sarmiento X, Guardiola J, et al. Inflammatory mechanisms in the lung. Journal of Inflamation Research. 2009;2;1-12.
33. Speiser JL, Karvellas CJ, Shumilak G, Sligl WI, Mirzanejad Y, Gurka D, et al. Predicting in-hospital mortality in pneumonia-associated septic shock patients using a classification and regression tree: a nested cohort study. Journal of Intensive Care. 2018.6:66.

34. Halim S. Validation of curb-65 scoring system in Indonesia patients with HAP. *Indonesia Journal of Chest Critical and Emergency Medicine*. 2014. Vol 1, No.3.
35. Oktariani NR, Singh G, Mansjoer A, Pitoyo CW. Skor curb-65 dan c-reactive protein 24 jam pertama diagnosis sebagai prediktor mortalitas dini pada hospital acquired pneumonia. *Fakultas Kedokteran Universitas Indonesia*. 2018.
36. Chalmers JD, Singanayagam A, Akram A, Mandal P, Choudhury G, Smith M, et al. Lactate is an independent marker of severity in hospitalised patients with community-acquired pneumonia. *European respiratory journal*. 2011; 38:p1463
37. Peraturan Menteri Kesehatan RI. Permenkes No. 28 tahun 2021 tentang Pedoman Penggunaan Antibiotik. *Kemenkes RI*. 2021.
38. Kuntaman, Karuniawati A, Gunardi WD, Anggraini D, Santosaningsih D, Saptawati L, et al. Surveilans resistansi antibiotik rumah sakit di Indonesia tahun 2021. *Perhimpunan Dokter Spesialis Mikrobiologi Indonesia*. 2022
39. Maia MO, Silveira CD, Gomes M, Fernandes SE, Santana RB, Oliveria DQ, et al. Multidrug-resistant bacteria on critically ill patients with sepsis at hospital admission: risk factors and effects on hospital mortality. *Infection and Drugs Resistance*. 2023
40. Chang Y, Jeon K, Lee SM, Cho YJ, Kim YS, Chong YP, et al. The distribution of multidrug-resistant microorganisms and treatment status of hospital-acquired pneumonia/ventilator-associated pneumonia in adult intensive care units: a prospective cohort observational study. *J Korean Med Sci*. 2021.
41. Pessoa E, Barbara C, Viegas L, Costa A, Rosa M, Nogueira P, et al. Factors associated with in-hospital mortality from community-acquired pneumonia in portugal: 2000-2014. *BMC Pulmonary Medicine*. 2020;20:18.
42. Sharma R, Sandrock CE, Meehan J, Theriault N. Community-acquired bacterial pneumonia-changing epidemiology, resistance patterns, and newer antibiotics: spotlight on delafloxacin. *Clin Drug Investig*. 2020;40(10):947- 60
43. Sastroasmoro S, Ismael S. *Dasar-dasar metdologi penelitian klinis*. Sagung Seto. Jakarta. 2014.

44. Michels EH, Butler JM, Reijnders TD, Cremer O, Scicluna B, Uhel F, et al. Association between age and the host response in critically ill patients with sepsis. *BMC Critical Care*. 2022.
45. Zhu J, Dong Y, Liao P, Yin X, He J, Guo L, et al. Prognostic value of hemoglobin in patients with sepsis: a systematic review and meta-analysis. *Elsevier*. 2024; vol 64 p93-99.
46. Turanzas MC, Ensor J, Wakefield C, Zhang K, Wallace SK, Price KJ, et al. Cross-validation of sequential organ failure assessment score-based model to predict mortality in patients admitted to the intensive care unit. *Journal of Critical Care*. 2012p673-680.
47. Dartiguelongue JB. Biological significance and clinical utility of lactate in sepsis. *Arch Argent*. 2024;122(2).
48. Hotchkiss RS, Monneret G, Payen D. Immunosuppression in sepsis: a novel understanding of disorder and a new therapeutic approach. *Lancet Infect Dis*. 2013.
49. Poll TV, Veerdonk FL, Scicluna BP, Netea M. The Immunopathology of sepsis and potential therapeutic targets. *Nat Rev Immunol*. 2017.
50. Buonacera A, Stancanelli B, Colaci M, Malatino L. Neutrophil to lymphocyte ratio: an emerging marker of the relationships between the immune system and disease. *International Journal of Molecular Sciences*. 2022, 23, 3636.
51. Huang Z, Fu Z, Huang W, Huang K. Prognostic value of neutrophil-to-lymphocyte ratio in sepsis: a meta-analysis. *The American Journal of Emergency Medicine*. Elsevier. 2020. Vol38. P641-647.
52. Charlson ME, Carrozzino D, Guidi J, Patierno C. Charlson comorbidity index: a critical review of clinimetric properties. *Psychotherapy and Psychosomatics*. 2022;91:8-35.
53. Jouffroy R, Parfait PA, Gilbert B, Tourtier JP, Blochlaine E, Ecollan P, et al. Relationship between prehospital modified Charlson comorbidity index and septic shock 30-day mortality. *Elsevier*. 2022.
54. Poovieng J, Sakboonyarat B, Nasomsong W. Bacterial etiology and mortality rate in community-acquired pneumonia, healthcare-associated pneumonia and hospital-acquired pneumonia in thai university hospital. *Nature*. 2022,

12:9004.

55. Fadrian F, Decroli E, Ahmad A, Kam A, Muharramah HD, Pradana G, et al. In-hospital mortality and its determinant factor among patients with sepsis. *Universa Medicina*. 2025;44:3-15.
56. Yang Z, Gao Y, Zhao L, Xuejiao, Du Y. Molecular mechanisms of sepsis attacking the immune system and solid organs. *Frontiers in Medicine*. 2024.
57. Nainggolan L, Eled RP, Rinaldi I, Rumende CM, Jasirwan COM, Wibowo SAK, et al. Identifying predictor of mortality in sepsis patients with malignancy: a retrospective cohort study. *Acta Medica Indonesiana*. 2024; 56(1)39-45.
58. Wang X, Wei C, He D, Huang D, Zhao Y, Ran L, et al. Incidence and risk factor of sepsis in patients with severe community-acquired pneumonia: a Chinese, single-center, retrospective study. *BMC Infectious Disease*. 2025; 25:649.
59. Xie K, Guan S, Kong X, Ji W, Du Chen, Jia M, et al. Predictors of mortality in severe pneumonia patients: a systemic review and meta-analysis. *BMC*. 2024;12:210.
60. Simajuntak SG, Pradian E, Sitanggang RH. Lama penggunaan ventilator, icu-los dan mortalitas pasien ventilated hospital acquired pneumonia dan ventilated community acquired pneumonia di icu rsup dr. hasan sadikin periode januari-desember 2021. *Jurnal Anestesi Perioperatif*. 2024.
61. Cilloniz C, Dominedo C, Ielpo A, Ferrer M, Gabarrus A, Battaglini D, et al. Risk and prognostic factors in very old patients with sepsis secondary to community-acquired pneumonia. *Journal of Clinical Medicine*. 2019.
62. Giuliano K, Baker D. Sepsis in the context of nonventilator hospital-acquired pneumonia. *Pulmonary Critical Care*. 2020;29(1):9-14.
63. Klein SL, Flanagan KL. Sex differences in immune responses. *Nature*. 2016;16(10)626-638.
64. Sharma NK, Ferreira BL, Tashima AK, Brunialti MKC, Torquato RJS, Bafi A, et al. Lipid metabolism impairment in patients with sepsis secondary to hospital acquired pneumonia, a proteomic analysis. *BMC*. 2020; 16:29.
65. Angele MK, Pratschke S, Hubbard WJ, Chaudry IH. Gender differences in

sepsis: cardiovascular and immunological aspects. *Virulence*. 2014;5(1):12-19.

66. Menteri Kesehatan Republik Indonesia. Peraturan menteri kesehatan republik Indonesia nomor 67 tahun 2015 tentang penyelenggaraan pelayanan Kesehatan lanjut usia di pusat kesehatan Masyarakat. Menteri Kesehatan Republik Indonesia. 2015.
67. Rahayu RA, Bahar A. Penatalaksanaan infeksi pada usia lanjut secara menyeluruh. dalam buku ajar Ilmu Penyakit Dalam edisi VII jilid III. PIP Interna. 2024. hal 4791-98.
68. Setiati S, Rizka A, Mulyana R. Imunosenesens. dalam buku ajar Ilmu Penyakit Dalam edisi VII jilid III. PIP Interna. 2024. hal 4572-78.
69. Ibarz M, Haas L, Ceccato A, Artigas A. The critically ill older patient with sepsis: a narrative review. *Annals of Intensive Care*. 2024; 14:6.
70. Alhamyani AH, Alamri MS, Aljuaid NW, Aloubthani AH, Alzahrani S, Alghamdi AA, et al. Sepsis in aging population: a review of risk factor, diagnosis, and management. *Cureus*. 2024;16(12).
71. Thi K, Dang KN, Thi TH. The value of scoring systems in predicting respiratory intensive care unit admission an 30-day mortality in hospitalized community-acquired pneumonia. *Medicine*. 2025. 104:37
72. Zhao Y, Zhang B. Association between body temperature and all-cause mortality in patients with sepsis: analysis of the mmic-iv database. *European Journal of Medical Research*. 2024;29:630.
73. Kim JW, Kim JJ, Yang HJ, Lim YS, Cho JS, Hwang IC, et al. The prognostic factors of pneumonia with septic shock in patients presenting to the emergency departement. *Korean J Crit Care Med*. 2015; 30(4):258-264.
74. Marwasyifa N, Asmarawati TP, Setiawan F, Endraswari PD. Bloodstream infections leading to sepsis: clinical and microbiological profiling of bacteremia among hospitalized patients in Surabaya, Indonesia. *Current Internal Medicine Research and Practice Surabaya Journal*. 2025;06:106-16.
75. Jones B, Sarvet AL, Ying J, Jin R, Nevers MR, Stern S, et al. Incidence and outcomes of non-ventilator-associated hospital-acquired pneumonia in 284 us hospital electronic surveillanve criteria. *JAMA Network*. 2023.
76. Asati AK, Gupta R, Behera D. To determine blood lactate levels in patients

with sepsis admitted to a respiratory intensive care unit and to correlate with their hospital outcomes. *International Journal of Critical Care and Emergency Medicine*. 2018; 4:045.

77. Almira NG, Hasan H, Wardhani P, Hernaningsih Y, Bintoro SUY, Ramadhan PZ. Correlation between neutrophil-to-lymphocyte ratio and severity of community-acquired pneumoni in patients. *Qanun Media Jurnal Kedokteran FKUM Surabaya*. 2025. (9)267-75.
78. Li X, Lei X, Kuo L, Wang J, Yang Z. Development and validation of mortality risk prediction model for sepsis secondary to pneumonia at intensive care uit admission: a retrospective case-cohort study. *Frontiers in Medicine*. 2025.
79. Raniputri KA, Harsini, Reviono, Leli S. Correlation of antibiotic resistance with sepsis incidence, hospital mortality, and time of sepsis onset in community acquired bacterial pneumonia. *J Respirol Indonesia*. 2022; 42(3):184-90.
80. Suryamani C, Gangaram V, Swathi RB, Sonica VP. Prevalence of multidrug-resistant organism in hospital-acquired pneumonia among icu patient and clinical outcomes: a prospective observational study. 2025;6(3).
81. Zhang Y, Shou S. Pathogens and drug-resistance of hospital-acquired pneumonia in an eicu in tiajin, China. *Int J Biochem Mol Biol*. 2021;12(2):49-54.
82. Thorndike J, Kollef MH. Culture-negatif sepsis. *Wolters Kluwer Health*. 2020; 26(5) 473-7.
83. Ahnert P, Creutz P, Horn K, Schwarzenberger F, Kiehntopf M, Hossain H, et al. Sequential organ failure assessment score is an excellent operationalization of disease severity of adult patients with hospitalized community acquired pneumonia – results from the prospective observational progress study. *BMC Critical care*. 2019; 23:110.
84. Karakike E, Kyriazopoulou E, Tsangaris I, Routsis C, Vincent JL, Bourboulis EJG. The early change of sofa score as a prognostic marker of 28-day sepsis mortality: analysis through a derivation and validation cohort. *BMC critical care*. 2019; 23:387.
85. Annette I, Moskowitz A, Konanki V, Patel PV, Chase M, Grossestreuer AV, et al. Performance of the curb-65 score in predicting critical care interventions

in patients admitted with community-acquired pneumonia. *Annals of Emergency Medicine*. Elsevier. 2019;74(1)60-68.

86. Wen JN, Li N, Guo CX, Shen N, He B. Performance and comparison of assessment models to predict 30-day mortality in patients with hospital-acquired pneumonia. *Chinese Medical Journal*. 2020;133(24)2947-52.
89. Xie M, Min Z, Jiang W, He Z, Xia X. Prognostic value of multivariate logistic regression analysis and amyloid a lactate monitoring in patients with severe pneumoni-associated sepsis. *BMC Pulmonary Medicine*. 2025;25:191.
90. Sheng S, Li A, Zhang C, Liu X, Zhou W, Shen T, et al. Association between hemoglobin and in-hospital mortality in critically ill patients with sepsis: evidence from two large databases. *BMC Infectious Disease*. 2024; 24:1450.
91. Gruccio P, Girard WS, Badipour AD, Kakande R, Adejayan V, Zulfiqar M, et al. A narrative review of the pathophysiology of sepsis in sub-saharan Africa: exploring the potential for corticosteroid therapy. *Plos Global Public Health*. 2025.
92. Song H, Moon HG, Kim SH. Efficacy of quick sequential organ failure assessment with lactate concentration for predicting mortality in patients with community-acquired pneumonia in emergency departments. *Clinical and Experimental Emergency Medicine*. 2017.
93. Gattinoni L, Vasques F, Camporota L, Meessen J, Romitti F, Pasticci I, et al. Understanding lactatemia in human sepsis. *American Journal of Respiratory and Critical Medicine*. 2019;200(5)582-589.
94. Li X, Lei X, Kuo L, Wang J, Yang Z. Development and validation of mortality risk prediction model for sepsis secondary to pneumonia at intensive care unit admission: a retrospective case-cohort study. *Frontier in Medicine*. 2025.
95. Darwis I, Probosuseno. Hubungan neutrophil lymphocyte rasio dengan outcome sepsis pada geriatri. *JK Unila*. 2019;vol 3, hal147-153.
96. Thang N, Luyen L, Vi N, Hai P. Neutrophil-to-lymphocyte-to-albumin ratio as a prognostic marker for mortality in sepsis and septic shock in vietnam. *Acute and Critical Care*. 2025; 40(2):244-51.
97. Abe S, Wannigama DL. Quick sequential organ failure assesment (qsdfa) and performance status scoring systems as prognostic predictor in pneumococcal

community-acquired pneumonia. *Cureus*. 2024; 16(11).

98. Zhou H, Lan T, Guo S. Stratified and prognostic value of admission lactate and severity scores in patients with community-acquired pneumonia in emergency departement, a single-center retrospective cohort study. *Medicine*. 2019; 98:41.
99. Jarczak D, Kluge S, Nierhaus A. Sepsis-pathophysiology and therapeutic concepts. *Frontiers in medicine*. 2021.
100. Williams B, Zou L, Pittet JF, Chao W. Sepsis-induced coagulopathy: a comprehensive narrative review of pathophysiology, clinical presentation, diagnosis, and management strategies. *Critical Care and Resuscitation*. 2024; 134(4) 696-711.
101. Srdic T, Durasevic S, Lakic I, Ruzicic A, Vujovic P, Jevdovic T, et al. From molecular mechanisms to clinical therapy: understanding sepsis-induced multiple organ dysfunction. *International Journal of Molecular Sciences*. 2024.
102. Jiang L, Cheng M. Impact of diabetes mellitus on outcomes of patients with sepsis: an update systemic review and meta-analysis. *Diabetology & Metabolic Syndrome*. 2022; 14(39).
103. Barmanray RD, Cheuk N, Fourlanos S, Greenberg PB, Colman PG, Worth L, et al. In-hospital hyperglycemia but not diabetes mellitus alone is associated with increased in-hospital mortality in community-acquired pneumonia (cap): a systematic review and meta-analysis of observational studies prior to covid-19. *BMJ Open Diabetes Research & Care*. 2022.
104. Suk C, Hsu S, Chen C, Hsieh H, Kuo H, Hsu Y, et al. point of care eGFR and the prediction of outcomes in pneumonia. *Nature*. 2019.
105. Mansur A, Mulwande E, Steinau M, Bergmann I, Popov AF, Ghadimi M, et al. Chronic kidney disease is associated with a higher 90-day mortality than other chronic medical conditions in patients with sepsis. 2015.
106. McDonald H, Nitsch D, Millet ERC, Sinclair A, Thomas SL. Are pre-existing marker of chronic kidney disease associated with short-term mortality following acute community-acquired pneumonia and sepsis? a cohort study among older people with diabetes using electronic health records. *Nephrol Dial Transplant*. 2015;30:1002-09.
107. Cohen G, Horl W. Immune dysfunction in uremia- an updaye. *Toxins*. 2012;

4: 962-90.

108. Iba T, Levy JH. Derangement of the endothelial glycocalyx in sepsis. *Journal of Thrombosis and Haemostasis*. 2018.; 17: 283-94.
109. Rumanli Z, Vural IS, Avci GA. Chronic kidney disease, uremic toxins and microbiota. *Microbiota and Host*. 2025.
110. Vidal CG, Sabe NF, Carratala J, Diaz V, Verdague R, Dorca J, et al. Early mortality in patients with community-acquired pneumonia: causes and risk factors. *European Respiratory Journal*. 2018.
111. Cheng T, Li Y, Gu W, Sun Mu, Feng Y, Cheng Q, et al. Comorbidities and their impact on in-hospital mortality in hospitalized adult patients with bacterial community-acquired pneumonia: a cohort study. *J Thorac Dis*. 2025;17(7); 4909-4928.
112. Reaven M, Rozario NL, McCarter MSJ, Heffner AC. Incidence and risk factors associated with early death in patients with emergency departemen septic shock. *Acute and Critical Care*. 2022;37(2) 193-201.
113. Qi J, Lei J, Li N, Huang D, Liu H, Zhou K, et al. Machine learning models to predict in-hospital mortality in septic patients with diabetes. *Frontiers in Endocrinology*. 2022.
114. Feng DY, Zhou YQ, Zou XL, Zhou M, Wu WB, Chen X, et al. Factors influencing mortality in hospital-acquired pneumonia caused by gram-negative bacteria in china. *Journal of Infection and Public Health*. Elsevier. 2019; 12: 630-33.
115. Min SY, Yong HJ, Kim D. Sex or gender differences in treatment outcomes of sepsis and septic shock. *Acute and Crititcal Care*. 2024; 39(2):207-213.
116. Zhao H, Yang B, Hongkai D, Cheng L, Ruan H, Li Y. Sex differences in sepsis-related acute respiratory distress syndrome and other short-term outcomes among critically ill patients with sepsis: a retrospective study in china. *Shock*. 2025; 63(5) 733-742.
117. Antequera A, Alvalde JL, Stalling E, Muriel A, Felix BF, Campo RD, et al. Sex as a prognostic factor for mortality in critically ill adults with sepsis: a systematic review and meta-analysis. *BMJ*. 2021.
118. Lakbar I, einav S, Lalevee N, Loeches IM, Pastene B, Leone M, et al.

Interactions between gender and sepsis-implications for the future. *Microorganisms*. 2023.

119. Filho RR, Rocha LL, Correa TD, Pessoa CMS, Colombo G, Assuncao MSC, et al. Blood lactate levels cutoff and mortality prediction in sepsis-time for a reappraisal? A retrospective cohort study. 2016; 46 (5);480-485.
120. Villar JIB, Remon CA, Andres PP, Donate RM, Lahoz JM. Impact on morbidity, mortality, and length of stay of hospital-acquired infections by resistant microorganisms. *Clinical Infectious Disease*. 2017; 00(00): 644-652.
121. Barbosa LCG, Sousa JAS, Bordoni GP, Barbosa GO, Carneiro LC. Elevated mortality risk from crkp associated with comorbidities: systematic review and meta-analysis. *Antibiotics*. 2022.
122. Torres A, Niederman MS, Chastre J, Ewig S, Vandellos PF, Hanberger H, et al. International ers/esicm/escmid/alat guidelines for the management of hospital-acquired pneumonia and ventilator-associated pneumonia. ERS Publications. 2017.
123. Wu H, Cao T, Ji T, Luo Y, Huang J, Ma K. Predictive value of the neutrophil-to-lymphocyte ratio in the prognosis and risk of death for adult sepsis patients: a meta-analysis. *Frontiers in Immunology*. 2024.
124. Lazovic B, Milic R, Zugic V, The neutrophil-lymphocyte count ratio in patients with hospital-acquired pneumonia. *European Respiratory Journal*. 2019.
125. Tekin A, Wireko FW, Gajic O, Odeyemi Y. The Neutrophil/lymphocyte ratio and outcomes in hospitalized patients with community-acquired pneumonia: a retrospective cohort study. *Biomedicines*. 2024.
126. Kurt E, Kurt E, Bahadirli, Nakis, Ozturk C, Akoglu, et al. Prognostic utility of curb-65 and e-curb-65 scoring system in healthcare associated pneumonia patients: short-and long term-mortality. *Nigerian Journal of Clinical Practice*. 2018.
127. Semet C. The ongoing challenge of ventilator-associated pneumonia: epidemiology, prevention, and risk factor for mortality in secondary care hospital intensive care unit. *Infection Prevention in Practice*. Elsevier. 2023; 5(4).
128. Yang DC, Xu J, Jian L, Yu Y. Impact of angiotensin-converting enzyme

inhibitors or angiotensin reseptor blockers on the mortality in sepsis: a meta-analysis. *World Journal of Clinical Cases*. 2023; 11(36): 8498-8506.

129. Jiao J, Li Z, Wu X, Cao J, Liu Y, Li F, et al. Risk factor for 3-month mortality in bedridden patients with hospital-acquired pneumonia: a multiventre prospective study. *Plos One*. 2021.

130. Hong G, Ju H, Oh DK, Park MH, Lee H, Lim CM, et al. Clinical characteristics and prognostic factors of sepsis in patients with malignancy. *Scientific reports*. 2025;15:7078.

131. Torres A, Cilloniz G, Niederman MS, Menendez R, Chalmers JD, Wunderink RG, et al. Pneumonia. *Nature*. 2021.

132. Shankar-Hari M, Phillips GS, Levy ML, Seymour CW, Liu VX, Deutschman CS, et al. Developing a new definition and assesing new clinical criteria for septic shock. *JAMA*. 2016; 315(8): 775-787.

