

## DAFTAR PUSTAKA

1. Rabie, M. Abdelrahman et al. Feasibility of modified bentonite as acidic heterogeneous catalyst in low temperature catalytic cracking process of biofuel production from nonedible vegetable oils. *Journal of Molecular Liquids*. 2018; (254) 260–266.
2. T.H. Dang et al. Application of kaolin-based catalysts in biodiesel production via transesterification of vegetable oils in excess methanol. *Bioresource Technology*. 2013; (145) 175–181.
3. B. Ali et al. Synthesis of novel graphene oxide/bentonite bi-functional heterogeneous catalyst for one-pot esterification and transesterification reactions. *Energy Conversion and Management*. 2018; (171) 1801–1812.
4. H.J. Alves et al. Treatment of clay with KF: New solid catalyst for biodiesel production. *Applied Clay Science*. 2014; (91–92) 98–104.
5. Leksono, Budi. Rina Laksmi Hendrati. Variation in biofuel potential of twelve *Calophyllum inophyllum* populations in Indonesia. *Indonesian Journal of Forestry Research*. 2014; 9 (Vol. 1, No. 2), hal 127 – 138.
6. E. Bet-Moushoul et al. Development of novel Ag/bauxite nanocomposite as a heterogeneous catalyst for biodiesel production. *Renewable Energy*. 2016; (92) 12-21.
7. A.B. Fadhil et al. Transesterification of non-edible oils over potassium acetate impregnated CaO solid base catalyst. *Fuel*. 2018; (234) 81–93.
8. M.A. Olutoye, B.H. Hameed. A highly active clay-based catalyst for the synthesis of fatty acid methyl ester from waste cooking palm oil. *Applied Catalysis A: General*. 2013; (450) 57– 62.
9. D'Souza, Reena et al. *Graphene supported magnetically separable solid acid catalyst for the single step conversion of waste cooking oil to biodiesel*. Renewable Energy 2018; (126) 1064-1073.
10. Loy, Adrian Chun Minh et al. Development of high microwave-absorptive bifunctional graphene oxidebased catalyst for biodiesel production. *Energy Conversion and Management* 2019 (180) 1013–1025.
11. Mercurio, Mariano. Alessio Langella. *Modified Clay and Zeolite Nanocomposite Materials 1st Edition Environmental and Pharmaceutical Applications*. 2018; Itali: Elsevier.
12. Banton, CD. Dan A.D. Karathanasis: *Clay Mineral, Encyclopedia of Soil Science*, 2002.
13. Chitaningrum, Nidya. Sifat mekanik dan termal pada bahan nanokomposit epoxy-clay Tapanuli. Jurusan Fisika, FMIPA, Universitas Indonesia. 2008.
14. An, Ning , Chun Hui Zhou. Immobilization of enzymes on clay minerals for biocatalysts and biosensors. *Applied Clay Science* 2015; (114) 283-296.
15. Rachim, Annisa Gani. Modification of CaO catalyst to produce biodiesel from waste cooking oil. *Ind. J. Chem. Res.*, 2017; 5(1), 459-464.
16. Negm, A Nabel et al. Biodiesel production from one-step heterogeneous catalyzed process of Castor oil and Jatropha oil using novel sulphonated phenyl silane montmorillonite catalyst. *Journal of Molecular Liquids* 2017; (234) 157–163.
17. Takase, Mohammed et al. High performance heterogeneous catalyst for biodiesel production from non-edible oil. *Renewable Energy Focus* 2018; (Vol 25) 201-212

18. Soetaredjo, Felycia Edi et al. KOH/bentonite catalysts for transesterification of palm oil to biodiesel. *Applied Clay Science* 2011; (53) 341–346.
19. Rahmawati, D.A et al. Pembuatan dan karakterisasi katalis heterogen  $\text{SO}_4^{2-}$  -ZnO dan  $\text{SO}_4^{2-}$  / ZnO dengan metode kopresipitasi dan impregnasi untuk produksi biodiesel dari minyak kedelai. *Jurnal Teknologi Kimia dan Industri* 2013; (Vol. 2), No. 4.
20. Zuhra et al. Preparasi katalis abu kulit kerang untuk transesterifikasi minyak nyamplung menjadi biodiesel. *Agritech*, 2015; (Vol. 35), No. 1.
21. Purnamasari, Amalia Putri. Modifikasi kitosan-sulfat sebagai katalis heterogen pada produksi biodiesel dari minyak kelapa sawit. Skripsi, Universitas Airlangga. 2013.
22. Devitria, Rosa. Nurhayati, Sofia Anita. Sintesis biodiesel dengan katalis heterogen clay cengar yang diaktivasi dengan NaOH: pengaruh waktu reaksi dan rasio molar minyak:metanol. Universitas Riau. 2013.
23. A.F.F. Farias et al. Biodiesel obtained by ethylic transesterification using CuO, ZnO and CeO<sub>2</sub> supported on bentonite. *Fuel* 2015; (160) 357–365.
24. Ayoub, Muhammad et al. Process Optimization for Biodiesel Production from Waste Frying Oil over Montmorillonite Clay K-30. *Procedia Engineering* 2016 (148); 742 – 749.
25. Nagendrappa, Gopalpur et al. Organic synthesis using clay and clay-supported catalysts. *Applied Clay Science* 2011; (53) 106–138.
26. J.F.P. Gomes et al. Study on the use of MgAl hydrotalcites as solid heterogeneous catalysts for biodiesel production. *Energy* 2011; (36) 6770-6778.
27. I. Reyero et al. Structured catalysts based on Mg-Al hydrotalcite for the synthesis of biodiesel. *Catalysis Today* 2013; (216) 211– 219.
28. M.J.C. Rezende et al. Esterification of fatty acids using acid-activated Brazilian smectite natural clay as a catalyst. *Renewable Energy* 2016; (92) 171-177.
29. Esmaeili, Hossein et al. Biodiesel Production using Trans-Esterification Process and Investigation of Fuel Properties: A Review Study. *Recent Adv Petrochem Sci.* 2017; 1(5): 555-571.
30. Luna, Mark Daniel Get al. Transesterification of soybean oil using a novel heterogeneous base catalyst: Synthesis and characterization of Na-pumice catalyst, optimization of transesterification conditions, studies on reaction kinetics and catalyst reusability. *Fuel* 2017; (09) 246–25.
31. Shan, Rui et al. Catalysts from renewable resources for biodiesel production. *Energy Conversion and Management* 2018;(178) 277–289.
32. Fausan, R., Syukri dan Emdeniz. 2013. Optimasi aktifitas katalitik Co(II)asetonitril yang diamobilisasi padasilika modifikasi, *J. Kimia Unand.* 2013; 1(1), 107.
33. Gonggo, Tandi Siang. Karakterisasi fisikokimia mineral clay sebagai bahan dasar industri keramik di Desa Lembah Bomban Kecamatan Bolano Lambunu Kabupaten Parigi Moutong. *Jurnal Akademika Kimia* 2013; (Volume 2, No. 2), 105-113 106.
34. Pradesar, Yusuf et al. Pengaruh Waktu Ultrasonikasi dan Waktu Tahan Proses Hydrothermal Terhadap Struktur dan Sifat Listrik Material Graphene. *Jurnal Teknik Pomits* 2017; (Vol. 2, No. 1), ISSN: 2337-3539 (2301-9271).
35. Tufantri, Yudha et al. Sintesis dan Karakterisasi Grafena dengan Metode Reduksi Grafit Oksida Menggunakan Pereduksi Zn. *Jurnal Kimia VALENSI*, 2016; (Vol 2), No. [17-23].

36. A.Fan et al. Graphene Gazing Gives Glimpse Of Foundations Of Universe. *ScienceDaily*, 2008-04-04.
37. Rafitasari, Yeti et al. Sintesis graphene oxide dan reduced graphene oxide. *Prosiding Seminar Nasional Fisika (E-Journal) SNF 2016 VOLUME V*.
38. Hidayat, Ahmad et al. Sintesis Oksida Grafena Tereduksi (Rgo) dari Arang Tempurung Kelapa (Cocos nucifera). *al-Kimiya* 2019; (Vol. 5), No. 2 (68-73).
39. Shao G, Lu Y, Wu F, Yang C, Zeng F, Wu Q. Graphene oxide: the mechanisms of oxidation and exfoliation. *J. Mater. Sci.* 2012; 47(10): 4400-4409.
40. Simarmata, Fabio Hanau Wijaya. Sintesis Grafena Berlapis Nano dari Grafit Menggunakan Reduktor Magnesium. *Skripsi*, Kimia, FMIPA, Universitas Sumatera Utara: Medan. 2018.
41. Syakir, Norman. Kajian Pembuatan Oksida Grafit untuk Produksi Oksida Grafena dalam Jumlah Besar. *Jurnal Fisika Indonesia* 2015; No: 55, (Vol XIX), Edisi November.
42. Xie, Wenlei et al. Immobilization of Candida rugosa lipase onto graphene oxide Fe<sub>3</sub>O<sub>4</sub> nanocomposite: Characterization and application for biodiesel production. *Energy Conversion and Management* 2018; (159) 42–53
43. T.M.M. Marso. Metal modified graphene oxide composite catalyst for the production of biodiesel via pre-esterification of Calophyllum inophyllum oil. *Fuel* 2018 (199) 47–64.
44. Dhawane, Sumit H et al. Recent advancement and prospective of heterogeneous carbonaceous catalysts in chemical and enzymatic transformation of biodiesel. *Energy Conversion and Management* 2018; (167) 176–202
45. Gaidukevič, Justina et al. Modified graphene-based materials as effective catalysts for transesterification of rapeseed oil to biodiesel fuel. *Chinese Journal of Catalysis* 2018; (39) 1633–1645.
46. Narayanan, Divya P et al. Novel rice husk ash - reduced graphene oxide nanocomposite catalysts for solvent free Biginelli reaction with a statistical approach for the optimization of reaction parameters. *Materials Chemistry and Physics* 2019; (222) 63–74.
47. Chen, Jun et al. Conversion of lipids from wet microalgae into biodiesel using sulfonated graphene oxide catalysts. *Bioresource Technology* 2017 (244) 569–574.
48. Amri et al. Properties enhancement of cassava starch based bioplastics with addition of graphene oxide. *IOP Conf. Ser.: Mater. Sci. Eng.* 2018; (345) 012-025.
49. Aroke, U. O et al.. Fourier-Transform Infrared Characterization of Kaolin, Granite, Bentonite and Barite. *ATBU J. Environ. Technol.* 2013; Vol 6 (1), 42–53.
50. Zhang, Zhi Yi. Characteristics of clay minerals in soil particles of two Alfisols in China. *Applied Clay Science* 2016; (120) 51–60.
51. Ruslan, Jaya Hardi et al. Sintesis dan karakterisasi katalis lempung terpilar zirkonia tersulfatasi sebagai katalis perengkah. *Prosiding Seminar Nasional Kimia UNY 2017*.
52. Madejova, Jana. Baseline studies of the clay minerals society source clays: infrared methods. *Clays and Clay Minerals*, 200; (Vol. 49), No. 5, 410–432.
53. Xie, Wenlei et al. Alumina-supported potassium iodide as a heterogeneous catalyst for biodiesel production from soybean oil. *Journal of Molecular Catalysis A: Chemical* 2006; (255) 1–9.

54. Nuripati, N. Lempung Limau Manis: Modifikasi, Karakterisasi, dan Aktivitas Katalitiknya, *Skripsi*, Kimia, FMIPA, Universitas Andalas: Padang. 2019.
55. Salmi dkk Seprianti, S. Pemanfaatan Tanah Lempung Alami (*Clay*) Limau Manis Sebagai Support Katalis Asam, Karakterisasi Dan Aplikasi Katalitiknya, *Skripsi*, Kimia, FMIPA, Universitas Andalas, Padang. 2017.
56. Refaat, A.A. Correlation between the chemical structure of biodiesel and its physical properties. *International Journal of Environment Science and Technology*, 2009; (Vol. 6), No. 4, pp. 677-694.
57. Knothe, G. Introduction. In: Knothe, G.; van Gerpen, J.; Krahl, J. *The Biodiesel Handbook*, 2005; Chapter 1. AOCS Press, Champaign, IL, USA).
58. Shalaby A et al. Structural analysis of reduced graphene oxide by transmission electron microscopy. *Bulgarian Chemical Communications, Bulgarian Chemical Communications, Volume 47, Number 1 (pp. 291–295) 2015*; (Volume 47), Number 1 (pp. 291–295).
59. Drewniak, Sabina et al. Studies of Reduced Graphene Oxide and Graphite Oxide in the Aspect of Their Possible Application in Gas Sensors. *Sensors* 2016; (16) 103-119.

