

DAFTAR PUSTAKA

- [1] T. Cheng *dkk.*, “Recy-ctronics: Designing Fully Recyclable Electronics With Varied Form Factors,” Jun 2024, [Daring]. Tersedia pada: <http://arxiv.org/abs/2406.09611>
- [2] P. Kumar, P. Kumar, dan S. Singh Thakur, “E-Waste and Hazardous Elements: A Comprehensive Study of Chemical Components and Environmental Threats,” *International Journal of Innovative Science and Research Technology (IJISRT)*, vol. 9, no. 10, hlm. 1074–1085, 2024, doi: 10.38124/ijisrt/ijisrt24oct1008.
- [3] L. Li, L. Han, H. Hu, dan R. Zhang, “A review on polymers and their composites for flexible electronics,” *Mater Adv*, vol. 4, no. 3, hlm. 726–746, 2022, doi: 10.1039/d2ma00940d.
- [4] M. Yani, B. Suroso, dan R. Rajali, “Mechanical Properties Komposit Limbah Plastik,” *Jurnal Rekayasa Material, Manufaktur dan Energi*, vol. 2, no. 1, hlm. 74–83, 2019, doi: 10.30596/rmme.v2i1.3071.
- [5] D. Qureshi *dkk.*, “Fabrication and characterization of poly (Vinyl alcohol) and chitosan oligosaccharide-based blend films,” *Gels*, vol. 7, no. 2, hlm. 1–23, 2021, doi: 10.3390/gels7020055.
- [6] N. P. V. A. Zno dan F. Ramadhan, “Pengaruh Suhu Annealing Terhadap Sifat Listrik dan Struktur Kristal Lapisan Tipis,” vol. 10, no. 5, hlm. 4440–4448, 2023.
- [7] D. Choudhary dan S. Sinha, “A Systematic Review on the Dielectric Response of Polyvinyl alcohol - Zinc oxide Nanocomposites Films,” *J Phys Conf Ser*, vol. 2267, no. 1, 2022, doi: 10.1088/1742-6596/2267/1/012046.
- [8] W. Zhao *dkk.*, “2D Titanium carbide printed flexible ultrawideband monopole antenna for wireless communications,” *Nat Commun*, vol. 14, no. 1, hlm. 1–10, 2023, doi: 10.1038/s41467-022-35371-6.
- [9] A. Sarycheva, A. Polemi, Y. Liu, K. Dandekar, B. Anasori, dan Y. Gogotsi, “2D titanium carbide (*Mxene*) for wireless communication,” *Mxenes: From Discovery to Applications of Two-Dimensional Metal Carbides and Nitrides*, no. September, hlm. 949–970, 2023, doi: 10.1201/9781003306511-48.
- [10] Z. Hadi, J. K. Yeganeh, Y. Zare, M. T. Munir, dan K. Y. Rhee, “Predicting of electrical conductivity for Polymer-*Mxene* nanocomposites,” *Journal of Materials Research and Technology*, vol. 28, no. December 2023, hlm. 4229–4238, 2024, doi: 10.1016/j.jmrt.2024.01.014.
- [11] Y. Li *dkk.*, “Reversible Crumpling of 2D Titanium Carbide (*Mxene*) Nanocoatings for Stretchable Electromagnetic Shielding and Wearable Wireless Communication,” *Adv Funct Mater*, vol. 30, no. 5, hlm. 1–12, 2020, doi: 10.1002/adfm.201907451.

- [12] N. Grishkewich, N. Mohammed, J. Tang, dan K. C. Tam, "Recent advances in the application of cellulose nanocrystals," *Curr Opin Colloid Interface Sci*, vol. 29, hlm. 32–45, 2017, doi: 10.1016/j.cocis.2017.01.005.
- [13] T. Ji, R. Zhang, X. Dong, D. E. Sameen, dan S. Ahmed, "Effects of Ultrasonication Time on the Properties of Polyvinyl Alcohol / Sodium Carboxymethyl Cellulose / Nano-ZnO / Multilayer Graphene Nanoplatelet Composite Films," 2020.
- [14] S. Nam, S. Umrao, S. Oh, dan I. Oh, "2D Layered Ti₃C₂T_x Negative Electrode based Activated Carbon Woven," *Plosone*, vol. 32, no. 5, hlm. 296–300, 2019.
- [15] S. A. Rahmawaty, "Analisa Kekuatan Tarik dan Tekuk pada Komposit Fiberglass-Polyester Berpenguat Serat Gelas dengan Variasi Fraksi Volume Serat," *JTM-ITI (Jurnal Teknik Mesin ITI)*, vol. 5, no. 3, hlm. 146, 2021, doi: 10.31543/jtm.v5i3.685.
- [16] Q. Tarrés, H. Oliver-Ortega, M. Alcalà, X. X. Espinach, P. Mutjé, dan M. Delgado-Aguilar, "Research on the strengthening advantages on using cellulose nanofibers as polyvinyl alcohol reinforcement," *Polymers (Basel)*, vol. 12, no. 4, 2020, doi: 10.3390/POLYM12040974.
- [17] R. Manurung, S. Simanjuntak, J. Sembiring, E. C. Zaluku, R. A. M. Napitupulu, dan S. Sihombing, "Menggunakan Resin Polyester Dengan Memvariasikan Susunan Serat Secara Acak Dan Lurus Memanjang," *SPROCKET Journal of Mechanical Engineering*, vol. 2, no. 1, hlm. 28–35, 2020.
- [18] L. Iryani dan S. Satrio Wibowo, "Proses Manufaktur Material Komposit Struktur Sayap Pesawat Udara Tanpa Awak Dengan Menggunakan Metode Hand Lay-Up dan Vacuum Bagging," vol. 9, hlm. 1, 2019.
- [19] A. Tenggara, "Pengaruh Komposisi Serat Terhadap Kekuatan Impak," vol. 4, no. 2, hlm. 72–78, 2015.
- [20] A. Firdaus, A. Tjahjono, dan S. A. Saptari, "Analisis Pengaruh Bentuk Filler Pada Komposit Batang Bambu Terhadap Nilai Kekerasan (Hardness Shore D)," *Al-Fiziya: Journal of Materials Science, Geophysics, Instrumentation and Theoretical Physics*, vol. 1, no. 2, hlm. 1–6, 2019, doi: 10.15408/fiziya.v1i2.9506.
- [21] P. H. Tjahjanti, "Buku Ajar Teori Dan Aplikasi Material Komposit Dan Polimer," *Buku Ajar Teori Dan Aplikasi Material Komposit Dan Polimer*, 2018, doi: 10.21070/2019/978-602-5914-27-0.
- [22] A. Sjahriza, S. Herlambang, dan I. F. Wati, "Modifikasi Karakteristik Kuat Tarik pada Komposit Film Poli(Vinil Pirolidon) dan Karagenan Melalui Pembentukan Komposit Karbon Nano Dot," *al-Kimiya*, vol. 5, no. 2, hlm. 52–56, 2019, doi: 10.15575/ak.v5i2.3756.

- [23] S. Ningaraju dan H. B. Ravikumar, "Studies on electrical conductivity of PVA/graphite oxide nanocomposites: a free volume approach," *Journal of Polymer Research*, vol. 24, no. 1, 2016, doi: 10.1007/s10965-016-1176-1.
- [24] Y. Pan dkk., "Flammability, thermal stability and mechanical properties of polyvinyl alcohol nanocomposites reinforced with delaminated Ti3C2Tx (Mxene)," *Polym Compos*, vol. 41, no. 1, hlm. 210–218, 2020, doi: 10.1002/pc.25361.
- [25] K. T. Shalumon, K. H. Anulekha, S. V. Nair, S. V. Nair, K. P. Chennazhi, dan R. Jayakumar, "Sodium alginate/poly(vinyl alcohol)/nano ZnO composite nanofibers for antibacterial wound dressings," *Int J Biol Macromol*, vol. 49, no. 3, hlm. 247–254, 2011, doi: 10.1016/j.ijbiomac.2011.04.005.
- [26] H. Assaedi, "The role of nano-CaCO₃ in the mechanical performance of polyvinyl alcohol fibre-reinforced geopolymer composites," *Compos Interfaces*, vol. 28, no. 5, hlm. 527–542, 2021, doi: 10.1080/09276440.2020.1793096.
- [27] X. Tang dan S. Alavi, "Recent advances in starch, polyvinyl alcohol based polymer blends, nanocomposites and their biodegradability," *Carbohydr Polym*, vol. 85, no. 1, hlm. 7–16, 2011, doi: 10.1016/j.carbpol.2011.01.030.
- [28] M. J. Simanjuntak, "Studi Film Polivinil Alkohol (PVA) Di Modifikasi dengan Acrylamide (Aam) Sebagai Material Sensitif Terhadap Kelembaban," *Thesis*, hlm. Depok: Universitas Indonesia, 2008.
- [29] M. Hidayati dan H. Harmadi, "Rancang Bangun Sensor Serat Optik dengan Cladding Zinc oxide untuk Mendeteksi Kelembaban Udara," *Jurnal Fisika Unand*, vol. 10, no. 2, hlm. 255–261, 2021, doi: 10.25077/jfu.10.2.255-261.2021.
- [30] F. Ramadhan, "Pengaruh Suhu Annealing Terhadap Sifat Listrik dan Struktur Kristal Lapisan Tipis Nanokomposit PVA/ZnO," *Pengaruh Suhu Annealing Terhadap Sifat Listrik dan Struktur Kristal Lapisan Tipis Nanokomposit PVA/ZnO*, vol. 10, no. 5, hlm. 4440–4448, 2023.
- [31] A. Zamhuri, G. P. Lim, N. L. Ma, K. S. Tee, dan C. F. Soon, "Mxene in the lens of biomedical engineering: synthesis, applications and future outlook," *Biomed Eng Online*, vol. 20, no. 1, hlm. 1–24, 2021, doi: 10.1186/s12938-021-00873-9.
- [32] K. H. Tan, L. Samylingam, N. Aslfattahi, R. Saidur, dan K. Kadirgama, "Optical and conductivity studies of polyvinyl alcohol-Mxene (PVA-Mxene) nanocomposite thin films for electronic applications," *Opt Laser Technol*, vol. 136, no. March, hlm. 106772, 2021, doi: 10.1016/j.optlastec.2020.106772.
- [33] A. S. Levitt, M. Alhabeb, C. B. Hatter, A. Sarycheva, G. Dion, dan Y. Gogotsi, "Electrospun Mxene/carbon nanofibers as supercapacitor electrodes," *J Mater Chem A Mater*, vol. 7, no. 1, hlm. 269–277, 2019, doi: 10.1039/c8ta09810g.

- [34] M. Xin, J. Li, Z. Ma, L. Pan, dan Y. Shi, "Mxenes and Their Applications in Wearable Sensors," *Front Chem*, vol. 8, no. April, hlm. 1–14, 2020, doi: 10.3389/fchem.2020.00297.
- [35] Y. Wang *dkk.*, "Engineering 3D Ion Transport Channels for Flexible *Mxene* Films with Superior Capacitive Performance," *Adv Funct Mater*, vol. 29, no. 14, hlm. 1–10, 2019, doi: 10.1002/adfm.201900326.
- [36] E. Putri dan S. Gea, "Isolasi dan Karakterisasi Nanokistral Selulosa dari Tandan Sawit (*Elaeis Guineensis* Jack)," *Elkawnie*, vol. 4, no. 1, hlm. 13–22, 2018, doi: 10.22373/ekw.v4i1.2877.
- [37] N. Hartati, T. Kemala, K. Sutriah, dan O. Farobie, "Compatibility of Celluloce Nanocrystal Modified Cetrinmonium Chloride (CTAC) in Polylactic Acid Matrix as Packaging Material," *Jurnal Kimia Sains dan Aplikasi*, vol. 22, no. 4, hlm. 157–163, 2019, doi: 10.14710/jksa.22.4.157-163.
- [38] Nina Hartati, "Isolasi, Karakterisasi, Dan Aplikasi Nanokristal Selulosa : Review," *JSSIT: Jurnal Sains dan Sains Terapan*, vol. 1, no. 2, hlm. 29–38, 2023, doi: 10.30631/jssit.v1i2.19.
- [39] N. H. Ince, G. Tezcanli, R. K. Belen, dan G. Apikyan, "Ultrasound as a catalyzer of aqueous reaction systems: The state of the art and environmental applications," *Appl Catal B*, vol. 29, no. 3, hlm. 167–176, 2001, doi: 10.1016/S0926-3373(00)00224-1.
- [40] S. Ardiansyah dan J. Junaidi, "Perancangan Alat Uji Konduktivitas Thermal Berbasis Micro Control," *JET (Journal of Electrical Technology)*, vol. 9, no. 1, hlm. 8–12, 2024, doi: 10.30743/jet.v9i1.9757.
- [41] Y. Lu, L. M. Santino, S. Acharya, H. Anandarajah, dan J. M. D'Arcy, "Studying Electrical Conductivity Using a 3D Printed Four-Point Probe Station," *J Chem Educ*, vol. 94, no. 7, hlm. 950–955, 2017, doi: 10.1021/acs.jchemed.7b00119.
- [42] Q. Zheng, S. Kaur, C. Dames, R. S. Prasher, dan L. Berkeley, "Analysis and Improvement of the Hot Disk Transient Plane Source Method for Low Thermal Conductivity Materials," hlm. 1–76, 2020.
- [43] R. Liu dan W. Li, "High-Thermal-Stability and High-Thermal-Conductivity $\text{Ti}_3\text{C}_2\text{T}_x$ *Mxene*/Poly(vinyl alcohol) (PVA) Composites," *ACS Omega*, vol. 3, no. 3, hlm. 2609–2617, 2018, doi: 10.1021/acsomega.7b02001.
- [44] Y. Hyodo, T. Hatakeyama, R. Kibushi, dan M. Ishizuka, "Measurement of thermal and electrical contact resistance between conductive materials," *2018 International Conference on Electronics Packaging and iMAPS All Asia Conference, ICEP-IAAC 2018*, hlm. 132–135, 2018, doi: 10.23919/ICEP.2018.8374687.
- [45] B. Lewczuk dan N. Szyryńska, "Field-emission scanning electron microscope as a tool for large-area and large-volume ultrastructural studies," *Animals*, vol. 11, no. 12, hlm. 1–21, 2021, doi: 10.3390/ani11123390.

- [46] T. Yu, F. Zhong, F. Zhang, C. Ying, dan G. Geng, "Application of Scanning Electron Microscopy in Metal Material Detection," *J Phys Conf Ser*, vol. 2002, no. 1, 2021, doi: 10.1088/1742-6596/2002/1/012010.
- [47] S. A. Sayid, A. Dadan-Garba, D. E. Enenche, dan B. A. Ikyo, "Scanning Electron Microscopy (SEM) of the Bug Eye and Sand Coral," *Microscopy Research*, vol. 08, no. 01, hlm. 1–7, 2020, doi: 10.4236/mr.2020.81001.
- [48] S. Yunus, A. Yusman, M. Mahardika, H. Abrial, dan R. Nazir, "Increasing Electrical Conductivity of Bacterial Cellulose/Polypyrrole Bio Composite Films Prepared Using the Pulling Technique," *TEM Journal*, vol. 12, no. 1, hlm. 370–376, 2023, doi: 10.18421/TEM121-46.
- [49] Dachriyanus, *Analisis Struktur Senyawa Organik Secara Spektroskopi*. LPTIK Universitas Andalas, 2004.
- [50] S. Rahmat dan S. Suwarno, "Analisa Spektroskopi Inframerah Transformasi Fourier dan Gas Terlarut Terhadap Perubahan Gugus Fungsi Komposisi Minyak Ester," *Infotekmesin*, vol. 11, no. 1, hlm. 14–23, 2020, doi: 10.35970/infotekmesin.v11i1.63.
- [51] R. Kang *dkk.*, "Enhanced Thermal Conductivity of Epoxy Composites Filled with 2D Transition Metal Carbides (*Mxenes*) with Ultralow Loading," *Sci Rep*, vol. 9, no. 1, hlm. 1–14, 2019, doi: 10.1038/s41598-019-45664-4.
- [52] Y. Qin *dkk.*, "Flexible *Mxene*/copper/cellulose nanofiber heat spreader films with enhanced thermal conductivity," *Nanotechnol Rev*, vol. 11, no. 1, hlm. 1583–1591, 2022, doi: 10.1515/ntrev-2022-0096.
- [53] Z. Ling *dkk.*, "Flexible and conductive *Mxene* films and nanocomposites with high capacitance," *Proc Natl Acad Sci U S A*, vol. 111, no. 47, hlm. 16676–16681, 2014, doi: 10.1073/pnas.1414215111.
- [54] T. Parker *dkk.*, "Fourier-Transform Infrared Spectral Library of *Mxenes*," *Chemistry of Materials*, vol. 36, no. 17, hlm. 8437–8446, 2024, doi: 10.1021/acs.chemmater.4c01536.
- [55] A. N. Shahab, "Sintesis Lapis Tipis Tio₂ Dopping Zn 10% W/w Sebagai Fotokatalis Metilen Biru Menggunakan Metode Dip-coating," *Universitas Islam Indonesia Yogyakarta*, 2023.
- [56] H. S. L Tang, M.; Li, J.; Wang, Y.; Han, W.; Xu, S.; Lu, M.; Zhang, W.; Li, "Surface Terminations of *Mxene*: Synthesis, Characterization, and Properties," *Symmetry (Basel)*, vol. 14, no. 11, hlm. 2232, 2022.
- [57] N. Modified, C. T. *Mxene*, A. Tanvir, dan P. Sobol', "Electrically Conductive , Transparent Polymeric," *Polymers (Basel)*, 2019.