

DAFTAR PUSTAKA

- [BPS]. Badan Pusat Statistik. (2024). Luas Panen, Produksi dan Produktivitas Padi Menurut Provinsi, 2021-2023. Jakarta. Indonesia.
- [Kementan]. Kementerian Pertanian. (2015). Peraturan Menteri Pertanian No 51/Permentan/KR.010/9/2015 tentang Jenis Organisme Pengganggu Tumbuhan Karantina. Jakarta (ID): Kementan
- Agustin, D. A., A'yun, E. Q., Marsya, T. I., & Kusuma, R. R. (2021). *Potensi Plant Growth Promoting Bacteria (PGPB) sebagai Pemacu Ketahanan Tanaman Padi terhadap Hawar Malai Padi. PLANTROPICA: Journal of Agricultural Science*, 6(2), 96–105.
- Alfiah, L.N., Zul, D., & Nelvia, N. (2016). Pengaruh Inokulasi Campuran Isolat Bakteri Pelarut Fosfat Indigenus Riau Terhadap Pertumbuhan dan Produksi Tanaman Kedelai (*Glycine max* L. Merr). *Jurnal Agroteknologi*, 7(1), 7-14.
- Ali M, Ali Q, Sohail MA, Ashraf MF, Saleem MH, Hussain S, & Zhou L. (2021). Diversity and Taxonomy distribution of Endophytic Bacteria Community in the Rice Plant and its Prospective. *International Journal of Molecular Sciences*. 22:10165.
- Ali, S., Duan, J., Charles, T.C., & Glick, B.R. (2014). A Bioinformatics Approach to the Determination of Genes Involved In Endophytic Behavior in *Burkholderia* spp. *J Theor Biol* 343:193-198.
- Atuesta, G. C. P., Arango, W. M., Eras, J., Oliveros, D. F., & Arteaga, J. J. M. (2020). Rice-associated Rhizobacteria as a Source of Secondary Metabolites Against *Burkholderia glumae*. *Molecules*, 25(11), 1–19.
- Baudin, M., Le Naour-Vernet, M., Gladieux, P., Tharreau, D., Lebrun, M. H., Lambou, K., & Kroj, T. (2024). *Pyricularia oryzae*: Lab star and field scourge. *Molecular plant pathology*, 25(4), e13449.
- Compant, S., Reiter, B., Sessitch, A., Nowak, J., Clement, C., & Barka, EA. (2005). Endophytic Colonization of *Vitis vinifera* L. by Plant Growth-Promoting Bacterium *Burkholderia* sp. Strain PsJN. *Appl Environ microbiol* 71(4):1685-1639.
- Dini, A. F. B., Winasa, I. W., & Hidayat, S. H. (2015). Identifikasi Virus Penyebab Penyakit Kerdil Pada Tanaman Padi di Sukamandi, Jawa Barat. *Jurnal Fitopatologi Indonesia*, 11(6), 205-205.

- Direktorat Perlindungan Tanaman Pangan. (2018). *Petunjuk Teknis Pengamatan Dan Pelaporan Organisme Pengganggu Tumbuhan Dan Dampak Perubahan Iklim (Opt-Dpi)*. Jakarta. Indonesia
- Dwimartina, F & Laila, F. (2022). Analisis Molekuler *Burkholderia glumae* Pada Varietas Padi Ciherang Di Sawah Tadah Hujan Lingkungan Universitas Wiralodra Indramayu. *Jurnal Agrowiralodra*, 5(1).
- Dwimartina, F., Laila, F., & Al Asad, F. (2022). Deteksi Molekuler *Burkholderia glumae* Pada Varietas Padi Mekongga Di Kecamatan Indramayu. *Gema Wiralodra*, 13(1), 23-33.
- Eid, A. M., Fouda, A., Abdel-rahman, M. A., Salem, S. S., Elsaied, A., Oelmüller, R., Hijri, M., Bhowmik, A., Elkelish, A., & El-Din Hassan, S. (2021). Harnessing Bacterial Endophytes For Promotion Of Plant Growth And Biotechnological Applications: An overview. *Plants*, 10(5).
- Fitriatin, B. N., Yuniarti, A., Mulyanti, O., Fauziah, F. S., & Tiara, M. D. (2009). Pengaruh Mikroorganisme Pelarut Fosfat dan Pupuk P terhadap P Tersedia, Aktivitas Fosfatase, Populasi Mikroorganisme Pelarut Fosfat, Konsentrasi P Tanaman dan Hasil Padi Gogo (*Oryza sativa*. L.) pada Ultisols. *Jurnal Agrikultura*, 20(3), 210–215.
- Fürnkranz, M., Müller, H., & Berg, G. (2009). Characterization of Plant Growth Promoting Bacteria from Crops in Bolivia. *Journal of Plant Diseases and Protection*, 116(4), 149–155.
- Ham, J. H., Melanson, R. A., & Rush, M. C. (2011). *Burkholderia glumae*: Next Major Pathogen of Rice?. *Molecular Plant Pathology*, 12(4), 329–339.
- Hameed, A., Yeh, M. W., Hsieh, Y. T., Chung, W. C., Lo, C. T., & Young, L. S. (2015). Diversity and Functional Characterization of Bacterial Endophytes Dwelling in Various Rice (*Oryza sativa* L.) Tissues, and Their Seed-borne Dissemination into Rhizosphere under Gnotobiotic P-stress. *Plant and soil*, 394(1), 177-197.
- Handiyanti, M., Subandiyah, S., & Joko, T. (2018). Deteksi Molekuler *Burkholderia glumae*, Penyebab Penyakit Hawar Malai Padi. *Jurnal Perlindungan Tanaman Indonesia*, 22(1), 98.
- Hartanti, D. A. S. (2020). Isolasi dan Uji Sinergisme Bakteri Endofit Tanaman Padi (*Oryza sativa* L.) Untuk Konsorsium Biofertilizer. *Agroradix: Jurnal Ilmu Pertanian*, 3(2), 23-30.

- Herlina, L., & Silitonga, T. S. (2011). *Seleksi lapang ketahanan beberapa varietas padi terhadap infeksi hawar daun bakteri strain IV dan VIII*. Indonesian Ministry of Agriculture.
- Hernández, I., Taulé, C., Reneé, P., Battistoni, F., Fabiano, E, Villanueva-Guerrero, A., Nápoles, M.A., & Herrera, H. (2023). Endophytic Seed-Associated Bacteria as Plant Growth Promoters of Cuban Rice (*Oryza sativa* L.). *Microorganisms* 11, no. 9: 2317.
- Hikichi, Y. (1993). Relationship Between Population Dynamics of *Pseudomonas glumae* on Rice Plants and Disease Severity of Bacterial Grain Rot of Rice. *In J. Pesticide Sci* (Vol. 18).
- Hu, Q.P., & Xu, J.G. (2020). A Simple Double-layered Chrome Azurol S Agar (SD-CASA) Plate Assay to Optimize The Production of Siderophores by a Potential Biocontrol Agent *Bacillus*. *Afr J Microbiol Res* 5:4321-4327.
- Ihsan, N. (2012). *Mengenal Fase Pertumbuhan Padi*. Departemen Pertanian Banten.
- Ikeda S, Okubo T, Anda M, Nakashita H, Yasuda M, Sato S, Kaneko T, Tabata S, Eda S, Momiyama A, Terasawa K, Mitsui H, & Minamisawa K. (2010). Community and Genome-Based Views of Plant-Associated Bacteria: Plant-Bacterial Interactions in Soybean and Rice. *Plant Cell Physiol*. 51(9):1398–1410
- Iqbal Mhd. (2025). *Eksplorasi dan Karakterisasi Bakteri Endofit dari Beberapa Varietas Benih Padi untuk Menekan Pertumbuhan Jamur Rhizoctonia solani Khun. dan Meningkatkan Pertumbuhan Bibit Padi*. Universitas Andalas. Padang
- Isnaeni, S.J., & Masnilah, R. (2020). Identifikasi Penyebab Penyakit Busuk Bulir Bakteri Pada Tanaman Padi (*Oryza sativa*) dan Pengendaliannya Menggunakan Isolat *Bacillus* spp. secara *in vitro*. *Jurnal Proteksi Tanaman Tropis* 1(1) : 14-20.
- Jeong Y., Kim J., Kim S., Kang Y., Nagamatsu T., & Hwang I. (2003). Toxoflavin Produced by *Burkholderia glumae* Causing Rice Grain Rot is Reposible for Inducing Bacterial Wilt in Many Field Crops. *Plant Disease* 87 : 890-895.
- Joko, T. (2017). *Burkholderia glumae* sebagai Emerging Pathogen: Status, Potensi Kerusakan, dan Strategi Pengendalian. *Prosiding Simposium Nasional Fitopatologi, June*, 27–35.
- Kandel, S. L., Joubert, P. M., & Doty, S. L. (2017). Bacterial endophyte colonization and distribution within plants. *Microorganisms*, 5(4), 77.

- Karki HS. (2010). *Physiological, Biochemical, and Molecular Characteristic Associated with Virulence of Burkholderia glumae: the Major Causative Agent of Bacterial Panicle Blight of Rice*. Nepal (IN): Institute of Agriculture and Animal Science, Rampur, TU.
- Khalaf EM, & Raizada MN. (2016). Taxonomic and Functional Diversity of Cultured Seed Associated Microbes of the Cucurbit Family. *BMC Microbiol* ;16:131.
- Klement Z, Rudolph K, & Sand DC. (1990). *Methods in Phytobacteriology*. Budapest (HU): Akademiai Kiado.
- Kristianingrum, S. A., Setiawan, A. W., & Jayanti, R. M. (2024). Potensi Bakteri Endofit dari Tanaman Jahe Sebagai Agens Pengendali Hayati. *Bioscientist: Jurnal Ilmiah Biologi*, 12(2), 1749-1760.
- Kumar, H., Ahmad, S., Zacharia, S., Kumar, S., & Ali, A. (2017). Impact of Different Fungicides Combination Against Brown Leaf Spot (*Drechslera oryzae*) of Rice Under The In Vitro And In Vivo. *Journal of Pharmacognosy and Phytochemistry*, 6(1), 341-344.
- Lestari, S. A., Ramdan, E. P., Risnawati, & Pribadi, E. M. (2022). Kemampuan Beberapa Agens Hayati dalam Menginduksi Ketahanan Tanaman Padi dari Serangan *Pyricularia oryzae* secara In Vivo dan In Vitro. *Jurnal Proteksi Tanaman*, 6(1), 1–12.
- Liem, J. L., Arianita, B. A., Sugiarti, S., & Handoko, Y. A. (2019). Optimalisasi Bakteri *Rhizobium japonicum* sebagai Penambat Nitrogen dalam Upaya Peningkatan Produksi Jagung. *Jurnal Galung Tropika*, 8(1), 64.
- Liu, H., Carvalhais, L.C., Crawford, M., Singh, E., Dennis, PG., Pieterse, CM,J., & Schenk, P.M. (2017). Inner Plant Values : Diversity, Colonization and Benefits from Endophytic Bacteria. *Front Microbiol* 8:2552.
- Maeda Y, Kiba A, Ohnishi K, & Hikichi Y. (2004). New Method to Detect Oxolinic Acidresistant *Burkholderia glumae* Infesting Rice Seeds Using A Mismatch Amplification Mutation Assay Polymerase Chain Reaction. *Journal General Plant Pathology*. 70:215– 217.
- Magbanua, Z. V., Arick, M., Buza, T., Hsu, C. Y., Showmaker, K. C., Chouvarine, P., Deng, P., Peterson, D. G., & Lu, S. (2014). Transcriptomic Dissection of the Rice - *Burkholderia glumae* Interaction. *BMC Genomics*, 15(1).
- Mano, H., & Morisaki, H. (2008). Endophytic Bacteria In The Rice Plant. *Microbes and environments*, 23(2), 109–117.

- Marwan, H., Nusifera, S., & Mulyati, S. (2021). Potensi Bakteri Endofit Sebagai Agens Hayati untuk mengendalikan Penyakit Blas pada Tanaman Padi. *Jurnal Ilmu Pertanian Indonesia*, 26(3), 328-333.
- Marwan, H., Sinaga, M. S., & Nawangsih, A.A. (2011). Isolasi dan Seleksi Bakteri Endofit untuk Pengendalian Penyakit Darah pada Tanaman Pisang. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 11(2), 113-121.
- Miliūtė, I. & O. Buzaitė. (2011). IAA Production and Other Plant Growth Promoting Traits of Endophytic Bacteria from Apple Tree. *Biologija*, 57(2) : 98–102
- Miliute, I., Buzaitė, O., Baniulis, D., & Stanys, V. (2015). Bacterial Endophytes in Agricultural Crops and Their Role in Stress Tolerance. A review. *Zendirbyste-Agriculture* 102, 465-478.
- Mizobuchi, R., Sato, H., Fukuoka, S., Tsushima, S., Imbe, T., & Yano, M. (2013). Identification of qRBS1, a QTL involved in resistance to bacterial seedling rot in rice. *Theoretical and applied genetics*, 126(9), 2417-2425.
- Monareh, J., & Ogie, T. B. (2020). Disease Control Using Biopesticide On Rice Plants (*Oryza sativa* L.). *Jurnal Agroekoteknologi Terapan*, 1(1), 11–13.
- Mudi, L., Wahyudi, R., Bahrudin, M. M. A., & Putri, T. V. (2023). Kompatibilitas Rizobakteri dan Mikoriza Terhadap Perkecambahan Benih Kakao (*Theobroma cacao* L.). *Jurnal Agrotech*, 13(1), 29-33.
- Munif, A., & Harni, R. (2011). Keefektifan Bakteri Endofit untuk Mengendalikan Nematoda Parasit *Meloidogyne incognita* pada Tanaman lada. *Journal of Industrial and Beverage Crops*, 2(3), 377-382.
- Muslim, A. (2019). *Pengendalian hayati patogen tanaman dengan mikroorganisme antagonis*. UPT Penerbit dan Percetakan Universitas Sriwijaya.
- Muyassir. (2012). Efek Jarak Tanam, Umur, dan Jumlah Bibit Terhadap Hasil Padi Sawah (*Oryza sativa* L.). *Jurnal Manajemen Sumberdaya Lahan* 1:207-212.
- Nandakumar, R., Shahjahan, A. K. M., Yuan, X. L., Dickstein, E. R., Groth, D. E., Clark, C. A., Cartwright, R. D., & Rush, M. C. (2009). *Burkholderia glumae* and *B. gladioli* cause Bacterial Panicle Blight in Rice in the Southern United States. *Plant Disease*, 93(9), 896–905.
- Nurmujahidin, Giyanto, G., & Dadang. (2023). Biological Control of Bacterial Grain Rot Disease Caused by *Burkholderia glumae* using *Actinomycetes*. *Jurnal Fitopatologi Indonesia*, 19(2), 63–73.

- Nuryanto, B. (2017). Penyakit Hawar Pelelah (*Rhizoctonia solani*) pada Padi dan Taktik Pengelolaannya. *Jurnal Perlindungan Tanaman Indonesia*, 21(2), 63-71.
- Nuryanto, B. (2018). Pengendalian Penyakit Tanaman Padi Berwawasan Lingkungan Melalui Pengelolaan Komponen Epidemik. *Jurnal Litbang Pertanian*. 37(1) : 1-8.
- Pal, G., Kumar, K., Verma, A., & Verma, S. K. (2022). Seed Inhabiting Bacterial Endophytes of Maize Promote Seedling Establishment and Provide Protection Against Fungal Disease. *Microbiological Research*, 255, 126926.
- Prasetyo, P., Harwanto, H., & Hidayat, N. (2023). Penggunaan Level Nitrogen dari Jenis Pupuk Kimia pada Jumlah Anakan Tiga Jenis Rumput Unggul. *ANGON: Journal of Animal Science and Technology*, 5(3), 289-300.
- Pratama, T., Jahuddin, R., & Sarmila. (2022). Potensi *Bacillus subtilis* dalam Mengendalikan Penyakit Busuk Bulir Bakteri (*Bulkholderia glumae*) Tanaman Padi (*Oryza sativa* L.). *Tarjih Agriculture System Journal*, 02(1), 95–100.
- Pratiwi. (2006). *Analisis Budidaya Padi Varietas Lokal dengan Masukan Rendah*. Universitas Gadjah Mada. Yogyakarta.
- Rafanomezantsoa, P., Gharbi, S., Karkachi, N., & Kihal, M. (2023). Optimization of Amylase Production by the Biological Control Agent *Bacillus halotolerans* RFP74 using Response Surface Methodology. *Journal of Genetic Engineering and Biotechnology*, 21(1), 63.
- Rahma, H., Busniah, M., Kristina, N., & Larasati, Y. (2022). The Potential of Endophytic Bacteria to Suppress Bacterial Leaf Blight in Rice Plants. *Biodiversitas: Journal of Biological Diversity*, 23(2).
- Rahma, H., Martinius., Khairul, U., & Rahmi, F. (2023). The Potential of Beneficial Microbes to Suppress the Development of Bacterial Leaf Blight in Rice Plants Caused by *Xanthomonas oryzae* pv. *oryzae*. *Biodiversitas* : 24(8) pp, 4209-4217.
- Rahma, H., Trizelia., Martinius., Liswarni, Y., Rusli, R., Rozen, N., Putri A., & Qalbina, F. (2024). Characterization of Plant Growth-Promoting Bacteria (PGPB) as Biocontrol Agents Against Plant Pathogenic Fungi *In Vitro*. *Intl J Agric Biol* 32:101-108.
- Rahma, H., Zainal, A., Suharman, M., & Sinaga, M. S. (2014). Potensi Bakteri Endofit dalam Menekan Penyakit Layu Stewart (*Pantoea stewartii* subsp. *stewartii*) pada Tanaman Jagung. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 14(2), 121-127

- Rahmadhani N. (2025). *Pengendalian Penyakit Busuk Bulir Bakteri (Burkholderia glumae) pada Tanaman Padi Menggunakan Teknik Biopriming dengan Bakteri Endofit*. Institut Pertanian Bogor. Bogor
- Rahman, R. M., Munif, A., & Kurniawati, F. (2018). Deteksi dan Identifikasi Nematoda *Aphelenchoides besseyi* dari Benih Padi. *Jurnal Fitopatologi Indonesia*, 14(2), 39-39.
- Rajendran, L., Saravanakumar, D., Ragunchader, T., & Samiyappan, R. (2006). Endophytic Bacterial Induction of Defence Enzymes Againsts Bacterial Blight of Cotton. *Department of Plant Pathology, Centre for plant Protection Studies, Phytopathol. Mediterr.* 45:203-214.
- Rina, H. S. S., Rianto, F., & Syahputra, E. (2022). Identifikasi Penyakit Hawar Bakteri Malai Padi di Kabupaten Kubu Raya. *Jurnal Sains Pertanian Equator*, 282–290.
- Rosi, E. (2012). *Induksi Ketahanan Tanaman Tomat Menggunakan Isolat Bakteri Endofit Indigenus untuk Pengendalian Penyakit Bercak Bakteri (Xanthomonas axonopodis pv. vesicatoria)*. Universitas Andalas. Padang.
- Sakinah, A.L., & Enny, Z. (2014). Resistensi *Azotobacter* terhadap $HgCl_2$ yang Berpotensi Menghasilkan Enzim Merkuri Reduktase. *Jurnal Sains dan Seni Pomits : 3(2)*, 84-86.
- Schaad NW, Jones JB, & Chun W. (2001). *Laboratory Guide for Identification of Plant Pathogenic Bacteria*. Minnesota: APS Press.
- Shang, X.C., X. Cai, Y. Zhou, X. Han, C.S. & Zhang. (2021). *Pseudomonas* Inoculation Stimulates Endophytic *Azospira* Population and Induces Systemic Resistance to Bacterial Wilt. *Front. Plant Sci.*
- Simko, I., & Piepho, H.P. (2012). The Area Under the Disease Progress Stairs: Calculation, Advantage, and Application. *Analytical and Theoretical Plant Pathology*, 102(4), 381-389.
- Sivan, A, & Chet, I. (1986). Biological Control of *Fusarium* spp. in Cotton Wheat and Muskmelon By *Trichoderma harzianum*. *J Phytopathology* 116: 39-47.
- Sudewi, S., Ala, A., Baharuddin, B., & Farid, M. (2020). Keragaman Organisme Pengganggu Tanaman (OPT) pada Tanaman Padi Varietas Unggul Baru (VUB) dan Varietas Lokal pada Percobaan Semi Lapangan. *Jurnal Agrikultura*, 31(1).
- Sudewi, S., Ratnawati, R., Bangkele, L. I., Idris, I., Jaya, K., & Saleh, A. R. (2022). Aktivitas Bakteri Endofit Asal Padi Lokal Kamba dalam Menghambat

- Pertumbuhan Koloni *Alternaria porri* Secara *in Vitro*. *AGROVITAL : Jurnal Ilmu Pertanian*, 7(1), 12.
- Suprayogi, A. (2019). *Studi Populasi Hama Penggerek Batang Dan Parasitoid Padi Varietas Black Madras*. Universitas Jember. Jember.
- Taslim, H., partohadjono, S & Subandi. (1993). *Pemupukan Padi Sawah*. Dalam Padi, 1993. Badan Penelitian dan Pengembangan Pertanian. Bogor : Pusat Penelitian dan Pengembangan Tanaman Pangan.
- Wahyudi, A. T., Meliah, S., & Nawangsih, A. A. (2011). *Xanthomonas oryzae* pv. *oryzae* Bakteri Penyebab Hawar Daun pada Padi: Isolasi, Karakterisasi, dan Telaah Mutagenesis dengan Transposon. *Makara Journal of Science*, 15(1), 35.
- Wamishe Y. (2015). Bacterial Panicle Blight Of rice in Arkansas. Agriculture and Natural Resources. *Division of Agriculture, Research and Extention. University of Arkansas System*. FSA7580- PD42015N.
- Wang, Y., Zeng, Q. Gui, Zhang, Z. Bin, Yan, R. Ming, & Zhu, D. (2010). Antagonistic Bioactivity Of An Endophytic Bacterium H-6. *African Journal of Biotechnology*, 9(37), 6140–6145.
- Waqas, M., Khan, A. L., Kamran, M., Hamayun, M., Kang, S. M., Kim, Y. H., & Lee, I. J. (2012). Endophytic Fungi Produce Gibberellins and Indoleacetic Acid and Promotes Host-Plant Growth During Stress. *Molecules (Basel, Switzerland)*, 17(9), 10754–10773.
- Wiarpiz. (2022). *Inventarisasi Penyakit Tanaman Padi (Oryza sativa L.) di Kecamatan Lubuk Basung dan Tanjung Raya, Kabupaten Agam, Sumatera Barat*. Institut Pertanian Bogor. Bogor.
- Widarti, A., Giyanto, G., & Mutaqin, K. H. (2020). Incidence of Bacterial Grain Rot Disease, Identification, and Diversity of *Burkholderia glumae* in Some Rice Varieties in West Java. *Jurnal Fitopatologi Indonesia*, 16(1), 9–20.
- Wirawan, K.A. Susrusa, IK, B. & Ambarawati, IGA, A. (2014). Analisis Produktivitas Tanaman Padi di Kabupaten Badung Provinsi Bali. *Jurnal Manajemen Agribisnis* : 2(1).
- Wu, W., W. Chen, S. Liu, J. Wu, Y. Zhu. L. Qin, B. & Zhou. (2021). Benefical Relationship Between Endophytic Bacteria and Medicinal Plants. *Front. Plant Sci.* 12 (April): 1-13.
- Zhou-qi, C., Bo, Z., Guan-lin, X., Bin, L., & Shi-wen, H. (2016). Research Status and Prospect of *Burkholderia glumae*, the Pathogen Causing Bacterial Panicle Blight. In *Rice Science* : 23-3, 111-118.