

DAFTAR PUSTAKA

- Agus, Y. H., & Septianjaya, T. 2021. Ants (Hymenoptera: Formicidae) which were found at Bendosari Park, Salatiga. *Agric*, 33(2), 215-224.
- Agussalim, A., Agus, A., Umami, N., & Budisatria, I. G. S. 2017. Variation of honeybees forages as source of nectar and pollen based on altitude in Yogyakarta. *Buletin Peternakan*, 41(4), 448-460.
- Alvares, L. J., Reynaldi, F. J., Ramello, P. J., Garcia, M. L. G., Sguazza, G. H., Abrahamovich, A. H., & Lucia, M. 2018. Detection of honeybee viruses in Argentinian stingless bees (Hymenoptera: Apidae). *Insectes Sociaux*, 65, 191–197.
- Alves, R. F., & Santos, F. A. R. 2018. Pollen foraged by bees (*Apis mellifera* L.) on the Atlantic forest of Bahia, Brazil. *Palynology*, 43, 523–529.
- Amano, K. 2004. *Attempts to introduce stingless bees for the pollination of crops under greenhouse conditions in Japan*. Food & Fertilizer Technology Center.
- Atrooz, O. M., Oran, S. A., & Al-Abbadi, S. Y. 2004. Chemical analysis and identification of pollen grains from different Jordanian honey samples. *International Journal of Food Science and Technology*, 39(4), 413–417.
- Avila, S., Beux, M. R., Ribani, R. H., & Zambiasi, R. C. 2018. Stingless bee honey: Quality parameters, bioactive compounds, healthpromotion properties and modification detection strategies. *Trends in Food Science & Technology*, 81, 37–50.
- Bankova, V., Bertelli, D., Borba, R., Conti, B. J., & Cuesta-Rubio, O. 2019. Standard methods for *Apis mellifera* propolis research. *Journal of Apicultural Research*, 58(2), 1–49.
- Chinh, T. X., Sommeijer, M. J., Boot, W. J., & Michener, C. D. 2004. Nest architecture and colony characteristics of three stingless bees in North Vietnam with the first description of the nest of *Lisotrigona carpenteri* Engel (Hymenoptera: Apidae, Meliponini). *Journal of the Kansas Entomological Society*. 78(4), 363-372
- Cortopassi-Laurino, M., Imperatriz-Fonseca, V. L., Roubik, D. W., Dollin, A., Heard, T., Aguilar, I., Venturieri, G. C., Eardley, C., & Nogueira-Neto, P. 2006. Global meliponiculture: challenges and opportunities. *Apidologie*, 37, 275–292.
- Couvillon, M. J., Wenseleers, T., Imperatriz-Fonseca, V. L., Nogueira- Neto, P., & Ratnieks, F. L. W. 2007. Comparative study in stingless bees (Meliponini)

demonstrates that nest entrance size predicts traffic and defensivity. *Journal of Evolutionary Biology*, 21,194-201

Eltz, T., Brühl, C. A., Imiyabir, Z., & Linsenmair, K. E. 2001. Nesting and nest trees of stingless bees (Apidae: Meliponini) in lowland dipterocarp forests in Sabah, Malaysia. *Apidologie*, 32(5), 481–491.

Erniwati. 2013. Kajian Biologi Lebah Tak Bersengat (Apidae: Trigona) di Indonesia. *Jurnal Fauna Indonesia*, 12(1), 29-34.

Erwan, E., Purnamasari, D. K., & Agustin, W. 2020. Pengaruh desain kotak terhadap produktivitas lebah *Trigona* sp. *Jurnal Sains Teknologi & Lingkungan*, 6(2), 192-201.

Fadhilah, R., & Rizkika, K. 2015. *Laba Lebah Tanpa Sengat*. My Trubus Potential Business. Jakarta.

Farkas, Á., & Zajác, E. 2007. Nectar production for the Hungarian honey industry. *European Journal of Plant Science and Biotechnology*, 1(2), 125–151.

Faseeh, P., & Shanas, S. 2019. Occurrence of multiple nest entrance in the stingless bee *Tetragonula travancorica* (Hymenoptera: Meliponini). *J.Entomon*, 4(4), 275-282.

Fidalgo, A. O., & Kleinert, A. M. P. 2010. Floral resources and nesting habitats used by stingless bees in an urban forest fragment. *Apidologie*, 41, 763–775.

Fidalgo, A. O., Alves, D. A., & Imperatriz-Fonseca, V. L. 2016. Colony growth and development of stingless bees (Meliponini): the influence of food availability and storage. *Apidologie*, 47(6), 785–795.

Free, J. B. 1982. *Bees and Mankind*. George Allen and Unwin. London.

Gomes, J. R., Rodrigues, A. R., & Souza, B. 2021. Nutritional composition of bee pollen and its potential functional properties. *Journal of Apicultural Research*, 60(1), 1–13.

Gruter, C. 2020. *Stingless Bees*. Springer. Berlin.

Halcroft, M., Spooner-Hart, R., & Neumann, P. 2013. Behavioral thermoregulation in the Australian stingless bee, *Austroplebeia australis*. *Insectes Sociaux*, 60(4), 445–455.

Hassan, Z. A. 2019. Pollen Ultrastructure from Heterotrigona Itama Foragers at the Indo-Malayan Meliponine Repository Sekayu, Terengganu, Malaysia. *Malaysian Journal of Microscopy*, 15(1).

- Heard, T. A. 2016. *The Australian Native Bee Book: Keeping Stingless Bee Hives for Pets, Pollination and Sugarbag Honey*. Sugarbag Bees. Brisbane, Aust.
- Herwina, H., Salmah, S., Janra, M. N., Christy, B. Y., Sari, D. A., & Putri, G. 2021. West Sumatran Stingless Bees (Hymenoptera: Apidae: Meliponini): What can be told from its Local Distribution. *IOP Conference Series: Earth and Environmental Science* Vol. 757: 12084).
- Herwina, H., Yaherwandi, Y., Nurdin, J., Janra, M. N., Salmah, S., Jasmi, J., & Christy, B. Y. 2022. Characteristics of stingless bees (Hymenoptera: Apidae: Meliponini) from Universitas Andalas Limau manis campus complex and its implication in pollination and ecotourism. *African Journal of Food, Agriculture, Nutrition and Development*, 22(10), 21840-21862.
- Holldobler, B., & Wilson, E. O. 1990. *The Ants*. Harvard University Press.
- Ilmi, M. 2024. *Pest Inventory of Stingless Bee Colonies in Biology Education and Research Forest (BERF) And Education Farm (Edufarm) Universitas Andalas*. Undergraduate Thesis, Biology Andalas University. Padang.
- Inoue, T., Sakagami, S. F., Yamane, S., & Salmah, S. 1989. Nests of the Myrmecophilous stingless bee, *Trigona moorei* Schwarz. How do bees initiate their nest within an arboreal ant nest. *Biotropica*. 21(3),265-274.
- Inoue, T., Nakamura, K., Salmah, S., & Abbas, I. 1993. Population-dynamics of animals in unpredictably-changing tropical environments. *J. Biosci*, 18, 425–455
- Janra, M., Herwina, H., & Salmah, S. 2020. Identifikasi Potensi Predator dan Hama pada Peternakan Kelulut (Hymenoptera; Apidae; Meliponini; Tetragonula, Lepidotrigona) melalui Pengamatan Cepat di Kabupaten Padang Pariaman, Sumatera Barat. *Jurnal Sumberdaya HAYATI*, 6(2), 67-74.
- Jasmi. 2023. Nesting Preferences of *Tetragonula laeviceps* (Hymenoptera: Melliponinae) Colony in West Sumatra. *Jurnal Biologi Indonesia*. 19(1), 1-8.
- Kahono, S., Chantawannakul, P., & Engel, M. S. 2018. Social bees and the current status of beekeeping in Indonesia. In *Asian beekeeping in the 21st century* (pp. 287-306). Singapore: Springer Singapore.
- Kerr, W. E., & de Oliveira, A. F. 1997. The stingless bees of Brazil: A review of their biology and management. In *Tropical Bees and Their Role in Pollination* (pp. 1-12).
- Klein, A. M., Vaissière, B. E., Cane, J. H., Steffan-Dewenter, I., Cunningham, S. A., Kremen, C., & Tscharntke, T. 2007. Importance of pollinators in changing

landscapes for world crops. *Proceedings of the royal society B: biological sciences*, 274(1608), 303-313.

Kwapong, P., Aidoo, K., Combey, R., & Karikari, A. 2010. *Stingless Bees, Importance, Management and Utilisation, A Training Manual For Stingless Beekeeping*. 1-72.

Lamarkabel, J. S., Victor, G. S., Wulandari, S., & Anang, L. 2020. Karakteristik Morfologi dan Morfometrik Lebah Madu Tak Bersengat (Apidae; Melliponinae) pada Koloni di Daerah Pesisir Pulau Ambon. *Jurnal Budidaya Pertanian*, 17(1), 28-35.

LaPolla, J. S., Brady, S. G., & Shattuck, S. O. 2010. Phylogeny and taxonomy of the *Prenolepis* genus-group of ants (Hymenoptera: Formicidae). *Systematic Entomology*, 35, 118–131.

Lehmberg, L., Dworschak, K., & Blüthgen, N. 2008. Defensive behavior and chemical deterrence against ants in the stingless bee genus *Trigona* (Apidae, Meliponini). *Journal of Apicultural Research and Bee Works*, 47, 17-21.

Majid, M., Ellulu, M. S., & Abu Bakar, M. F. 2020. Melissopalynological study, phenolic compounds, and antioxidant properties of *Heterotrigona itama* honey from Johor, Malaysia. *Scientifica*, 2020(1), 2529592.

Michener, C. D. 2007. *The Bees of The World* (2nd ed). Johns Hopkins Univ Press. Baltimore.

Muzammil, S., Rauf, A., Khan, K. A., et al. 2022. Diversity and abundance of stingless bees (Hymenoptera: Apidae, Meliponini) in relation to floral resources. *Saudi Journal of Biological Sciences*, 29(5), 3431–3439.

Nascimento, F. S., & Nascimento, I. C. 2012. Nest site selection and interactions between stingless bees and ants in urban areas. *Sociobiology*, 59(3), 927–940.

Nweze, J. A., Okafor, J. I., Nweze, E. I., & Nweze, J. E. 2017. Evaluation of physicochemical and antioxidant properties of two stingless bee honeys: A comparison with *Apis mellifera* honey from Nsukka, Nigeria. *BMC Research Notes*, 10(1), 1–6.

Oldroyd, B. P., & Nanork, P. 2009. Conservation of Asian honeybees. *Apidologie*, 40(3), 296-312.

Oliveira, R. C., Menezes, C., Soares, A. E., & Fonseca, V. L. 2012. Trap-nests for stingless bees (Hymenoptera, Meliponini). *Apidologie*, 44, 29–37

- Pangestika, N. W., Atmowidi, T., & Kahono, S. 2018. Additional nest structures and natural enemies of stingless bees (Hymenoptera: Apidae: Meliponinae). *Jurnal Sumberdaya Hayati*, 4, 42-47.
- Patmaniar, P., Tenriawaru, E. P., & Ulvah, U. 2024. PKM Pemberdayaan Kelompok Rumah Madu Cendana Melalui Pemanfaatan Digital Marketing. *Jurnal Abdimas Indonesia*, 4(3), 1160-1168.
- Priawandiputra, Windra. 2020. *Daftar Spesies Lebah Tanpa Sengat (Stingless Bees) dan Tumbuhan Pakannya di Lubuk Bintialo dan Pangkalan Bulian, Sumatra Selatan*. Zoological Society of London (ZSL). Indonesia.
- Purwanto, H., Noorhidayati, L., Rahmawati, A., Fitriani, R., Rahmad, R., & Maryani, A. 2022. Stingless bees from meliponiculture in South Kalimantan, Indonesia. *Biodiversitas*, 23(3), 1254–1266.
- Putra, D. P., & Jasmi. 2016. Teknik perbanyak koloni *Trigona* spp. ke sarang buatan (*Stup*). *UNES Journal of Scientech Research*, 1, 11-19.
- Putra, P.A., Watiniasih, N. L., & Suartini, N. M. 2014. Struktur dan produksi lebah *Trigona* spp. pada sarang berbentuk tabung dan bola. *Jurnal Biologi* 18: 60-64.
- Qu, Y., Wen, X., Wei, Y., & Wang, Z. 2022. Biology of bamboo nesting stingless bees of southwest China. *Apidologie*, 53(5), 53.
- Rachmawati, R. D., Agus, A., Umami, N., Agussalim, & Purwanto, H. 2022. Diversity, distribution, and nest characteristics of stingless bees (Hymenoptera: Meliponini) in Baluran National Park, East Java, Indonesia. *Biodiversitas*, 23, 3890-3901.
- Rasmussen, C., 2008. *Catalog of the Indo-Malayan/Australasian Stingless Bees (Hymenoptera: Apidae: Meliponini)*. Zootaxa 1935. Magnolia Press.
- Rasmussen, C., & Cameron, S. A. 2010. Global stingless bee phylogeny supports ancient divergence, vicariance, and long distance dispersal. *Biological Journal of the Linnean Society*, 99(1), 206–232.
- Rasmussen, C. 2013. Stingless Bees (Hymenoptera: Apidae: Meliponini) of the Indian sub-continent: Diversity, Taxonomy and Current Status of Knowledge. *Zootaxa*, 3647(3), 401-402.
- Rasmussen, C., Thomas, J.C. & Engel, M.S. 2017. A new genus of Eastern Hemisphere stingless bees (Hymenoptera: Apidae), with a key to the supraspecific groups of Indomalayan and Australasian Meliponini. *American Museum Novitates*, 3888, 1–33.

- Riendriasari, S. D. 2013. *Budidaya Lebah Madu Trigona sp. Mudah dan Murah*. Makalah Seminar Alih Teknologi, Balai Teknologi Hasil Hutan Bukan Kayu. Mataram.
- Roubik, D. W., & Wheeler, Q. 1982. Flightless beetles and stingless bees: Phoresy of scotocryptine beetles on their meliponine hosts. *J Kans Entomol Soc* 55 (1): 125-135.
- Roubik, D. W. 2006a. Stingless bee nesting biology. *Apidologie*, 37, 124-143.
- Roubik, D. W. 2006b. *Meliponine Beekeeping: A Guide to the Management of Stingless Bees*. Germany: Springer.
- Rudini, M., Monita, D. N., Kuswanto, E., & Listiana, I. 2024. Identifikasi Jenis Dan Karakteristik Sarang Lebah Madu Tanpa Sengat (Stingless Bee) Di Peternakan Lebah Simpur Desa Kecapi. *Biospecies*, 17(1), 8-8.
- Sakagami, S. F., Inoue, T., & Salmah, S. (1990). Stingless bees of Central Sumatra. In S. F. Sakagami, R. Ohgushi, & D. W. Roubik (Eds.), *Natural history of social wasps and bees in equatorial Sumatra* (pp. 125–137). Hokkaido University Press.
- Sakagami, S. F. 1978. Tetragonula Stingless Bees of the Continental Asia and Sri Lanka (Hymenoptera, Apidae). *J. Fac. Sci*, 21, 165-247.
- Sakagami, S. F., & Inoue, T. 1987. Stingless bees of the genus *Trigona* (subgenus *Trigonella*) with notes on the reduction of spatha in male genitalia of the subgenus *Tetragonula* (Hymenoptera, Apidae). *昆蟲*, 55(4), 610-627.
- Salatnaya, H. 2012. *Produktivitas Lebah Trigona spp. Sebagai Penghasil Propolis pada Perkebunan Pala Monokultur dan Polikultur di Jawa Barat*. Tesis Sekolah Pascasarjana Institut Pertanian Bogor, Bogor.
- Salatnaya, H., Fuah, A. M., Widodo, W. D., & Winarno. 2020. Aktivitas *Tetragonula laeviceps* (Hymenoptera: Apidae: Meliponini) pada Perkebunan Pala (*Myristica fragrans* Hout) Monokultur dan Polikultur di Jawa Barat. *Koli Journal*, 1, 14-20.
- Salmah, S., Inoue, T., & Sakagami, S. F. 1990. *An analysis of apid bee richness (Apidae) in Central Sumatra*. Dalam Sakagami, S.F., R. Ogushi, dan D.W. Roubik (eds.), *Natural History of Social Wasps and Bees in Equatorial Sumatra*, hal. 139-174. Hokkaido Univ. Press, Sapporo.
- Salmah, S., Dahelmi, D., & Pratiwi, S. 2017. Perilaku Translokasi Sarang pada Lebah Tak Bersengat *Tetragonula minangkabau* (Apidae: Meliponini). *Jurnal Entomologi Indonesia*.

- Samsudin, S. F., Mamat, M. R., & Hazmi, I. R. 2018. Taxonomic study on selected species of stingless bee (Hymenoptera: Apidae: Meliponini) in Peninsular Malaysia. *Serangga*, 23(2), 203-258.
- Sarwono, B. 2001. *Lebah Madu*. Anggro Media Pustaka. Jakarta.
- Seeley, T. D., Camazine, S., & Sneyd, J. 1991. Collective decision-making in honey bees: how colonies choose among nectar sources. *Behavioral Ecology and Sociobiology*, 28, 277-290.
- Shattuck, S. O. 1992. Generic revision of the ant subfamily Dolichoderinae (Hymenoptera: Formicidae). *Sociobiology*, 21, 1-181.
- Shilan, M. S., Adam, N. A., Jamian, S., Adnan, W. N., & Samsudin, S. A. 2022. Investigation of the best artificial propagation technique for stingless bee *Heterotrigona itama* (Hymenoptera: Apidae: Meliponini). *Pertanika Journal of Tropical Agricultural Science*.
- Sihombing, D. T. 2005. *Ilmu ternak lebah madu*. Gajah Mada University Press. Yogyakarta.
- Slessor, K.N., Winston, M. L., & Le Conte, Y. 2005. Pheromone communication in the honeybee (*Apis mellifera* L.). *Journal of Chemical Ecology* 31 (11): 2731-2745.
- Sommeijer, M. J., & de Jong, D. 2003. The role of stingless bees in the pollination of tropical crops. *Insectes Sociaux*, 50(3), 233-239.
- Sriwahyuni, D., Rizki, A., & Siregar, Z. 2023. Heterotrigona (Cockerell) stingless beehive architecture in the Pocut Meurah Intan Grand Forest Park, Aceh Besar District, Indonesia. *PROS SEMNAS MASY BIODIV INDON*, 9 (1), 37-44.
- Standar Nasional Indonesia (SNI). 2018. *Madu* (SNI 8664-2018). Badan Standardisasi Nasional, Jakarta.
- Sudrajat, A., Riyanto, R., & Mulawarman, M. 2021. The types of Trigona bee (Apidae: Meliponinae) in three different habitat in South Sumatra. *Jurnal Biologi Tropis*, 21(1), 206-212.
- Supeno B., & Erwan. 2016. *Pengenalan Pembelajaran Tentang Lebah Madu (Honey Bees)*. Arga Puji Press. Mataram Lombok
- Suriawanto, N., Atmowidi, T., & Kahono, S. 2017. Nesting sites characteristics of stingless bees (Hymenoptera: Apidae) in Central Sulawesi, Indonesia. *Journal of Insect Biodiversity*, 5(10), 1-9.

- Syafrizal., Bratawinata, A. A., Sila, M., & Marji, D. 2012. Jenis Lebah Kelulut (*Trigona* spp.) di Hutan Pendidikan Lempake. *Mulawarman Scientiffie* 11, 11-18.
- Syarief, E., *et al.* 2010. *Propolis dari Lebah Tanpa Sengat Cara Ternak dan Olah*. PT Trubus Swa. Jakarta.
- Tornyie, F., & Kwapong, P. K. 2015. Nesting ecology of stingless bees and potential threats to their survival within selected landscapes in the northern Volta region of Ghana. *African Journal of Ecology*, 53(4), 398-405.
- Torres, A., Hoffmann, W., & Lamprecht, I. 2007. Thermal investigations of a nest of the stingless bee *Tetragonisca angustula* Illiger in Colombia. *Thermochimica Acta*, 458, 118-123.
- Trianto, M., & Purwanto, H. 2022. Diversity, abundance, and distribution patterns of stingless bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas Journal of Biological Diversity*, 23(2).
- Viana, J. L., Sousa, H. D. A. C., Alves, R. M. D. O., Pereira, D. G., Silva, J. C., Paixao, J. F. D., & Waldschmidt, A. M. 2015. Bionomics of *Melipona mondury* Smith 1863 (Hymenoptera: Apidae, Meliponini) in relation to its nesting behavior. *Biota Neotropica*, 15, e20140097.
- van Veen, J. W., & Sommeijer, M.J. 2000. Colony reproduction in *Tetragonisca angustula* (Apidae, Meliponini). *Insectes Soc* 47, 70–75
- Villanueva-Gutierrez, R., Roubik, D. W., & Colli-Ucan, W. 2013. Extinction of *Melipona beecheii* and traditional beekeeping in the Yucatán Peninsula. *Bee World*, 90(2), 50–53.
- Wankhede, S. M., Shinde, V. V., Narangalkar, A. L., & Haldankar, P. M. 2022. Feasibility of different traps for trapping stingless bee colonies from their natural habitat. *Pharma Innovation Journal*, 11(5), 2073–2077.
- Widhiono, I., Pandhani, R. D., Darsono, N., Wibowo, L., & Kuntadi, K. 2017. Diversity of Stingless Bees (Hymenoptera: Apidae: Meliponini) in Cempaka Village, Cipanas District, Cianjur, West Java. *Jurnal Biodjati*, 2(2), 130-136.