

DAFTAR PUSTAKA

- Acharya, P. R., Racey, P. A., Sotthibandhu, S., & Bumrungsri, S. (2015). Home-Range and Foraging Areas of the Dawn Bat *Eonycteris spelaea* in Agricultural Areas of Thailand. *Acta Chiropterologica*, 17(2), 307-319. <https://doi.org/10.3161/15081109ACC2015.17.2.006>
- Amirullah, A., Bakkareng, S. W. A., & Risnaldi, L. O. F. (2023). Species Diversity and Cave-Bat Conservation Efforts in Aoma Village, Wolasi District -Southeast Sulawesi. *Jurnal Ilmiah Biologi Eksperimen dan Keanekaragaman Hayati (J-BEKH)*, 10(1), 61–68. <https://doi.org/10.23960/jbekh.v10i1.305>
- Ardhina, M., Berliani, K., & Tanjung, M. (2024). Diversity of Bats in Halaban Monitoring Pos Area, Sei Betung, Gunung Leuser National Park. *Jurnal Belantara*, 7(2), 189–196. <https://doi.org/10.29303/jbl.v7i2.1048>
- Asriadi, A. (2010). Kelimpahan, Sebaran dan Keanekaragaman Jenis Kelelawar (Chiroptera) Pada Beberapa Gua Dengan Pola Pengelolaan Berbeda Di Kawasan Karst Gombong Jawa Tengah. Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Atmoko, T., Ardiyanto, W., & Nugroho, A. W. (2015). Diversity of Bats in Coal Mining Reclamation Site Diversity of Bats in Coal Mining Rehabilitation Site. <https://www.researchgate.net/publication/256202468>.
- Aul, B., Bates, P. J. J., Harrison, D. L., & Marimuthu, G. (2014). Diversity, distribution and status of bats on the Andaman and Nicobar Islands, India. *ORYX*, 48(2), 204–212. <https://doi.org/10.1017/S0030605312000646>.
- Awalyah, S. N., Rumende, R. R. H., & Lengkong, H. J. (2019). Kelimpahan dan Kekayaan Spesies Kelelawar di Gunung Tangkoko Sulawesi Utara. *Pharmacom*.
- Azmy, N. A., Sah, S. A.M., Shafie, N. J., Arriffin, A., Majid, Z., Ismail, M. (2012)., dan Shamsir, M., S. Counting in the dark: Non-intrusive laser scanning for population counting and identifying roosting bats. *Scientific reports*.
- Badan Pusat Statistik Kota Bukittinggi. (2025). *Kota Bukittinggi dalam Angka 2025 (Bukittinggi Municipality in Figures 2025)* (Vol. 26, 2025). Badan Pusat Statistik Kota Bukittinggi. <https://bukittinggikota.bps.go.id>.
- Bourgarel M, Pfukenyi DM, Boué V, Talignani L, Chiweshe N, Diop F, Caron A, Matope G, Missé D, Liégeois F. Circulation of Alphacoronavirus, Betacoronavirus and Paramyxovirus in *Hipposideros* bat species in Zimbabwe. *Infect Genet Evol*. 2018 Mar;58:253-257. doi: 10.1016/j.meegid.2018.01.007. Epub 2018 Jan 10. PMID: 29331670; PMCID: PMC7106086.

- Campbell, P., Reid, N. M., Zubaid, A., Adnan, A. M., & Kunz, T. H. (2006). Comparative roosting ecology of *Cynopterus* (Chiroptera: Pteropodidae) fruit bats in peninsular Malaysia. *Biotropica*, 38(6), 725-734. <https://doi.org/10.1111/j.1744-7429.2006.00203.x>.
- Chan, A. A. Q., Aziz, S. A., Clare, E. L., & Coleman, J. L. (2021). Diet, ecological role and potential ecosystem services of the fruit bat, *Cynopterus brachyotis*, in a tropical city. *Urban Ecosystems*, 24(2), 251-263.
- Ch'ng L, Tsang SM, Ong ZA, Low DHW, Wiantoro S, Smith IL, Simmons NB, Su YCF, Lohman DJ, Smith GJD, Mendenhall IH. Co-circulation of alpha- and beta-coronaviruses in *Pteropus vampyrus* flying foxes from Indonesia. *Transbound Emerg Dis*. 2022 Nov;69(6):3917-3925. doi:10.1111/tbed.14762. Epub 2022 Dec 2. PMID: 36382687; PMCID: PMC9898127.
- Destoumieux-Garzón, D., Mavingui, P., Boetsch, G., Boissier, J., Darriet, F., Duboz, P., Fritsch, C., Giraudoux, P., Roux, F. Le, Morand, S., Paillard, C., Pontier, D., Sueur, C., & Voituren, Y. (2018). The one health concept: 10 years old and a long road ahead. In *Frontiers in Veterinary Science* (Vol. 5, Issue FEB). Frontiers Media S.A. <https://doi.org/10.3389/fvets.2018.00014>.
- Dorresteijn A, Westcott D, Martin JM, Phalen D, Rose K, Welbergen JA. Bat mating systems-A review and recategorisation. *Ecol Evol*. 2024 Aug 15;14(8):e70149. doi: 10.1002/ece3.70149. PMID: 39157663; PMCID: PMC11327276.
- Elfira, Septiansyah. (2019). Keanekaragaman Jenis Kelelawar (Chiroptera) Dalam Kawasan Perkebunan Kelapa Sawit PT. Surya Sawit, Kalimantan Tengah. Skripsi. Biologi Universitas Andalas.
- Epstein, J. H., Olival, K. J., Pulliam, J. R. C., Smith, C., Westrum, J., Hughes, T., Dobson, A. P., Zubaid, A., Rahman, S. A., Basir, M. M., Field, H. E., & Daszak, P. (2009). *Pteropus vampyrus*, a hunted migratory species with a multinational home-range and a need for regional management. *Journal of Applied Ecology*, 46(5), 991–1002. <https://doi.org/10.1111/j.1365-2664.2009.01699.x>.
- Fadhly, A., & Hadiyansyah, D. (2021). Analisis mitigasi bencana dan kajian geologi ngarai sianok dalam pengembangan konservasi berkelanjutan di geopark nasional ngarai sianok–maninjau, sumatera barat. *Jurnal Sains Dan Teknologi: Jurnal Keilmuan Dan Aplikasi Teknologi Industri*, 21(2), 253-261.
- Francis, C. M. . (2019). *A field guide to the mammals of South-East Asia*. Bloomsbury Wildlife.
- Gannon, W. L. (2011). Kunz, T. H., and S. Parsons. (2009). *Ecological and Behavioral Methods For The Study Of Bats*. 2nd ed. Johns Hopkins University Press, Baltimore,

- Maryland, 901 pp. ISBN 978-0-8018-9147-2, price (hardbound), \$100.00. *Journal of Mammalogy*, 92(2), 475–478. <https://doi.org/10.1644/jmammal/92-2-475>.
- Gumal, M. T. (2004). Diurnal home range and roosting trees of a maternity colony of *Pteropus vampyrus natunae* (Chiroptera: Pteropodidae) in Sedilu, Sarawak. *Journal of Tropical Ecology*, 20(3), 247–258. <https://doi.org/10.1017/S0266467403001275>.
- Grindal, S. D., Stefan, C. I., & Godwin-Sheppard, C. (2011). Diversity, Distribution, and Relative Abundance of Bats In the Oil Sands Regions of Northeastern Alberta. *Northwestern Naturalist*, 92(3), 211–220. <https://doi.org/10.1898/1051-1733-92.3.211>.
- Hale, J. D., Fairbrass, A. J., Matthews, T. J., & Sadler, J. P. (2012). Habitat composition and connectivity predicts bat presence and activity at foraging sites in a large UK conurbation. *PloS one*, 7(3), e33300.
- Hahn, M. B., Epstein, J. H., Gurley, E. S., Islam, M. S., Luby, S. P., Daszak, P., & Patz, J. A. (2014). Roosting behaviour and lokasi selection of *Pteropus giganteus* reveal potential links to Nipah virus epidemiology. *Journal of Applied Ecology*, 51(2), 376–387. <https://doi.org/10.1111/1365-2664.12212>.
- Hayman, D. T. S., Bowen, R. A., Cryan, P. M., McCracken, G. F., O'Shea, T. J., Peel, A. J., Gilbert, A., Webb, C. T., & Wood, J. L. N. (2013). Ecology of Zoonotic Infectious Diseases in Bats: Current Knowledge and Future Directions. *Zoonoses and Public Health*, 60(1), 2–21. <https://doi.org/10.1111/zph.12000>.
- Hengjan, Y., Pramono, D., Takemae, H., Kobayashi, R., Iida, K., Ando, T., Kasmono, S., Basri, C., Fitriana, Y. S., Arifin, E. M. Z., Ohmori, Y., Maeda, K., Agungpriyono, S., & Hondo, E. (2017). Daytime behavior of *Pteropus vampyrus* in a natural habitat: The driver of viral transmission. *Journal of Veterinary Medical Science*, 79(6), 1125–1133. <https://doi.org/10.1292/jvms.16-0643>.
- Hodgkison, R., Balding, S. T., Akbar, Z., & Kunz, T. H. (2003). Roosting ecology and social organization of the spotted-winged fruit bat, *Balionycteris maculata* (Chiroptera: Pteropodidae), in a Malaysian lowland dipterocarp forest. *Journal of Tropical Ecology*, 19(6), 667–676. doi:10.1017/S0266467403006060.
- Hopkins, G. L. (2015). Title: Impacts of lokasi fragmentation on microbats across an urban-rural landscape. <https://ro.uow.edu.au/thsci/111>.
- Huang, J. C. C., Jazdyk, E. L., Nusalawo, M., Maryanto, I., Maharadatunkamsi, Wiantoro, S., & Kingston, T. (2014). A recent bat survey reveals Bukit Barisan Selatan landscape as a chiropteran diversity hotspot in Sumatra. *Acta Chiropterologica*, 16(2), 413–449. <https://doi.org/10.3161/150811014X687369>.

- Husamah, H., Rohman, F., & Sutomo, H. (2016). Struktur Komunitas Collembola pada Tiga Tipe Lokasi Sepanjang Daerah Aliran Sungai Brantas Hulu Kota Batu. *Bioedukasi: Jurnal Pendidikan Biologi*, 8(2), 45. <https://doi.org/10.20961/bioedukasi-uns.v9i1.3886>.
- Indrawati, A. (2024). Identifikasi kelelawar berdasarkan gen COI dan analisis metagenomik bakteri potensial zoonotik di Provinsi Lampung dan Bengkulu [Tesis, Universitas Gadjah Mada]. UGM Repository. <http://etd.repository.ugm.ac.id/>.
- Jackson, R. T., Webala, P. W., Ogola, J. G., Lunn, T. J., & Forbes, K. M. (2023). Roost selection by synanthropic bats in rural Kenya: Implications for human-wildlife conflict and zoonotic pathogen spillover. *Royal Society Open Science*, 10(9). <https://doi.org/10.1098/rsos.230578>.
- Jara-Servín, A. M., Saldaña-Vázquez, R. A., & Schondube, J. E. (2017). Nutrient availability predicts frugivorous bat abundance in an urban environment. *Mammalia*, 81(4), 367–374. <https://doi.org/10.1515/mammalia-2015-0039>.
- Kartono, A. P., Prayogi, K. D., & Maryanto, I. (2018). Keanekaragaman Jenis Kelelawar di Hutan Pendidikan Gunung Walat Sukabumi West Java. *Zoo Indonesia*.
- Kamaliyah, Y. C. (2020). Morfometrik *Hipposideros Larvatus* di Gua Liang Bangkai Desa Dukuhrejo Kecamatan Mantewe Kabupaten Tanah Bumbu. *Jurnal Pendidikan Hayati*, 6(1).
- Kingston, T., Francis, CM, Zubaid, A. & Kunz, TH (2003). Kekayaan spesies dalam kumpulan kelelawar pemakan serangga dari Malaysia. *Jurnal Ekologi Tropis*, 19; 67-79.
- Kusuminda, T. T., Edirisinghe, W., Nanayakkara, R. P., & Vishvanath, N. (2013). Diversity and Population status of Bats in Pilikuttuwa ancient cave temple in the Gampaha District, Sri Lanka. *Asian Journal of Conservation Biology*, 2(2), 136â.
- Lim, V. C., Clare, E. L., Littlefair, J. E., Ramli, R., Bhassu, S., & Wilson, J. J. (2018). Impact of urbanisation and agriculture on the diet of fruit bats. *Urban Ecosystems*, 21(1), 61–70. <https://doi.org/10.1007/s11252-017-0700-3>.
- Malino, G. A. T. (2022). Karakteristik Lokasi dan Keanekaragaman Jenis Kelelawar di Gua Mimpi, Taman Nasional Bantimurung-Bulusaraung, Maros= Study of Lokasi Characteristics and Diversity of Bat Species in Mimpi Cave, Bantimurung-Bulusaraung National Park, Maros (Doctoral dissertation, Universitas Hasanuddin).
- Magurran, A. E. (2004). Measuring biological diversity. Oxford: Blackwell Publishing.
- McKenzie, N. L., Bullen, R. D., Cowan, M. A., & Milne, D. J. (2018). Echolocation and distribution of *Saccolaimus saccolaimus* in north-western Australia. *Records of the*

Western Australian Museum, 33(2), 135. [https://doi.org/10.18195/issn.0312-3162.33\(2\).2018.135-144](https://doi.org/10.18195/issn.0312-3162.33(2).2018.135-144).

Nkrumah, E. E., Vallo, P., Klose, S. M., Ripperger, S. P., Badu, E. K., Gloza-Rausch, F., Drosten, C., Kalko, E. K. V., Tschapka, M., & Oppong, S. K. (2016). Foraging Behavior and Lokasi Selection of Noack's Round-Leaf Bat (*Hipposideros aff. ruber*) and Conservation Implications. *Tropical Conservation Science*, 9(4). <https://doi.org/10.1177/1940082916680428>.

Oedin, M., Brescia, F., Boissenin, M., Vidal, E., Cassan, J. J., Hurlin, J. C., & Millon, A. (2019). Monitoring hunted species of cultural significance: Estimates of trends, population sizes and harvesting rates of flying-fox (*Pteropus* sp.) in New Caledonia. *PLoS ONE*, 14(12). <https://doi.org/10.1371/journal.pone.0224466>.

Plowright, R. K., Foley, P., Field, H. E., Dobson, A. P., Foley, J. E., Eby, P., & Daszak, P. (2011). Urban habituation, ecological connectivity and epidemic dampening: The emergence of hendra virus from flying foxes (*Pteropus* spp.). *Proceedings of the Royal Society B: Biological Sciences*, 278(1725), 3703–3712. <https://doi.org/10.1098/rspb.2011.0522>.

Prasetyo, P.N., Noerfahmy, S., & Tata, H., S. (2011). Jenis-Jenis Kelelawar Khas Agroforest Sumatera. *World Agroforestry centre – ICRAF, SEA Regional Office*. 75p.

Rajasegaran P, Shazali N, Khan FAA. (2018). Microclimate and Physiological Effects in the Roosts of Cave Dwelling Bats: Implications in Roost Selection and Conservation in Sarawak, Malaysian Borneo. *Zoolog Sci.* Dec 4;35(6):521-527. doi: 10.2108/zs170144. PMID: 30520355.

Rodríguez-Aguilar, G., Orozco-Lugo, C. L., Vleut, I., & Vazquez, L. B. (2017). Influence of urbanization on the occurrence and activity of aerial insectivorous bats. *Urban Ecosystems*, 20(2), 477–488. <https://doi.org/10.1007/s11252-016-0608-3>.

Saputra, Y., Sukandar, P., & Suryanda, D. A. (2016). Studi Keanekaragaman Jenis Kelelawar (Chiroptera) Pada Beberapa Tipe Ekosistem di Camp Leakey Kawasan Taman Nasional Tanjung Puting (TNTP), Kalimantan Tengah. *BIOMA* (Vol. 12, Nomor 1).

Sendow I, Ratnawati A, Taylor T, Adjid RM, Saepulloh M, Barr J, Wong F, Daniels P. (2013). Field H. Nipah virus in the fruit bat *Pteropus vampyrus* in Sumatera, Indonesia. *PLoS One*. doi: 10.1371/journal.pone.0069544. PMID: 23894501; PMCID: PMC3718695.

Silva, U. K., Gerais, M., Andreza, B., Amaral, S., & Talamoni, S. A. (2018). Perbandingan kumpulan kelelawar dari kebun raya dan hutan asli di sekitarnya di Brasil bagian tenggara. <https://www.redalyc.org/journal/457/45763089027/>.

- Straka, T. M., Lentini, P. E., Lumsden, L. F., Buchholz, S., Wintle, B. A., & van der Ree, R. (2020). Clean and green urban water bodies benefit nocturnal flying insects and their predators, insectivorous bats. *Sustainability* (Switzerland), 12(7). <https://doi.org/10.3390/su12072634>.
- Srinivasulu, C. & Srinivasulu, A. 2020. *Hipposideros larvatus*. The IUCN Red List of Threatened Species 2020: e.T85646564A22091287. <https://dx.doi.org/10.2305/IUCN.UK.2020-3.RLTS.T85646564A22091287.en>.
- Suyanto, A. (2001). *Kelelawar di Indonesia*. Puslitbang Biologi LIPI.
- Tsang, S. M., Wiantoro, S., Veluz, M. J., Simmons, N. B., & Lohman, D. J. (2018). Low Levels of Population Structure among Geographically Distant Populations of *Pteropus vampyrus* (Chiroptera: Pteropodidae). *Acta Chiropterologica*, 20(1), 59–71. <https://doi.org/10.3161/15081109ACC2018.20.1.004>.
- Voigt, C. C., & Kingston, T. (2015). Bats in the anthropocene: Conservation of bats in a changing world. Dalam *Bats in the Anthropocene: Conservation of Bats in a Changing World*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-25220-9>.
- Webala, P. W., Musila, S., & Makau, R. (2014). Roost occupancy, roost site selection and diet of straw-coloured fruit bats (Pteropodidae: *Eidolon helvum*) in Western Kenya: The Need for continued Public Education. *Acta Chiropterologica*, 16(1), 85–94. <https://doi.org/10.3161/150811014X683291>.
- Wijayanti, F., Humaerah, A. D., Fitriana, N., & Dardiri, A. (2016). Potensi kelelawar sebagai Vektor Zoonosis” investigasi berdasarkan keanekaragaman jenis dan persepsi masyarakat terhadap keberadaan kelelawar di kota Tangerang Selatan. *Bioma* 12 (1).
- Wijayanti, F., & Maryanto, I. (2017). Diversity and pattern of nest preference of bat species at bat-dwelling caves in Gombong Karst, Central Java, Indonesia. *Biodiversitas*, 18(3), 864–874. <https://doi.org/10.13057/biodiv/d180302>.
- Wiyatno, A., & Pangesti, K. (2017). Interaksi Kelelawar dan Manusia: Potensi Zoonosis di Indonesia. DOI : 10.22435/vk.v9i2.6741.87-100.