

DAFTAR PUSTAKA

- [1] S. C. Teixeira, N. O. Gomes, T. V. de Oliveira, P. Fortes-Da-Silva, N. de F. F. Soares, and P. A. Raymundo-Pereira, "Review and Perspectives of sustainable, biodegradable, eco-friendly and flexible electronic devices and (Bio)sensors," 2023. doi: 10.1016/j.biosx.2023.100371.
- [2] X. Zhuang, F. Wang, and X. Hu, "Biodegradable polymers: A promising solution for green energy devices," 2024. doi: 10.1016/j.eurpolymj.2023.112696.
- [3] Phiri Resego, R. M. Sanjay, and Siengchin Suchart, "Advances in lightweight composite structures and manufacturing technologies: A comprehensive review," *Heliyon*, vol. 10, no. 21, 2024.
- [4] Q. Gao, S. Agarwal, A. Greiner, and T. Zhang, "Electrospun fiber-based flexible electronics: Fiber fabrication, device platform, functionality integration and applications," 2023. doi: 10.1016/j.pmatsci.2023.101139.
- [5] B. Liu, S. Zhang, M. Li, Y. Wang, and D. Mei, "Metal–Organic Framework/Polyvinyl Alcohol Composite Films for Multiple Applications Prepared by Different Methods," 2023. doi: 10.3390/membranes13090755.
- [6] N. A. Althubiti, A. Atta, E. Abdeltwab, N. Al-Harbi, and M. M. Abdel-Hamid, "Structural characterization and dielectric properties of low energy hydrogen beam irradiated PVA/ZnO nanocomposite materials," *Inorg Chem Commun*, vol. 153, 2023, doi: 10.1016/j.inoche.2023.110779.
- [7] A. Wang, S. Sun, and S. Yu, "Preparation of nano zinc oxide composite porous membrane and its material regulation," *Results in Engineering*, vol. 20, 2023, doi: 10.1016/j.rineng.2023.101450.
- [8] S. Asadpour, A. Raeisi vanani, M. Kooravand, and A. Asfaram, "A review on zinc oxide/poly(vinyl alcohol) nanocomposites: Synthesis, characterization and applications," 2022. doi: 10.1016/j.jclepro.2022.132297.
- [9] W. R. Fadila, Abrar, and M. Nasir, "Pengaruh Heat Treatment Pada Sifat Kristal , Listrik Dan Optik Nanokomposit," *E-Proceeding Of Engineering*, vol. 9, no. 3, 2022.
- [10] S. Bandaru, A. M. Jastrzębska, and M. Birowska, "Recent progress in thermoelectric MXene-based structures versus other 2D materials," 2023. doi: 10.1016/j.apmt.2023.101902.
- [11] Huang Chuanjin, Huang Ranze, and Yehong Cheng, " Strong and flexible MXene-based nanocomposite films for atomic oxygen resistance and electromagnetic interference shielding," *Compos Sci Technol*, vol. 253, 2024.

- [12] B. Sindhu, V. Adepu, P. Sahatiya, and S. Nandi, "An MXene based flexible patch antenna for pressure and level sensing applications," *FlatChem*, vol. 33, 2022, doi: 10.1016/j.flatc.2022.100367.
- [13] Lokhade P.E. and Rednam Udayabhaskar, "Etching duration as a key parameter for tailoring Ti₃C₂T_x MXene electrochemical properties," *Journal of Physics and Chemistry of Solids*, vol. 207, 2025.
- [14] A. B. Talipova, V. V. Buranych, I. S. Savitskaya, O. V. Bondar, A. Turlybekuly, and A. D. Pogrebnjak, "Synthesis, Properties, and Applications of Nanocomposite Materials Based on Bacterial Cellulose and MXene," 2023. doi: 10.3390/polym15204067.
- [15] Sun Biyan, Wang Peilin, and Liang Zihui, "MoS₂/Mxene Van der Waals heterojunction-based electrochemiluminescence sensor for triple negative breast cancer detection," *Talanta*, vol. 277, 2024.
- [16] R. Laghaei *et al.*, "Reinforcement contribution of cellulose nanocrystals (CNCs) to tensile properties and fracture behavior of triaxial E-glass fabric/epoxy composites," *Compos Part A Appl Sci Manuf*, vol. 164, 2023, doi: 10.1016/j.compositesa.2022.107258.
- [17] A. Mohammadpour-Haratbar, Y. Zare, N. Gharib, and K. Y. Rhee, "Effect of interphase region on the Young's modulus of polymer nanocomposites reinforced with cellulose nanocrystals," *Surfaces and Interfaces*, vol. 39, 2023, doi: 10.1016/j.surfin.2023.102922.
- [18] M. N. F. A. Malek *et al.*, "Ultrasonication: a process intensification tool for methyl ester synthesis: a mini review," 2023. doi: 10.1007/s13399-020-01100-6.
- [19] Ł. Dybowska-Sarapuk, W. Sosnowicz, A. Grzeczkwicz, J. Krzemiński, and M. Jakubowska, "Ultrasonication effects on graphene composites in neural cell cultures," *Front Mol Neurosci*, vol. 15, 2022, doi: 10.3389/fnmol.2022.992494.
- [20] Z. Wu *et al.*, "Ultrasound-assisted preparation of chitosan/nano-silica aerogel/tea polyphenol biodegradable films: Physical and functional properties," *Ultrason Sonochem*, vol. 87, 2022, doi: 10.1016/j.ultsonch.2022.106052.
- [21] J. Zhao, Z. Wang, S. Xu, H. Wang, Y. Li, and C. Fang, "Flexible bilayer Ti₃C₂T_x MXene/cellulose nanocrystals/waterborne polyurethane composite film with excellent mechanical properties for electromagnetic interference shielding," *Colloids Surf A Physicochem Eng Asp*, vol. 669, 2023, doi: 10.1016/j.colsurfa.2023.131556.
- [22] P. Sobolčiak *et al.*, "2D Ti₃C₂T_x (MXene)-reinforced polyvinyl alcohol (PVA) nanofibers with enhanced mechanical and electrical properties," *PLoS One*, vol. 12, no. 8, 2017, doi: 10.1371/journal.pone.0183705.

- [23] Guo Wenbo and Lu Shulin, "An efficient aeration-ultrasonic process for preparing SiCp/AZ61 composites," *Materials Science & Engineering A*, vol. 936, 2025.
- [24] K. H. Tan, L. Samylingam, N. Aslfattahi, R. Saidur, and K. Kadirgama, "Optical and conductivity studies of polyvinyl alcohol-MXene (PVA-MXene) nanocomposite thin films for electronic applications," *Opt Laser Technol*, vol. 136, 2021, doi: 10.1016/j.optlastec.2020.106772.
- [25] Q. Tarrés, H. Oliver-Ortega, M. Alcalà, X. X. Espinach, P. Mutjé, and M. Delgado-Aguilar, "Research on the strengthening advantages on using cellulose nanofibers as polyvinyl alcohol reinforcement," *Polymers (Basel)*, vol. 12, no. 4, 2020, doi: 10.3390/POLYM12040974.
- [26] D. K. Rajak, D. D. Pagar, R. Kumar, and C. I. Pruncu, "Recent progress of reinforcement materials: A comprehensive overview of composite materials," *Journal of Materials Research and Technology*, vol. 8, no. 6, 2019, doi: 10.1016/j.jmrt.2019.09.068.
- [27] V. S. Sulaberidze, V. D. Mushenko, V. A. Mikheev, and E. A. Skorniakova, "Mechanical properties of new functional composite materials based on polymeric binders," in *IOP Conference Series: Materials Science and Engineering*, 2019. doi: 10.1088/1757-899X/537/2/022017.
- [28] D. A. Porwanto and L. Johar, "Karakterisasi komposit berpenguat serat bambu dan serat gelas sebagai alternatif bahan baku industri," *Jurnal Teknik Fisika ITS*, 2008.
- [29] R. Fuazzidin, R. Dewi Anjani, and V. Naubnome, "Pengaruh Fraksi Volume Komposit Serat Pelepah Pisang Kepok Dengan Polyester Dan Filler Terhadap Sifat Mekanik," *Jurnal Pendidikan Teknik Mesin Undiksha*, vol. 11, no. 2, 2023.
- [30] P. H. Tjahjanti, *Buku Ajar Teori Dan Aplikasi Material Komposit Dan Polimer*. 2018. doi: 10.21070/2019/978-602-5914-27-0.
- [31] D. S. Kurniawan and dan Harnowo Supriadi, "Utilization Of Fiber And Shell Particles Palm Oil As Substitute Materials In Producing Eternite Ceiling," *Prof.Sumantri Brojonegoro*, vol. 1, no. 3, 2013.
- [32] A. Firdaus, A. Tjahjono, and S. A. Saptari, "Analisis Pengaruh Bentuk Filler Pada Komposit Batang Bambu Terhadap Nilai Kekerasan (Hardness Shore D)," *Al-Fiziya: Journal of Materials Science, Geophysics, Instrumentation and Theoretical Physics*, vol. 1, no. 2, 2019, doi: 10.15408/fiziya.v1i2.9506.
- [33] Y. Pan *et al.*, "Flammability, thermal stability and mechanical properties of polyvinyl alcohol nanocomposites reinforced with delaminated Ti3C2Tx (MXene)," *Polym Compos*, vol. 41, no. 1, 2020, doi: 10.1002/pc.25361.
- [34] K. T. Shalumon, K. H. Anulekha, S. V. Nair, S. V. Nair, K. P. Chennazhi, and R. Jayakumar, "Sodium alginate/poly(vinyl alcohol)/nano ZnO composite nanofibers for antibacterial wound dressings," *Int J Biol Macromol*, vol. 49, no. 3, 2011, doi: 10.1016/j.ijbiomac.2011.04.005.

- [35] D. Qureshi *et al.*, "Fabrication and characterization of poly (Vinyl alcohol) and chitosan oligosaccharide-based blend films," *Gels*, vol. 7, no. 2, 2021, doi: 10.3390/gels7020055.
- [36] X. Tang and S. Alavi, "Recent advances in starch, polyvinyl alcohol based polymer blends, nanocomposites and their biodegradability," 2011. doi: 10.1016/j.carbpol.2011.01.030.
- [37] H. Assaedi, "The role of nano-CaCO₃ in the mechanical performance of polyvinyl alcohol fibre-reinforced geopolymer composites," *Compos Interfaces*, vol. 28, no. 5, 2021, doi: 10.1080/09276440.2020.1793096.
- [38] V. K. Hoang Bui *et al.*, "A review on zinc oxide composites for energy storage applications: solar cells, batteries, and supercapacitors," *Journal of Composites and Compounds*, vol. 3, no. 3, 2021, doi: 10.52547/jcc.3.3.6.
- [39] M. Saeed, H. M. Marwani, U. Shahzad, A. M. Asiri, and M. M. Rahman, "Recent Advances, Challenges, and Future Perspectives of ZnO Nanostructure Materials Towards Energy Applications," 2024. doi: 10.1002/tcr.202300106.
- [40] A. Zamhuri, G. P. Lim, N. L. Ma, K. S. Tee, and C. F. Soon, "MXene in the lens of biomedical engineering: synthesis, applications and future outlook," 2021. doi: 10.1186/s12938-021-00873-9.
- [41] Y. Wang *et al.*, "Engineering 3D Ion Transport Channels for Flexible MXene Films with Superior Capacitive Performance," *Adv Funct Mater*, vol. 29, no. 14, 2019, doi: 10.1002/adfm.201900326.
- [42] M. U. Khan *et al.*, "Preparations and Applications of MXene–Metal Composites: A Review," 2022. doi: 10.3390/coatings12040516.
- [43] V. Hynninen, J. Patrakka, and Nonappa, "Methylcellulose–cellulose nanocrystal composites for optomechanically tunable hydrogels and fibers," 2021. doi: 10.3390/ma14185137.
- [44] M. Pagliaro *et al.*, "Application of nanocellulose composites in the environmental engineering as a catalyst, flocculants, and energy storages: A review," *Journal of Composites and Compounds*, vol. 3, no. 7, 2021.
- [45] N. H. Ince, G. Tezcanli, R. K. Belen, and G. Apikyan, "Ultrasound as a catalyzer of aqueous reaction systems: The state of the art and environmental applications," 2001. doi: 10.1016/S0926-3373(00)00224-1.
- [46] A. Akhoondi, H. Ghaebi, L. Karuppasamy, M. M. Rahman, and P. Sathishkumar, "Recent advances in hydrogen production using MXenes-based metal sulfide photocatalysts," *Synthesis and Sintering*, vol. 2, no. 1, 2022, doi: 10.53063/synsint.2022.21106.
- [47] T. Ji *et al.*, "Effects of ultrasonication time on the properties of polyvinyl alcohol/sodium carboxymethyl cellulose/nano-zno/multilayer graphene nanoplatelet composite films," *Nanomaterials*, vol. 10, no. 9, 2020, doi: 10.3390/nano10091797.

- [48] T. S. Dewi and N. P. Putri, "Pengaruh Waktu Ultrasonikasi terhadap Nilai Kapasitansi Elektroda Superkapasitor Berbahan Dasar Tempurung Kelapa," *Jurnal Inovasi Fisika Indonesia (IFI)*, vol. 8, no. 1, 2019.
- [49] B. Delmifiana and Astuti, "Pengaruh Sonikasi Terhadap Struktur Dan Morfologi Nanopartikel Magnetik Yang Disintesis Dengan Metode Kopresipitasi," *Jurnal fisika Unand*, vol. 2, no. 3, 2013.
- [50] N. K. Sari and A. Muttaqin, "Pengaruh Waktu Sonikasi terhadap Konduktivitas Listrik Zeolit Berbahan Abu Dasar Batubara Menggunakan Metode Peleburan Alkali Hidrotermal," *Jurnal Fisika Unand*, vol. 5, no. 4, 2016, doi: 10.25077/jfu.5.4.322-326.2016.
- [51] I. Nainggolan *et al.*, "Sensitivity of chitosan film based electrode modified with reduced graphene oxide (rGO) for formaldehyde detection using cyclic voltammetry," *S Afr J Chem Eng*, vol. 48, 2024, doi: 10.1016/j.sajce.2024.02.001.
- [52] T. Amelia, N. Syakir, A. Bahtiar, and F. Fitrilawati, "Karakteristik Lapisan Graphene Oxide yang Dibuat dengan Teknik UV Oven Spraying sebagai elektroda Sel Superkapasitor," *Jurnal Ilmu dan Inovasi Fisika*, vol. 4, no. 1, 2020, doi: 10.24198/jiif.v4i1.26367.
- [53] H. W. Wang, C. Bringans, A. J. R. Hickey, J. A. Windsor, P. A. Kilmartin, and A. R. J. Phillips, "Cyclic Voltammetry in Biological Samples: A Systematic Review of Methods and Techniques Applicable to Clinical Settings," 2021. doi: 10.3390/signals2010012.
- [54] S. Yunus, K. K. Umah, H. Abral, O. A. Ogah, and A. Aulia, "Enhancing Current Density and Specific Capacitance of Nata de Coco, TEMPO, and MXene Composites through Boiling Time Variations," *Andalasian International Journal of Applied Science, Engineering and Technology*, vol. 3, no. 3, 2023, doi: 10.25077/aijaset.v3i3.110.
- [55] S. Fatimah, R. Ragadhita, D. F. Al Husaeni, and A. B. D. Nandiyanto, "How to Calculate Crystallite Size from X-Ray Diffraction (XRD) using Scherrer Method," *ASEAN Journal of Science and Engineering*, vol. 2, no. 1, 2022, doi: 10.17509/ajse.v2i1.37647.
- [56] A. Ali, Y. W. Chiang, and R. M. Santos, "X-Ray Diffraction Techniques for Mineral Characterization: A Review for Engineers of the Fundamentals, Applications, and Research Directions," *Minerals*, vol. 12, no. 2, 2022, doi: 10.3390/min12020205.
- [57] G. F. Harrington and J. Santiso, "Back-to-Basics tutorial: X-ray diffraction of thin films," *J Electroceram*, vol. 47, no. 4, 2021, doi: 10.1007/s10832-021-00263-6.
- [58] S. A. Sayid, A. Dadan-Garba, D. E. Enenche, and B. A. Ikyo, "Scanning Electron Microscopy (SEM) of the Bug Eye and Sand Coral," *Microscopy Research*, vol. 08, no. 01, 2020, doi: 10.4236/mr.2020.81001.

- [59] Zulhamida and Putra Ananda, “Sintesis dan Karakterisasi Elektroda Superkapasitor Berbasis Karbon Akrif Limbah Tongkol Jagung,” *Jurnal Pendidikan Tambusai*, vol. 8, pp. 19505–19516, 2024.
- [60] Mishra R.K. and Avinashi S.K., “Fabrication, Surface Morphology, and Energy Storage Performance of MXene-Based Materials for Metal-Ion Batteries: A Review,” *Applied Energy Materials*, vol. 8, no. 16, pp. 11813–11863, 2025.
- [61] Silva Lucas de S. and Fileti E. E., “Exploring Mxene Materials in Energy Storage Devices: A Review of Supercapacitor Applications,” *Materials Au*, 2025.
- [62] S. S. Poongavanam, V. Subramaniyan, P. S. Sellamuthu, J. Jarugala, and E. R. Sadiku, “Fabrication of Bio-Nanocomposite Packaging Films with PVA, MMt Clay Nanoparticles, CNCs, and Essential Oils for the Postharvest Preservation of Sapota Fruits,” *Polymers (Basel)*, vol. 15, no. 17, 2023, doi: 10.3390/polym15173589.

