

DAFTAR PUSTAKA

- [1] C. P. Baldé *et al.*, “The Global E-waste Monitor 2024 - Electronic Waste Rising Five Times Faster than Documented E-waste Recycling: UN,” ewastemonitor.info. Accessed: Jul. 19, 2025. [Online]. Available: <https://ewastemonitor.info/the-global-e-waste-monitor-2024/>
- [2] P. Kumar, P. Kumar, and S. Singh Thakur, “E-Waste and Hazardous Elements: A Comprehensive Study of Chemical Components and Environmental Threats,” *International Journal of Innovative Science and Research Technology (IJISRT)*, pp. 1074–1085, Oct. 2024, doi: 10.38124/ijisrt/ijisrt24oct1008.
- [3] L. Li, L. Han, H. Hu, and R. Zhang, “A Review on Polymers and Their Composites for Flexible Electronics,” *Mater Adv*, vol. 4, no. 3, pp. 726–746, Dec. 2022, doi: 10.1039/d2ma00940d.
- [4] M. Gong, L. Zhang, and P. Wan, “Polymer nanocomposite meshes for flexible electronic devices,” *Progress in Polymer Science*. Accessed: Jul. 19, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/abs/pii/S0079670020300721>
- [5] N. F. Siregar, “Pengaruh Variasi Kelembapan Terhadap Nilai Sifat Listrik dari Film Komposit PVA/ZnO/Ppy,” B.Sc. thesis, Universitas Andalas, Padang, 2023.
- [6] H. M. J. Al-Taii, Y. M. Amin, and V. Periasamy, “Humidity influenced capacitance and resistance of an Al/DNA/Al Schottky diode irradiated by alpha particles,” *Sci Rep*, vol. 6, p. 25519, May 2016, doi: 10.1038/srep25519.
- [7] R. A. Stottelaar, “The effect of humidity and strain on the electrical resistance of an epoxy based nanocomposite,” M.S. thesis, Delft Univ. of Technol., Delft, 2015.
- [8] X. Fan *et al.*, “Investigation of the Environmental Stability of Poly(vinyl alcohol)–KOH Polymer Electrolytes for Flexible Zinc–Air Batteries,” *Front. Chem.*, vol. 7, p. 678, Oct. 2019, doi: 10.3389/fchem.2019.00678.
- [9] V. Van Tran, S. Lee, D. Lee, and T.-H. Le, “Recent Developments and Implementations of Conductive Polymer-Based Flexible Devices in Sensing Applications,” *Polymers (Basel)*, vol. 14, no. 18, p. 3730, Sep. 2022, doi: 10.3390/polym14183730.
- [10] G. Scandurra, A. Arena, and C. Ciofi, “A Brief Review on Flexible Electronics for IoT: Solutions for Sustainability and New Perspectives for Designers,” *Sensors*, vol. 23, no. 11, p. 5264, Jun. 2023, doi: 10.3390/s23115264.

- [11] Fortune Business Insights, "Flexible Electronics Market Size, Share & Industry Analysis, By Type (Flexible Printed Circuits and Rigid-Flexible), By Application (Monitoring, Sensing, Lighting, Display, Storage, and Others (Sensors)), By End-user (Consumer Goods, Healthcare, Automotive, Robotics, Agriculture, Aerospace and Defense, and Others (Energy and Power), and Regional Forecast, 2025 – 2032." Accessed: Jul. 19, 2025. [Online]. Available: <https://www.fortunebusinessinsights.com/flexible-electronics-market-109105>
- [12] R. Hsissou, R. Seghiri, Z. Benzekri, M. Hilali, M. Rafik, and A. Elharfi, "Polymer composite materials: A comprehensive review," *Compos Struct*, vol. 262, p. 113640, Jan. 2021, doi: 10.1016/j.compstruct.2021.113640.
- [13] M. A. Bermantio, "Perubahan Sifat Listrik dari Film Komposit Disebabkan Variasi Kelembaban," B.Sc. thesis, Universitas Andalas, Padang, 2021.
- [14] W. R. Fadila, Abrar, and M. Nasir, "Pengaruh Heat Treatment pada Sifat Kristal, Listrik dan Optik Nanokomposit ZnO/PVA," *e-Proceeding of Engineering*, vol. 9, p. 858, Jun. 2022.
- [15] E. G. Ahangar, M. H. Abbaspour-Fard, N. Shahtahmassebi, M. Khojastehpour, and P. Maddahi, "Preparation and Characterization of PVA/ZnO Nanocomposite," *J Food Process Preserv*, vol. 37, no. 6, pp. 1442–1451, Jul. 2014, doi: 10.1111/jfpp.12363.
- [16] J. Michael, Z. Qifeng, and W. Danling, "Titanium carbide MXene: Synthesis, electrical and optical properties and their applications in sensors and energy storage devices," *Nanomaterials and Nanotechnology*, vol. 9, Jan. 2019, doi: 10.1177/1847980418824470.
- [17] A. Zamhuri, G. P. Lim, N. L. Ma, K. S. Tee, and C. F. Soon, "MXene in the lens of biomedical engineering: synthesis, applications and future outlook," *Biomed Eng Online*, vol. 20, no. 1, p. 33, Dec. 2021, doi: 10.1186/s12938-021-00873-9.
- [18] Z. Hadi, J. K. Yeganeh, Y. Zare, M. T. Munir, and K. Y. Rhee, "Predicting of electrical conductivity for Polymer-MXene nanocomposites," *Journal of Materials Research and Technology*, vol. 28, pp. 4229–4238, Jan. 2024, doi: 10.1016/j.jmrt.2024.01.014.
- [19] Z. Ling *et al.*, "Flexible and conductive MXene films and nanocomposites with high capacitance," *Proc Natl Acad Sci U S A*, vol. 111, no. 47, pp. 16676–16681, Nov. 2014, doi: 10.1073/pnas.1414215111.
- [20] R. Gautam, N. Marriwala, and R. Devi, "A review: Study of Mxene and graphene together," *Measurement: Sensors*, vol. 25, p. 100592, Feb. 2023, doi: 10.1016/j.measen.2022.100592.
- [21] N. Grishkewich, N. Mohammed, J. Tang, and K. C. Tam, "Recent advances in the application of cellulose nanocrystals," *Curr Opin Colloid Interface Sci*, vol. 29, pp. 32–45, May 2017, doi: 10.1016/j.cocis.2017.01.005.

- [22] A. S. Levitt, M. Alhabeb, C. B. Hatter, A. Sarycheva, G. Dion, and Y. Gogotsi, "Electrospun MXene/carbon nanofibers as supercapacitor electrodes," *J Mater Chem A Mater*, vol. 7, no. 1, pp. 269–277, 2019, doi: 10.1039/c8ta09810g.
- [23] Ł. Dybowska-Sarapuk, W. Sosnowicz, A. Grzeczkwicz, J. Krzemiński, and M. Jakubowska, "Ultrasonication effects on graphene composites in neural cell cultures," *Front Mol Neurosci*, vol. 15, p. 992494, Sep. 2022, doi: 10.3389/fnmol.2022.992494.
- [24] M. N. F. A. Malek *et al.*, "Ultrasonication: a process intensification tool for methyl ester synthesis: a mini review," *Biomass Convers Biorefin*, vol. 13, no. 2, pp. 1457–1467, Jan. 2023, doi: 10.1007/S13399-020-01100-6.
- [25] Z. Wu *et al.*, "Ultrasound-assisted preparation of chitosan/nano-silica aerogel/tea polyphenol biodegradable films: Physical and functional properties," *Ultrason Sonochem*, vol. 87, p. 106052, May 2022, doi: 10.1016/j.ultsonch.2022.106052.
- [26] T. S. Soliman, A. M. Rashad, I. A. Ali, S. I. Khater, and S. I. Elkalashy, "Investigation of Linear Optical Parameters and Dielectric Properties of Polyvinyl Alcohol/ZnO Nanocomposite Films," *Phys. Status Solidi (a)*, vol. 217, no. 19, p. 2000321, Aug. 2020, doi: 10.1002/pssa.202000321.
- [27] L. Zhang-Shuo, L. Ji, D. Yang, L. Xiao-Feng, Y. Zhong-Zhen, and Z. Hao-Bin, "Bioinspired Ultrathin MXene/CNC Composite Film for Electromagnetic Interference Shielding," *Journal of Inorganic Materials*, p. 148, Jan. 2019, doi: 10.15541/jim20190148.
- [28] P. Sobolčiak *et al.*, "2D Ti3C2Tx (MXene)-reinforced polyvinyl alcohol (PVA) nanofibers with enhanced mechanical and electrical properties," *PLoS One*, vol. 12, no. 8, Aug. 2017, doi: 10.1371/journal.pone.0183705.
- [29] D. K. Rajak, D. D. Pagar, R. Kumar, and C. I. Pruncu, "Recent progress of reinforcement materials: a comprehensive overview of composite materials," *Journal of Materials Research and Technology*, vol. 8, no. 6, pp. 6354–6374, Oct. 2019, doi: 10.1016/j.jmrt.2019.09.068.
- [30] V. S. Sulaberidze, V. D. Mushenko, V. A. Mikheev, and E. A. Skorniakova, "Mechanical properties of new functional composite materials based on polymeric binders," in *IOP Conference Series: Materials Science and Engineering*, Institute of Physics Publishing, May 2019, p. 022017. doi: 10.1088/1757-899X/537/2/022017.
- [31] I. Prabowo and M. Chalid, "Optimalisasi Sifat Mekanik Biokomposit PLA dengan Serat Arennga Pinnata," *Journal of Science, Technology, and Visual Culture*, vol. 1, no. 2, pp. 65–68, Oct. 2021.
- [32] R. Fuazzidin, R. D. Anjani, and V. Naubnome, "Pengaruh Fraksi Volume Komposit Serat Pelepah Pisang Kepok Dengan Polyester Dan Filler Terhadap Sifat Mekanik," *Jurnal Pendidikan Teknik Mesin Undiksha*, vol. 11, no. 2, pp. 223–237, Aug. 2023, doi: 10.23887/jptm.v11i2.66002.

- [33] M. Yani and F. Lubis, "Pembuatan dan Penyelidikan Perilaku Mekanik Komposit Diperkuat Serat Limbah Plastik Akibat Beban Lendutan," *Teknik Mesin ITM*, vol. 4, no. 2, pp. 77–84, Nov. 2018.
- [34] M. Lay, I. González, J. A. Tarrés, N. Pellicer, K. N. Bun, and F. Vilaseca, "High electrical and electrochemical properties in bacterial cellulose/polypyrrole membranes," *Eur Polym J*, vol. 91, pp. 1–24, Mar. 2017, doi: 10.1016/j.eurpolymj.2017.03.021.
- [35] A. Firdaus, A. Tjahjono, and S. A. Saptari, "Analisis Pengaruh Bentuk Filler Pada Komposit Batang Bambu Terhadap Nilai Kekerasan (Hardness Shore D)," *Al-Fiziya: Journal of Materials Science, Geophysics, Instrumentation and Theoretical Physics*, vol. 1, no. 2, pp. 1–6, Oct. 2018, doi: 10.15408/fiziya.v1i2.9506.
- [36] A. Sjahrizza, S. Herlambang, and I. F. Wati, "Modifikasi Karakteristik Kuat Tarik pada Komposit Film Poli(vinil Pirolidon) dan Karagenan melalui Pembentukan Komposit Karbon Nano Dot," *al-Kimiya*, vol. 5, no. 2, pp. 52–56, Jan. 2019, doi: 10.15575/ak.v5i2.3756.
- [37] S. Ningaraju and H. B. Ravikumar, "Studies on electrical conductivity of PVA/graphite oxide nanocomposites: a free volume approach," *Journal of Polymer Research*, vol. 24, no. 11, Dec. 2016, doi: 10.1007/s10965-016-1176-1.
- [38] Y. Pan *et al.*, "Flammability, thermal stability and mechanical properties of polyvinyl alcohol nanocomposites reinforced with delaminated Ti3C2Tx (MXene)," *Polym Compos*, vol. 41, no. 1, pp. 210–218, Aug. 2019, doi: 10.1002/pc.25361.
- [39] K. T. Shalumon, K. H. Anulekha, S. V. Nair, S. V. Nair, K. P. Chennazhi, and R. Jayakumar, "Sodium alginate/poly(vinyl alcohol)/nano ZnO composite nanofibers for antibacterial wound dressings," *Int J Biol Macromol*, vol. 49, no. 3, pp. 247–254, Oct. 2011, doi: 10.1016/j.ijbiomac.2011.04.005.
- [40] H. Assaedi, "The role of nano-CaCO₃ in the mechanical performance of polyvinyl alcohol fibre-reinforced geopolymer composites," *Compos Interfaces*, vol. 28, no. 5, pp. 527–542, Aug. 2020, doi: 10.1080/09276440.2020.1793096.
- [41] X. Tang and S. Alavi, "Recent advances in starch, polyvinyl alcohol based polymer blends, nanocomposites and their biodegradability," *Carbohydr Polym*, vol. 85, no. 1, pp. 7–16, Apr. 2011, doi: 10.1016/j.carbpol.2011.01.030.
- [42] H. Abral *et al.*, "Effect of ultrasonication duration of polyvinyl alcohol (PVA) gel on characterizations of PVA film," *Journal of Materials Research and Technology*, vol. 9, no. 2, pp. 2477–2486, Jan. 2020, doi: 10.1016/j.jmrt.2019.12.078.

- [43] M. J. Simanjuntak, "Studi Film Polyvinil Alkohol (PVA) Dimodifikasi dengan Acrylamide (AAM) sebagai Material Sensitif terhadap Kelembaban," M.S. thesis, Universitas Indonesia, Depok, 2008. Accessed: Jul. 19, 2025. [Online]. Available: <https://lib.ui.ac.id>
- [44] D. A. Daratika, "Sintesis Nanopartikel $Zn_{1-x}Cu_xO$ dengan Metode Kopresipitasi," B.Sc. thesis, Institut Teknologi Sepuluh Nopember, Surabaya, 2016.
- [45] V. Harahap and S. Sidabutar, "Sintesis Dan Sifat Magnetik Komposit $BaFe_{12}O_{19}/ZnO$ Terhadap Aplikasi Elektronik Media Perekam Dan Absorben," *2-TRIK: Tunas-Tunas Riset Kesehatan*, vol. 10, no. 2, pp. 86–92, May 2020, doi: 10.33846/2TRIK10203.
- [46] M. Saeed, H. M. Marwani, U. Shahzad, A. M. Asiri, and M. M. Rahman, "Recent Advances, Challenges, and Future Perspectives of ZnO Nanostructure Materials Towards Energy Applications," *Chemical Record*, vol. 24, no. 1, p. e202300106, May 2023, doi: 10.1002/tcr.202300106.
- [47] V. K. Hoang Bui *et al.*, "A review on zinc oxide composites for energy storage applications: solar cells, batteries, and supercapacitors," *Journal of Composites and Compounds*, vol. 3, no. 8, pp. 182–193, Sep. 2021, doi: 10.52547/jcc.3.3.6.
- [48] K. H. Tan, L. Samylingam, N. Aslfattahi, R. Saidur, and K. Kadirgama, "Optical and conductivity studies of polyvinyl alcohol-MXene ($PVA-MXene$) nanocomposite thin films for electronic applications," *Opt Laser Technol*, vol. 136, p. 106772, Apr. 2021, doi: 10.1016/j.optlastec.2020.106772.
- [49] M. Xin, J. Li, Z. Ma, L. Pan, and Y. Shi, "MXenes and Their Applications in Wearable Sensors," *Front Chem*, vol. 8, p. 297, Apr. 2020, doi: 10.3389/fchem.2020.00297.
- [50] Y. Wang *et al.*, "Engineering 3D Ion Transport Channels for Flexible MXene Films with Superior Capacitive Performance," *Adv Funct Mater*, vol. 29, no. 14, p. 1900326, Feb. 2019, doi: 10.1002/adfm.201900326.
- [51] V. Natu, M. Clites, E. Pomerantseva, and M. W. Barsoum, "Mesoporous MXene powders synthesized by acid induced crumpling and their use as Na-ion battery anodes," *Mater Res Lett*, vol. 6, no. 4, pp. 230–235, Feb. 2018, doi: 10.1080/21663831.2018.1434249.
- [52] S. K. Amit, D. Gomez-Maldonado, T. Bish, M. S. Peresin, and V. A. Davis, "Properties of APTES-Modified CNC Films," *ACS Omega*, vol. 9, no. 14, pp. 16572–16580, Apr. 2024, doi: 10.1021/acsomega.4c00439.
- [53] V. Hynninen, J. Patrakka, and Nonappa, "Methylcellulose–Cellulose Nanocrystal Composites for Optomechanically Tunable Hydrogels and Fibers," *Materials*, vol. 14, no. 18, p. 5137, Sep. 2021, doi: 10.3390/ma14185137.

- [54] M. Pagliaro *et al.*, “Application of nanocellulose composites in the environmental engineering as a catalyst, flocculants, and energy storages: A review,” *Journal of Composites and Compounds*, vol. 3, no. 7, pp. 114–128, Jun. 2021, doi: 10.52547/jcc.3.2.5.
- [55] S. Singh, S. Bhardwaj, P. Tiwari, K. Dev, K. Ghosh, and P. K. Maji, “Recent advances in cellulose nanocrystals-based sensors: a review,” *Mater Adv*, vol. 5, no. 7, pp. 2622–2654, Feb. 2024, doi: 10.1039/d3ma00601h.
- [56] A. Bin Rashid *et al.*, “Synthesis, Properties, Applications, and Future Prospective of Cellulose Nanocrystals,” *Polymers (Basel)*, vol. 15, no. 20, p. 4070, Oct. 2023, doi: 10.3390/polym15204070.
- [57] N. H. Ince, G. Tezcanli, R. K. Belen, and I. G. Apikyan, “Ultrasound as a catalyzer of aqueous reaction systems: the state of the art and environmental applications,” *Appl Catal B*, vol. 29, no. 3, pp. 167–176, Feb. 2001, doi: 10.1016/S0926-3373(00)00224-1.
- [58] A. Akhoondi, H. Ghaebi, L. Karuppasamy, M. M. Rahman, and P. Sathishkumar, “Recent advances in hydrogen production using MXenes-based metal sulfide photocatalysts,” *Synthesis and Sintering*, vol. 2, no. 1, pp. 37–54, Mar. 2022, doi: 10.53063/synsint.2022.21106.
- [59] T. Ji *et al.*, “Effects of Ultrasonication Time on the Properties of Polyvinyl Alcohol/Sodium Carboxymethyl Cellulose/Nano-ZnO/Multilayer Graphene Nanoplatelet Composite Films,” *Nanomaterials*, vol. 10, no. 9, pp. 1–27, Sep. 2020, doi: 10.3390/nano10091797.
- [60] T. S. Dewi and N. P. Putri, “Pengaruh Waktu Ultrasonikasi terhadap Nilai Kapasitansi Elektroda Superkapasitor Berbahan Dasar Tempurung Kelapa,” *Inovasi Fisika Indonesia (IFI)*, vol. 8, no. 1, Dec. 2018, doi: 10.26740/ifi.v8n1.p%25p.
- [61] B. Delmifiana and Astuti, “Pengaruh Sonikasi terhadap Struktur dan Morfologi Nanopartikel Magnetik yang Disintesis dengan Metode Kopresipitasi,” *Jurnal Fisika Unand*, vol. 2, no. 3, pp. 186–189, Jul. 2013, doi: 10.25077/jfu.2.3.%25p.2013.
- [62] N. K. Sari and A. Muttaqin, “Pengaruh Waktu Sonikasi terhadap Konduktivitas Listrik Zeolit Berbahan Abu Dasar Batubara Menggunakan Metode Peleburan Alkali Hidrotermal,” *Jurnal Fisika Unand*, vol. 5, no. 4, pp. 322–326, Oct. 2016, doi: 10.25077/jfu.5.4.322-326.2016.
- [63] S. Indarwati, S. M. B. Respati, and Darmanto, “Kebutuhan Daya pada Air Conditioner saat Terjadi Perbedaan Suhu dan Kelembaban,” *Momentum*, vol. 15, no. 1, pp. 91–95, Apr. 2019, doi: 10.36499/jim.v15i1.2666.
- [64] J. Bhadra, A. Popelka, A. Abdulkareem, M. Lehocky, P. Humpolicek, and N. Al-Thani, “Effect of humidity on the electrical properties of the silver-polyaniline/polyvinyl alcohol nanocomposites,” *Sens Actuators A Phys*, vol. 288, pp. 47–54, Apr. 2019, doi: 10.1016/j.sna.2019.01.012.

- [65] Irzaman, R. Erviansyah, H. Syafutra, A. Maddu, and Siswadi, "Studi Konduktivitas Listrik Film Tipis Ba_{0.25}Sr_{0.75}TiO₃ Yang Didadah Ferium Oksida (BFST) Menggunakan Metode Chemical Solution Deposition," *Berkala Fisika*, vol. 13, no. 1, pp. 33–38, Jan. 2010.
- [66] Y. Hyodo, T. Hatakeyama, R. Kibushi, and M. Ishizuka, "Measurement of Thermal and Electrical Contact Resistance Between Conductive Materials," in *2018 International Conference on Electronics Packaging and iMAPS All Asia Conference (ICEP-IAAC)*, Mie, Japan: IEEE, Apr. 2018, pp. 132–135. doi: 10.23919/ICEP.2018.8374687.
- [67] T. Xu *et al.*, "Correlation between the Thermo-physical Properties and Core Material Structure of Vacuum Insulation Panel: Role of Fiber Types," *Fibers and Polymers*, vol. 19, no. 5, pp. 1032–1038, May 2018, doi: 10.1007/s12221-018-7949-x.
- [68] D. Rahmadiawan *et al.*, "A Novel Highly Conductive, Transparent, and Strong Pure-Cellulose Film from TEMPO-Oxidized Bacterial Cellulose by Increasing Sonication Power," *Polymers (Basel)*, vol. 15, no. 3, p. 643, Jan. 2023, doi: 10.3390/polym15030643.
- [69] M. M. S. Choyon, A. S. M. H. Sad, A. H. M. Rhydwan, K. Shikder, and C. A. Hossain, "Design of a Polymer Based On-Skin Temperature Sensor," in *2021 2nd International Conference on Robotics, Electrical and Signal Processing Techniques (ICREST)*, Dhaka, Bangladesh: IEEE, Jan. 2021, pp. 704–709. doi: 10.1109/ICREST51555.2021.9331120.
- [70] T. Hatakeyama, R. Kibushi, and M. Ishizuka, "Fundamental Study of Surface Roughness Dependence of Thermal and Electrical Contact Resistance," in *2016 15th IEEE Intersociety Conference on Thermal and Thermomechanical Phenomena in Electronic Systems (ITherm)*, Las Vegas, NV, USA: IEEE, May 2016, pp. 1078–1082. doi: 10.1109/ITHERM.2016.7517667.
- [71] A. Shahat Belal, "IR Spectroscopy Review Artical," *Int J Innov Sci Res Technol*, vol. 8, no. 12, pp. 437–441, Dec. 2023, doi: 10.5281/zenodo.10394950.
- [72] T. Theophanides, "Introduction to Infrared Spectroscopy," in *Infrared Spectroscopy - Materials Science, Engineering and Technology*, T. Theophanides, Ed., London, United Kingdom: In Tech, 2012, ch. 1, pp. 1–10. doi: 10.5772/49106.
- [73] S. A. Sayid, A. Dadan-Garba, D. E. Enenche, and B. A. Ikyo, "Scanning Electron Microscopy (SEM) of the Bug Eye and Sand Coral," *Microscopy Research*, vol. 8, no. 01, pp. 1–7, Jan. 2020, doi: 10.4236/mr.2020.81001.
- [74] B. J. Inkson, "Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) for materials characterization," in *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*, G. Hübschen, I. Altpeter, R. Tschuncky, and H.-G. Herrmann, Eds., Sheffield,

- United Kingdom: Woodhead Publishing, 2016, ch. 2, pp. 17–43. doi: 10.1016/B978-0-08-100040-3.00002-X.
- [75] Ciqtek, “Advantages of Field Emission Scanning Electron Microscope (FESEM).” Accessed: Oct. 25, 2025. [Online]. Available: https://www.ciqtekglobal.com/advantages-of-field-emission-scanning-electron-microscope-fesem_n193
- [76] Thermo Fisher Scientific, “Quattro ESEM Ultra-versatile high-resolution SEM with environmental capability.” Accessed: Oct. 25, 2025. [Online]. Available: <https://documents.thermofisher.com/TFS-Assets/MSD/Datasheets/Quattro-datasheet.pdf>
- [77] M. S. Ikhsan, “Pengaruh Kelembapan terhadap Konduktivitas Konduktor Komposit Polyvinyl Alcohol, Zinc Oxide, MXene, Celulose Nanocrystal untuk Perangkat Elektronik,” B.Sc. thesis, Universitas Andalas, Padang, 2025.
- [78] M. Zikra, “Pengaruh Waktu Ultrasonikasi terhadap Sifat Listrik Material Komposit Polyvinyl Alcohol, Zinc Oxide, MXene, dan Celulose Nanocrystal untuk Perangkat Elektronik,” B.Sc. thesis, Universitas Andalas, Padang, 2025.
- [79] A. R. Santos and J. C. Viana, “The Development of a Flexible Humidity Sensor Using MWCNT/PVA Thin Films,” *Nanomaterials*, vol. 14, no. 20, p. 1653, Oct. 2024, doi: 10.3390/nano14201653.
- [80] H. S. Mansur, R. L. Oréfice, and A. A. P. Mansur, “Characterization of poly(vinyl alcohol)/poly(ethylene glycol) hydrogels and PVA-derived hybrids by small-angle X-ray scattering and FTIR spectroscopy,” *Polymer (Guildf)*, vol. 45, no. 21, pp. 7193–7202, Sep. 2004, doi: 10.1016/j.polymer.2004.08.036.
- [81] M. Asrofi, H. Abral, Y. K. Putra, S. M. Sapuan, and H.-J. Kim, “Effect of duration of sonication during gelatinization on properties of tapioca starch water hyacinth fiber biocomposite,” *Int J Biol Macromol*, vol. 108, pp. 167–176, Mar. 2018, doi: 10.1016/j.ijbiomac.2017.11.165.