

## Daftar Pustaka

1. Plevkova J. Systemic inflammatory response syndrome. Diakses dari <http://www.jfmed.uniba.sk/fileadmi/Handouty/angl.2011>. Tanggal 16 Januari 2018.
2. Horeczko T, Green J, Panacek E. Epidemiology of the systemic inflammatory response syndrome (SIRS) in the emergency department. *West J Emerg Med.* 2014;15(3):329-36.
3. Proulx F, Fayon M, Farrel CA, Lacroix J GM. Epidemiology of sepsis and multiple organ dysfunction syndrome in children. *Chest* 1996;109:1033-7.
4. Carcillo JA. Searching for the etiology of Systemic inflammatory response syndrome: is SIRS occult endotoxemia. *Intensive Care Med.* 2006;32:181-4.
5. Leksana E. Systemic Inflammatory Response Syndrome. *Cermin Dunia Kedokt.* 2013;40(1):7-11.
6. Johnson D, Mayers I. Multiple organ dysfunction syndrome: a narrative review. *Can J Anaesth.* 2001;48(5):502-9.
7. Metta D, Soebardja D, Hudaya D. The use of pediatric logistic organ dysfunction (PELOD) scoring system to determine the prognosis of patients in pediatric intensive care units Paediatrica Indonesiana. 2006;46(1):1-6.
8. Leteurtre S, Martinot A, Duhamel A, Proulx F, Grandbastien B, Cotting J, et al. Validation of the paediatric logistic organ dysfunction (PELOD) score: prospective, observational, multicentre study. *Lancet.* 2003;362(9379):192-7.
9. Leteurtre S, Duhamel A, Saueron J, Grandbastien B LJLF. PELOD-2: An Update of the PEdiatric Logistic Organ Dysfunction Score. *Crit Care Med.* 2013;41(6):1543-54.
10. Dhainaut JF, Yan SB, Cariou A, Mira JP. Soluble thrombomodulin, plasma-derived unactivated protein C, and recombinant human activated protein C in sepsis. *Crit Care Med.* 2002; 30(5):318-24.
11. Levi M, Van Der Poll T. Thrombomodulin in sepsis. *Minerva Anesthesiol.* 2013; 79(3):294-8.
12. Mihajlovic DM, Lendak DF, Draskovic BG, Novakov AS, Mitic GP, Cebovic TN, et al. Thrombomodulin is a Strong Predictor of Multiorgan Dysfunction Syndrome in Patients With Sepsis. *Clin Appl Thromb Hemost.* 2013.(4)1-7
13. Lin SM, Wang YM, Lin HC, Lee KY, Huang CD, Liu CY. Serum thrombomodulin level related to the clinical course of disseminated intravascular coagulation, multiorgan dysfunction syndrome, and mortality in patients with sepsis. *Crit Care Med.* 2008;36(3): 683-9.
14. Lin J-J, Hsiao H-J, Chan O-W, Wang Y, Hsia S-H, Chiu C-H. Increased serum thrombomodulin level is associated with disease severity and mortality in pediatric sepsis. *PLoS One.* 2017;12(8):1-10
15. Goldstein B, Grior B, Randolph A. International pediatric sepsis consensus

- conference: Definitions for sepsis and organ dysfunction in pediatrics. 2005;6(1):1-8.
16. Khilnani P, Deopujari S, Carcillo J. Recent advances in sepsis and septic shock. 2008;75:821-830.
  17. Enrione MA PK. Sepsis, septic shock, and systemic inflammatory response syndrome. In: Kliegman RM, Behrman RE, Jenson HB, Stanton BF, ed. *Nelson Textbook of Pediatrics*. 18th ed. Philadelphia: WB Saunders; 2007:1094-9.
  18. Carvalho PRA, Feldens L, Seitz EE, Rocha TS, Soledade MA, Trotta EA. Prevalence of systemic inflammatory syndromes at a tertiary pediatric intensive care unit. *J Pediatr (Rio J)*. 2005;81(2):143-8.
  19. Castellheim A, Brekke OL, Espevik T, Harboe M, Mollnes TE. Innate immune responses to danger signals in systemic inflammatory response syndrome and sepsis. *Scand J Immunol*. 2009;69(6):479-91.
  20. Amir IRL. Patofisiologi Sepsis Neonatorum: Systemic Inflammatory Response Syndrome (SIRS). In: *Update in Neonatal Infection*. Departemen Ilmu Kesehatan Anak FKUI-RSCM.
  21. Aneja RA C. Differens between adult and Pediatric Septic Shock. *Angle Orthod*. 2011;77:1-7.
  22. Rabson A, Roitt IM, Delves PJ. Immunity to infection. Dalam: Really essential medical Immunology 2005; Edisi-2. Blackwell Publishing: p.114-26.
  23. Matondang CS, Notoatmojo H KN. Mekanisme imun penyakit infeksi. In: Akib AAP, Munasir Z KN, ed. *Buku Ajar Alergi-Imunologi*. IDAI; 2007:132-153.
  24. Baratawijaya KG, Rengganis I. Immunologi infeksi. In: *Dalam: Immunologi Dasar*. FKUI. 2009: 401-49.
  25. Vautier S, Maccallum DM, Brown GD. Cytokine C-type lectin receptors and cytokines in fungal immunity. *Cytokine*. 2012;58(1):89-99.
  26. El-Nawawy A, Mohsen AA, Abdel-Malik M, Taman SO. Performance of the pediatric logistic organ dysfunction (PELOD) and (PELOD-2) scores in a pediatric intensive care unit of a developing country. *Eur J Pediatr*. 2017;176(7):849-55.
  27. Thukral A, Kohli U, Lodha R, Kabra SK, Kabra NK. Validation of the PELOD score for multiple organ dysfunction in children. *Indian Pediatr*. 2007;44(9):683-6.
  28. Esmon CT, Owen WG. Identification of an endothelial cell cofactor for thrombin-catalyzed activation of protein C. *Proc Natl Acad Sci U S A*. 1981;78(4):2249-52.
  29. Conway EM. Thrombomodulin and its role in inflammation. *Semin Immunopathol*. 2012;34(1):107-25.
  30. Okamoto T, Tanigami H, Suzuki K, Shimaoka M. Thrombomodulin: A bifunctional modulator of inflammation and coagulation in sepsis. *Crit Care Res Pract*. 2012;2: 134-39.
  31. Weiler H, Isermann BH. Thrombomodulin. *J Thromb Haemost*. 2003;1(7):1515-24.
  32. Esmon CT, Esmon NL, Harris KW,. Complex formation between between thrombin and thrombomodulin inhibits both thrombin-catalyzed fibrin formation

- and factor V activation. *Journal of Biological chemistry*.1982;257(14)7944-7.
33. Esmon NL, Carroll RC, Esmon CT. Thrombomodulin blocks the ability of thrombin to activate platelets. *Journal of Biological Chemistry*. 1983;258(20):12238-42.
  34. Ikezoe T. *Thrombomodulin/activated protein C system in septic disseminated intravascular coagulation. J Intensive Care*. 2015;3(1):1-8.
  35. Boffa MC, Karmochkine M. Thrombomodulin: an overview and potential implications in vascular disorders. *Lupus*. 1998;7(2):120-5.
  36. Califano F, Giovannello T, Pantone P, et al. Clinical importance of thrombomodulin. *Eur Rev Med Pharmacol Sci*. 2000;4:59-66.
  37. Castellheim A, Brekke O-L, Espevik T, Harboe M MT. Innate immune responses to danger signals in Systemic Inflammatory Response Syndrome and sepsis. *Journal of Immunology* 2009;69:479–91.
  38. Thomas NJ, Tamburro RF, Hall MW, Rajasekaran S VJ. Bacterial sepsis and mechanisms of microbial pathogenesis. Dalam : Nichols DG, penyunting. *Roger's Textbook of Pediatric Intensive Care*. Edisi ke-4. Baltimore: Lippincott Williams & Wilkins; 2008. p. 477-88.
  39. Dahlan MS. *Besar Sampel Dan Cara Pengambilan Sampel*. Jakarta: Salemba Medika; 2009(3)18-90.
  40. Sugiyono. *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung: Alfabeta.2007:1-184.
  41. Wu Z, Liang Y, Li Z, Liu G, Zheng J, Zuo Y, Accuracy Comparison Between Age-Adapted SOFA and SIRS in Predicting in-Hospital Mortality of Infected Children at China's PICU. *Shock*. 2019 Sep;52(3):347-52.
  42. Pavare J, Grope I, Gardovska D. Prevalence of systemic inflammatory response syndrome (SIRS) in hospitalized children: a point prevalence study. *BMC Pediatrics* 2009;9:25.
  43. Watson RS, Carcillo JA. The epidemiology of severe sepsis in children in the United State. *Am J Respir Crit Care Med* 2003;167:695-701.
  44. Reinhart K, Bloos F, Brunkhorst F. Pathophysiology of sepsis and multiple organ dysfunction. In: *textbook of critical care*. fifth edition ed. Philadelphia: Elsevier Saunders; 2005:1249-58.
  45. UKK ERIA dan UKK Infeksi dan penyakit tropis. *Diagnosis dan tatalaksana sepsis pada anak*. IDAI. 2016.1-25.
  46. Hatherill M, McIntyre A, Wattie M, Murdoch I. Early hyperlactataemia in critical ill children. *Intensive care med* 2000;26:314-8.
  47. Komatsumoto S, Onoda A, Nara M. Changes in the level of thrombomodulin with aging. *Nihon Ronen Igakkai Zasshi*. 1996;33(7):512-7
  48. Dewi R, Somasetia DH, Risan NA. Procalcitonin, C-Reactive Protein and its Correlation with Severity Based on Pediatric Logistic Organ Dysfunction-2 (PELOD-2) Score in Pediatric Sepsis. *Am J of epidemiology and Infectious disease*,2016.4.(3),64-7.
  49. Ramazani J, Hosseini M. Comparison of the predictive ability of Pediatric Risk of Mortality III, Pediatric Index of Mortality 3, and Pediatric Logistic Organ



- Dysfunction-2 in Medical and Surgical Intensive Care Units. *J Compr Ped.* Online ahead of Print ;10(2):823-45.
50. Krafte-jacobs B, Brill R. Increase circulating thrombomodulin in children with septic shock. *Crit Care Med.* 1998;26(5):933-8.
  51. Schlapbach LJ, Straney L, Bellomo R, MacLaren G, Pilcher D. Prognostic accuracy of age-adapted SOFA, SIRS, PELOD-2, and qSOFA for in-hospital mortality among children with suspected infection admitted to the intensive care unit. *Intensive Care Med.* 2018;44:179-88.
  52. Leclerc F, Duhamel A, Deken V, Grandbastien B, Leteurte S, Biarent R. Can the Pediatric Logistic Organ Dysfunction (PELOD)-2 Score on Day 1 Be Used In Clinical Criteria for Sepsis in Children?. *Pediatric Critical Care Medicine, Lippincott, Williams & Wilkins,* 2017;18(8):758-63.
  53. Orwoll BE, Spicer AC, Zinter MS, Alkhouli MF, Khemani RG, Flori HR, dkk. Elevated soluble thrombomodulin is associated with organ failure and mortality in children with acute respiratory distress syndrome (ARDS): a prospective observational cohort study. *Crit Care.* 2015; 19:435
  54. Leteurte S, Duhamel A, Deken V, Lacroix J, Leclerc F. Daily estimation of the severity of organ dysfunction in critically ill children by using PELOD-2 score. *Critical care.* 2015;19:324-8.

