

DAFTAR PUSTAKA

- Aamir, S., Sutar, S., Singh, S. K., & Baghela, A. (2015). A rapid and efficient method of fungal genomic DNA extraction, suitable for PCR based molecular methods. *Plant Pathol Quar*, 5(2), 74-81.
- Aditya, F., Gusmayanti, E., & Sudrajat, J. (2021). Pengaruh Perubahan Curah Hujan terhadap Produktivitas Padi Sawah di Kalimantan Barat. *Jurnal Ilmu Lingkungan*, 19(2), 237–246. <https://doi.org/10.14710/jil.19.2.237-246>
- Aghaeepour, S., Zibae, A., Ramzi, S., & Hoda, H. (2022). Host-pathogen interactions of the two native isolates of *Beauveria bassiana* to a predatory coccinellid, *Cryptolaemus montrouzieri* Mulsant (Coleoptera: Coccinellidae). *ISJ*, 19, 53–68.
- Al Khoury, C., Guillot, J., & Nemer, N. (2019). Lethal activity of beauvericin, a *Beauveria bassiana* mycotoxin, against the two-spotted spider mites, *Tetranychus urticae* Koch. *Journal of Applied Entomology*, 143(9), 974–983. <https://doi.org/10.1111/jen.12684>
- Amanah, Q., Windari, A., Afifah Nugraheni, I., Mindrati Fardhani, D., Sains dan Teknologi, F., & Yogyakarta, A. (2023). Pemanfaatan Jamur *Beauveria bassiana* Sebagai Pengendalian Hama Pada Tanaman Padi. *Prosiding Seminar Nasional Penelitian Dan Pengabdian Kepada Masyarakat*, 1(1), 300–307.
- Anjum, F., & Wright, D. J. (2023). Foliar Residual Toxicity of Insecticides to Brassica Pests and Their Natural Enemies. *Journal of Economic Entomology*, 116(1), 153–159. <https://doi.org/10.1093/jee/toac188>
- Atrchian, H., Mahdian, K., & Izadi, H. (2022). Sub-lethal effects of *Metarhizium anisopliae* on the life table parameters of the predatory coccinellid *Menochilus sexmaculatus* Fabricius. *Journal of Applied Entomology*, 146(9), 1136–1144. <https://doi.org/10.1111/jen.13052>
- Avery, P. B., Kumar, V., Francis, A., McKenzie, C. L., & Osborne, L. S. (2020). Compatibility of the predatory beetle, *delphastus catalinae*, with an entomopathogenic fungus, *cordyceps fumosorosea*, for biocontrol of invasive pepper whitefly, *aleurothrixus trachoides*, in florida. *Insects*, 11(9), 1–11. <https://doi.org/10.3390/insects11090590>
- Badan Pusat Statistik. (2024). *Luas Panen, Produksi, dan Produktivitas Padi Menurut Provinsi 2018-2024*. <https://www.bps.go.id/>.

- Baehaki SE, & Mejaya, I. M. J. (2014). Wereng Cokelat sebagai Hama Global Bernilai Ekonomi Tinggi dan Strategi Pengendaliannya. *Iptek Tanaman Pangan*, 9(1), 1–12.
- Bajya, D. R., Ranjith, M., & Raza, S. K. (2015). Evaluation of *Beauveria bassiana* against chickpea pod borer, *Helicoverpa armigera* and its safety to natural enemies. *The Indian Journal of Agricultural Sciences*, 85(3), 378–381. <https://doi.org/10.56093/ijas.v85i3.47122>
- Barahona, C. F. S., Threlkeld, B. S., Avery, P. B., Francis, A. W., & Cave, R. D. (2018). Compatibility and efficacy of the lady beetle *Thalassa montezumae* and the entomopathogenic fungus *Isaria fumosorosea* for biological control of the green croton scale: laboratory and greenhouse investigations. *Arthropod-Plant Interactions*, 12(5), 715–723. <https://doi.org/10.1007/s11829-018-9618-9>
- Bayissa, W., Ekesi, S., Mohamed, S. A., Kaaya, G. P., Wagacha, J. M., Hanna, R., & Maniania, N. K. (2016). Interactions among vegetable-infesting aphids, the fungal pathogen *Metarhizium anisopliae* (Ascomycota: Hypocreales) and the predatory coccinellid *Cheilomenes lunata* (Coleoptera: Coccinellidae). *Biocontrol Science and Technology*, 26(2), 274–290. <https://doi.org/10.1080/09583157.2015.1099148>
- Bayu, M. S. Y. I., Prayogo, Y., & Indiaty, S. W. (2021). *Beauveria bassiana*: Biopestisida Ramah Lingkungan dan Efektif untuk Mengendalikan Hama dan Penyakit Tanaman. *Buletin Palawija*, 19(1), 41–63. <https://doi.org/10.21082/bulpa.v19n1.2021.p41-63>
- Berretta, M. F., Lecuona, R. E., Zandomeni, R. O., & Grau, O. (1998). Genotyping Isolates of Entomopathogenic Fungus *Beauveria bassiana* by RAPD with Fluorescent Labels. *Journal Of Invertebrate Pathology*, 71, 145–150.
- Bhadani, R. V., Gajera, H. P., Hirpara, D. G., Kachhadiya, H. J., & Dave, R. A. (2021). Metabolomics of extracellular compounds and parasitic enzymes of *Beauveria bassiana* associated with biological control of whiteflies (*Bemisia tabaci*). *Pesticide Biochemistry and Physiology*, 176, 1–13. <https://doi.org/10.1016/j.pestbp.2021.104877>
- Bidochka, M. J., McDonald, M. A., St Leger, R. J., & Roberts, D. W. (1994). Differentiation of species and strains of entomopathogenic fungi by random amplification of polymorphic DNA (RAPD). In *Curr Genet* (Vol. 25).

- Carneiro, A. A., Gomes, E. A., Guimarães, C. T., Fernandes, F. T., Carneiro, N. P., & Cruz, I. (2008). Molecular characterization and pathogenicity of isolates of *Beauveria* spp. to fall armyworm. *Pesquisa Agropecuária Brasileira*, 43, 513-520.
- Chaithra, M., Prameeladevi, T., Bhagyasree, S. N., Prasad, L., Subramanian, S., & Kamil, D. (2022). Multilocus sequence analysis for population diversity of indigenous entomopathogenic fungus *Beauveria bassiana* and its bio-efficacy against the cassava mite, *Tetranychus truncatus* Ehara (Acari: Tetranychidae). *Frontiers in Microbiology*, 13, 1007017.
- Cito, A., Barzanti, G. P., Strangi, A., Francardi, V., Zanfini, A., & Dreassi, E. (2016). Cuticle-degrading proteases and toxins as virulence markers of *Beauveria bassiana* (Balsamo) Vuillemin. *Journal of Basic Microbiology*, 56(9), 941–948. <https://doi.org/10.1002/jobm.201600022>
- Corallo, A. B., Pechi, E., Bettucci, L., & Tiscornia, S. (2021). Biological control of the Asian citrus psyllid, *Diaphorina citri* Kuwayama (Hemiptera: Liviidae) by Entomopathogenic fungi and their side effects on natural enemies. *Egyptian Journal of Biological Pest Control*, 31(1), 1–9. <https://doi.org/10.1186/s41938-020-00358-2>
- Dalzoto, P. R., Glienke-Blanco, C., Kava-Cordeiro, V., Araújo, W. L., & Azevedo, J. L. (2003). RAPD analyses of recombination processes in the entomopathogenic fungus *Beauveria bassiana*. *Mycological Research*, 107(9), 1069–1074. <https://doi.org/10.1017/S0953756203008293>
- Deb, L., & Dutta, P. (2021). Antagonistic potential of *Beauveria bassiana* (Balsamo) Vuillemin against *Pythium myriotylum* causing damping off of tomato. *Indian Phytopathology*, 74(3), 715–728. <https://doi.org/10.1007/s42360-021-00372-w>
- Dhar, S., Jindal, V., Jariyal, M., & Gupta, V. K. (2019). Molecular characterization of new isolates of the entomopathogenic fungus *Beauveria bassiana* and their efficacy against the tobacco caterpillar, *spodoptera litura* (Fabricius) (Lepidoptera: Noctuidae). *Egyptian Journal of Biological Pest Control*, 29(1), 1–9. <https://doi.org/10.1186/s41938-019-0110-3>
- Dhawan, M., & Joshi, N. (2017). Enzymatic comparison and mortality of *Beauveria bassiana* against cabbage caterpillar *Pieris brassicae* LINN. *Brazilian Journal of Microbiology*, 48(3), 522–529. <https://doi.org/10.1016/j.bjm.2016.08.004>

- Dias, P. M., De Souza Loureiro, E., Pessoa, L. G. A., De Oliveira Neto, F. M., De Souza Tosta, R. A., & Teodoro, P. E. (2019). Interactions between fungal-infected *Helicoverpa armigera* and the predator *Chrysoperla externa*. *Insects*, *10*(10). <https://doi.org/10.3390/insects10100309>
- Dias, P. M., Loureiro, E. D. S., Pessoa, L. G. A., Devos, G. L. R., Barbosa Junior, G. B., Werner, A. M., Navarrete, A. A., & Teodoro, P. E. (2020). Selectivity of entomopathogenic fungi to *chrysoperla externa* (Neuroptera: Chrysopidae). *Insects*, *11*(10), 1–14. <https://doi.org/10.3390/insects11100716>
- Donggulo, C. V., Lapanjang, I. M., & Made, U. (2017). Pertumbuhan dan Hasil Tanaman Padi (*Oryza sativa* L) pada Berbagai Pola Jajar Legowo dan Jarak Tanam. *J. Agroland*, *24*(1), 27–35.
- Elawati, N. E., Pujiyanto, S., & Kusdiyantini, E. (2018). Karakteristik dan Sifat Kinetika Asal Jamur Entomopatogen *Beauveria bassiana*. *Jurnal Bioteknologi & Biosains Indonesia*, *5*(1), 1–7. <http://ejurnal.bppt.go.id/index.php/JBBI>
- El-Maraghy, S. S. M., Abdel-Rahman, M. A. A., Hassan, S. H. M., & Hussein, K. A. (2023). Pathogenicity and other characteristics of the endophytic *Beauveria bassiana* strain (Bals.) (Hypocreales: Cordycipitaceae). *Egyptian Journal of Biological Pest Control*, *33*(1). <https://doi.org/10.1186/s41938-023-00690-3>
- Estrada, M. E., Camacho, M. V., & Benito, C. (2007). The molecular diversity of different isolates of *Beauveria bassiana* (Bals.) Vuill. as assessed using intermicrosatellites (ISSRs). *Cellular & Molecular Biology Letters*, *12*(2), 240–252.
- Fan, Y., Fang, W., Guo, S., Pei, X., Zhang, Y., Xiao, Y., Li, D., Jin, K., Bidochka, M. J., & Pei, Y. (2007). Increased insect virulence in *Beauveria bassiana* strains overexpressing an engineered chitinase. *Applied and Environmental Microbiology*, *73*(1), 295–302. <https://doi.org/10.1128/AEM.01974-06>
- Fang, W., Leng, B., Xiao, Y., Jin, K., Ma, J., Fan, Y., Feng, J., Yang, X., Zhang, Y., & Pei, Y. (2005). Cloning of *Beauveria bassiana* chitinase gene Bbchit1 and its application to improve fungal strain virulence. *Applied and Environmental Microbiology*, *71*(1), 363–370. <https://doi.org/10.1128/AEM.71.1.363-370.2005>
- Fauziah, H., Sudirman, I., Gunawan, R., & Wachdijono, W. (2025). Optimizing Refugia Planting Areas and Increasing the Frequency of Predator Sighting can Increase Environmentally Friendly and Sustainable Rice Production. *Jurnal Impresi Indonesia*, *4*(2), 1132–1145. <https://doi.org/10.58344/jii.v4i2.6319>

- Fernandes, E. K. K., Moraes, A. M. L., Pacheco, R. S., Rangel, D. E. N., & Miller, M. P. Genetic diversity among Brazilian isolates of *Beauveria bassiana*, 760–774.
- Ferreira, J. M., Fernandes, É. K. K., Kim, J. S., & Soares, F. E. F. (2024). The Combination of Enzymes and Conidia of Entomopathogenic Fungi against *Aphis gossypii* Nymphs and *Spodoptera frugiperda* Larvae. *Journal of Fungi*, 10(4). <https://doi.org/10.3390/jof10040292>
- Ferri, D. V., Munhoz, C. F., Neves, P. M. O., Ferracin, L. M., Sartori, D., Vieira, M. L. C., & Fungaro, M. H. P. (2012). Genetic Variability of *Beauveria bassiana* and a DNA Marker for Environmental Monitoring of a Highly Virulent Isolate Against *Cosmopolites sordidus*. *Indian Journal of Microbiology*, 52(4), 569–574. <https://doi.org/10.1007/s12088-012-0292-9>
- Fincham, W. N. W., Dunn, A. M., Brown, L. E., Hesketh, H., & Roy, H. E. (2019). Invasion success of a widespread invasive predator may be explained by a high predatory efficacy but may be influenced by pathogen infection. *Biological Invasions*, 21(12), 3545–3560. <https://doi.org/10.1007/s10530-019-02067-w>
- Firouzbakht, H., Zibaee, A., Hoda, H., & Sohani, M. M. (2015). Virulence determination of *Beauveria bassiana* isolates on a predatory hemipteran, *Andrallus spinidens* fabricius (hemiptera: Pentatomidae). *Acta Phytopathologica et Entomologica Hungarica*, 50(1), 115–125. <https://doi.org/10.1556/038.50.2015.1.11>
- Fitri, Z. Y. (2022). *Interaksi Predator Verania lineata dan Ophionea nigrofasciata pada beberapa kepadatan wereng batang coklat (Nilaparvata lugens) di Laboratorium [SKRIPSI]*. Universitas Andalas.
- Gao, B. J., Mou, Y. N., Tong, S. M., Ying, S. H., & Feng, M. G. (2020). Subtilisin-like Pr1 proteases marking the evolution of pathogenicity in a wide-spectrum insect-pathogenic fungus. *Virulence*, 11(1), 365–380. <https://doi.org/10.1080/21505594.2020.1749487>
- Gebremariam, A., Chekol, Y., & Assefa, F. (2022). Extracellular enzyme activity of entomopathogenic fungi, *Beauveria bassiana* and *Metarhizium anisopliae* and their pathogenicity potential as a bio-control agent against whitefly pests, *Bemisia tabaci* and *Trialeurodes vaporariorum* (Hemiptera: Aleyrodidae). *BMC Research Notes*, 15(1). <https://doi.org/10.1186/s13104-022-06004-4>
- Golshan, H., Saber, M., Majidi-Shilsar, F., Karimi, F., & Ebadi, A. A. (2014). Laboratory Evaluation of *Beauveria bassiana* Isolates on Red Flour Beetle *Tribolium castaneum* and Their Characterization by Random Amplified Polymorphic DNA. In *J. Agr. Sci. Tech* (Vol. 16).

- González-Mas, N., Cuenca-Medina, M., Gutiérrez-Sánchez, F., & Quesada-Moraga, E. (2019). Bottom-up effects of endophytic *Beauveria bassiana* on multitrophic interactions between the cotton aphid, *Aphis gossypii*, and its natural enemies in melon. *Journal of Pest Science*, 92(3), 1271–1281. <https://doi.org/10.1007/s10340-019-01098-5>
- Hasan, S., Ahmad, A., Purwar, A., Khan, N., Kundan, R., & Gupta, G. (2013). Production of extracellular enzymes in the entomopathogenic fungus *Verticillium lecanii*. *Bioinformation*, 9(5), 238–242. www.bioinformation.net
- Hendra, Y., Trizelia, & Syahrawati, M. (2022). Virulensi Empat Isolat *Beauveria bassiana* Bals. Vuill Terhadap Wereng Batang Coklat (*Nilaparvata lugens* Stall.). *Jurnal Pertanian Agros*, 24(2), 552–558.
- Hendrival, Hakim, L., & Halimuddin. (2017). Komposisi dan Keanekaragaman Arthropda Predator pada Agroekosistem Padi. *J. Floratek*, 12(1), 21–33.
- Hidayah, A., Harijani, W., Widajati, W., & Ernawati, D. (2019). Potensi Jamur Entomopatogen *Metarhizium anisopliae*, *Beauveria bassiana* dan *Streptomyces* sp. Terhadap Mortalitas *Lepidiotia stigma* pada Tanaman Tebu. *Plumula*, 7(2), 64–72.
- Ihsan, K. A., Afifah, L., Sugoarto, & Kurniati, A. (2023). Virulensi Cendawan Entomopatogen *Beauveria bassiana* Terhadap Wereng Batang Coklat *Nilaparvata lugens* Stal. *Jurnal Agrotech*, 13(1), 63–70.
- Ikeda, R., & Vaughan, D. A. (2004). The distribution of resistance genes to the brown planthopper in rice germplasm. *Rice Gen New*, 8, 125–127. <https://shigen.nig.ac.jp/rice/oryzabase/asset/rgn/vol8/v8p125.html>
- Imoulan, A., Koraichi Ibensouda, S., & El Meziane, A. (2016). Molecular characterization and the effectiveness of native entomopathogenic *Beauveria bassiana* strains against adults of Mediterranean fruit fly (*Ceratitis capitata*). *Journal of Bioscience and Biotechnology Discovery*, 1(1), 6–16. <https://doi.org/10.31248/JBBD2016.008>
- Indah, & Musafira. (2017). Produksi Enzim Lipase dari *Aspergillus niger* Isolat Kapang Kopra dengan Menggunakan Medium Kelapa Parut. *KOVALEN*, 3(3), 269–276.
- James, R., Shaffer, B. T., Croft, B., & Lighthart, B. (1995). Field Evaluation of *Beauveria bassiana*: Its Persistence and Effects on the Pea Aphid and a Non-target Coccinellid in Alfalfa. *Biocontrol Science and Technology*, 5(4), 425–438. <https://doi.org/10.1080/09583159550039620>

- Jie, J., & Shi, L. (2010). RAPD analyse to detect genetic diversity of *Beauveria bassiana* from the silkworm, *Bombyx mori* in China. *2010 4th International Conference on Bioinformatics and Biomedical Engineering*, 1–5.
- Keyhani, N. O. (2018). Lipid biology in fungal stress and virulence: Entomopathogenic fungi. In *Fungal Biology* (Vol. 122, Issue 6, pp. 420–429). Elsevier B.V. <https://doi.org/10.1016/j.funbio.2017.07.003>
- Kovač, M., Lacković, N., & Pernek, M. (2020). Effect of *Beauveria bassiana* fungal infection on survival and feeding behavior of pine-tree lappet moth (*Dendrolimus pini* L.). *Forests*, *11*(9). <https://doi.org/10.3390/f11090974>
- Kumar, N. S., & Gurusubramanian, G. (2011). Random amplified polymorphic DNA (RAPD) markers and its applications. *Science Vision*, *11*(3), 116–124. www.usask.ca/.../pawlin/
- Kumari, N., & Thakur, S. K. (2014). Randomly Amplified Polymorphic DNA-A Brief Riview. *American Journal of Animal and Veterinary Sciences*, *9*(1), 6–13. <https://doi.org/10.3844/ajavssp.2014.6.13>
- Labbe, R., Cloutier, C., & Brodeur, J. (2006). Prey selection by *Dicyphus hesperus* of infected or parasitized greenhouse whitefly. *Biocontrol Science and Technology*, *16*(5), 485–494. <https://doi.org/10.1080/09583150500532535>
- Li, X. L., Zhang, J. J., Li, D. D., Cai, X. Y., Qi, Y. X., & Lu, Y. Y. (2024). Toxicity of *Beauveria bassiana* to *Bactrocera dorsalis* and effects on its natural predators. *Frontiers in Microbiology*, *15*(1362089). <https://doi.org/10.3389/fmicb.2024.1362089>
- Liswandi, A., Syahrawati, M., Hamid, H., Arneti, & Rinaldi, J. (2023). Ability of commercial *Beauveria bassiana* to suppress the brown planthopper attack by inducing resistance into different rice variety. *Biodiversitas*, *24*(12), 6704–6710. <https://doi.org/10.13057/biodiv/d241232>
- Lovera, A., Belaich, M., Villamizar, L., Patarroyo, M. A., & Barrera, G. (2020). Enhanced virulence of *Beauveria bassiana* against *Diatraea saccharalis* using a soluble recombinant enzyme with endo- and exochitinase activity. *Biological Control*, *144*. <https://doi.org/10.1016/j.biocontrol.2020.104211>
- Matos, G., Chen, Y., Doyle, V. P., Rehner, S. A., & Diaz, R. (2022). Will the application of biocontrol fungi disrupt predation of *Acanthococcus lagerstroemiae* by coccinellids? *Journal of Invertebrate Pathology*, *193*(193), 107789. <https://doi.org/10.1016/j.jip.2022.107789>

- Maurer, P., Counteaudier, P.A. G., Bridge P.D, & Riba, G. (1997). Genetic diversity of *Beauveria basiana* and relatedness to host insect range. *Mycol. Res.*, 2(101), 159–164.
- Mejía, C., Bautista, E. J., García, L., Barrios Murcia, J. C., & Barrera, G. (2024). Assessment of Fungal Lytic Enzymatic Extracts Produced Under Submerged Fermentation as Enhancers of Entomopathogens' Biological Activity. *Current Microbiology*, 81(7). <https://doi.org/10.1007/s00284-024-03702-z>
- Minarni, E. W., Soesanto, L., Suyanto, A., & Rostaman. (2021). Molecular identification of three entomopathogenic fungi infecting the brown plant hopper pest in Indonesia. *Egyptian Journal of Biological Pest Control*, 31(1). <https://doi.org/10.1186/s41938-021-00412-7>
- Mochida, O., & Okada, T. (1979). *Taxonomy and biology of Nilaparvata lugens (Hom., Delphacidae)*.
- Mohamed, G. S. (2019). The virulence of the entomopathogenic fungi on the predatory species, *Cryptolaemus montrouzieri* Mulsant (Coleoptera: Coccinellidae) under laboratory conditions. *Egyptian Journal of Biological Pest Control*, 29(1). <https://doi.org/10.1186/s41938-019-0146-4>
- Morales, A., & Villalobos, F. J. (2023). Using machine learning for crop yield prediction in the past or the future. *Frontiers in Plant Science*, 14(1128388). <https://doi.org/10.3389/fpls.2023.1128388>
- Muthukrishnan, S., Mun, S., Noh, M. Y., Geisbrecht, E. R., & Arakane, Y. (2020). Insect Cuticular Chitin Contributes to Form and Function. *Current Pharmaceutical Design*, 26(29), 3530–3545. <https://doi.org/10.2174/1381612826666200523175409>
- Ningrat, M. A., Mual, C. D., & Makabori, Y. Y. (2021). Pertumbuhan dan Hasil Tanaman Padi (*Oryza sativa* L.) pada Berbagai Sistem Tanam di Kampung Desay, Distrik Prafi, Kabupaten Manokwari. *Prosiding Seminar Nasional Pembangunan Dan Pendidikan Vokasi Pertanian*, 2(1), 325–332. <https://doi.org/10.47687/snppvp.v2i1.191>
- Nurbaeti, B., Diratmaja, I. A., & Putra, S. (2010). *hama wereng coklat (Nilaparvata lugens Stal) dan pengendaliannya* (K. Permadi, Ed.). Balai Pengkajian Teknologi Pertanian Jawa Barat.
- Nuryanto, B. (2018). Pengendalian Penyakit Tanaman Padi Berwawasan Lingkungan Melalui Pengelolaan Komponen Epidemik. *Jurnal Penelitian Dan Pengembangan Pertanian*, 37(1), 1. <https://doi.org/10.21082/jp3.v37n1.2018.p1-8>

- Örtücü, S., & Albayrak İskender, N. (2017). Determination of Control Potentials And Enzyme Activities Of *Beauveria bassiana* (Bals.) Vull. Isolates Against *Tetranychus urticae* Koch (Acari: Tetranychidae). *Trakya University Journal of Natural Sciences*. <https://doi.org/10.23902/trkjnat.285656>
- Pedriani, N. (2022). The Entomopathogenic Fungus *Beauveria bassiana* Shows Its Toxic Side within Insects: Expression of Genes Encoding Secondary Metabolites during Pathogenesis. *Journal of Fungi*, 8(488). <https://doi.org/10.3390/jof8050488>
- Pelizza, S. A., Medina, H., Ferreri, N. A., Eliades, L. A., Pocco, M. E., Stenglein, S. A., & Lange, C. E. (2020). Virulence and enzymatic activity of three new isolates of *Beauveria bassiana* (Ascomycota: Hypocreales) from the South American locust *Schistocerca gregaria* (Orthoptera: Acrididae). *Journal of King Saud University - Science*, 32(1), 44–47. <https://doi.org/10.1016/j.jksus.2017.11.006>
- Permana, A. (2016). *Dinamika Hama Wereng Batang Coklat (Nilaparvata lugens Stal.) terhadap faktor iklim di Kabupaten Karawang, Jawa Barat*. Institut Pertanian Bogor.
- Pertiwi, S. P., Hasibuan, R., & Wibowo, L. (2016). Pengaruh Jenis Formulasi Jamur Entomopatogen *Beauveria bassiana* terhadap pertumbuhan spora dan kematian kutu daun (*Aphis glycines* Matsumura). *J. Agrotek Tropika*, 4(1), 55–61.
- Portilla, M., Snodgrass, G., & Luttrell, R. (2017). Lethal and Sub-Lethal Effects of *Beauveria bassiana* (Cordycipitaceae) Strain NI8 on *Chrysoperla rufilabris* (Neuroptera: Chrysopidae). *Florida Entomologist*, 100(3), 627–633. <https://doi.org/10.1653/024.100.0321>
- Prabhukarthikeyan, S. R., Keerthana, U., Archana, S., & Raguchander, T. (2017). Analysis of genetic diversity among different isolates of *Beauveria bassiana* by RAPD-PCR. *Journal of Biological Control*, 31(1), 18–24. <https://doi.org/10.18311/jbc/2017/15581>
- Rakshith, H. S., Hegde, J. N., Sumalatha, B. V., Selvaraj, K., Rajashekharappa, K., Ganesha Naik, R., & Thippesha, D. (2024). Laboratory assays to test *Cordyceps* (= *Isaria*) *fumosorosea*, spirotramat, flupyradifurone and imidacloprid against the parasitoid *Encarsia guadeloupae* and predator *Apertochrysa astur*. *Biocontrol Science and Technology*, 1(35), 71–87. <https://doi.org/10.1080/09583157.2024.2430480>

- Rehner, S. A., & Buckley, E. P. (2003). Isolation and characterization of microsatellite loci from the entomopathogenic fungus *Beauveria bassiana* (Ascomycota: Hypocreales). *Molecular Ecology Notes*, 3(3), 409–411.
- Rivera-Alonso, E., González-Zamora, J. E., Avilla, C., & Sanz-Gomez, J. (2024). Compatibility of two novel insecticides dimpropyridaz and *Beauveria bassiana* PPRI 5339 with the beneficial insect *Nesidiocoris tenuis* (Reuter). *Crop Protection*, 178(178), 106582. <https://doi.org/10.1016/j.cropro.2024.106582>
- Rosmiati, A., Hidayat, C., Firmansyah, E., & Setiati, Y. (2018). Potensi *Beauveria bassiana* sebagai Agens Hayati *Spodoptera litura* Fabr. pada Tanaman Kedelai. *Agrikultura*, 29(1), 43. <https://doi.org/10.24198/agrikultura.v29i1.16925>
- Roy, D. N., Maheswari, T. U., & Raghavender, B. (2024). Mouthparts of ladybird beetles (Coccinellidae: Coleoptera): A comparative analysis. *Journal of Biological Control*, 38(1), 92–96. <https://doi.org/10.18311/jbc/2024/36558>
- Safavi, S. A. (2013). In Vitro and In Vivo Induction, and Characterization of Beauvericin Isolated from *Beauveria bassiana* and Its Bioassay on *Galleria mellonella* Larvae. *J. Agr. Sci. Tech*, 15, 1–10.
- Saif, I., Sufyan, M., Baboo, I., Jabbar, M., Shafiq, A., Saif, R. N., Liaqat, U., & Lackner, M. (2024). Efficacy of *Beauveria bassiana* and *Metarhizium anisopliae* against wheat aphid. *Eurobiotech Journal*, 8(1), 23–31. <https://doi.org/10.2478/ebtj-2024-0003>
- Santosa, S. J., & Sulisty, J. (2007). Peranan Musuh Alami Hama Utama Padi pada Ekosistem Sawah. *Jurnal Inovasi Pertanian*, 6(1), 1–10.
- Saputra, N. (2024). *Eksplorasi Cendawan Endofit dari Padi Varietas Payo yang Dibudidayakan di Kabupaten Kerinci, Yang berpotensi sebagai patogen Nilaparvata lugens (Hemiptera: Delphacidae)*. Universitas Andalas.
- Sayed, S., Elarnnaouty, S.-A., Alotaibi, S., & Salah, M. (2021). Pathogenicity and Side Effect of Indigenous *Beauveria bassiana* on *Coccinella undecimpunctata* and *Hippodamia variegata* (Coleoptera: Coccinellidae). *Insects*, 12, 42. <https://doi.org/10.3390/insects>
- Scorsetti, A. C., Pelizza, S., Fogel, M. N., Vianna, F., & Schneider, M. I. (2017). Interactions between the entomopathogenic fungus *Beauveria bassiana* and the Neotropical predator *Eriopis connexa* (Coleoptera: Coccinellidae): Implications in biological control of pest. *Journal of Plant Protection Research*, 57(4), 389–395. <https://doi.org/10.1515/jppr-2017-0053>

- Seiedy, M., Tork, M., & Deyhim, F. (2015). Effect of the entomopathogenic fungus *Beauveria bassiana* on the predatory mite *Amblyseius swirskii* (Acari: Phytoseiidae) as a nontarget organism. *Systematic and Applied Acarology*, 20(3), 241–250. <https://doi.org/10.11158/saa.20.3.2>
- Semenova, T. A., Dunaevsky, Y. E., Beljakova, G. A., & Belozersky, M. A. (2020). Extracellular peptidases of insect-associated fungi and their possible use in biological control programs and as pathogenicity markers. In *Fungal Biology* (Vol. 124, Issue 1, pp. 65–72). Elsevier B.V. <https://doi.org/10.1016/j.funbio.2019.11.005>
- Sen, Y., Xiaoyun, R., Dengjie, W., Ye, Z., Zhike, Z., Jiyuan, G., Wang, H., Zhongren, L., & Shengyong, W. U. (2023). The Research Progress on the Effects of Entomopathogenic Fungi on Natural Enemies. *Chinese Journal of Biological Control*, 39(1), 221–230. <https://doi.org/10.16409/j.cnki.2095-039x.2022.01.014>
- Serna-Domínguez, M. G., Andrade-Michel, G. Y., Rosas-Valdez, R., Castro-Félix, P., Arredondo-Bernal, H. C., & Gallou, A. (2019). High genetic diversity of the entomopathogenic fungus *Beauveria bassiana* in Colima, Mexico. *Journal of Invertebrate Pathology*, 163, 67–74. <https://doi.org/10.1016/j.jip.2019.03.007>
- Shi, L., Liu, D., Qiu, L., Jiang, Z., & Zhan, Z. (2023). Evaluation of the Parasitism Capacity of a Thelytoky Egg Parasitoid on a Serious Rice Pest, *Nilaparvata lugens* (Stål). *Animals*, 13(1), 1–11. <https://doi.org/10.3390/ani13010012>
- Shi, N., Lu, Y., Sui, L., Wang, J. J., Zhao, Y., Li, Q. Y., & Zhang, Z. K. (2024). Study on the Synergistic Control Effect of *Metarhizium rileyi* and *Harmonia axyridis* Toward Aphids. *Scientia Agricultura Sinica*, 57(17), 3398–3407. <https://doi.org/10.3864/j.issn.0578-1752.2024.17.007>
- Sirait, D. D. N., Tobing, M. C., & Safni, I. (2023). Genetic diversity of the entomopathogenic *Metarhizium anisopliae* (Metsch.) from oil palm planting soil based on RAPD markers. *Jurnal Entomologi Indonesia*, 20(1), 22–39. <https://doi.org/10.5994/jei.20.1.22>
- Suciatmih, Kartika, T., & Yusuf, S. (2015). Jamur Entomopatogen dan Aktivitas Enzim Ekstraselulernya. *Berita Biologi*, 2(14), 131–142.
- Sudewi, S., Ala, A., & Muhammad Farid, dan. (2020). Keragaman Organisme Pengganggu Tanaman (OPT) pada Tanaman Padi Varietas Unggul Baru (VUB) dan Varietas Lokal pada Percobaan Semi Lapangan. *Jurnal Agrikultura*, 31(1), 15–24.

- Sulistiyono, F. D., Soesanto Loekas, & Ratnanigtyas, N. I. (2022). Uji Aktivitas Protease Empat Isolat *Trichoderma* spp. yang Berasal dari Tanah Perakaran. *Chimica et Natura Acta*, 9(3), 98. <https://doi.org/10.24198/cna.v9.n3.36774>
- Suryadi, Y., Wartono, W., Susilowati, D. N., Lestari, P., Nirmalasari, C., & Suryani, S. (2018). Patogenisitas *Beauveria bassiana* Strain STGD 7(14)2 dan STGD 5(14)2 terhadap Wereng Batang Coklat (*Nilaparvata lugens* STAL). *Al-Kauniah: Jurnal Biologi*, 11(2), 122–132. <https://doi.org/10.15408/kauniah.v11i2.6694>
- Swastika, S., Rustam, R., & Fauzana, H. (2022). The Pesticides Use by Rice Farmers in Siak Regency. *Jurnal Agronomi Tanaman Tropika*, 4(2), 371–381. <https://doi.org/10.36378/juatika.v4i2.797>
- Syahrawati, M., Aditia Putra, O., Rusli, R., & Sulyanti, E. (2019). Population structure of brown planthopper (*Nilaparvata lugens*, Hemiptera: Delphacidae) and attack level in endemic area of Padang city, Indonesia. In *Asian J Agric & Biol.*
- Syahrawati, M., Arneti, & Desiska. (2021). Controlling Brown Planthopper (*Nilaparvata lugens* STAL) By Join Predatos (*Pardosa Pseudoannulata* Boesenberg and Strand and *Verania lineata* Thungber) Under Competitive Conditions. *AGRIKULTURA CRI Journal*, 1(2), 1–13.
- Syahrawati, M., Purwanto, B. H., Martono, E., & Putra, N. S. (2015). Predation and Competition of Two Predators (*Pardosa pseudoannulata* and *Verania lineata*) on Different Densities of *Nilaparvata lugens* in Laboratory. In *Article in International Journal of Science and Research* (Vol. 4). www.ijsr.net
- Taufik, M., Hasan, A., Rahayu, & Khaeruni, A. (2016). *Padi Gogo*. Universitas Halu Oleo.
- Trizelia. (2005). *Cendawan Entomopatogen Beauveria bassiana* (Bals.) Vuil (Deuteromycotina: Hyphomycetes): Keragaman Genetik, Karakterisasi Fisiologi, dan Virulensinya Terhadap *Crocidolomia pavonana* (F.) (Lepidoptera: Pyralidae). Institut Pertanian Bogor.
- Trizelia, Armon, N., & Jailani. (2015). Keanekaragaman cendawan entomopatogen pada rizosfer berbagai tanaman sayuran. *Pros sem nas masy biodiv indon*, 998–1004. <https://doi.org/10.13057/psnmbi/m010307>
- Trizelia, Busniah, M., & Permadi, A. (2017). Pathogenicity of entomopathogenic fungus *Metarhizium* spp. against predators *Menochilus sexmaculatus* Fabricius (Coleoptera: Coccinellidae). *Asian Journal of Agriculture*, 1(01), 1–5. <https://doi.org/10.13057/asianjagric/g010101>

- Trizelia, Nelly, N., & Hendrik, A. M. (2017). Karakterisasi Fisiologi Beberapa Isolat Cendawan Entomopatogen *Beauveria Bassiana* Dan Virulensinya Terhadap Spodoptera Litura. *Jurnal Proteksi Tanaman*, 1(1), 10–17.
- Ullah, M. I., Altaf, N., Afzal, M., Arshad, M., Mehmood, N., Riaz, M., Majeed, S., Ali, S., & Abdullah, A. (2019). Effects of Entomopathogenic Fungi on the Biology of Spodoptera litura (Lepidoptera: Noctuidae) and its Reduviid Predator, Rhynocoris marginatus (Heteroptera: Reduviidae) . *International Journal of Insect Science*, 11, 117954331986711. <https://doi.org/10.1177/1179543319867116>
- Urtz, B., Rice, W., & Rtz An D, B. E. (1997). RAP D-PCR characterization of *Beauveria bassiana* isolates from the rice water weevil *Lissorhoptrus oryzophilus*. In *Lepers in Applied Microbiology* (Vol. 25).
- Usyati, N., Kurniawati, N., Ruskandar, A., & Rumasa, O. (2018). Populasi Hama dan Musuh Alami pada Tiga Cara Budidaya Padi Sawah di Sukamandi. *Jurnal Agrikultura*, 29(1), 35–42.
- Wahyudi, P. (2008). Enkapsulasi Propogul Jamur Entomopatogen *Beauveria bassiana* Menggunakan Alginat dan Pati Jagung sebagai Produk Mikoinsektisida. *Jurnal Ilmu Kefarmasian Indonesia*, 6(2), 51–56.
- Wang, H., Peng, H., Li, W., Cheng, P., & Gong, M. (2021). The Toxins of *Beauveria bassiana* and the Strategies to Improve Their Virulence to Insects. In *Frontiers in Microbiology* (Vol. 12). Frontiers Media S.A. <https://doi.org/10.3389/fmicb.2021.705343>
- Yudiawati, E., & Pertiwi, S. (2020). Keanekaragaman Jenis Coccinellidae pada Areal Pesawahan Tanaman Padi di Kecamatan Tabir dan di Kecamatan Pangkalan Jambu Kabupaten Merangin. *Jurnal Sains Agro*, 5(1), 1–12.
- Yuliani, & Agustian, A. P. (2020). Kepadatan Populasi dan Intensitas Serangan Wereng Batang Coklat (*Nilaparvata lugens*. Stal) Pada Budidaya Padi Pandanwangi Dengan Penerapan Organik dan Anorganik. *Jurnal Pro-Stek*, 2(1), 49–56.
- Yusriah, & Kuswyasari, N. D. (2013). Pengaruh pH dan suhu terhadap aktivitas protease penicillium sp. *Jurnal Sains Dan Seni Pomits*, 2(1), 48–50.
- Zakqy, N., & Wiyatiningsih, S. (2023). Diversity of Important Pests and Natural Enemies in Rice Plants. *NST Proceedings*, 82–86. <https://doi.org/10.11594/nstp.2023.3117>

- Zhu, H., & Kim, J. J. (2012). Target-oriented dissemination of *Beauveria bassiana* conidia by the predators, *Harmonia axyridis* (Coleoptera: Coccinellidae) and *Chrysoperla carnea* (Neuroptera: Chrysopidae) for biocontrol of *Myzus persicae*. *Biocontrol Science and Technology*, 22(4), 393–406. <https://doi.org/10.1080/09583157.2012.661843>
- Zulyusri, & Anugrah, C. (2023). Enrichment: Journal of Multidisciplinary Research and Development Brown Plant Insect (*Nilaparvata lugens*) Pathogen On Rice (*Oryza Sativa*). *Enrichment: Journal of Multidisciplinary Research and Development*, 1(3), 82–90.

