

DAFTAR PUSTAKA

- Abidin, A. Z., Steven, S., Rachman, N. Z., Qaida, M., Yemensia, E. V., Soekotjo, E. S., Graha, H. P. ., & Putra, R. P. (2025). *Jurnal Teknologi Lingkungan Comparative Economic Analysis of MASARO and Waste Processing at Source (TOSS) Technologies in Waste Management in West Java Province*. 26(1), 105–113.
- AduPoku, K. A., Appiah, D., Asosega, K. A., Derkyi, N. S. A., Uba, F., Kumi, E. N., Akowuah, E., Akolgo, G. A., & Gyamfi, D. (2022). Characterization of fuel and mechanical properties of charred agricultural wastes: Experimental and statistical studies. *Energy Reports*, 8, 4319–4331. <https://doi.org/10.1016/j.egyr.2022.03.015>
- Afrianah, N., Ruslan, R., Suryadi, H. R., Amir, I., Irsyad, A., Jasruddin, & Nurhayati. (2023). Pengaruh Temperatur Karbonisasi Terhadap Karakteristik Briket Berbasis Arang Sekam Padi Dan Tempurung Kelapa. *JFT: Jurnal Fisika dan Terapannya*, 9(2), 138–147. <https://doi.org/10.24252/jft.v9i2.25566>
- Ahmed, I., Ali, A., Ali, B., Hassan, M., Hussain, S., Hashmi, H., Ali, Z., & Soomro, A. (2021). Pelletization of biomass feedstocks: Effect of moisture content, particle size and a binder on characteristics of biomass Pellets. *BioEnergy Research*, 1–29. <https://www.researchsquare.com/article/rs-163994/v1>
- Ajimoto, H. A., Ehindero, A. O., Ajao, K. S., Adeleke, A. A., Ikubanni, P. P., & Shuaib-Babata, Y. L. (2019). Combustion characteristics of fuel briquettes made from charcoal particles and sawdust agglomerates. *Scientific African*, 6. <https://doi.org/10.1016/j.sciaf.2019.e00202>
- Andriessen, N., Ward, B. J., & Strande, L. (2019). To char or not to char? Review of technologies to produce solid fuels for resource recovery from faecal sludge. In *Journal of Water Sanitation and Hygiene for Development* (Vol. 9, Nomor 2, hal. 210–224). IWA Publishing. <https://doi.org/10.2166/washdev.2019.184>
- Angelis-Dimakis, A., Biberacher, M., Dominguez, J., Fiorese, G., Gadocha, S., Gnansounou, E., Guariso, G., Kartalidis, A., Panichelli, L., Pinedo, I., & Robba, M. (2011). Methods and tools to evaluate the availability of renewable energy sources. *Renewable and Sustainable Energy Reviews*, 15(2), 1182–1200. <https://doi.org/10.1016/j.rser.2010.09.049>
- Anis, S., Fitriyana, D. F., Bahatmaka, A., Anwar, M. C., Ramadhan, A. Z., Anam, F. C., Permana, R. A., Hakim, A. J., Da Silva Guterres, N. F., & Da Silva, M. de S. (2024). Effect of Adhesive Type on the Quality of Coconut Shell Charcoal Briquettes Prepared by the Screw Extruder Machine. *Journal of Renewable Materials*, 12(2), 381–396. <https://doi.org/10.32604/jrm.2023.047128>
- Asiimwe, D. (2022). *A comparative performance analysis on energy efficiency and emissions of fuel briquettes made from fecal sludge blended with other biomass materials*. Makerere University.
- Bassan, M., Tchonda, T., Yiougo, L., Zoellig, H., Mahamane, I., Mbéguéré, M., & Strande, L. (2013). Characterization of faecal sludge during dry and rainy seasons in Ouagadougou, Burkina Faso. *36th WEDC International Conference: Delivering Water, Sanitation and Hygiene Services in an*

- Uncertain Environment, January 2013.*
- Basu, P. (2010). Biomass Gasification and Pyrolysis. In *Biomass Gasification and Pyrolysis*. <https://doi.org/10.1016/C2009-0-20099-7>
- Berutu, I. R. F. (2022). *Pemanfaatan Limbah Padat Produksi Gambir Uncaria Gambir Roxb.) Menjadi Biochar Dan Asap Cair Sebagai Media Pemeraman Telur Asin*. <http://repository.ipb.ac.id/handle/123456789/114536>
- Bot, B. V., Axaopoulos, P. J., Sakellariou, E. I., Sosso, O. T., & Tamba, J. G. (2022). Energetic and economic analysis of biomass briquettes production from agricultural residues. *Applied Energy*, 321. <https://doi.org/10.1016/j.apenergy.2022.119430>
- Bracmort, K., & Gorte, R. W. (2010). Biomass: Comparison of definitions in legislation. *Biomass: Energy Data, Multi-Year Plan and Legislative Definitions*, 1–18.
- Britannica, I. E. (2023). *biomassa*. November, 2–3.
- Brunner, I. M. I. M., Norhidayat, A., & Brunner, S. M. (2021). Pengolahan Sampah Organik dan Limbah Biomassa dengan Teknologi Olah Sampah di Sumbernya I Made Indradjaja M. *Serambi Engineering*, VI(3).
- Byrne, A., Gold, M., Turyasiima, D., Getkate, W., Niwagaba, C., Babu, M., Maiteki, J., Orwiny, M., & Strande, L. (2015). Suitable Biowastes for Energy Recovery. *Sludge to Energy Enterprises in Kampala (SEEK) Project*, June, 38. https://www.eawag.ch/fileadmin/Domain1/Abteilungen/sandec/schwerpunkt_e/wm/SEEK/pdfs/seek_suitable_waste_streams.pdf
- Cahyono, W. E. (2011). *Kajian Tingkat Pencemaran Sulfur Dioksida Dari Industri di Beberapa Daerah di Indonesia*.
- Chala, G. T., Guangul, F. M., & Sharma, R. (2019). Biomass Energy in Malaysia-A SWOT Analysis. *2019 IEEE Jordan International Joint Conference on Electrical Engineering and Information Technology, JEEIT 2019 - Proceedings*, 401–406. <https://doi.org/10.1109/JEEIT.2019.8717475>
- Chen, W. H., Lin, B. J., Colin, B., Pétrissans, A., & Pétrissans, M. (2019). A study of hygroscopic property of biomass pretreated by torrefaction. *Energy Procedia*, 158, 32–36. <https://doi.org/10.1016/j.egypro.2019.01.030>
- Chen, W. H., Peng, J., & Bi, X. T. (2015). A state-of-the-art review of biomass torrefaction, densification and applications. *Renewable and Sustainable Energy Reviews*, 44, 847–866. <https://doi.org/10.1016/j.rser.2014.12.039>
- Damayanti, R. W., Lusiana, N., & Prasetyo, J. A. (2017). *Studi Pengaruh Ukuran Partikel dan Penambahan Perekat Tapioka terhadap Karakteristik Biopellet dari Kulit Coklat (Theobroma Cacao L.) Sebagai Bahan Bakar Alternatif Terbarukan*.
- Demirbas, A. (2008). Importance of biomass energy sources for Turkey. *Energy Policy*, 36(2), 834–842. <https://doi.org/https://doi.org/10.1016/j.enpol.2007.11.005>
- Demirbaş, A. (2001). Biomass resource facilities and biomass conversion processing for fuels and chemicals. *Energy Conversion and Management*, 42(11), 1357–1378. [https://doi.org/https://doi.org/10.1016/S0196-8904\(00\)00137-0](https://doi.org/https://doi.org/10.1016/S0196-8904(00)00137-0)
- Dewi, R. P., Arnandi, W., Purnomo, S. J., & Saputra, T. J. (2019). Pengaruh Variasi Konsentrasi Perekat Terhadap Kadar Fixed Carbon Dan Volatile Matter Briket

- Arang. *Prosiding Sains Nasional dan Teknologi*.
- Direktorat Jenderal Cipta Karya. (2018). Pedoman Perencanaan Teknik Terinci Instalasi Pengolahan Lumpur Tinja (IPLT). *Karya Kementerian Pekerjaan dan Perumahan Rakyat, Jakarta*.
- Dyah, S. N., & Aretna, F. (2010). *Desulfurisasi Batubara Menggunakan Udara Dan Air*.
- Englund, M., Turyasiima, D., Gold, M., Niwagaba, Ch., Studer, F., & Strande, L. (2016). *Co-pelletizing of faecal sludge with different biowastes for gasification*. January, 16.
- Estevan, C., & Vilanova, E. (2014). Ethyl Acetate. In P. Wexler (Ed.), *Encyclopedia of Toxicology (Third Edition)* (Third Edit, hal. 506–510). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-386454-3.00502-9>
- Failisnur, F., Sofyan, S., & Silfia, S. (2021). Colorimetric properties of batik fabrics colored using gambier liquid waste. *Journal of Physics: Conference Series*, 1940(1). <https://doi.org/10.1088/1742-6596/1940/1/012092>
- Fakkaew, K., Koottatep, T., & Polprasert, C. (2018). Faecal sludge treatment and utilization by hydrothermal carbonization. *Journal of Environmental Management*, 216, 421–426. <https://doi.org/https://doi.org/10.1016/j.jenvman.2017.09.031>
- Fatriani, F., Sunardi, S., & Arfianti, A. (2018). Kadar Air, Kerapatan, dan Kadar Abu Wood Pellet Serbuk Gergaji Kayu Galam (*Melaleuca Cajuputi* Roxb) dan Kayu Akasia (*Acacia Mangium* Wild). *EnviroScienceteae*, 14(1), 77. <https://doi.org/10.20527/es.v14i1.4897>
- Fritz, M., & D.Berger, P. (2015). Comparing more than two means: one factor ANOVA with a withinsubject design. In *Improving the User Experience Through Practical Data Analytics* (hal. 163–185). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-800635-1.00007-0>
- Ganing, M., Suryanto, A., Sabara, Z., & Arman, M. (2021). Pemanfaatan Daun Ketapang Kering dan Kulit Kakao menjadi Briket sebagai Bahan Bakar Alternatif. *Journal of Chemical Process Engineering*, 6(2), 74–82. <https://doi.org/10.33536/jcpe.v6i2.757>
- Getahun, S., Septien, S., Mata, J., Somorin, T., Mabbett, I., & Buckley, C. (2020). Drying characteristics of faecal sludge from different on-site sanitation facilities. *Journal of Environmental Management*, 261(March), 110267. <https://doi.org/10.1016/j.jenvman.2020.110267>
- Ghosh, S. K. (2020). Fossil Fuel Consumption Trend and Global Warming Scenario: Energy Overview. *Global Journal of Engineering Sciences*, 5(2). <https://doi.org/10.33552/gjes.2020.05.000606>
- Gil, M., & Arauzo, I. (2014). Hammer mill operating and biomass physical conditions effects on particle size distribution of solid pulverized biofuels. *Fuel Processing Technology*, 127, 80–87. <https://doi.org/https://doi.org/10.1016/j.fuproc.2014.06.016>
- Gold, M., Cunningham, M., Bleuler, M., Arnheiter, R., Schönborn, A., Niwagaba, C., & Strande, L. (2018). Operating parameters for three resource recovery options from slow-pyrolysis of faecal sludge. *Journal of Water, Sanitation and Hygiene for Development*, 8(4), 707–717. <https://doi.org/10.2166/washdev.2018.009>

- Gold, M., Isaac, D., Ddiba, W., Seck, A., & Sekigongo, P. (2017). *Faecal sludge as a solid industrial fuel: a pilot-scale study*. 243–251. <https://doi.org/10.2166/washdev.2017.089>
- Hafford, L. M., Ward, B. J., Weimer, A. W., & Linden, K. (2018). Fecal sludge as a fuel: Characterization, cofire limits, and evaluation of quality improvement measures. *Water Science and Technology*, 78(12), 2437–2448. <https://doi.org/10.2166/wst.2019.005>
- Herianto, Santoso, M., Simatupang, R. Y., Supriyati, W., & Mujaffar, A. (2022). Karakteristik Pelet Serbuk Gergaji Tiga Jenis Kayu Limbah Industri Mebel Sebagai Energi Alternatif Terbarukan. *Hutan Tropika*, 16(2), 164–174. <https://doi.org/10.36873/jht.v16i2.3575>
- Hruska, J., Mlnarik, J., & Cizner, J. (2022). *High-Temperature Corrosion of Nickel-Based Coatings for*.
- Irbah, H. (2023). *Pengembangan Desain Pusat Pengolahan Sampah Terpadu Universitas Andalas*. Universitas Andalas.
- Irvan, Lubis, M. F., Matondang, N., & Nabilah, Y. (2021). Production of biomass briquettes from septic tank at pilot scale. *IOP Conference Series: Materials Science and Engineering*, 1122(1), 012084. <https://doi.org/10.1088/1757-899x/1122/1/012084>
- Jalil, N. A. A., Basri, H., Basri, N. E. A., & Abushammala, M. F. M. (2015). The Potential of Biodrying as Pre-treatment for Municipal Solid Waste in Malaysia. *Journal of Advanced Review on Scientific Research ISSN*, 7(1), 1–13.
- Jamilatun, S. (2008). Sifat-Sifat Penyalaan dan Pembakaran Briket Biomassa. *Jurnal Rekayasa Proses*, 2(2), 37–40.
- Kabok, P., Aguko, Nyaanga, D. M., Mbugua, J. M., & Eppinga, R. (2018). Effect of Shapes, Binders and Densities of Faecal Matter - Sawdust Briquettes on Ignition and Burning Times. *Journal of Petroleum & Environmental Biotechnology*, 09(02). <https://doi.org/10.4172/2157-7463.1000370>
- Kaliyan, N., & Morey, R. V. (2009). Densification characteristics of corn stover and switchgrass. *Transactions of the ASABE*, 52(3), 907–920. <https://doi.org/10.13031/2013.21202>
- Kaliyan, N., & Vance Morey, R. (2009). Factors affecting strength and durability of densified biomass products. *Biomass and Bioenergy*, 33(3), 337–359. <https://doi.org/https://doi.org/10.1016/j.biombioe.2008.08.005>
- Kamsina, K., Firdausni, F., & Silfia, S. (2020). Pemanfaatan Katekin Ekstrak Gambir (Uncaria Gambir Roxb) sebagai Pengawet Alami terhadap Karakteristik Mie Basah. *Indonesian Journal of Industrial Research*, 10(2), 89–95. <https://doi.org/10.24960/jli.v10i2.6526.89-95>
- Karmila, Rumape, O., & Mohamad, E. (2018). Pembuatan Biobriket dari Batang Tumbuhan Gulma Siam (Chromolaena odorata L .) sebagai Bahan Bakar Alternatif. *Jurnal Entropi*, 13(1), 89–94.
- Kasim, A., Asben, A., & Mutiar, S. (2015). Kajian kualitas gambir dan hubungannya dengan karakteristik kulit tersamak. *Majalah Kulit, Karet, dan Plastik*, 31(1), 55. <https://doi.org/10.20543/mkpk.v31i1.220>
- Kebede, T., Berhe, D. T., & Zergaw, Y. (2022). Combustion Characteristics of Briquette Fuel Produced from Biomass Residues and Binding Materials. *Journal of Energy*, 2022, 1–10. <https://doi.org/10.1155/2022/4222205>

- Kizito, S., Jjagwe, J., Ssewaya, B., Nekesa, L., Tumutegereize, P., Zziwa, A., & Komakech, A. J. (2022). Biofuel characteristics of non-charred briquettes from dried fecal sludge blended with food market waste: Suggesting a waste-to-biofuel enterprise as a win-win strategy to solve energy and sanitation problems in slums settlements. *Waste Management*, 140, 173–182. <https://doi.org/10.1016/j.wasman.2021.11.029>
- Krueger, B. C., Fowler, G. D., Templeton, M. R., & Moya, B. (2020). Resource recovery and biochar characteristics from full-scale faecal sludge treatment and co-treatment with agricultural waste. *Water Research*, 169, 115253. <https://doi.org/https://doi.org/10.1016/j.watres.2019.115253>
- Kurniatri, A. A., Sulistyaningrum, N., & Rustanti, L. (2019). Purifikasi katekin dari ekstrak gambir. *Media Litbangkes*, 29(2), 153–160. [file:///C:/Users/Lenovo/Downloads/1108-Article Text-14084-1-10-20190717.pdf](file:///C:/Users/Lenovo/Downloads/1108-Article%20Text-14084-1-10-20190717.pdf)
- Legino, S., Hidayawanti, R., & Wirantika, I. (2019). Waste as fastest cycle of renewable energy sources through TOSS Model. *Journal of Physics: Conference Series*, 1282(1). <https://doi.org/10.1088/1742-6596/1282/1/012041>
- Lestari, R. Y., Gede Putra Prabawa, I. D., & Tri Cahyana, B. (2019). Effect of Moisture Content on the Quality of Wood Pellet Made from Jabon and Ketapang Sawdust. *Jurnal Penelitian Hasil Hutan*, 37(1), 1–12. <https://doi.org/10.20886/jphh.2019.37.1.1-12>
- Lestari, R. Y., Prabawa, I. D. G. P., & Cahyana, B. T. (2019). Pengaruh Kadar Air Terhadap Kualitas Pelet Kayu Dari Serbuk Gergajian Kayu Jabon Dan Ketapang. *Jurnal Penelitian Hasil Hutan*, 37(1), 1–12. <https://doi.org/10.20886/jphh.2019.37.1.1-12>
- Lestari, R. Y., Variani, V. I., Sudiana, I. N., Firihi, M. Z., Raharjo, S., Agus, L., & Dewi, A. (2019). Production and characterization of briquette from the activated charcoal of corncob. *Journal of Physics: Conference Series*, 1153(1). <https://doi.org/10.1088/1742-6596/1153/1/012076>
- Machinery, A. (2023). *Biomass Briquettes Applications and Advantages*. Biomass Briquettes Applications and Advantages.
- Mani, S., Tabil, L. G., & Sokhansanj, S. (2006). Effects of compressive force, particle size and moisture content on mechanical properties of biomass pellets from grasses. *Biomass and Bioenergy*, 30(7), 648–654. <https://doi.org/10.1016/j.biombioe.2005.01.004>
- McKendry, P. (2002). Energy production from biomass (part 1): Overview of biomass. *Bioresource Technology*, 83(1), 37–46. [https://doi.org/10.1016/S0960-8524\(01\)00118-3](https://doi.org/10.1016/S0960-8524(01)00118-3)
- Mehrpooya, M., Asadnia, M., Karimi, A. H., & Allahyarzadeh-Bidgoli, A. (2024). 7 - Biomass-based hybrid energy systems. In M. Mehrpooya, M. Asadnia, A. H. Karimi, & A. B. T.-H. P.-G. E. S. Allahyarzadeh-Bidgoli (Ed.), *Hybrid Energy Systems Series* (hal. 313–371). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-323-98366-2.00002-5>
- Mehta, Y., & Richards, C. (2020). Effect of air flow rate and secondary air jets on the operation of TLUD gasifier cookstove. *International Journal of Sustainable Energy*, 39(3), 207–217. <https://doi.org/10.1080/14786451.2019.1671388>

- Moedinger, F. (2023). *Is Hydrogen a Viable Fuel Alternative for a Traditional Tunnel Brick Kiln ? April 2021*. <https://doi.org/10.1007/s42411-020-0436-6>
- Munir, S., Daood, S. S., Nimmo, W., Cunliffe, A. M., & Gibbs, B. M. (2009). Thermal analysis and devolatilization kinetics of cotton stalk, sugar cane bagasse and shea meal under nitrogen and air atmospheres. *Bioresource Technology*, 100(3), 1413–1418. <https://doi.org/10.1016/j.biortech.2008.07.065>
- Muspratt, A. M., Nakato, T., Niwagaba, C., Dione, H., Kang, J., Stupin, L., Regulinski, J., Mbéguéré, M., & Strande, L. (2014). *Fuel potential of faecal sludge : calorific value results from Uganda , Ghana and Senegal*. 223–230. <https://doi.org/10.2166/washdev.2013.055>
- Nagarajan, J., & Prakash, L. (2021). Preparation and characterization of biomass briquettes using sugarcane bagasse, corncob and rice husk. *Materials Today: Proceedings*, 47(xxxx), 4194–4198. <https://doi.org/10.1016/j.matpr.2021.04.457>
- Nie, Y., Song, X., Shan, M., & Yang, X. (2024). Effect of pelletization on biomass thermal degradation in combustion: A case study of peanut shell and wood sawdust using macro-TGA. *Energy and Built Environment, April*. <https://doi.org/10.1016/j.enbenv.2024.04.002>
- Ningsih, E., & Rahayuningsih, S. (2019). Extraction, Isolation, Characterisation and Antioxidant Activity Assay of Catechin Gambir (*Uncaria gambir* (Hunter). Roxb. *Al-Kimia*, 7(2). <https://doi.org/10.24252/al-kimia.v7i2.7800>
- Novia, D., Vebriyanti, E., & Hakim, H. F. (2017). Evaluation of heating the gambier liquid waste on the quality of raw salted eggs. *International Journal of Poultry Science*, 16(9), 369–373. <https://doi.org/10.3923/ijps.2017.369.373>
- Novita, D. M., & Damanhuri, E. (2010). Perhitungan nilai kalor berdasarkan komposisi dan karakteristik sampah perkotaan di Indonesia dalam konsep waste to energy. *Jurnal Teknik Lingkungan*, 16(2), 103–115.
- Nurhayati, C., Susilawati, N., Susanto, T., Marthalia, W., & Nugroho, A. K. (2022). Utilization of gambier leaf extract (*Uncaria gambier roxb*) as antibacterial and natural dyes in making liquid bath soap with natrium lauryl ether sulfate. *IOP Conference Series: Earth and Environmental Science*, 963(1). <https://doi.org/10.1088/1755-1315/963/1/012059>
- Onuegbu, T. U., Ekpunobi, U. E., Ogbu, I. M., Ekeoma, M. O., & Obumselu, F. O. (2011). Comparative studies of ignition time and water boiling test of coal and biomass briquettes blend. In *International Journal of Research and Reviews in Applied Sciences* (Vol. 7, Nomor 2). www.arpapress.com/Volumes/Vol7Issue2/IJRRAS_7_2_08.pdf
- Pavel, I., Rădoi, R. I., Matache, G., Popescu, A. M. C., & Pavel, K. (2023). Experimental Research to Increase the Combustion Efficiency in the Top-Lit Updraft Principle Based Gasifier. *Energies*, 16(4). <https://doi.org/10.3390/en16041912>
- Pawenary, S. D. S. D. (2022). *Bahan Bakar Padat Biomassa* (I. B. Sangadji (ed.); Cetakan Pe). Institut Teknologi PLN.
- Pertiwi, I. A. (2024). *Peningkatan Nilai Kalor Bahan Bakar Pelet Dari Limbah Serbuk Gergaji Melalui Penggunaan Asam Asetat Pada Proses Torefaksi Basah*.
- Purnomo, Y., Sy, S., Muchtar, H., & Kumar, R. (2017). Pembuatan dan

- Karakterisasi Tinta Serbuk Printer Berbahan Baku Arang Aktif dari Limbah Padat Pengolahan Gambir. *Jurnal Litbang Industri*, 7(2), 71. <https://doi.org/10.24960/jli.v7i2.3242.71-80>
- Putri, R. (2023). *Pemanfaatan Mikroorganisme Lokal (MOL) dari Keong Mas dan Kulit Nanas pada Pengolahan Sampah Daun dan Ranting dengan Teknologi Olah Sampah di Sumbernya (TOSS)*. 1–61.
- Putri, Z. A. (2024). *Pengaruh Penambahan Sekam Padi Pada Pembuatanpelet Biomassa Eceng Gondok Menggunakan Metode Teknologi Olah Sampah di Sumbernya*. Universitas Andalas.
- Rahman, M. H. A., Sadi, T., Ahmad, A. A., Masri, I. N., Mohammad Yusoff, M., Kamaruddin, H., Shakri, N. A., Hamid, M. A. A., & Ab. Malek, R. (2020). Inventory and composting of yard waste in Serdang, Selangor, Malaysia. *Heliyon*, 6(7), e04486. <https://doi.org/10.1016/j.heliyon.2020.e04486>
- Rajbhar, R., Sapate, S., Sarawade, N., Wankhede, S., & Bongade, A. S. (2019). Analysis & Development of Flat Die of Biomass Pellet Machine. *International Research Journal of Engineering and Technology*, 6(5), 4720–4725. www.irjet.net
- Ramadhan, A., & Jelita, M. (2023). *Analisis Pemanfaatan Daun-Daun Kering menjadi Biobriket sebagai Energi Alternatif*. 9(1), 12–19.
- Ramadhanti, N. S. (2021). *Pemanfaatan lumpur tinja hasil olahan iplt duri kosambi sebagai pelet briket tugas akhir* [Institut Teknologi Sumatera]. <https://repo.itera.ac.id/depan/submission/SB2101270019>
- Ristianingsih, Y., Ulfa, A., & Syafitri, R. (2015). Pengaruh Suhu dan Konsentrasi Perekat Terhadap Karakteristik Briket Bioarang Berbahan Baku Tandan Kosong Kelapa Sawit Dengan Proses Pirolisis. *Jurnal Konversi*, 4(2), 16–21.
- Rosa, A. da. (2012). *Fundamentals of Renewable Energy Processes*. Academic Press. <https://doi.org/10.1016/C2011-0-06913-2>
- Samuelsson, K. A. M., Töytäri, O., Salminen, A.-L., & Brandt, A. (2012). Effects of lower limb prosthesis on activity, participation, and quality of life: a systematic review. *Prosthetics and Orthotics International*, 36(2), 145–158. <https://doi.org/10.1177/0309364611432794>
- Sanka, P. M., & Germain, O. (2023). *Production of Low Emission Briquettes from Faecal Sludge as an Alternative Source of Cooking Energy*.
- Santosa, S., & Soemano. (2014). Peningkatan Nilai Kalor Produk pada Produk Proses Bio-drying Sampah Organik Improved Calor Value on Biodrying Production of Organic Waste. *Indonesian Green Technology Journal*, 3(1), 29–38.
- Saputro, D. D., & Widayat, W. (2016). Karakterisasi Limbah Pengolahan Kayu Sengon Sebagai Bahan Bakar Altrnatif. *Karakterisasi Limbah Pengolahan Kayu Sengon Sebagai Bahan Bakar Altrnatif*, 14(1), 21–29.
- Sarker, T. R., Nanda, S., Dalai, A. K., & Meda, V. (2021). A Review of Torrefaction Technology for Upgrading Lignocellulosic Biomass to Solid Biofuels. *Bioenergy Research*, 14(2), 645–669. <https://doi.org/10.1007/s12155-020-10236-2>
- Sauro, J., & R.Lewis, J. (2016). An introduction to correlation, regression, and Anova. In *Quantifying the User Experience* (Second Edi, hal. 277–320). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-802308-2/00010-2>

- Sawadogo, M., Tchini Tanoh, S., Sidibé, S., Kpai, N., & Tankoano, I. (2018). Cleaner production in Burkina Faso: Case study of fuel briquettes made from cashew industry waste. *Journal of Cleaner Production*, 195, 1047–1056. <https://doi.org/10.1016/j.jclepro.2018.05.261>
- Septien, S., Mirara, S. W., Makununika, B. S. N., Singh, A., Pocock, J., Velkushanova, K., & Buckley, C. A. (2020). Effect of drying on the physical and chemical properties of faecal sludge for its reuse. *Journal of Environmental Chemical Engineering*, 8(1), 103652. <https://doi.org/10.1016/j.jece.2019.103652>
- Setiawan, A., Riskina, S., & Sulaiman, I. (2022). *Teknologi Konversi Biomassa Secara Termokimia: Pirolisis*. Syiah Kuala University Press. <https://books.google.co.id/books?id=sAWhEAAQBAJ>
- Siahdashti, M. S., Talaeipour, M., Khademieslam, H., & Bazyar, B. (2012). Investigation of Physical and Thermal Properties of Fuel Briquettes Made of Bagasse. *BioResources*.
- Simanjuntak, F. A., Wisnu, F. K., Telaumbanua, M., & Haryanto, A. (2022). Effect of Holding Time and Particle Size on the Quality of Sawdust Pellets. *Jurnal Agricultural Biosystem Engineering*, 1(3), 349–360.
- Sofyan, S., Failisnur, F., & Silfia, S. (2021). The combination of natural dyes from jengkol POD waste (*Archidendron jiringa*) and liquid waste of gambier (*Uncaria gambir* Roxb) on coloring of cotton fabrics. *AIP Conference Proceedings*, 2349. <https://doi.org/10.1063/5.0051819>
- Somorin, T. O., Kolios, A. J., Parker, A., McAdam, E., Williams, L., & Tyrrel, S. (2017). Faecal-wood biomass co-combustion and ash composition analysis. *Fuel*, 203, 781–791. <https://doi.org/https://doi.org/10.1016/j.fuel.2017.05.038>
- Song, Y., Guo, Y., Liu, H., Zhang, G., Zhang, X., Thangaraj, S., & Sun, J. (2022). Water quality shifts the dominant phytoplankton group from diatoms to dinoflagellates in the coastal ecosystem of the Bohai Bay. *Marine Pollution Bulletin*, 183(August), 114078. <https://doi.org/10.1016/j.marpolbul.2022.114078>
- Sukarta, I. N., & Ayuni, P. S. (2016). Analisis Proksimat Dan Nilai Kalor Pada Pellet Biosolid Yang Dikombinasikan Dengan Biomassa Limbah Bambu. *JST (Jurnal Sains dan Teknologi)*, 5(1), 728–735. <https://doi.org/10.23887/jst-undiksha.v5i1.8278>
- Suryani, E., Farid, M., & Mayub, A. (2019). Implementasi Karakteristik Nilai Kalor Briket Campuran Limbah Kulit Durian dan Tempurung Kelapa pada Pembelajaran Suhu dan Kalor Di SMP N 15 Kota Bengkulu. *PENDIPA Journal of Science Education*, 3(3), 146–153. <https://doi.org/10.33369/pendipa.3.3.146-153>
- Teeta, S., Nachaisin, M., & Wanish, S. (2017). Thermal Properties of Green Fuel Briquettes from Residue Corncobs Materials Mixed Macadamia Shell Charcoal Powder. *Journal of Physics: Conference Series*, 901(1), 1–6. <https://doi.org/10.1088/1742-6596/901/1/012042>
- Test, A., & For, C. (2018). *Collaborative laboratory studies: part 2—using anova*. 5, 197–199. <https://doi.org/10.1016/B978-0-12-805309-6.00035-0>
- Tom, A. P., Pawels, R., & Haridas, A. (2016). Biodrying process: A sustainable technology for treatment of municipal solid waste with high moisture content. *Waste Management*, 49, 64–72.

- <https://doi.org/10.1016/j.wasman.2016.01.004>
- Uson, A. A., Lo'pez-Sabiro'n, A. M., Ferreira, G., & Sastresa, E. L. (2013). Uses of alternative fuels and raw materials in the cement industry as sustainable waste management options. *Renewable and Sustainable Energy Reviews*, 23, 242–260. <https://doi.org/10.1016/j.rser.2013.02.024>
- Vanegas Cantarero, M. M. (2020). Of renewable energy, energy democracy, and sustainable development: A roadmap to accelerate the energy transition in developing countries. *Energy Research and Social Science*, 70(July), 101716. <https://doi.org/10.1016/j.erss.2020.101716>
- Velis, C. A., Longhurst, P. J., Drew, G. H., Smith, R., & Pollard, S. J. T. (2009). Biodrying for mechanical–biological treatment of wastes: A review of process science and engineering. *Bioresource Technology*, 100(11), 2747–2761. <https://doi.org/10.1016/j.biortech.2008.12.026>
- Velusamy, S., Subbaiyan, A., Shanmugamoorthy, Manoj, Thirumoorthy, & Pradeep. (2022). Characterization of solid biomass briquette biofuel from the wastes of *Senna auriculata* and *Ricinus communis* using Tapioca starch for sustainable environment. *Environmental Science and Pollution Research*, 100, 1–14.
- Wahyudi, R., Amrul, A., & Irsyad, M. (2020). *Karakteristik Bahan Bakar Padat Produk Torefaksi Limbah Tandan Kosong Kelapa Sawit Menggunakan Reaktor Torefaksi Kontinu Tipe Tubular*.
- Ward, B. J., Yacob, T. W., & Montoya, L. D. (2014). Evaluation of solid fuel char briquettes from human waste. *Environmental science & technology*, 48 16, 9852–9858.
- Waste, W. (2019). *Five Methods for Waste Disposal*. 21–23.
- Wulandari, S., Komala, P. S., & Raharjo, S. (2024). Characterization of Fecal Sludge Combined with Sawdust as Briquettes. *Jurnal Presipitasi : Media Komunikasi dan Pengembangan Teknik Lingkungan*, 21(2), 324–338. <https://doi.org/10.14710/presipitasi.v21i2.324-338>
- Yeni, G., Syamsu, K., Mardiyati, E., & Muchtar, H. (2017). Penentuan Teknologi Proses Pembuatan Gambir Murni dan Katekin Terstandar dari Gambir Asalan. *Jurnal Litbang Industri*, 7(1), 1. <https://doi.org/10.24960/jli.v7i1.2846.1-10>
- Yudihanto, G., Fadlilah, N., & Yudihanto, G. (2013). Pemanfaatan Sampah Makanan Menjadi Bahan Bakar Alternatif dengan Metode Biodrying. *Teknik Pomits*, 2(2), 289–293.
- Yuliah, Y., Suryaningsih, S., & Ulfi, K. (2017). Penentuan Kadar Air Hilang dan Volatile Matter pada Bio-briket dari Campuran Arang Sekam Padi dan Batok Kelapa. *Jurnal Ilmu dan Inovasi Fisika*, 1(1), 51–57. <https://doi.org/10.24198/jiif.v1n1.7>
- Yulius, Y., & Andelia, S. R. (2023). The Utilization of a Briquette Making Machine to Process Gambier Leaf and Twig Waste as Fuel for Gambier Sap Processing so as to Reduce Gambier Sap Production Costs in Toman Village, Babat Toman Sub District, Musi Banyuasin District, South Sumatera Provin. *The Utilization of a Briquette Making Machine*, 86–94. <https://doi.org/10.2991/978-2-494069-09-1>
- Yunarto, Nanang, Elya, B., & Konadi, L. (2015). Potensi Fraksi Etil Asetat Ekstrak Daun Gambir (*Uncaria gambir* Roxb .) sebagai Antihiperlipidemia Potency of Ethyl Acetate Fraction of Gambier Leaves Extract Abstrak mengandung

- katekin adalah gambir Alat dan bahan ini adalah rotary evaporator (Buchi),
jurnal kefarmasian Indonesia, 5(1), 1–10.
- Zhang, D.-Q., He, P.-J., Jin, T.-F., & Shao, L.-M. (2008). Bio-drying of municipal solid waste with high water content by aeration procedures regulation and inoculation. *Bioresource Technology*, 99(18), 8796–8802.
<https://doi.org/https://doi.org/10.1016/j.biortech.2008.04.046>
- Zhao, Z. yu, & Yan, H. (2012). Assessment of the biomass power generation industry in China. *Renewable Energy*, 37(1), 53–60.
<https://doi.org/10.1016/j.renene.2011.05.017>
- Zimon, D., Woźniak, J., Domingues, P., Ikram, M., & Kuś, H. (2021). Proposition of Improving Selected Logistics Processes of Pellet production. *International Journal for Quality Research*, 15, 387–402.
<https://doi.org/10.24874/IJQR15.02-02>
- Zulkarnain, R., Slamet, S., & Hidayat, T. (2014). Perancangan Mesin Hammer Mill Penghancur Bongkol Jagung dengan Kapasitas 100kg/jam sebagai Pakan Ternak. In *Seminar Nasional Teknologi dan Informatika 2014*.

