

DAFTAR PUSTAKA

- [1] G. I. K. B. I. (GAIKINDO), "Indonesian Automobile Industry Data." Accessed: Mar. 26, 2025. [Online]. Available: <https://www.gaikindo.or.id/indonesian-automobile-industry-data/>
- [2] G. Davies, *Materials for Automobile Bodies Butterworth-Heinemann is an imprint of Elsevier*. Elsevier B.V., 2012. [Online]. Available: <http://elsevier.com/locate/permissions>,
- [3] U. Gonser, "Materials science," *Nucl. Inst. Methods Phys. Res. B*, vol. 76, no. 1–4, pp. 1–5, 1993, doi: 10.1016/0168-583X(93)95111-H.
- [4] J. Park, I. Yeo, I. Jang, and S. Jeong, "Improvement of friction characteristics of cast aluminum-silicon alloy by laser shock peening," *J. Mater. Process. Technol.*, vol. 266, pp. 283–291, 2019, doi: 10.1016/j.jmatprotec.2018.11.007.
- [5] L. Lu and A. K. Dahle, "Effects of combined additions of Sr and AlTiB grain refiners in hypoeutectic Al-Si foundry alloys," *Mater. Sci. Eng. A*, vol. 435–436, pp. 288–296, 2006.
- [6] U. Sari, "Pengaruh Penambahan Grain Refiner AlTiB dan Modifier Stronsium Terhadap Mikrostruktura dan Sifat Mekanik Paduan Aluminium ADC12 dengan Metode Gravity Casting," Institut Teknologi Sepuluh Nopember, 2019.
- [7] G. Mikell P., *Fundamentals of Modern Manufacturing Material, Processes, and Systems*, 5th ed. Hoboken, NJ: Wiley, 2013.
- [8] M. S. Ummah, "Materials & Processes In Manufacturing," *Sustain.*, vol. 11, no. 1, pp. 1–14, 2019, [Online]. Available: http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI

- [9] B. M. C. John E Gruzleski, *The Treatment of Aluminium-Silicon Alloys*. Americans Foundrymans Society, 1990.
- [10] Mastahbarokah, "Alumunium (Al) : Pengertian, Senyawa dan Sifat," MASTAH.org. Accessed: Feb. 22, 2025. [Online]. Available: <https://www.google.com/url?sa=i&url=https%3A%2F%2Fwww.mastah.org%2Falumunium-al-pengertian-senyawa-dan-sifat%2F&psig=AOvVaw17BrjS0Mga5U8WfH6SIatc&ust=1740326772514000&source=images&cd=vfe&opi=89978449&ved=0CAQQn5wMahcKEwigqrKr1deLAXUAAAAAHQAAAAAQBA>
- [11] E. Santoso and M. Nafi, "Analisa Pengaruh Variasi Penambahan Cu dan Waktu Aging Pada Hasil Pengecoran AlCu Terhadap Struktur Mikro," *Mekanika*, vol. 5, no. 02, pp. 6–11, 2019.
- [12] E. D. Fadly, "Analisis Penambahan Silikon Terhadap Sifat Mekanik dan Struktur Mikro Pada Paduan Aluminium Silikon Magnesium (Al Si-Mg) Untuk Aplikasi Piston," Institut Teknologi Sepuluh Nopember, 2018.
- [13] A. Syakuura, "Proses Pengecoran Vakum dan Analisis Evolusi Mikrostruktur Paduan Al-Zn-Mg-Cu dengan Variasi Komposisi Selama Aging Pada Temperatur 120o C dan 190 o C"," *J. Univ. Indones.*, 2011.
- [14] C. Kammer, "Aluminum and aluminum alloys," *Springer Handbooks*, pp. 157–193, 2018, doi: 10.1007/978-3-319-69743-7_6.
- [15] N. A. Nuhung, "Review Pengaruh Elemen Paduan Terhadap Pertumbuhan Presipitat Pada Paduan Al-Si-Mg-Cu Selama Proses Age Hardening," Institut Teknologi Sepuluh Nopember, 2020. [Online]. Available: https://repository.its.ac.id/77691/1/02511640000097-Undergraduate_Thesis.pdf
- [16] T. G. T. Nindhia, "Studi Struktur mikro Silikon dalam Paduan Aluminium-Silikon pada Piston dari Berbagai Merek Sepeda Motor," *J. Ilm. Tek. Mesin CakraM Vol*, vol. 4, no. 1, pp. 31–34, 2010.

- [17] A. S. M. International and A. Rights, *Atlas of Microfractographs*. 2004.
- [18] D. Wahyudi, M. A. Sahbana, and T. D. Putra, "Analisis Cacat Kake Pada Produk Cylinder Blok Hasil Proses Die Casting di PT. Toyota Motor Manufacturing Indonesia," vol. 7, no. 2, pp. 10–15, 2012.
- [19] I. P. Nanda, "Pengaruh Penambahan Fe dan Sr Terhadap Pembentukan Fasa Intermetalik dan Nilai Fluiditas Metode Vakum Pada Paduan Al-7% Si dan Al-11% Si," Universitas Indonesia, 2010. [Online]. Available: <https://lib.ui.ac.id/detail?id=20277927#>
- [20] G. T. Abdel-Jaber, A. M. Omran, K. A. Khalil, M. Fujii, M. Seki, and A. Yoshida, "An investigation into solidification and mechanical properties behavior of Al-Si casting alloys," *Int. J. Mech. Mech. Eng.*, vol. 10, no. 4, pp. 34–41, 2010.
- [21] B. Mathai, C. Mathew, P. K., and C. K. Varghese, "Effect of Silicon on Microstructure and Mechanical Properties of Al-Si Piston Alloys," *Int. J. Eng. Trends Technol.*, vol. 29, no. 6, pp. 299–303, 2015, doi: 10.14445/22315381/ijett-v29p256.
- [22] I. P. NANDA and B. SUHARNO, "CORRELATION BETWEEN MORPHOLOGICAL AND FRACTION SIZE OF INTERMETALLIC ON FLUIDITY OF Al-11%Si ALLOY WITH Fe ADDITION," *J. Tek. Ind.*, vol. 11, no. 2, p. 112, 2012, doi: 10.22219/jtiumm.vol11.no2.112-116.
- [23] K. Haubolte and B. York, "vorliegende Buch ist jedem zu," no. 2, pp. 359–360, 1968.
- [24] J. A. Taylor, "Iron-Containing Intermetallic Phases in Al-Si Based Casting Alloys," *Procedia Mater. Sci.*, vol. 1, pp. 19–33, 2012, doi: 10.1016/j.mspro.2012.06.004.
- [25] Z. Fan *et al.*, "Grain refining mechanism in the Al/Al-Ti-B system," *Acta Mater.*, vol. 84, pp. 292–304, 2015, doi: 10.1016/j.actamat.2014.10.055.

- [26] T. Sritharan and H. Li, "Influence of titanium to boron ratio on the ability to grain refine aluminium-silicon alloys," *J. Mater. Process. Technol.*, vol. 63, no. 1–3, pp. 585–589, 1997, doi: 10.1016/S0924-0136(96)02688-X.
- [27] K. Y. Liang *et al.*, "Effects of Fe, Si, Cu, and TiB₂ Grain Refiner Amounts on the Hot Tearing Susceptibility of 5083, 6061, and 7075 Aluminum Ingots," *Metals (Basel)*, vol. 14, no. 1, 2024, doi: 10.3390/met14010015.
- [28] C. A. Buckner *et al.*, "A Review on Fundamentals of Grain Refining of Al-Si Cast Alloys," *Intech*, vol. 11, no. tourism, p. 13, 2016, [Online]. Available: <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
- [29] ASM International, "Metal Handbook 9th edition Vol.15: Casting," no. USA, ASM International, pp. 1–2002, 1988, [Online]. Available: [http://s1.iran-mavad.com/ASM hanbooks/Vol_15_casting_iran-mavad.com.pdf](http://s1.iran-mavad.com/ASM%20handbooks/Vol_15_casting_iran-mavad.com.pdf)
- [30] D. R. Askeland, "Dispersion Strengthening by Phase Transformation and Heat Treatment," *Sci. Eng. Mater.*, pp. 126–134, 1991, doi: 10.1007/978-94-009-1842-9_11.
- [31] I. Prima and A. Gibran, "Modifikasi Alat Uji Fluiditas Metode Vakum Menggunakan Tungku Induksi Modification of Vacuum Fluidity Test Using Induction Furnace," *Proceeding Semin. Nas. Tah. Tek. Mesin XI (SNTTM XI) Thermofluid IV Univ. Gadjah Mada*, no. Snttm Xi, pp. 16–17, 2012.