

Daftar Pustaka

1. Haoyang Peng a 1, Deqiao Dong a 1, Shiquan Feng a, Yueping Guo b, Jiaqi Yu a, Changran Gan a, Xue Hu a, Zhenmao Qin a, Yan Liu a YG a. Metal-based antimicrobial agents in wound Dressings: Infection management and the challenge of antibiotic resistance. *Chem Eng J*. 2025;Volume 507:160726.
2. Collaborators AR. Articles Global burden of bacterial antimicrobial resistance in 2019 : a systematic analysis. 2022;399.
3. Salas-oropeza J, Jimenez-estrada M, Perez-torres A, Castell-rodriguez AE, Becerril-millan R, Rodriguez-monroy MA, et al. Wound Healing Activity of the Essential Oil of *Bursera morelensis* , in Mice.
4. Woollard, A. C., Tatham, K. C., & Barker S. The influence of essential oils on the process of wound healing: a review of the current evidence. *J Wound Care*. 2007;16(6):255–7.
5. Leporini M, Tundis R, Sicari V, Loizzo MR. Citrus species : Modern functional food and nutraceutical-based product ingredient OPEN ACCESS. 2021;33(2):63–107.
6. Maree J, Kamatou G, Gibbons S, Viljoen A, Van Vuuren S. The application of GC-MS combined with chemometrics for the identification of antimicrobial compounds from selected commercial essential oils. *Chemom Intell Lab Syst [Internet]*. 2014;130:172–81. Available from: <http://dx.doi.org/10.1016/j.chemolab.2013.11.004>
7. Syafri S, Husni E, Wafiqah N, Ramadhan F, Ramadani S, Hamidi D. Evaluation of Antimicrobial and Proliferation of Fibroblast Cells Activities of Citrus Essential Oils. 2022;10:1051–7.
8. Husni E, Ramadani S, Suryati, Suryani MI, Dachriyanus. Chemical Components and Antibacterial Activity of Essential Oil Extracted from *Citrus x aurantifolia* Peel . *Proc 2nd Int Conf Contemp Sci Clin Pharm 2021 (ICCSCP 2021)*. 2022;40(Iccscp):130–5.
9. Husni E, Yeni F. Chemical Contents Profile of Essential Oil from Calamansi (*Citrus microcarpa* Bunge) Peels and Leaves and Its Antibacterial Activities. 2021;40(Iccscp):14–22.
10. Husni E, Putri US, Dachriyanus. Chemical Content Profile of Essential Oil from Kaffir Lime (*Citrus hystrix* DC.) in Tanah Datar Regency and Antibacterial Activity . *Proc 2nd Int Conf Contemp Sci Clin Pharm 2021 (ICCSCP 2021)*. 2022;40(Iccscp):174–81.
11. Yuliana ND, Khatib A, Choi YH, Verpoorte R. Metabolomics for bioactivity assessment of natural products. *Phyther Res*. 2011;25(2):157–69.
12. Nuryandani E, Novitasari E, Abdurrahman MF, Habibi N, Sefrienda AR, Kurnianto D, et al. Chemometric Analysis of GC-MS Chemical Profiles and Biological Activities of Three Citrus Essential Oils in Indonesia. 2024;14(12):187–95. Available from: <https://metaboanalyst.ca/>
13. Lamine M, Rahali FZ, Hammami M, Mliki A. Original article Correlative metabolite

profiling approach to understand antioxidant and antimicrobial activities from citrus essential oils. 2019;1–9.

14. Othman El Faqer a , Samira Rais a b , Zaynab Ouadghiri a , Abdelmoiz El Faqer c , Zakaria Benchama d , Anass El Ouaddari e , Mohamed Dakir d , Abdelaziz El Amrani d EMM. Physicochemical properties, GC–MS profiling, and antibacterial potential of *Allium sativum* essential oil: In vitro and in silico. *Sci African*. 2024;26.
15. Zibaee E, Kamalian S, Tajvar M, Amiri MS, Ramezani M, Moghadam AT, et al. Citrus species: A Review of Traditional Uses, Phytochemistry and Pharmacology. Vol. 26, *Current Pharmaceutical Design*. 2019. 44–97 p.
16. Bora H, Kamle M, Mahato DK, Tiwari P. Citrus Essential Oils (CEOs) and Their Applications in Food : An Overview. 2020;1–25.
17. Singh I SS. Exploration, collection and characterization of Citrus germplasm-a review. *Agr Rev-Agr Res Commun Cent*. 2006;27(2):79.
18. Muthu C, Ayyanar M, Raja N IS. Medicinal plants used by traditional healers in kancheepuram district of Tamil Nadu, India. *J Ethnobiol Ethnomed*. 2006;2(1):1746.
19. Emami SA, Nadjafi F, Amine GH, Amiri MS KMN. Les espèces de plantes médicinales utilisées par les guérisseurs traditionnels dans la province de Khorasan, nord-est de l’Iran. *J Ethnopharmacol*. 2012;48:48–59.
20. Amini MH HS. Medicinal plants used traditionally in Guldara district of Kabul, Afghanistan. *Int J Pharm Chinese Med*. 2017;1(3):118.
21. Cornara L, La Rocca A, Marsili S MM. Traditional uses of plants in the Eastern Riviera (Liguria, Italy). *J Ethnopharmacol*. 2009;125(1):16–30.
22. Ajaiyeoba EO, Oladepo O, Fawole OI et a. Cultural categorization of febrile illnesses in correlation with herbal remedies used for treatment in Southwestern Nigeria. *J Ethnopharmacol*. 2003;85(2):179–85.
23. Yabesh JE, Prabhu S VS. An ethnobotanical study of medicinal plants used by traditional healers in silent valley of Kerala, India. *J Ethnopharmacol*. 2014;154(3):774–89.
24. Scherrer AM, Motti R WC. Traditional plant use in the areas of Monte Vesole and Ascea, Cilento National Park (Campania, Southern Italy). *J Ethnopharmacol*. 2005;97(1):129–43.
25. Rahmatullah M, Mukti IJ HA. An ethnobotanical survey and pharmacological evaluation of medicinal plants used by the Garo tribal community living in Netrakona district, Bangladesh. *Adv Nat App Sci*. 2009;3(3):4.
26. Tabuti JR, Lye KA DS. Traditional herbal drugs of Bulamogi, Uganda: plants, use and administration. *J Ethnopharmacol*. 2003;88(1):19–44.
27. Pieroni A, Muenz H, Akbulut M, Başer KH DC. Traditional phytotherapy and trans-cultural pharmacy among Turkish migrants living in Cologne, Germany. *J Ethnopharmacol*. 2005;102(1):69–88.
28. Au DT, Wu J, Jiang Z, Chen H, Lu G ZZ. Ethnobotanical study of medicinal plants used

- by hakka in Guangdong, China. *J Ethnopharmacol.* 2008;117(1):41–50.
29. Ososki AL, Lohr P, Reiff M et al. Ethnobotanical literature survey of medicinal plants in the Dominican Republic used for women's health conditions. *J Ethnopharmacol.* 2002;79(3):285–98.
 30. Jiofack T, Fokunang C GN. Ethnobotanical uses of some plants of two ethnoecological regions of Cameroon. *Afr J Pharm Pharmacol.* 2009;3(13):664–84.
 31. Traore MS, Baldé MA DM. Ethnobotanical survey on medicinal plants used by Guinean traditional healers in the treatment of malaria. *J Ethnopharmacol.* 2013;150(3):1145–53.
 32. Palazzolo E, Laudicina VA, Germanà MA. Current and Potential Use of Citrus Essential Oils. 2013;
 33. Bustamante, J., van Stempvoort, S., García-Gallarreta, M., Houghton, J. A., Briers, H. K., Budarin VL. Microwave-assisted hydro-distillation of essential oils from wet citrus peel waste. *J Clean Prod.* 2016;137:598–605.
 34. Tundis, R., Loizzo, M. R., Bonesi, M., Menichini, F., Mastellone, V., Colica, C., & Menichini F. Comparative study on the antioxidant capacity and cholinesterase inhibitory activity of *Citrus aurantifolia* Swingle, *C. aurantium* L., and *C. bergamia* Risso and Poit. peel essential oils. *J Food Sci.* 2012;77:40–6.
 35. Aliberti, L., Caputo, L., De Feo, V., De Martino, L., Nazzaro, F., & Souza LF. Chemical composition and in vitro antimicrobial, cytotoxic, and central nervous system activities of the essential oils of *Citrus medica* L. cv. 'Liscia' and *C. medica* cv. 'Rugosa' cultivated in Southern Italy. *Molecules.* 2016;21(9):1244.
 36. Espina, L., Somolinos, M., Lor'an, S., Conchello, P., García, D., & Pag'an R. Chemical composition of commercial citrus fruit essential oils and evaluation. 2011;
 37. Smeriglio A, Alloisio S, Raimondo FM, Denaro M, Xiao J, Cornara L, et al. Essential oil of *Citrus lumia* Risso: Phytochemical profile, antioxidant properties and activity on the central nervous system. *Food Chem Toxicol* [Internet]. 2018;119:407–16. Available from: <https://www.sciencedirect.com/science/article/pii/S0278691517308013>
 38. Hosni, K., Zahed, N., Chrif, R., Abid, I., Medfei, W., Kallel M. Composition of peel essential oils from four selected Tunisian Citrus species: Evidence for the genotypic influence. *Food Chem.* 2010;123(4):1098.
 39. Ben Hsouna, A., Gargouri, M., Dhifi, W., Ben Saad, R., Sayahi, N., Mnif, W., & Saibi W. Potential anti-inflammatory and antioxidant effects of *Citrus aurantium* essential oil against carbon tetrachloride-mediated hepatotoxicity: A biochemical, molecular and histopathological changes in adult rats. *Environ Toxicol.* 2019;34(4):388–400.
 40. Hamdan, D., El-Readi, M. Z., Nibret, E., Sporer, F., Farrag, N., El-Shazly, A., & Wink M. Chemical composition of the essential oils of two Citrus species and their biological activities. *Pharmazie.* 2010;65:141–7.
 41. Hosni, K., Zahed, N., Chrif, R., Abid, I., Medfei, W., Kallel, M., ... Sebei H. Composition of peel essential oils from four selected Tunisian Citrus species: Evidence for the

- genotypic influence. *Food Chem.* 123(4):1098–104.
42. Navarra, M., Mannucci, C., Delb`o, M., & Calapai G. No Title. *Front Pharmacol.* 2015;6:36.
 43. Fisher, K., & Phillips CA. The effect of lemon, orange and bergamot essential oils and their components on the survival of *Campylobacter jejuni*, *Escherichia coli* O157, *Listeria monocytogenes*, *Bacillus cereus* and *Staphylococcus aureus* in vitro and in food systems. *J Appl Microbiol.* 2006;101(6):1232–1240.
 44. Dahmani S, Chabir R, Errachidi F, Berrada W, Lansari H, Benidir M, et al. Evaluation of in vivo wound healing activity of Moroccan *Citrus reticulata* peel extract. *Clin Phytoscience.* 2020;6(1).
 45. H IMABMFSAAMHISKM. Antioxidant and Wound Healing Potential of Essential Oil from *Citrus reticulata* Peel and Its Chemical Characterization. *Curr Pharm Biotechnol.* 2021;22(8)::1114-1121.
 46. Fadilah, N. I. M., Phang, S. J., Kamaruzaman, N., Salleh, A., Zawani, M., Sanyal, A., Maarof, M., & Fauzi MB. Antioxidant Biomaterials in Cutaneous Wound Healing and Tissue Regeneration: A Critical Review. *Antioxidants (Basel, Switzerland).* 2023;12(4):787.
 47. Han X, Beaumont C, Stevens N. Chemical composition analysis and in vitro biological activities of ten essential oils in human skin cells. *Biochim Open [Internet].* 2017;5:1–7. Available from: <https://doi.org/10.1016/j.biopen.2017.04.001>
 48. Kim SS, Baik JS, Oh TH, Yoon WJ, Lee NH, Hyun CG. Biological activities of Korean *Citrus obovoides* and *Citrus natsudaoides* essential oils against acne-inducing bacteria. *Biosci Biotechnol Biochem.* 2008;72(10):2507–13.
 49. Husni E, Dachriyanus , Pavvelling D, Hidayah H S. Metabolite Profiling, Antioxidant, and In Vitro Wound Healing Activities of *Citrus medica* L. and *Citrus x microcarpa* Bunge Peels and Leaves Essential Oils. 2024;22(4):122–30.
 50. Li Y, Li W, Ye Z, Ji C, Zhou Z. Antioxidant, Anti-Inflammatory, and Anticancer Activities of Five Citrus Peel Essential Oils. *Antioxidants.* 2024;13(12).
 51. Peng CH, Ker YB, Weng CF, Peng CC, Huang CN, Lin LIY, et al. Insulin secretagogue bioactivity of finger citron fruit (*Citrus medica* L. var. *Sarcodactylis* Hort, Rutaceae). *J Agric Food Chem.* 2009;57(19):8812–9.
 52. Ben Hsouna, A., Sadaka, C., Generali´c Mekini´c, I., Garzoli, S. ˇSvarc-Gaji´c. The chemical variability, nutraceutical value, and food-industry and cosmetic applications of Citrus plants: a critical review. *Antioxidants.* 2023;12(2):481.
 53. Casta˜neda, F.N., Vidal, R.B.P., Aspromonte J. Untargeted chromatographic methods coupled with chemometric strategies for the analysis of food and related samples. *Trends Anal Chem.* 2024;117650.
 54. Elhady SS, Youssef FS, Lashkar MO, Hamdan DI, Ashour ML, Zengin G, et al. Chemometric discrimination of eight citrus plants utilizing chromatographic and

- spectroscopic techniques and insights into their biological potentials. *Curr Res Food Sci* [Internet]. 2024;9(November 2023):100803. Available from: <https://doi.org/10.1016/j.crfs.2024.100803>
55. Coelho EM, da Silva Haas IC, de Azevedo LC, Bastos DC, Fedrigo IMT, dos Santos Lima M, et al. Multivariate chemometric analysis for the evaluation of 22 Citrus fruits growing in Brazil's semi-arid region. *J Food Compos Anal*. 2021;101(May).
 56. Tongnuanchan P BS. Essential Oils : Extraction, Bioactivities, and Their Uses for Food Preservation. *J Food Sci*. 2014;79(7):1231–49.
 57. Dawidowicz AL, Rado E, Wianowska D, Mardarowicz M GJ. Application of PLE for The Determination of Essential Oil Components from *Thymus vulgaris* L. *Talanta*. 2008;76(4):878–84.
 58. DT B. *Bakteriologi: Konsep Konsep Dasar*. 2015. 137 p.
 59. El Faqer O, Rais S, Ouadghiri Z, El Faqer A, Benchama Z, El Ouaddari A, et al. Physicochemical properties, GC–MS profiling, and antibacterial potential of *Allium sativum* essential oil: In vitro and in silico approaches. *Sci African* [Internet]. 2024;26(November):e02484. Available from: <https://doi.org/10.1016/j.sciaf.2024.e02484>
 60. Tavares TD, Antunes JC, Padr J, Ribeiro AI, Zille A AM. Activity of Specialized Biomolecules against Gram Positive and Gram Negative Bacteria. *Antibiotics*. 2020;9(6):1–16.
 61. Balouiri M, Sadiki M IS. Methods for In Vitro Evaluating Antimicrobial Activity: A review. *J Pharm Ana*. 2016;6(2):71.
 62. Li, Y., Shen, Y., Yao, C. liang, & Guo D. Quality assessment of herbal medicines based on chemical fingerprints combined with chemometrics approach: A review. *J Pharm Biomed Anal*. 2020;185:113–215.
 63. Windarsih A, Rohman A, Irnawati RS. Review Article The Combination of Vibrational Spectroscopy and Chemometrics for Analysis of Milk Products Adulteration. *Int J Food Sci*. 2021;21(1):15.
 64. Gad, H. A., El-Ahmady, S. H., Abou-Shoer, M. I., & Al-Azizi MM. Application of chemometrics in authentication of herbal medicines: A review. *Phytochem Anal*. 2013;24(1):1–24.
 65. Wang, M., Zhao, J., Ali, Z., Avonto, C., & Khan IA. A novel approach for lavender essential oil authentication and quality assessment. *J Pharm Biomed Anal*. 2021;199(10):10–6.
 66. A R. *Statistika dan Kemometrika Dasar Dalam Analisis Farmasi*. 2019. 267 p.
 67. Bansal, A., Chhabra, V., Rawal, R. K., & Sharma S. Chemometrics: A new scenario in herbal drug standardization. *J Pharm Anal*. 2014;4(4):223–33.
 68. Siebert KJ. Using chemometrics to classify samples and detect misrepresentation. *ACS Symp Ser*. 2011;1081:39–65.

69. Abraham, E. J., & Kellogg JJ. Chemometric-Guided Approaches for Profiling and Authenticating Botanical Materials. *Front Nutr.* 2021;8:1–24.
70. Pope DJ, Fryer R MS. In Silico Models. *Blast Inj Sci Eng A Guid Clin Res.* 2023;2:279–84.
71. Ivanovic M, Zivic A, Tachos N, Gois G, Filipovic N F DI. In-silico Research Platform in the Cloud - Performance and Scalability Analysis. *BIBE 2021 - 21st IEEE Int Conf Bioinforma Bioeng Proc.* 2021;
72. Setiawan H IM. Kajian Pendekatan Penempatan Ligan Pada Protein Menggunakan Algoritma Genetika. *J Sains dan Seni ITS.* 2017;6(2):2–6.
73. Ferreira LG, Dos Santos RN OG. Molecular Docking and Structure-Based Drug Design Strategies. *Molecules.* 2015;20:13384–421.
74. DS. S. Binding Affinity Determination in Drug Design: Insights from Lock and Key, Induced Fit, Conformational Selection, and Inhibitor Trapping Models. *Int J Mol Sci.* 2024;25(13).
75. Tripathi A BV. Molecular Docking : From Lock and Key. *J Mol Med Clin Appl.* 2017;2(1):1–9.
76. Ziaee M, Khorrami A, Ebrahimi M, Nourafcan H, Amiraslanzadeh M, Rameshrad M, et al. Cardioprotective effects of essential oil of *Lavandula angustifolia* on isoproterenol-induced acute myocardial infarction in rat. *Iran J Pharm Res.* 2015;14(1):279–89.
77. Appiah T, Boakye YD AC. Antimicrobial Activities and Time Kill Kinetics of Extracts of Selected Ghanaian Mushroom. *Evid based Complement Altern Med.* 2017;1(15).
78. Sadgrove NJ, Phumthum GFPG and M. Fundamental Chemistry of Essential Oils and Volatile Organic Compounds, Methods of Analysis and Authentication. *Plants.* 2022;11(789):34.
79. Joco RA, Lavarias JA, Peneyra RG, Somera CG. Recent Development on the Extraction Process of Plants Essential Oil and its Effect on Chemical Composition: A Review. *Adv J Grad Res.* 2023;14(1):9–20.
80. Mudrawan IW, Mudianta IW, Martiningsih NW. Physicochemical Properties, Chemical Compositions and Antioxidant Activities of Rhizome Oils from Two Varieties of *Kaempferia galanga*. *Indones J Chem.* 2022;22(1):72–85.
81. Benedetto Tiz D, Kikelj D, Zidar N. Overcoming problems of poor drug penetration into bacteria: challenges and strategies for medicinal chemists. *Expert Opin Drug Discov* [Internet]. 2018;13(6):497–507. Available from: <https://doi.org/10.1080/17460441.2018.1455660>
82. Mahshid Ghasemi, Tyron Turnbull SS and IK*. The MTT Assay: Utility, Limitations, Pitfalls, and Interpretation in Bulk and Single-Cell Analysis. *Int J Mol Sci Artic.* 2021;22:12827.
83. Appiah T, Boakye YD, Agyare C. Antimicrobial Activities and Time-Kill Kinetics of

Extracts of Selected Ghanaian Mushrooms. Evidence-based Complement Altern Med. 2017;2017.

84. Agatonovic-Kustrin S, Ristivojevic P, Gegechkori V, Litvinova TM, Morton DW. Essential oil quality and purity evaluation via ft-ir spectroscopy and pattern recognition techniques. *Appl Sci*. 2020;10(20):1–12.
85. Sabry MM, El-Halawany AM, Fahmy WG, Eltanany BM, Pont L, Benavente F, et al. Evidence on the inhibitory effect of Brassica plants against *Acinetobacter baumannii* lipases: phytochemical analysis, in vitro, and molecular docking studies. *BMC Complement Med Ther*. 2024;24(1):1–15.
86. Madala NE, Piater LA, Steenkamp PA, Dubery IA. Multivariate statistical models of metabolomic data reveals different metabolite distribution patterns in isonitrosoacetophenone-elicited *Nicotiana tabacum* and *Sorghum bicolor* cells. *Springerplus*. 2014;3(1):1–10.
87. dos Santos FA, Sousa IP, Furtado NAJC, Da Costa FB. Combined OPLS-DA and decision tree as a strategy to identify antimicrobial biomarkers of volatile oils analyzed by gas chromatography–mass spectrometry. *Rev Bras Farmacogn [Internet]*. 2018;28(6):647–53. Available from: <https://doi.org/10.1016/j.bjp.2018.08.006>
88. Trygg J, Wold S. Orthogonal projections to latent structures (O-PLS). *J Chemom*. 2002;16(3):119–28.
89. Worley B, Powers R. Multivariate Analysis in Metabolomics. *Curr Metabolomics*. 2013;1(1):92–107.
90. Ibrahim RM, M. Eltanany B, Pont L, Benavente F, ElBanna SA, Otify AM. Unveiling the functional components and antivirulence activity of mustard leaves using an LC-MS/MS, molecular networking, and multivariate data analysis integrated approach. *Food Res Int [Internet]*. 2023;168(March):112742. Available from: <https://doi.org/10.1016/j.foodres.2023.112742>
91. Betancur LA, Naranjo-Gaybor SJ, Vinchira-Villarraga DM, Moreno-Sarmiento NC, Maldonado LA, Suarez-Moreno ZR, et al. Marine Actinobacteria as a source of compounds for phytopathogen control: An integrative metabolic-profiling/bioactivity and taxonomical approach. *PLoS One*. 2017;12(2):1–25.
92. Choi SR, Lee MY, Kim SA, Oh J, Hyun DW, Lee S, et al. Nontargeted metabolomics as a screening tool for estimating bioactive metabolites in the extracts of 50 indigenous korean plants. *Metabolites*. 2021;11(9).
93. Yang Y, Wu Z, Li S, Yang M, Xiao X, Lian C, et al. Targeted blood metabolomic study on retinopathy of prematurity. *Investig Ophthalmol Vis Sci*. 2020;61(2).
94. Galindo-Prieto B, Eriksson L, Trygg J. Variable influence on projection (VIP) for orthogonal projections to latent structures (OPLS). *J Chemom*. 2014;28(8):623–32.
95. Nikolic I, Aleksic Sabo V, Gavric D, Knezevic P. Anti-Staphylococcus aureus Activity of Volatile Phytochemicals and Their Combinations with Conventional Antibiotics Against Methicillin-Susceptible *S. aureus* (MSSA) and Methicillin-Resistant *S. aureus* (MRSA)

Strains. Antibiotics. 2024;13(11).

96. Gutiérrez-Pacheco MM, Torres-Moreno H, Flores-Lopez ML, Guadarrama NV, Ayala-Zavala JF, Ortega-Ramírez LA, et al. Mechanisms and Applications of Citral ' s Antimicrobial Properties in Food Preservation and. Antibiotics. 2023;12:1–31.
97. Han Y, Chen W, Sun Z. Antimicrobial activity and mechanism of limonene against Staphylococcus aureus. J Food Saf. 2021;41(5):1–14.
98. Jinming Dai, Mei Bai, Changzhu Li, Wai San Cheang, Haiying Cui LL. Antibacterial properties of citral against Staphylococcus aureus: From membrane damage to metabolic inhibition. Food Biosci. 2023;53:102770.
99. Gupta P, Patel DK, Gupta VK, Pal A, Tandon S, Darokar MP. Citral, a monoterpenoid aldehyde interacts synergistically with norfloxacin against methicillin resistant Staphylococcus aureus. Phytomedicine [Internet]. 2017;34:85–96. Available from: <http://dx.doi.org/10.1016/j.phymed.2017.08.016>
100. Dmour S, Qaralleh H, Al-Limoun M, Khleifat K, Alqaraleh M, Alqudah A, et al. Combined Antibacterial activity of Eucalyptol, γ -terpinene, p-cymol and punicalagin with Cefotaxime against Methicillin (Oxacillin) Resistant Staphylococcus aureus Isolate. 2022 Oct 1;

