

DAFTAR PUSTAKA

- Abu, M. N., Salleh, M. A. M., Radzman, N. H. M., Ismail, W. I. W., Yusoff, R. M. & Hasan, H. F. 2013. Insulin Sensitivity Enhancement of the Mixture of *Tinospora crispa* and Gelam (*Melaleuca cajuputi*) Honey and Its Antiproliferative Activity on Hepatocellular Carcinoma, HepG2: A Preliminary Study. *J. Med. Res. Develop.* 2 (3): 48-54.
- Adnan, A. Z. 2012. *Buku Teks Kimia Bahan Alam: Studi Aktivitas Biologi Tinokrisposid dan Tinospora crispa Miers*. Padang: Andalas University Press.
- Al-Rashidi, W., Mat Supri, N. N. & Manshoor, N. 2011. Cytotoxic Activity of Crude Extract from *Costus malortieanus* (Costaceae). *Am. Eurasian. J. Toxicol. Sci.* 19: 278-283.
- Al-Sheddi, E. S., Farshori, N. N., Al-Oqail, M. M., Musarrat, J., Al-Khedhairi, A. A. & Siddiqui, M. A. 2014. Cytotoxicity of *Nigella sativa* Seed Oil and Extract Against Human Lung Cancer Cell Line. *Asian. Pac. J. Cancer. Prev.* 15 (2): 983-987.
- Aminul, H., Ashraful, I. & Mohammad, S. 2011. Antimicrobial, Cytotoxicity and Antioxidant Activity of *Tinospora crispa*. *J. Pharm. Biom. Sci.* 13 (12): 1-4.
- Anaga, A. O. & Asuzu, I. U. 2011. Glucose Uptake-Enhancing Activity of the Ethyl Acetat Extract of *Dennettia tripetala* in 3T3-L1 Adipocytes. *J. Comp. Integ. Med.* 8 (2011): 1-14.
- Anandakumar, S. & Karmegam, N. 2011. In Vitro Cytotoxic Evaluation of *Hugonia mystax* Linn. Leaf and Stem Bark Extracts. *Int. J. Botany.* 7 (4): 300-304.
- Anedda, A., Rial, E. & Gonzalez-Barroso, M. M. 2008. Metformin Induces Oxidative Stress in White Adipocytes and Raises Uncoupling Protein 2 Level. *J. Endocrine.* 199 (2008): 33-40.
- Atjanasuppat, K., Wongkham, W., Meepowpa, P., Kittakooop, P., Sobhon, P., Bartlett, A. & Whitfield, P. J. 2009. In Vitro Screening fo Anthelmintic and Antitumor Activity of Ethnomedicinal Plants from Thailand. *J. Ethnopharmacol.* 123: 475-482.
- Aumsuwan, P., Khan, S. I., Khan, I. A., Avula, B., Walker, L. A., Helferich, W. G., Katzenellenbogen, B. S. & Dasmahapatra, A. K. 2015. Evaluation of Wild Yam (*Dioscorea villosa*) Root Extract as a Potential Epigenetic Agent in Breast Cancer Cells. *In Vitro Cell Dev. Biol.* 51 (2015): 59-71.

- Baharum, Z., Akim, A. M., Taufiq-Yap, Y. H., Hamid, R. A. & Kasran, R. 2014. In Vitro Antioxidant and Antiproliferative Activities of Methanolic Plant Part Extracts of *Theobroma cacao*. *Molecules*. 19 (2014): 18317-18331.
- Berenguer, M., Marchand-Brustel, Y. L. & Govers, R. 2010. GLUT4 Molecules are Recruited at Random for Insertion Within the Plasma Membrane upon Insulin Stimulation. *FEBS Letters*. 584 (2010): 537-542.
- Brunton, L., Parker, K., Blumenthal, D. & Buxton, I. 2008. *Goodman & Gilman's Manual of Pharmacology and Therapeutics*. New York: The McGraw-Hill Companies.
- Bugudare, U. S., Divakar, K., Bai R, K. & Ashfaq, M. 2011. Influence of Hydroalcoholic Extract of *Cinnamomum cassia* on Anti-Diabetic Effect of Glibenclamide, Metformin Alone and Their Combination. *Pharmacologyonline*. 2 (2011): 798-807.
- Butterwith, S. C. 1994. Molecular Events in Adipocyte Development. *Pharmac. Ther.* 61 (1994): 399-411.
- Chang, T. H. & Polakis, S. E. 1978. Differentiation of 3T3-L1 Fibroblasts to Adipocytes: Effect of Insulin and Indomethacin in the Levels of Insulin Receptors. *J. Bio. Chem.* 253 (13): 4693-4696.
- Chen, L. & Yang, G. 2014. Review: PPARs Integrate the Mammalian Clock and Energy Metabolism. *PPAR Research*. 2014: 1-6.
- Choi, S. S., Cha, B. Y., Lee, Y. S., Yonezawa, T., Teruya, T., Nagai, K. & Woo, J. T. 2009. Magnolol Enhances Adipocyte Differentiation and Glucose Uptake in 3T3-L1 Cells. *Life. Sci.* 84 (2009): 908-914.
- Christodoulides, C., Lagathu, C., Sethi, J. K. & Vidal-Puig, A. 2008. Adipogenesis and WNT Signalling. *Trends, Endocrin. Metab.* 20 (1): 16-24.
- Christodoulides, C. & Vidal-Puig, A. 2010. Review: PPARs and Adipocyte Function. *Mol. Cell. Endocrin.* 318 (2010): 61-68.
- Christy, R. J., Yang, V. W., Ntambi, J. M., Geiman, D. E., Landschulz, W. H., Friedman, A. D., Nakabeppu, Y., Kelly, T. J. & Lane, M. D. 1989. Differentiation-Induced Gene Expression in 3T3-L1 Preadipocytes: CCAAT/Enhancer Binding Protein Interacts With and Activates the Promoters of Two Adipocyte-Specific Genes. *Genes Development*. 3 (1989): 1323-1335.
- Coleman, R. A. & Bell, R. M. 1980. Selective Changes in Enzymes of the *sn*-Glycerol 3-Phosphate and Dihydroxyacetone-Phosphate Pathways of Triacylglycerol Biosynthesis during Differentiation of 3T3-L1 Preadipocytes. *J. Bio. Chem.* 255 (16): 7681-7687.

- Coleman, R. A., Reed, B. C., Mackall, J. C., Student, A. K., Lane, M. D. & Bell, R. M. 1978. Selective Changes in Microsomal Enzymes of Triacylglycerol Phosphatidylcholine, and Phosphatidylethanolamine Biosynthesis during Differentiation of 3T3-L1 Preadipocytes. *J. Biol. Chem.* 253 (20): 7256-7261.
- Deepa, V. S., Rajaram, K. & Kumar, P. S. 2013. In Vitro and in Vivo Antidiabetic Effect of *Andrographis lineata* Wall. Ex.Nees and *Andrographis serphyllifolia* Wt.lc Leaf Extracts. *Afr. J. Pharm. Pharmacol.* 7 (29): 2112-2121.
- Dipiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, B. G. & Posey, L. M. 2008. *Pharmacotherapy: A Pathophysiologic Approach*. New York: The McGraw Hill Companies.
- Farmer, S. R. 2006. A Review: Transcriptional Control of Adipocyte Formation. *Cell. Metab.* 4 (2006): 263-273.
- Fei, Z. H., Wu, K., Chen, Y. L., Wang, B., Zhang, S. R. & Ma, S. L. 2014. Capilliposide Isolated from *Lysimachia capillipes* Hemsl. Induces ROS Generation, Cell Cycle Arrest, and Apoptosis in Human Nonsmall Cell Lung Cancer Cell Lines. *Evidence-Based Complement. Alt. Med.* 2014: 1-11.
- Fu, M., Sun, T., Bookout, A. L., Downes, M., Yu, R. T., Evans, R. M. Mangelsdorf, D. J. 2005. A Nuclear Receptor Atlas: 3T3-L1 Adipogenesis. *Mol. Endocrin.* 19 (10): 2437-2450.
- Fukuen, S., Iwaki, M., Yasui, A., Makishima, M., Matsuda, M. & Shimomura, I. 2005. Sulfonylurea Agents Exhibit Peroxisome Proliferator-Activated Receptor γ Agonistic Activity. *J. Biol. Chem.* 280 (26): 23663-23669.
- Gong, H., Ni, Y., Guo, X., Fei, L., Pan, X., Guo, M. & Chen, R. 2004. Resistin Promotes 3T3-L1 Preadipocyte Differentiation. *Eur. J. Endocrine.* 150 (2004): 885-892.
- Groeneveld, M. P., Huang-Doran, I. & Semple, R. K. 2012. A Review: Adiponectin and Leptin in Human Severe Insulin Resistance – Diagnostic Utility and Biological Insights. *Biochimie.* 94 (2012): 2172-2179.
- Grunfeld, C., Baird, K. L. & Kahn, C. R. 1981. Maintenance of 3T3-L1 Cells in Culture Media Containing Saturated Fatty Acids Decreases Insulin Binding and Insulin Action. *Biochem. Biophys. Res. Com.* 103 (1): 219-226.

- Grygiel-Gorniak, B. 2014. Peroxisome Proliferator-Activated Receptor and Their Ligands: Nutritional and Clinical Implications - a Review. *Nutri. J.* 13 (17): 1-10.
- Hasan, A. U., Ohmori, K., Hashimoto, T., Kamitori, K., Hirata, Y., Ishihara, Y., Okamoto, N., Noma, T., Kosaka, H., Tokuda, M. & Kohnno, M. 2011. Pioglitazone Promotes Preadipocyte Proliferation by Downregulating p16^{Ink4a}. *Biochem. Biophys. Res. Com.* 411 (2011): 375-380.
- Hausman, G. J., Campion, D. R. & Martin, R. J. 1980. Search for the Adipocyte Precursor Cell and Factors that Promote Its Differentiation. *J. Lipid. Res.* 21 (1980): 657-670.
- Hoang, V. L. T., Pierson, J. T., Curry, M. C., Shaw, P. N., Dietzgen, R. G., Gidley, M. J., Roberts-Thomson, S. J. & Monteith, G. R. 2015. Polyphenolic Contents and the Effects of Methanol Extracts from Mango Varieties on Breast Cancer Cells. *Food. Sci. Biotechnol.* 24 (1): 265-271.
- Ihwan, Rifa'i, M. & Le, F. 2014. Antiplasmodial Test of *Tinospora crispa* Stem Extract Againsts *Plasmodium falciparum* 3D7 Strain in Vitro. *J. Kedokteran. Brawijaya.* 28 (2): 91-96.
- Inoue, G., Cheatham, B., Emkey, R. & Kahn, C. R. 1998. Dynamic's of Insulin Signaling in 3T3-L1 Adipocyte: Differential Compartmentalization And Trafficking of Insulin Receptor Substrate (IRS)-1 And IRS-2. *J. Biol. Chem.* 273 (1998): 11548-11555.
- Islam, A., Amin, M. R. & Mahmud, Z. A. 2014. Evaluation of Analgesic and Antimicrobial Activity of Different Fractions of Crude Methanol Extract of *Tinospora crispa* Stem. *Int. J. Pharm. Sci. Res.* 5 (1): 16-21.
- Ismail, T. A., Soliman, M. M. & Ismail, S. A. 2013. Adiponectin Regulation in Type 2 Diabetic Rats: Effects of Insulin, Metformin and Dexamethasone. *Am. J. Pharm. Toxic.* 8 (4): 197-208.
- Iwanishi, M., Czech, M. P. & Cherniack, A. D. 2000. Mechanisms of Signal Transduction: The Protein-Tyrosine Kinase Fer Associates with Signaling Complexes Containing Insulin Receptor Substrate-1 and Phosphatidylinositol 3-Kinase. *J. Biol. Chem.* 275 (50): 38995-39000.
- Kabir, S. M., Lee, E. S. & Son, D. S. 2014. Chemokine Network during Adipogenesis in 3T3-L1 Cells: Differential Response Between Growth and Proinflammatory Factor in Preadipocytes vs. Adipocytes. *Adipocyte.* 3 (2): 97-106.

- Kahn, C. R. & White, M. F. 1988. A Prespectives: The Insulin Receptor and the Molecular Mechanism of Insulin Action. *J. Clin. Invest.* 82 (1988): 1151-1156.
- Kasturi, R. & Wakil, S. J. 1983. Increased Synthesis and Accumulation of Phospholipids during Differentiation of 3T3-L1 Cells into Adipocytes. *J. Biol. Chem.* 258 (6): 3559-3564.
- Kawamura, M., Jensen, D. F., Wancewicz, E. V., Joy, L. L., Khoo, J. C. & Steinberg, D. 1981. Hormone-Sensitive Lipase in Differentiated 3T3-L1 Cells and Its Activation by Cyclic AMP-Dependent Protein Kinase. *Proc. Natl. Acad. Sci. USA.* 78 (20): 732-736.
- Klangjareonchai, T. & Roongpisuthipong, C. 2011. The Effect of *Tinospora crispa* on Serum Glucose and Insulin Levels in Patients with Type 2 Diabetes Mellitus. *J. Biom. Biothech.* 2012: 1-4.
- Klaus, S., Ely, M., Encke, D. & Heldmaier, G. 1995. Functional Assessment of White and Brown Adipocyte Development and Energy Metabolism in Cell Culture: Dissociation of Terminal Differentiation and Thermogenesis in Brown Adipocytes. *J. Cell. Sci.* 108 (1995): 3171-3180.
- Knutson, V. P. & Balba, Y. 1995. 3T3-L1 Adipocytes As A Cell Culture Model of Insulin Resistance. *In Vitro Cell. Dev. Biol.* 81 (1997): 33-77.
- Koay, Y. C. & Amir, F. 2013. A Review of the Secondary Metabolites and Biological Activities of *Tinospora crispa* (Menispermaceae). *Trop. J. Pharm. Res.* 12 (4): 641-649.
- Kobayashi, M., Olefsky, J. M., Elders, J., Mako, M. E., Given, B. D., Schedwie, H. K., Fiser, R. H., Hintz, R. L., Horner, J. A. & Rubenstein, A. H. 1978. Insulin Resistance due to a Defect Distal to the Insulin Receptor: Demonstration in a Patient with Leprechaunism. *Proc. Natl. Acad. Sci. USA.* 75 (7): 3469-3473.
- Krisnapun, C., Lee, S. H., Peungvicha, P., Tamsiririrkkul, R. & Baek, S. J. 2010. Antidiabetic Activities of *Abutilon indicum* (L.) Sweet Are Mediated by Enhancement of Adipocyte Differentiation and Activation of the GLUT1 Promoter. *Evidence-Based. Complemen. Alt. Med.* 2011: 1-9.
- Kudoh, A., Satoh, H., Hirai, H. & Watanabe, T. 2011. Pioglitazone Upregulates Adiponectin Receptor 2 in 3T3-L1 Adipocyte. *Life. Sci.* 88 (2011): 1055-1062.
- Lai, E., Rosen, O. M. & Rubin, C. S. 1981. Differentiation-Dependent Expression of Catecholamine-Stimulated Adenylate Cyclase. *J. Biol. Chem.* 256 (24): 12866-12874.

- Lai, E., Rosen, O. M. & Rubin, C. S. 1982. Dexamethasone Regulates the β -Adrenergic Receptor Subtype Expressed by 3T3-L1 Preadipocytes and Adipocyte. *J. Biol. Chem.* 257 (12): 6691-6696.
- Lee, C. Y., Lee, C. H., Tsai, S., Huang, C. T., Wu, M. T., Tai, S. Y., Lin, F. F., Chao, N. C. & Chang, C. J. 2009. Association Between Serum Leptin and Adiponectin Levels with Risk of Insulin Resistance and Impaired Glucose Tolerance in Non-Diabetic Women. *Kaohsiung. J. Med. Sci.* 25 (3): 116-125.
- Lee, J. O., Lee, S. K., Kim, J. H., Kim, N., You, G. Y., Moon, J. W., Kim, S. J., Park, S. H. & Kim, H. S. 2012. Metformin Regulates Glucose Transporter 4 (GLUT4) Translocation Through AMP-Activated Protein Kinase (AMPK)-Mediated Cbl/CAP Signaling in 3T3-L1 Preadipocyte Cells. *J. Biol. Chem.* 2012: 1-12.
- Lee, Y. S. & Jun, H. S. 2014. A Review: Anti-Diabetic Actions of Glucagon-Like Peptide-1 on Pancreatic Beta-Cells. *Metab. Clin. Exp.* 63 (2014): 9-19.
- Lefterova, M. I. & Lazar, M. A. 2009. A Review: New Developments of Adipogenesis. *Trend. Endocrin. Metab.* 20 (3): 107-114.
- Lim, H. S., Park, K. O., Nishizawa, N., Bae, S. O. & Choi, M. R. 2008. Cytotoxicity of Extracts from Dolsan Leaf Mustard Kimchi Treated with Lactic Acid Bacteria on Lung and Gastric Cancer Cells. *Biotech. Bioprocess. Eng.* 13 (2008): 174-181.
- Lo, K. A., Labadorf, A., Kennedy, N. J., Han, M. S., Yap, Y. S., Matthews, B., Xin, X., Sun, L., Davis, R. J., Lodish, H. F. & Fraenkel, E. 2013. Analysis of In Vitro Insulin-Resistance Models and Their Physiological Relevance to In Vivo Diet-Induced Adipose Insulin Resistance. *Cell Reports.* 259-270.
- Mackall, J. C. & Lane, M. D. 1977. Role of Pyruvate Carboxylase in Fatty Acid Synthesis: Alterations During Preadipocyte Differentiation. *Biochem: Biophys: Res: Com.* 79 (3): 720-725.
- Mackall, J. C., Student, A. K., Polakis, S. E. & Lane, M. D. 1976. Induction of Lipogenesis during Differentiation in a "Preadipocyte" Cell Line. *J. Biol. Chem.* 251 (20): 6462-6464.
- Madsen, L., Petersen, R. K., Sorensen, C., Hallenborg, P., Pridal, L., Fleckner, J., Amri, E., Krieg, P., Furstenberger, G., Berge, R. K. & Kristiansen, K. 2003. Adipocyte Differentiation of 3T3-L1 Preadipocyte is Dependent on Lipoxigenase Activity During the Initial Stages of the Differentiation Process. *Biochem. J.* 375 (2003): 539-549.

- Martinez, L., Berenguer, M., Bruce, M. C., Marchand-Brustel, Y. L. & Govers, R. 2010. Rosiglitazone Increase Cell Surface GLUT4 Levels in 3T3-L1 Adipocytes Through an Enhancement of Endosomal Recycling. *Biochem. Pharmacol.* 79 (2010): 1300-1309.
- Moreno-Navarrete, J. M. & Fernandez-Real, J. M. 2012. Adipocyte Differentiation. *Adipose. Tissue. Biology.* 17-38.
- Noor, H. & Ashcroft, S. J. H. 1998. Insulinotropic Activity of *Tinospora crispa* Extract: Effect on β -Cell Ca^{2+} Handling. *Phytother. Res.* 12: 98-102.
- Noor, H., Hammonds, P., Sutton, R. & Ashcroft, S. J. H. 1989. The Hypoglycaemic and Insulinotropic Activity of *Tinospora crispa*: Studies with Human and Rat Islet and HIT-T15 B Cells. *Diabetologia.* 32: 354-359.
- Ntambi, J. M. & Kim, Y. C. 2000. Adipocyte Differentiation and Gene Expression. *J. Nutr.* 130 (2000): 3122S-3126S.
- Park, K. I., Park, H. S., Nagappan, A., Hong, G. E., Lee, D. H., Kang, S. R., Kim, J. A., Zhang, J., Kim, E. H., Lee, W. S., Shin, S. C., Hah, Y. S. & Kim, G. S. 2012. Induction of the Cell Cycle Arrest and Apoptosis by Flavonoids Isolated from Korean *Citrus aurantium* L. in Non-Small-Cell Lung Cancer Cells. *Food Chemistry.* 135 (2012): 2728-2735.
- Pei, Y. H., Kwon, O. K., Lee, J. S., Chan, H. J., Ahn, K. S., Oh, S. R., Lee, H. K. & Chin, Y. W. 2013. Triterpenes with Cytotoxicity from the Leaves of *Vernicia fordii*. *Chem. Pharm. Bull.* 61 (6): 674-677.
- Pereira-Fernandes, A., Vanparys, C., Vergauwen, L., Knapen, D., Jorens, P. G. & Blust, R. 2014. Toxicogenomics in the 3T3-L1 Cell Line, a New Approach for Screening of Obesogenic Compounds. *Toxic. Sci.* 140 (2): 352-356.
- Prasad, C. N. V., Anjana, T., Banerji, A. & Gopalakrishnapillai. 2010. Gallic Acid Induces GLUT4 Translocation and Glucose Uptake Activity in 3T3-L1 Cells. *FEBS Letters.* 584 (2010): 531-536.
- Qin, Z. Y., Zhang, M., Dai, Y. M., Wang, Y. M., Zhu, G. Z., Zhao, Y. P., Ji, C. B., Qiu, J., Cao, X. G. & Guo, X. R. 2014. Metformin Prevents *LYRM1*-Induced Insulin Resistance in 3T3-L1 Adipocytes via a Mitochondrial-Dependent Mechanism. *Exp. Bio. Med.* 1-8.
- Ranga, R. S., Sowmyalakshmi, S., Burikhanov, R., Akbarsha, M. A. & Chendil, D. 2005. A Herbal Medicine for the Treatment of Lung Cancer. *Mol. Cell. Biochem.* 280 (2005): 125-133.

- Reed, B. C. & Lane, M. D. 1980. Insulin Receptor Synthesis and Turnover in Differentiating 3T3-L1 Preadipocytes. *Proc. Natl. Acad. Sci. USA*. 77 (1): 285-289.
- Reed, B. C., Kaufmann, S. H., Mackall, J. C., Student, A. K. & Lane, M. D. 1977. Alterations in Insulin Binding Accompanying Differentiation of 3T3-L1 Preadipocyte. *Proc. Natl. Acad. Sci. USA*. 74 (11): 4876-4880.
- Reed, B. C., Ronnett, G. V., Clements, P. R. & Lane, M. D. 1981. Regulation of Insulin Receptor Metabolism: Differentiation-Induced Alteration of Receptor Synthesis and Degradation. *J. Biol. Chem.* 256 (8): 3917-3925.
- Resh, M. D. 1982. Development of Insulin Responsiveness of the Glucose Transporter and the (Na⁺, K⁺)-Adenosine Triphosphatase during in Vitro Adipocyte Differentiation. *J. Biol. Chem.* 257 (12): 6978-6986.
- Rong, J. X., Klein, J. L. D., Qiu, Y., Xie, M., Johnson, J. H., Waters, K. M., Zhang, V., Kashatus, J. A., Remlinger, K. S., Bing, N., Crosby, R. M., Jackson, T. K., Witherspoon, S. M., Moore, J. T., Ryan, T. E., Neill, S. D. & Strum, J. C. 2011. Rosiglitazone Induces Mitochondrial Biogenesis in Differentiated Murine 3T3-L1 and C3H/10T1/2 Adipocytes. *PPAR Research*. 2011: 1-11.
- Rosen, O. M., Herrera, R., Olowe, Y., Petruzzelli, L. M. & Cobb, M. H. 1983. Phosphorylation Activates the Insulin Receptor Tyrosine Protein Kinase. *Proc. Natl. Acad. Sci. USA*. 80 (1983): 3237-3240.
- Rosen, O. M., Rubin, C. S., Cobb, M. H. & Smith, C. J. 1980. Insulin Stimulates the Phosphorylation of Ribosomal Protein S6 in a Cell-free System Derived from 3T3-L1 Adipocytes. *J. Biol. Chem.* 256 (8): 3630-3633.
- Rosen, O. M., Smith, C. J., Fung, C. & Rubin, C. S. 1978. Development of Hormone Receptors and Hormone Responsiveness in Vitro. *J. Biol. Chem.* 253 (20): 7579-7583.
- Ruan, C. T., Lam, S. H., Lee, S. S. & Su, M. J. 2013. Hypoglycemic Action of Borapetoside A from the Plant *Tinospora crispa* in mice. *Phytomedicine*. 20 (2013): 667-675.
- Ruan, X., Zheng, F. & Guan, Y. 2008. A Review: PPARs and the Kidney in Metabolic Syndrome. *Am. J. Physiol. Renal. Physiol.* 294 (2008): 1032-1047.
- Rubin, C. S., Hirsch, A., Fung, C. & Rosen, O. M. 1978. Development of Hormone Receptors and Hormonal Responsiveness in Vitro. Insulin Receptors and Insulin Sensitivity in the Preadipocyte and Adipocyte Forms of 3T3-L1 Cells. *J. Biol. Chem.* 253 (1978): 7570-7578.

- Sadoka, H., Ogihara, T., Anai, M., Funaki, M., Inukai, K., Katagiri, H., Fukushima, Y., Onishi, Y., Ono, H., Fujishiro, M., Kikuchi, M., Oka, Y. & Asano, T. 2000. Dexamethasone-Induced Insulin Resistance in 3T3-L1 Adipocytes Is Due to Inhibition of Glucose Transport Rather Than Insulin Signal Transduction. *Diabetes*. 49 (2000): 1700-1708.
- Sahpazidou, D., Geromichalos, G. D., Stagos, D., Apostolou, A., Haroutounian, S. A., Tsatsakis, A. M., Tzanakakis, G. N., Hayes, A. W. & Kouretas, D. 2014. Anticarcinogenic Activity of Polyphenolic Extracts from Grape Stems Against Breast, Colon, Renal and Thyroid Cancer Cells. *Toxicology Letters*. 230 (2014): 218-224.
- Samarghandian, S., Hadjzadeh, M. A., Afshari, J. T. & Hosseini, M. 2014. Antiproliferative Activity and Induction of Apoptotic by Ethanolic Extract of *Alpinia galanga* Rhizome in Human Breast Carcinoma Cell Line. *BMC Complement. Alt. Med*. 14 (192): 1-9.
- Serrero, G. & Khoo, J. C. 1982. An in Vitro Model to Study Adipose Differentiation in Serum-Free Medium. *Analytical Biochemistry*. 120 (1982): 351-359.
- Shi, H., Moustaid-Moussa, N., Wilkison, W. O. & Zemel, M. B. 1999. Role of the Sulfonylurea Receptor in Regulating Human Adipocyte Metabolism. *FASEB. J*. 13 (1999): 1833-1838.
- Shimada, T., Nagai, E., Harasawa, Y., Watanabe, M., Negishi, K., Akase, T., Sai, Y., Miyamoto, K. & Aburada, M. 2011. *Salacia reticulata* Inhibits Differentiation of 3T3-L1 Adipocytes. *J. Ethnopharm*. 136 (2011): 67-74.
- Siersbaek, R., Nielsen, R. & Mandrup, S. 2012. Review: Transcriptional Networks and Chromatin Remodeling Controlling Adipogenesis. *Trends. Endocrin. Metab*. 23 (2): 56-64.
- Sigwart, U., Tedeschi, G. & Tedeschi, C. 1970. Factor in Adipogenesis. *Human Pathology*. 1 (3): 399-418.
- Smith, P. J., Wise, L. S., Berkowitz, R., Wan, C. & Rubin, C. S. 1987. Insulin-like Growth Factor-I Is an Essential Regulator of the Differentiation of 3T3-L1 Adipocytes. *J. Biol. Chem*. 263 (19): 9402-9408.
- Sugden, M. C. & Holness, M. J. 2008. Role of Nuclear Receptors in the Modulation of Insulin Secretion in Lipid-Induced Insulin Resistance. *Biochem. Soc. Trans*. 36 (2008): 891-900.
- Sulaiman, M. R., Zakaria, Z. A. & Lihan, R. 2008. Antinociceptive and Anti-Inflammatory Activities of *Tinospora crispa* in Various Animal Models. *Int. J. Trop. Med*. 3 (3): 66-69.

- Talubmook, C. & Buddhakala, N. 2013. Bioactivities of Extracts from *Tinospora crispa* Stem, *Annona squamosa* Leaf, *Musa sapientum* Flower, and *Piper sarmentosum* Leaf in Diabetic Rats. *Int. J. Adv. Res. Tech.* 2 (2013): 144-149.
- Tamori, Y., Masugi, J., Nishino, N. & Kasuga, M. 2002. Role of Peroxisome Proliferator-Activated Receptor- γ in Maintenance of the Characteristics of Mature 3T3-L1 Adipocytes. *Diabetes*. 51 (2002): 2045-2055.
- Thomson, M. J., Williams, M. G. & Frost, S. C. 1997. Development of Insulin Resistance in 3T3-L1 Adipocyte. *J. Biol. Chem.* 271 (1997): 7759-7764.
- Thuillier, P., Baillie, R., Sha, X. & Clarke, S. D. 1998. Cytosolic and Nuclear Distribution of PPAR γ 2 in Differentiating 3T3-L1 Preadipocytes. *J. Lipid. Res.* 39 (1998): 2329-2338.
- Thuppia, A., Rabintossaporn, P., Saenthaweesuk, S., Ingkaninan, K. & Sireeratawong, S. 2009. The Hypoglycemic Effect of Water Extract from Leaves of *Lagerstroemia speciosa* L. in Streptozotocin-Induced diabetic Rats. *Songklanakarin J. Sci. Technol.* 31 (2): 133-137.
- Toscani, A., Soprano, D. R. & Soprano, K. J. 1990. Sodium Butyrate in Combination with Insulin or Dexamethasone can Terminally Differentiate Actively Proliferating Swiss 3T3 Cells into Adipocytes. *J. Biol. Chem.* 265 (10): 5722-5730.
- Tzeng, T. F., Chang, C. J. & Liu, I. M. 2014. 6-Gingerol Inhibits Rosiglitazone-Induced Adipogenesis in 3T3-L1 Adipocytes. *Phytother. Res.* 28 (2014): 187-192.
- Vettor, R., Milan, G., Franzin, C., Sanna, M., De Coppl, P., Rizzuto, R. & Federspil, G. 2009. The Origin of Intramuscular Adipose Tissue and Its Pathophysiological Implications. *Am. J. Physiol. Endocrinol. Metab.* 297 (2009): 987-998.
- Vizzotto, M., Porter, W., Byrne, D. & Cisneros-Zevallos, L. 2014. Polyphenols of Selected Peach and Plum Genotypes Reduce Cell Viability and Inhibit Proliferation of Breast Cancer Cells while Not Affecting Normal Cells. *Food Chemistry*. 164 (2014): 363-370.
- Wang, P., Renes, J., Bouwman, F., Bunschoten, A., Mariman, E. & Keijer, J. 2007. Absence of an Adipogenic Effect of Rosiglitazone on Mature 3T3-L1 Adipocytes: Increase of Lipid Catabolism and Reduction of Adipokine Expression. *Diabetologia*. 50 (2007): 654-665.
- Wang, Y. X. 2010. PPARs: Diverse Regulators in Energy Metabolism and Metabolic Disease. *Cell. Res.* 20 (2010): 124-137.

- Xiao, Y., Yuan, T., Yao, W. & Liao, K. 2009. 3T3-L1 Adipocyte Apoptosis Induced by Thiazolidinediones is Peroxisome Proliferator-Activated Receptor- γ -Dependent and Mediated by the Caspase-3-Dependent Apoptotic Pathway. *FEBS. J.* 277 (2010): 687-696.
- Yang, S., Lv, Q., Luo, T., Liu, L., Gao, R., Chen, S., Ye, P., Cheng, Q. & Li, Q. 2013. Metformin Inhibits Expression and Secretion of PEDF in Adipocyte and Hepatocyte via Promoting AMPK Phosphorylation. *Med. Inflamm.* 1-8.
- Zebisch, K., Voigt, V., Wabitsch, M. & Brandsch, M. 2012. Protocol for Effective Differentiation of 3T3-L1 Cells to Adipocyte. *Analyt. Biochem.* 425 (2012): 88-90.
- Zhang, L., Tatsuno, T., Hasegawa, I., Tadano, & Ohta, T. 2015. Furanonaphthoquinones from *Tabebuia avellanedae* Induce Cell Cycle Arrest and Apoptosis in the Human Non-Small Cell Lung Cancer Cell Line A549. *Phytochemistry Letters.* 11 (2015): 9-17.
- Zieleniak, A., Wojcik, M. & Wozniak, L. A. 2008. Structure and Physiological Function of the Human Peroxisome Proliferator-Activated Receptor γ . *Arch. Immunol. Ther. Exp.* 56 (2008): 331-345.
- Zulkefli, H. N., Mohamad, J. & Abidin, N. Z. 2013. Antioxidant Activity of Methanol Extract of *Tinospora crispa* and *Tabernaemontana corymbosa*. *Sains Malaysiana.* 42 (6): 697-706.
- Zulkhairi, A., Abdah, M. A., Kamal, M. N. H., Nursakinah, I., Moklas, M. A. M., Hasnah, B., Fazali, F., Khairunnur, F. A., Kamilah, K. A. K., Zamree, M. S. & Shahidan, M. M. A. 2008. Biological Properties of *Tinospora crispa* (Akar Patawali) and Its Antiproliferative Activities on Selected Human Cancer Cell Line. *Mal. J. Nutr.* 14 (2): 173-187.