

DAFTAR PUSTAKA

- Adawiah, A., Sukandar, D., & Muawanah, A. (2015). Aktivitas Antioksidan dan Kandungan Komponen Bioaktif Sari Buah Namnam. *Jurnal Kimia Valensi*, 1(2): 130–136.
- Akmal, T., Tanjung, Y. P., & Fauziah, N. (2023). Formulasi dan Evaluasi Sediaan Lip Cream Ekstrak Ubi Jalar Ungu (*Ipomea batatas* L.). *Lumbung Farmasi: Jurnal Ilmu Kefarmasian*, 4(2): 283–290.
- Al Anshori, J., Ismalah, D., Abror, A. F., Zainuddin, A., Hidayat, I. W., Yusuf, M., & Hidayat, A. T. (2022). A New Highly Selective “Off-On” Typical Chemosensor of Al^{3+} , 1-((Z)-((E)-(3, 5-Dichloro-2-Hydroxybenzylidene) Hydrazono) Methyl) Naphthalene-2-ol, an Experimental and In Silico Study. *RSC Advances*, 12(5): 2972–2979.
- Alfaridz, F. (2018). Review Jurnal: Klasifikasi dan Aktivitas Farmakologi dari Senyawa Aktif Flavonoid. *Farmaka*, 16(3).
- Allemann, I. B., & Baumann, L. (2008). Antioxidants Used in Skin Care Formulations. *Skin Therapy Lett*, 13(7): 5–9.
- Allen, L. V., Ansel, H. C., & Popovich, N. G. (2011). *Pharmaceutical Dosage Forms and Drug Delivery Systems. Evaluation*, 56: 44.
- Amiarsih, D., Yulianingsih, Y., & Diharjo, S. S. (2006). Pengaruh Jenis dan Perbandingan Pelarut terhadap Hasil Ekstraksi Minyak Atsiri Mawar. *Jurnal Hortikultura*, 16(4): 85743.
- Anief, M. (2000). *Ilmu Meracik Obat Teori dan Praktek* (Cetakan ke-9). Gadjah Mada University Press.
- Andersen, R. M. (1995). Revisiting the Behavioral Model and Access to Medical Care. *Journal of Health and Social Behavior*, 36(1): 1–10.

- Ardhie, A. M. (2011). Radikal Bebas dan Peran Antioksidan dalam Mencegah Penuaan. *Medicinus*, 24(1): 4–9.
- Arisanty, A., & Anita, A. (2018). Uji Mutu Fisik Sediaan Krim Ekstrak Etanol Buah Belimbing Wuluh (*Averrhoa bilimbi* L.) dengan Variasi Konsentrasi Na Lauril Sulfat. *Media Farmasi*, 14(1): 22–27.
- Arisandi, R., & Sukohar, A. (2016). Seledri (*Apium graveolens* L.) sebagai Agen Kemopreventif bagi Kanker. *Majority*, 5(2): 95–100.
- Ariyani, H., Nazemi, M., Hamidah, H., & Kurniati, M. (2018). Uji Efektivitas Antibakteri Ekstrak Kulit Limau Kuit (*Cytrus hystrix* Dc) terhadap Beberapa Bakteri. *JCPS (Journal of Current Pharmaceutical Sciences)*, 2(1): 136–141.
- Ashtiani, H. A., Bishe, P., Lashgari, N. A., Nilforoushzadeh, M. A., & Zare, S. (2016). Liposomes in Cosmetics. *J. Skin Stem Cell*, 3(3): e65815.
- Ansel, H. C. (1989). Pengantar Bentuk Sediaan Farmasi.
- Atlas, R. M. (1998). *Microbial Ecology: Fundamentals and Applications*. Pearson Education India.
- Badan Standardisasi Nasional. (1996). SNI 16-4399-1996: Sediaan Tabir Surya. Badan Standar Nasional.
- Badriyah, L., & Fariyah, D. (2022). Optimalisasi Ekstraksi Kulit Bawang Merah (*Allium cepa* L.) Menggunakan Metode Maserasi. *Jurnal Sintesis: Penelitian Sains, Terapan dan Analisisnya*, 3(1): 30–37.
- Balai Penelitian Tanaman Sayuran. (2011). Seledri (*Apium graveolens* L.).
- Baumann, L., & Saghari, S. (2009). Basic Science of the Dermis. In (Book Title Missing) (pp. 8–13). McGraw-Hill.

- Bera, B., Ghosh, U., Dutta, S., & Bhattacharya, S. (2021). Coalescence Dynamics in Oil-in-Water Emulsions at Elevated Temperatures. *Soft Matter*, 17(31): 7207–7215.
- Brooks, G. F., Butel, J. S., & Morse, S. A. (2005). *Mikrobiologi Kedokteran (Jawetz, Melnick & Adelberg's Medical Microbiology)* (Edisi ke-22, Jilid 1 & 2). Salemba Medika.
- Calienni, M. N., Serrano, S., Manian, M., Sosa, L., & Llabot, J. M. (2023). Rheological and Viscoelastic Analysis of Hybrid Formulations for Topical Application. *Pharmaceuticals*, 16(3): 379.
- Cavegn, M., Douglas, R., Akkermans, G., & Kuentz, M. (2011). Study of an Ultrasound-Based Process Analytical Tool for Homogenization of Nanoparticulate Pharmaceutical Vehicles. *Journal of Pharmaceutical Sciences*, 100(8): 3374–3385.
- Dampati, P. S., & Veronica, E. (2020). Potensi Ekstrak Bawang Hitam sebagai Tabir Surya terhadap Paparan Sinar Ultraviolet. *Keluwith: Jurnal Kesehatan dan Kedokteran*, 2(1): 23–31.
- Dalimartha, S. (2008). *Atlas Tumbuhan Obat Indonesia* (Vol. 2). Niaga Swadaya.
- Damayanti, H., Wikarsa, S., & Jafar, G. (2019). Formulasi Nanoemulgel Ekstrak Kulit Manggis (*Garcinia mangostana* L.). *Jurnal Riset Kefarmasian Indonesia*, 1(3): 166–176.
- De Castro, M. L., & Priego-Capote, F. (2007). Ultrasound-Assisted Preparation of Liquid Samples. *Talanta*, 72(2): 321–334.
- Delmas, H., Barthe, L., & Cleary, R. (2023). Ultrasonic Mixing, Homogenization, and Emulsification in Food Processing and Other Applications. In *Power Ultrasonics* (pp. 665–685). Woodhead Publishing.
- Dipahayu, D., Soeratri, W., & Agil, M. (2014). Formulasi Krim Antioksidan Ekstrak Etanol Daun Ubi Jalar Ungu (*Ipomoea*

- batatas (L.) Lamk) sebagai Anti Aging. *Pharmaceutical Sciences and Research*, 1(3): 166–179.
- Dou, H., Li, Z., Liu, Q., Jiang, P., Song, J., Ji, F., Lu, N., Xu, L., & Yan, Z. (2025). Organ-Specific Physiological and Metabolic Differentiation in Celery (*Apium graveolens* L.) to Supplemental Blue Light in Controlled Environment Agriculture. *Horticulturae*, 11(9): 1074.
- Edi, S., & Bobihoe, J. (2010). *Budidaya Tanaman Sayuran*. Balai Pengkajian Teknologi Pertanian Jambi.
- Emad, A. M., Abdel-Rahman, S. M., El-Mesallamy, A. M., & Ibrahim, M. A. (2022). Antioxidant, Antimicrobial Activities and Characterization of Polyphenol-Enriched Extract of Egyptian Celery (*Apium graveolens* L.). *Frontiers in Nutrition*, 9: 947872.
- Fadhila, A. (2023). Perbandingan Kadar Klorofil pada Daun Muda dan Daun Tua Tanaman Seledri (*Apium graveolens* L.). *Jurnal Biologi Tropis*, 21(3): 145–152.
- Fadhila, R. (2023). Identifikasi Senyawa Volatil Daun Seledri (*Apium graveolens* L.) dan Potensinya sebagai Bahan Aktif Kosmetik Herbal. *Indonesian Journal of Chemical Science*, 12(2): 45–52.
- Fazal, S. S., & Singla, R. K. (2012). Review on the Pharmacognostical and Pharmacological Characterization of *Apium graveolens* Linn. *Indo Global Journal of Pharmaceutical Sciences*, 2(1): 36–42.
- Fitria, T., & Saputra, O. (2016). Khasiat Daun Seledri (*Apium graveolens*) terhadap Tekanan Darah Tinggi pada Pasien Hiperkolestrolemia. *Majority*, 5(2): 120–125.
- Ferruzzi, M. G., & Schwartz, S. J. (2005). Thermal Degradation of Chlorophylls and Chlorophyllides. *Journal of Agricultural and Food Chemistry*, 53(19): 7138–7147.

- Fujita, M., Yamaguchi, Y., & Uehara, N. (2023). Volatile Composition and Odor-Active Compounds in Celery (*Apium graveolens* L.) Leaves and Stalks. *Foods*, 12(15): 2950.
- Ganesan, P., & Choi, D. K. (2016). Current Application of Phytocompound-Based Nanocosmeceuticals for Beauty and Skin Therapy. *International Journal of Nanomedicine*, 1987–2007.
- Gazali, M., Maknun, F. L. L., Husni, A., Nurjanah, N., Nursid, M., Hasanah, U., & Syafitri, R. (2025). Tyrosinase Inhibitory Activity of Methanolic Extract and Fractions from Green Seaweed *Ulva lactuca*. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 20(1): 1–9.
- González-González, O., Ramirez, I. O., Ramirez, B. I., O'Connell, P., Ballesteros, M. P., Torrado, J. J., & Serrano, D. R. (2022). Drug Stability: ICH versus Accelerated Predictive Stability Studies. *Pharmaceutics*, 14(11): 2324.
- Gyawali, R., Bhattarai, D., Bartaula, N., Bastola, R., Bhatta, S., Suwal, S., & Paudel, P. N. (2022). Formulation and Evaluation of Cream Using *Moringa oleifera* L. Leaf Extract. *Journal of Institute of Science and Technology*, 27(2): 61–66.
- Hadi, I., Zannah, A., & Irawan, A. (2022). Formulasi Sediaan Masker Gel Peel-Off Kombinasi Ekstrak Etanolik Daun Sirih (*Piper betle* L.) dan Madu (*Mel depuratum*). *Medimuh: Jurnal Kesehatan Muhammadiyah*, 3(2): 93–102.
- Hamidi, W., & Elida, S. (2018). Analysis of Value Added and Development Strategy of Public Sago Agroindustry Business in Kepulauan Meranti Regency. *International Journal of Scientific and Technology Research*, 7(2): 94–99.
- Hanani, E., Mun'im, A., & Sekarini, R. (2005). Identifikasi Senyawa Antioksidan dalam Spons *Callyspongia* sp dari Kepulauan Seribu. *Majalah Ilmu Kefarmasian*, 2(3): 127–133.

- Haque, A., & Sugihartini, N. (2015). Evaluasi Sifat Fisik Sediaan Krim Minyak Atsiri Bunga Cengkeh (*Syzygium aromaticum*) dengan Metode Simplex Lattice Design. *Jurnal Farmasi UMS*, 3(3): 256–263.
- Harmita. (2006). Analisis Fisikokimia. Departemen Farmasi Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia.
- Hasan, Z., Artika, I. M., Fahri, V. R., & Sari, N. (2012). Penerapan Teknologi Nanopartikel untuk Sediaan Obat (Antibiotik Berbasis Bahan Alam, Propolis Trigona spp). *Chem. Prog.*, 5(1).
- Hassan, M., Khan, A. U., Siddiqui, I., Ali, W., Islam, A., & Saleem, S. (2023). Tyrosinase Inhibitors Naturally Present in Plants and Their Relevance to Skin-Lightening Cosmetics. *Plants*, 12(4): 734.
- Hayami, Y., Kawagoe, T., Morooka, Y., & Siregar, M. (1987). Agricultural Marketing and Processing in Upland Java: A Perspective from a Sunda Village. CGPRT Centre.
- Hernani, & Raharjo, M. (2005). Tanaman Berkhasiat Antioksidan. Swadaya.
- Hidayat, R. S., & Napitupulu, R. M. (2015). Kitab Tumbuhan Obat (Cetakan ke-1). Agriflo.
- Indarto, I., Nasution, S. P., Suci, A. D. A., & Cane, H. P. C. A. (2024). Pengembangan Krim Tabir Surya Herbal Menggunakan Clitoria ternatea dan Aloe vera: Formulasi, Penilaian Kualitas, dan Efikasi In Vivo. *Jurnal Farmasi Indonesia*, 21(2): 70–88.
- Iskandar, Y. (2018). Artikel Tinjauan: Studi Kimia dan Aktivitas Farmakologi Tanaman Seledri (*Apium graveolens* L.). *Farmaka*, 16(2): 28–32.

- Jannah, M., Wijaya, S., & Setiawan, H. K. (2021). Standarisasi Simplisia Daun Kenikir (*Cosmos caudatus* Kunth) dari Tiga Daerah Berbeda. *Journal of Pharmacy Science and Practice*, 8(1).
- Javad, S., & Shokri, M. (2017). Nanocosmetics: Benefits and Risks. *Bioimpacts*, 7(4): 207–208.
- Jiménez-Pérez, Z. E., Singh, P., Kim, Y.-J., Mathiyalagan, R., Kim, D.-H., Lee, M. H., & Yang, D. C. (2018). Applications of *Panax ginseng* Leaves-Mediated Gold Nanoparticles in Cosmetics Relation to Antioxidant, Moisture Retention, and Whitening Effect on B16BL6 Cells. *Journal of Ginseng Research*, 42: 327–333.
- Juarni. (2017). Pengaruh Pupuk Cair Eceng Gondok (*Eichornia crassipess*) terhadap Pertumbuhan Tanaman Seledri (*Apium graveolens* L.) sebagai Penunjang Praktikum Fisiologi Tumbuhan [Undergraduate Thesis, Universitas Islam Negeri Ar-Raniry Darussalam].
- Juwita, A. N., & Nur, F. (2011). Uji Aktivitas Antioksidan dan Evaluasi Sediaan Gel Ekstrak Daun Jamblang (*Syzygium cumini* (L.) Skeels). *Jurnal Farmasi Sains dan Praktik*, 7(2): 123–130.
- Kawarkhe, P., Deshmane, S., & Biyanil, K. (2016). Formulation and Evaluation of Antioxidant Face Cream Containing Raspberry Fruit and Grape Seeds Extract. *Inventi Impact*, 2017(4): (tanpa halaman disebutkan).
- Khan, M., Shaik, M. R., Adil, S. F., Kuniyil, M., Khan, S. T., Al-Warthan, A., Alkhatlan, H. Z., & Tremel, W. (2020). Nanoparticles and Their Potential Role in the Inhibition of Tyrosinase: A Review. *Applied Nanoscience*, 10: 3073–3091.
- Khatib, M., et al. (2022). Tyrosinase Inhibitory and Antioxidant Activities of Phenolic Compounds from Natural Sources. *Journal of Cosmetic Dermatology*, 21(10): 4565–4573.

- Khogta, S., Patel, J., Barve, K., & Londhe, V. (2020). Herbal Nano-Formulations for Topical Delivery. *Journal of Herbal Medicine*, 20: 100300.
- Khorasani, S., Danaei, M., & Mozafari, M. R. (2018). Nanoliposome Technology for the Food and Nutraceutical Industries. *Trends in Food Science & Technology*, 79: 106–115.
- Kibbe, A. H. (2000). *Handbook of Pharmaceutical Excipients* (3rd ed.). Pharmaceutical Press.
- Kooti, W., Daraei, N., Asadi-Samani, M., Sharafi-Ahvazi, N., & Ashtary-Larky, D. (2017). A Review on the Antioxidant Activity of Celery (*Apium graveolens* L.) and Its Medicinal Uses. *Journal of Evidence-Based Complementary & Alternative Medicine*, 22(4): 1029–1034.
- Kusmita, L., et al. (2021). Characteristic Evaluation of Various Formulations of Anti-Aging Creams. *Cosmetics*, 8(4): 120.
- Kooti, W., & Daraei, N. (2017). A Review of the Antioxidant Activity of Celery (*Apium graveolens* L.). *Journal of Evidence-Based Complementary & Alternative Medicine*, 22(4): 1029–1034.
- Kurniasari, A., Anwar, E., & Djajadisastra, J. (2018). Potensi Ekstrak Biji Coklat (*Theobroma cacao* Linn) sebagai Inhibitor Tirosinase untuk Produk Pencerah Kulit. *Jurnal Kefarmasian Indonesia*, 8(1).
- Kusrini. (2007). *Konsep dan Aplikasi Sistem Pendukung Keputusan* (Edisi 1). Andi.
- Kusumadewi, S., Hartati, S., Harjoko, A., & Wardoyo, R. (2006). *Fuzzy Multi-Atribut Decision Making (Fuzzy MADM)*. Graha Ilmu.

- Kusumawardah, A. (2012). Formulasi Krim Ekstrak Bunga Rosella (*Hibiscus sabdarifia* Linn): Uji Sifat Fisik dan Aktivitas Antibakteri *Staphylococcus epidermis* [Undergraduate Thesis, Universitas Muhammadiyah Surakarta].
- Li, W., Zhou, Y., Liu, Y., Deng, X., Jiang, Y., & Zhang, X. (2020). Flavonoids as Potential Tyrosinase Inhibitors: Molecular Docking and Structure–Activity Relationship Analysis. *Molecules*, 25(20): 4639.
- Lestari, A. W. (2022). Isolasi dan Uji Aktivitas Antimikroba β -Karoten dari Ekstrak Pigmen *Caulerpa racemosa* [Undergraduate Thesis, Universitas 17 Agustus 1945 Jakarta].
- Lestari, D. (2013). Penggunaan Polivinil Alkohol (PVA) dalam Formulasi Masker Wajah. *Jurnal Teknologi dan Kimia*, 8(2): 112–118.
- Liu, C. X. (2021). Overview on Development of ASEAN Traditional and Herbal Medicines. *Chinese Herbal Medicines*, 13(4).
- Liu, J. K. (2022). Antiaging Agents: Safe Interventions to Slow Aging and Healthy Life Span Extension. *Natural Products and Bioprospecting*, 12(1).
- Mahardika, M., Abral, H., Kasim, A., Arief, S., & Asrofi, M. (2018). Production of Nanocellulose from Pineapple Leaf Fibers via High-Shear Homogenization and Ultrasonication. *Fibers*, 6(2): 1–12.
- Mahardika, M., Abral, H., Kasim, A., Arief, S., Hafizulhaq, F., & Asrofi, M. (2019). Properties of Cellulose Nanofiber/Bengkoang Starch Bionanocomposites: Effect of Fiber Loading. *LWT*, 116: 1–7.
- Malrianti, Y., Kasim, A., Asben, A., Syafri, E., Yeni, G., & Fudholi, A. (2021). Catechin Extracted from *Uncaria gambier* Roxb. for Nanocatechin Production: Physical and Chemical

- Properties. *International Journal of Design & Nature and Ecodynamics*, 16(4): 393–399.
- Manian, M., Serrano, S., Calienni, M. N., Sosa, L., & Llabot, J. M. (2022). Formulation and Assessment of the In Vitro Performance of Topical Formulations. *Pharmaceuticals*, 15(9): 1092.
- Maryam, Kasim, A., Novelina, & Emriadi. (2020). Preparation and Characterization of Sago (Metroxylon sp.) Starch Nanoparticles Using Hydrolysis-Precipitation Method. *Journal of Physics: Conference Series*, 1481(1).
- Maysuhara, S. (2009). *Rahasia Cantik Sehat dan Awet Muda*. Pustaka Panasea.
- Meilina, R., Dewi, R., Kesumawati, K., Kali Kulla, P. D., & Rezeki, S. (2023). Formulasi Sediaan Tabir Surya Ekstrak Daun Seledri (*Apium graveolens* L.). *Journal of Healthcare Technology and Medicine*, 9(1).
- Meilina, R., Maghlisa, U. I., & Dhirah, U. H. (2022). Antiinflamasi Ekstrak Etanol Bunga Kenop (*Gomphrena globosa* L.) pada Tikus (*Rattus novergicus*). *Journal of Healthcare Technology and Medicine*, 8(2): 648–657.
- Minerva, P. (2019). Penggunaan Tabir Surya bagi Kesehatan Kulit. *Jurnal Pendidikan dan Keluarga*, 11(1).
- Mitsui, T. (1997). Cosmetical and Skin. In *New Cosmetics Science* (pp. 457–460).
- Morganti, P. (2020). *Nanocosmetics: An Introduction*. 1: 3–16.
- Muharni, S., Fitriya, N., & Farida, R. (2017). Uji Aktivitas Antibakteri Ekstrak Etanol Herba Seledri (*Apium graveolens* L.) terhadap *Staphylococcus aureus* dan *Escherichia coli*. *Jurnal Ilmiah Manuntung*, 3(1): 65–70.

- Mukhlisah, N., Sugihartini, N., & Yuwono, T. (2016). Daya Iritasi dan Sifat Fisik Sediaan Salep Minyak Atsiri Bunga Cengkeh (*Syzygium aromaticum*) pada Basis Hidrokarbon. *Majalah Farmaseutik*, 12(1): 373–378.
- Murdiana, H. E., Kristariyanto, Y. A., Kurniawaty, A. Y., Putri, M. K., & Rosita, M. E. (2022). Optimasi Formula Sediaan Krim Beras (*Oryza sativa* L.) Tipe M/A dengan Variasi Asam Stearat, Setil Alkohol dan Trietanolamin. *Jurnal Farmamedika (Pharmamedica Journal)*, 7(2): 55–63.
- Momin, R. A., & Nair, M. G. (2002). Antioxidant, Cyclooxygenase and Topoisomerase Inhibitory Compounds from *Apium graveolens* Linn. Seeds. *Phytomedicine*, 9(4): 312–318.
- Nor Yasin, A. A., Naspiah, N., & Rusli, R. (2018). Formulasi Sediaan Krim Anti Aging Berbahan Aktif Ekstrak Buah Libo (*Ficus variegata* Blume). *Proceeding of the 8th Mulawarman Pharmaceuticals Conferences*.
- Nugrahadista, B. D. (2018). Analisis Nilai Tambah, Kelayakan Usaha dan Strategi Pengembangan pada UMKM Keripik Tempe Putra Ridho di Kota Malang [Undergraduate Thesis, Universitas Brawijaya].
- Nur, S., & Lukitaningsih, E. (2017). Skrining Aktivitas Antioksidan, Antiaging, dan Penghambatan Tyrosinase dari Ekstrak Etanolik dan Etil Asetat Daging Buah dan Kulit Buah Langsung (*Lansium domesticum* Corr) secara *In Vitro*. *Traditional Medicine Journal*, 22(221): 63–72.
- Nuraeni Witri, D. I., Eva, M., & Maulana, S. E. (2013). Verifikasi Kinerja Alat Particle Size Analyzer (PSA) Horiba Lb-550 untuk Penentuan Distribusi Ukuran Nanopartikel. *Prosiding Seminar Nasional Sains dan Teknologi Nuklir*, 226–271.
- Panzella, L., & Napolitano, A. (2019). Natural and Bioinspired Phenolic Compounds as Tyrosinase Inhibitors for the

Treatment of Skin Hyperpigmentation: Recent Advances. *Cosmetics*, 6(4): 57.

- Patil, J. S., Kadam, A., & Desai, R. (2020). Nanoparticle Formulations of Herbal Extracts Enhance Antioxidant and Antimicrobial Activity: A Review. *Journal of Applied Research on Medicinal and Aromatic Plants*, 19: 100273.
- Pertiwi, N., et al. (2021). Evaluation of Celery (*Apium graveolens* L.) Extract as a Natural Antioxidant and Tyrosinase Inhibitor. *Journal of Pharmacy and Bioallied Sciences*, 13(Suppl 2): S1434–S1439.
- Prakash, A. (2001). Antioxidant Activity. *Analytical Progress*, 19: 2–8.
- Prakash, D., & Gupta, K. R. (2009). The Antioxidant Phytochemicals of Nutraceutical Importance. *The Open Nutraceuticals Journal*, 2(1): 20–35.
- Pranawati, E., Sugihartini, N., & Yuwono, T. (2016). Sifat Fisik Krim Tipe A/M Ekstrak Etanol Daun Kelor (*Moringa oleifera* L.). *Media Farmasi*, 14(1): 110–115.
- Prasedya, E. S., Frediansyah, A., Martyasari, N. W. R., Ilhami, B. K., Abidin, A. S., Padmi, H., Fahrurrozi, Juanssilfero, A. B., Widyastuti, S., & Sunarwidhi, A. L. (2021). Effect of Particle Size on Phytochemical Composition and Antioxidant Properties of *Sargassum cristaeifolium* Ethanol Extract. *Scientific Reports*, 11(1): 17876.
- Pradana, T. B., Nugroho, A. E., & Martien, R. (2023). Systematic Review: Nanopartikel dari Bahan Obat Tradisional Indonesia. *Majalah Farmaseutik*, 19(4): 624–631.
- Pratasik, M. C. M., Yamlean, P. V. Y., & Wiyono, W. I. (2019). Formulasi dan Uji Stabilitas Fisik Sediaan Krim Ekstrak Etanol Daun Sesewanua (*Clerodendron squamatum* Vahl.). *Pharmacon*, 8(2): 261–268.

- Pratiwi, D. N., Utami, N., & Pratimasari, D. (2021). Identifikasi Senyawa Flavonoid dalam Ekstrak, Fraksi Polar, Semi Polar serta Non Polar Bunga Pepaya Jantan (*Carica papaya* L.). *Jurnal Farmasi*, 2(1): 1–7.
- Putra, S., Istiqomah, I., Gunawan, D., & Purnomo, S. (2020). Analisis Pendapatan dan Nilai Tambah Industri Pengolahan Kopi: Pendekatan Metode Hayami. *Efficient: Indonesian Journal of Development Economics*, 3(3): 994–1005.
- Putri, P. A., Chatri, M., & Advinda, L. (2023). Karakteristik Saponin Senyawa Metabolit Sekunder pada Tumbuhan. *Jurnal Serambi Biologi*, 8(2): 252–256.
- Putri Diana Astiwi, P. (2017). Pengaruh Berbagai Konsentrasi Setil Alkohol terhadap Karakteristik Fisik Kimia Krim Ekstrak Etanol Daun Karika (*Carica pubescens* L.) dan Aktivitas Antioksidannya dengan Metode DPPH [Undergraduate Thesis, Universitas Wahid Hasyim Semarang].
- Qin, Y., Zhao, C., Yu, H., & Wang, J. (2024). Effect of Light Intensity on Celery Growth and Flavonoid Synthesis. *Frontiers in Plant Science*, 14: 1326218.
- Rahajo, T. J. (2013). *Kimia Hasil Alam* (Cetakan I). Pustaka Pelajar.
- Rahayu, W. P., & Nurosiyah, S. (2013). *Modul 1: Evaluasi Sensori dan Perkembangannya*. Institut Pertanian Bogor.
- Rahmawanty, R., Suryani, E., & Sulistyaningsih, E. (2015). Formulasi dan Evaluasi Masker Wajah Peel-Off Mengandung Kuersetin dengan Variasi Konsentrasi Gelatin dan Gliserin. *Jurnal Farmasi Sains dan Praktik*, 15(2): 124–130.
- Rahmi, D., Yunilawati, R., & Ratnawati, E. (2013). Peningkatan Stabilitas Emulsi Krim Nanopartikel untuk Mempertahankan Kelembaban Kulit. *Jurnal Kimia dan Kemasan*, 35(1): 30–36.

- Rahmi, I., & Trimo, L. (2019). Nilai Tambah pada Agroindustri Dodol Tomat (Studi Kasus pada Usaha Kelompok Wanita Tani Mentari Desa Genteng, Kecamatan Sukasari, Kabupaten Sumedang). *Journal of Food Systems and Agribusiness*, 3(2): 1–7.
- Ravindran, M., & Mohd Ideris, N. A. N. (2016). Formulation and Evaluation of Antioxidant Cream Containing Methanolic Extract of Piper betel Leaves. *International Journal of Pharmaceutical and Biological Sciences*, 7(4): 323–328.
- Ri, H.-I., Kim, C.-S., Pak, U.-H., Kang, M.-S., & Kim, T.-M. (2019). Effect of Different Polarity Solvents on Total Phenols and Flavonoids Content, and In-Vitro Antioxidant Properties of Flower Extracts from Aurea Helianthus.
- Rijke, E. (2005). Trace-Level Determination of Flavonoids and Their Conjugates: Application to Plants of the Leguminosae Family [Doctoral Dissertation, Universitas Amsterdam].
- Ririn, Zulkarnain, I., & Maharani, S. A. (2024). Formulasi dan Evaluasi Sediaan Body Cream Ekstrak Etanol Buah Alpukat (*Persea americana* Mill) sebagai Pelembab. *Makassar Natural Product Journal*, 2(3): 235–251.
- Rodrigues, L. R., & Jose, J. (2020). Exploring the Photoprotective Potential of Solid Lipid Nanoparticle-Based Sunscreen Cream Containing Aloe vera. *Environmental Science and Pollution Research*, 27(17): 20876–20946.
- Rosaini, H., Makmur, I., Putri, R. D., & Sidoretno, W. M. (2019). Formulasi, Pengujian Aktivitas Antioksidan dan Antibakteri Sediaan Masker Gel Peel-Off Ekstrak Etanol Herba Seledri (*Apium graveolens* L.). *Jurnal Farmasi Higea*, 11(2): 133–143.
- Rowe, R. C., Sheskey, P. J., & Owen, S. C. (2009). Polivinil Alkohol (PVA) dalam Formulasi dan Teknologi Farmasi. *International Journal of Pharmaceutics*, 15(3): 234–240.

- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients* (6th ed.). Pharmaceutical Press.
- Rusdiana, T. (2018). Telaah Tanaman Seledri (*Apium graveolens* L.) sebagai Sumber Bahan Alam Berpotensi Tinggi dalam Upaya Promotif Kesehatan. *Indonesia Natural Research Pharmaceutical Journal*, 3(1): 1–8.
- Rusdiana, T., & S. J. (2015). Anticalculi Activity of *Apium graveolens* L. Ethanol Extract Using the Hydroxyproline-Induced Rat Method. *International Seminar on Traditional and Alternative Medicine*, 1.
- Rusdiana, T., & S. J. (2015). Pengujian Efek Antikalkuli dari Herba Seledri (*Apium graveolens* L.). *Indonesian Journal of Pharmaceutical Sciences and Technology*, 2(2): 63–67.
- Sadikin, M. (2001). Pelacakan Dampak Radikal Bebas terhadap Makromolekul. Makalah Pelatihan Radikal Bebas dan Antioksidan dalam Kesehatan, Kedokteran UI.
- Safriana, Andilaila, F., & Samran. (2021). Profil Fitokimia *Simplisia* dan Ekstrak Etanol Daun Kedondong Pagar (*Lannea coromandelica* (Houtt.) Merr.) sebagai Tanaman Obat. *Jurnal Ilmu Kefarmasian Indonesia*, 19(2): 226–230.
- Sahoo, S. K., Pattnaik, S., Panda, S. K., & Mishra, S. R. (2021). Effect of Particle Size Reduction on Antioxidant Activity of Plant Extracts. *Journal of Food Biochemistry*, 45(3): e13625.
- Saraswaty, V., et al. (2023). Nanoformulation Enhances Bioactivity of Plant-Derived Antioxidants in Topical Preparations. *International Journal of Nanomedicine*, 18: 4775–4790.
- Santos, A. C., Morais, F., & Simões, A. (2019). Nanotechnology for the Development of New Cosmetic Formulations. *Expert Opinion on Drug Delivery*, 16(4): 313–320.
- Santoso, U. (2021). *Antioksidan Pangan*. UGM Press.

- Saryanti, D., Setiawan, I., & Safitri, R. A. (2019). Optimasi Formula Sediaan Krim M/A dari Ekstrak Kulit Pisang Kepok (*Musa acuminata* L.). *Jurnal Riset Kefarmasian Indonesia*, 1(3): 225–237.
- Sayuti, K., & Yenrina, R. (2015). *Antioksidan Alami dan Sintetik*. Andalas University Press.
- Setiya Nugroho, & Wulandari, F. T. (2016). Penerapan Metode MADM-SAW dalam Penentuan Produk Kerajinan Unggulan Kabupaten Klaten. *Jurnal SIMETRIS*, 7(1).
- Setyaningrum, T., & Hutomo, M. (2003). Penggunaan Pelembab pada Dermatitis Atopik. *Majalah Berkala Kedokteran Ilmu Penyakit Kulit dan Kelamin*, 15(3): 204–206.
- Setyvani Putri, G. (2019, May 9). Terbukti, Bahan Kimia dalam Tabir Surya Meresap ke Darah dengan Cepat. *Kompas.com*.
- Shalsyabillah, F., & Sari, K. (2023). Skrining Fitokimia serta Analisis Mikroskopik dan Makroskopik Ekstrak Etanol Daun Seledri (*Apium graveolens* L.). *Health Information: Jurnal Penelitian*, 15(2): e1130.
- Shamsuddin, A. M., Sekar, M., & Musa, A. Z. (2018). Formulation and Evaluation of Antiaging Cream Containing Mangiferin. *International Research Journal of Pharmacy*, 9(6).
- Sharma, N., Mudgal, S., & Tomar, R. (2020). Study of Phytocompound-Based Nanocosmeceuticals. *Journal of Nanomedicine and Nanotechnology*, 7(6): 343–359.
- Shibuya, S., Watanabe, K., Ozawa, Y., & Shimizu, T. (2021). Xanthine Oxidoreductase-Mediated Superoxide Production Is Not Involved in the Age-Related Pathologies in Sod1-Deficient Mice. *International Journal of Molecular Sciences*, 22(7): 3542.

- Silvia, A., & Oktaviani, P. (2018). Analisis Mutu dan Organoleptik Sirup Ekstrak Daun Seledri (*Apium graveolens* L.). *Viva Medika*, Edisi Khusus/SERI 2: 9–15.
- Singh, R., Singh, N., Saini, B. S., & Rao, H. S. (2010). In Vitro Antioxidant Activity of Pet Ether Extract of Black Pepper. *Indian Journal of Pharmacology*, 42(5): 296–298.
- Sorour, M. A., Hassanen, N. H. M., & Ahmed, M. H. M. (2015). Natural Antioxidant Changes in Fresh and Dried Celery (*Apium graveolens*). *American Journal of Energy Engineering*, 3(2-1): 12–16.
- Schwartz, S. J., & Lorenzo, T. V. (1990). Chlorophyll Stability During Continuous Aseptic Processing and Storage. *Journal of Food Science*, 55(4): 1054–1057.
- Şentürk, T. B., Yildiz, S., & Kose, F. A. (2023). A Bioactive Emulgel Formulation Containing Methanolic Extract: Physicochemical, Rheological and Sensory Evaluation. *Gels*, 11(8): 662.
- Shah, M., Fawcett, D., Sharma, S., Tripathy, S. K., & Poinern, G. E. J. (2015). Green Synthesis of Metallic Nanoparticles via Biological Entities. *Materials*, 8(11): 7278–7308.
- Sowbhagya. (2014). Chemistry, Technology, and Nutraceutical Functions of Celery (*Apium graveolens* L.): An Overview. *Critical Reviews in Food Science and Nutrition*, 54(3): 389–398.
- Sugihartini, N., & Nuryanti, E. (2017). Formulasi Krim Ekstrak Daun Kelor (*Moringa oleifera*) sebagai Sediaan Antiaging. *Berkala Ilmu Kesehatan dan Kelamin*, 29(1).
- Suprobo, G., & Rahmi, D. (2015). Pengaruh Kecepatan Homegenisasi terhadap Sifat Fisika dan Kimia Krim Nanopartikel dengan Metode High Speed Homogenization (HSH). *Jurnal Sains dan Teknologi Farmasi*, 20(2): 123–130.

- Surbakti, C. I., Tarigan, M., & Ginting, G. A. (2023). Evaluasi Pengujian Mutu Biji Pepaya (*Carica papaya* L.) yang Diekstraksi secara Maserasi dengan Pelarut Etanol 70%. *Jurnal Penelitian Sains (JPS)*, 6(3): 1303–1312.
- Swastika, A. N. S. P., & Mufrod, M. (2013). Aktivitas Antioksidan Krim Ekstrak Sari Tomat (*Solanum lycopersicum* L.). *Majalah Obat Tradisional*, 18(3): 132–140.
- Taufiqurrahman, F., Fajri, & Hakim, L. (2020). The Value-Added Analysis of Gayo Arabica Coffee Based on Processing. *International Journal of Multicultural and Multireligious Understanding*, 7(1): 56–59.
- Tortora, G. J., & Derrickson, B. (2009). *Principles of Anatomy and Physiology* (12th ed.). Wiley.
- Tricamila, M. A., Agustin, G. S., & Adlina, S. (2024). Pemanfaatan Kulit Jeruk Bali (*Citrus maxima* (Burm.) Merr) sebagai Sediaan Face Mist. *Lambung Farmasi: Jurnal Ilmu Kefarmasian*, 5(1): 21–30.
- Uehara, N., Fujita, M., & Yamaguchi, Y. (2022). Analysis of Aroma-Active Compounds in Celery and Their Sensory Contribution. *Journal of Food Science*, 87(11): 5041–5050.
- Ulaen, M., dkk. (2012). Daya Iritasi dan Sifat Fisik Sediaan Salep Minyak Atsiri Bunga Cengkeh (*Syzygium aromaticum*) pada Basis Hidrokarbon. *Majalah Farmaseutik*, 12(1): 373–378.
- United Nations, Department of Economic and Social Affairs. (2022). *World Population Prospects*.
- Veiga, E., Ferreira, L., Correia, M., & Pires, P. C. (2023). Anti-Aging Peptides for Advanced Skincare: Focus on Nanodelivery Systems. *Journal of Drug Delivery Science and Technology*, 89: 105087.

- Veronica, E., Chrimayanti, N. K. S., & Dampati, P. S. (2021). Potensi Ekstrak Kastuba (*Euphorbia pulcherrima*) sebagai Tabir Surya terhadap Paparan Sinar UV. *J Med Heal*, 3(1): 83–92.
- Vincent, Irianti, T., & Sulaiman, T. N. S. (2024). Formulasi Krim Tabir Surya Ekstrak Kulit Buah Naga Merah (*Hylocereus polyrhizus*) Terenkapsulasi Nanopartikel Kitosan: Uji Aktivitas secara In Vitro. *Majalah Farmaseutik*, 20(2): 174–185.
- Wasitaatmadja, M. S. (1997). *Penuntun Ilmu Kosmetik Medik*. Universitas Indonesia Press.
- Wei, J., Li, X., & Chen, Q. (2025). Insights into the Stability and Lipid Oxidation of Water-in-Oil Emulsions. *Foods*, 14(1): 15.
- Widyaningrum, D., Hidayati, D., & Rahayu, S. (2012). Formulasi dan Uji Stabilitas Fisik-Kimia Krim Ekstrak Daun Pepaya (*Carica papaya* L.). Universitas Islam Negeri Maulana Malik Ibrahim Malang.
- Winarno, F. G. (2002). *Pangan, Gizi, Teknologi, dan Konsumen*. Gramedia Pustaka Utama.
- Winarsi, H. (2007). *Natural Antioxidants and Free Radicals*. Kanisius.
- Wong, J. (2020). Essential Oil Extract and Its Antioxidative Phytochemical Sclareol Inhibit Oxytocin-Induced Uterine Hypercontraction Dysmenorrhea Model by Inhibiting Ca^{2+} –MLCK–MLC20 Signaling Cascade: An Ex Vivo and In Vivo Study. *Antioxidants*, 9(991).
- Wulandari, D. (2018). Formulasi dan Evaluasi Masker Wajah Peel-Off Mengandung Kuersetin dengan Variasi Konsentrasi Gelatin dan Gliserin. Universitas Muhammadiyah Kalimantan Timur.

- Wulandari, P., Herdini, & Yumita, A. (2015). Uji Aktivitas Antioksidan DPPH dan Aktivitas terhadap *Artemia salina* Leach Ekstrak Etanol 96% Daun Seledri (*Apium graveolens* L.). *Sainstech Farma*, 8(2): 6–13.
- Xue, F., Li, X., Qin, L., Liu, X., Li, C., & Adhikari, B. (2021). Anti-Aging Properties of Phytoconstituents and Phyto-Nanoemulsions and Their Application in Managing Aging-Related Diseases. *Advanced Drug Delivery Reviews*, 176: 113886.
- Yakub, J., & Setyani, W. (2023). Optimization of Stearic Acid and Triethanolamine in the Antibacterial Cream *Staphylococcus aureus* Ethanol Extract of Papaya Seeds (*Carica papaya* L.): Factorial Design Method. *Journal of Pharmaceutical Sciences and Community*, 20(1): 1–9.
- Yao, Y., Sang, W., & Ren, G. (2010). Phenolic Composition and Antioxidant Activities of 11 Celery Cultivars. *Journal of Food Science*, 75(1): C9–C13.
- Yapar, E. A. (2017). Herbal Cosmetics and Novel Drug Delivery Systems. *Indian Journal of Pharmaceutical Education and Research*, 51(3): 152–158.
- Yehye, W. A., Rahman, N. A., Ariffin, A., Abd Hamid, S. B., Alhadi, A. A., Kadir, F. A., & Yaeghoobi, M. (2015). Understanding the Chemistry Behind the Antioxidant Activities of Butylated Hydroxytoluene (BHT): A Review. *European Journal of Medicinal Chemistry*, 101: 295–312.
- Yücel, Ç., Şeker Karatoprak, G., & Değim, İ. T. (2019). Anti-Aging Formulation of Rosmarinic Acid-Loaded Ethosomes and Liposomes. *Journal of Microencapsulation*, 36(2): 180–191.
- Zhu, W., Gao, J., & Zhao, R. (2019). Skin Irritation and Erythema Mechanisms in Response to Topical Cosmetic Formulations. *Toxicology Reports*, 6: 501–509.