

DAFTAR PUSTAKA

1. Bentley TP, Hosseinzadeh S. Clavicle Fractures. Dalam: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 [dikutip 13 Desember 2024]. Tersedia pada: <http://www.ncbi.nlm.nih.gov/books/NBK507892/>
2. Wiesel B, Nagda S, Mehta S, Churchill R. Management of Midshaft Clavicle Fractures in Adults. *J Am Acad Orthop Surg*. 15 November 2018;26(22):e468–76.
3. Gummesson C, Atroshi I, Ekdahl C. The Disabilities of the Arm, Shoulder and Hand (DASH) Outcome Questionnaire: Longitudinal Construct Validity and Measuring Self-Rated Health Change After Surgery. *BMC Musculoskelet Disord*. 16 Juni 2003;4:11.
4. Vander Have KL, Perdue AM, Caird MS, Farley FA. Operative Versus Nonoperative Treatment of Midshaft Clavicle Fractures in Adolescents. *J Pediatr Orthop*. Juni 2010;30(4):307–12.
5. Mannan M, Hafeez U, Hassan A, Tahir R, Ajnin S. Functional Outcomes of Clavicle Open Reduction and Internal Fixation (ORIF). *Cureus*. 2024;16(10):e72048. Published 2024 Oct 21. doi:10.7759/cureus.72048
6. Lenich, A., Imhoff, A.B. (2015). Fractures of the Clavicle. In: Doral, M.N., Karlsson, J. (eds) *Sports Injuries*. Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-642-36569-0_33
7. Charles SJ, Chen SR, Mittweide P, et al. Risk factors for complications and reoperation following operative management of displaced midshaft clavicle fractures. *J Shoulder Elbow Surg*. 2022;31(10):e498-e506. doi:10.1016/j.jse.2022.03.016
8. Younis F, Sultan J, Dix S, Hughes P. The range of the Oxford Shoulder Score in the asymptomatic population: a marker for post-operative improvement. *Ann R Coll Surg Engl*. November 2011;93(8):629–33.
9. Angst F, Schwyzer H, Aeschlimann A, Simmen BR, Goldhahn J. Measures of adult shoulder function: Disabilities of the Arm, Shoulder, and Hand Questionnaire (DASH) and Its Short Version (Quick DASH), Shoulder Pain and Disability Index (SPADI), American Shoulder and Elbow Surgeons (ASES) Society Standardized Shoulder Assessment Form, Constant (Murley)

Score (CS), Simpel Shoulder Test (SST), Oxford Shoulder Score (OSS), Shoulder Disability Questionnaire (SDQ), and Western Ontario Shoulder Instability Index (WOSI). *Arthritis Care Res* [Internet]. November 2011 [dikutip 1 Januari 2025];63(S11). Tersedia pada: <https://acrjournals.onlinelibrary.wiley.com/doi/10.1002/acr.20630>

10. Yashwant Vasantrao Gade, Shashikant Shamrao Dahifalkar. Functional outcome and complications of open reduction and internal fixation with plate for displaced midshaft clavicle fractures. *MedPulse International Journal of Orthopedics*. November 2020; 16(2): 37-41
11. Fanter NJ, Kenny RM, Baker CL, Baker CL. Surgical Treatment of Clavicle Fractures in the Adolescent Athlete. *Sports Health Multidiscip Approach*. Maret 2015;7(2):137–41.
12. Singh A, Schultzel M, Fleming JF, Navarro RA. Complications after surgical treatment of distal clavicle fractures. *Orthop Traumatol Surg Res*. September 2019;105(5):853–9.
13. Hoogervorst P, Van Schie P, Van Den Bekerom MP. Midshaft clavicle fractures: Current concepts. *EFORT Open Rev*. Juni 2018;3(6):374–80.
14. Languth TM, Prietzel A, Bülow R, Ittermann T, Laqua R, Haralambiev L, dkk. Normative Values for Sternoclavicular Joint and Clavicle Anatomy Based on MR Imaging: A Comprehensive Analysis of 1591 Healthy Participants. *J Clin Med*. 19 Juni 2024;13(12):3598.
15. Aira JR, Simon P, Gutiérrez S, Santoni BG, Frankle MA. Morphometry of the human clavicle and intramedullary canal: A 3D, geometry-based quantification. *J Orthop Res*. Oktober 2017;35(10):2191–202.
16. Hoogervorst P, Appalsamy A, Franken S, Van Kampen A, Hannink G. Quantifying shortening of the fractured clavicle assuming clavicular symmetry is unreliable. *Arch Orthop Trauma Surg*. Juni 2018;138(6):803–7.
17. Forro S. Anatomy, Shoulder and Upper Limb, Arm Structure and Function - StatPearls - NCBI Bookshelf. *Natl Libr Med*. 25 Juli 2023;1.
18. Shih KS, Hsu CC, Shih BY. A Biomechanical Study of Various Fixation Strategies for the Treatment of Clavicle Fractures Using Three-Dimensional Upper-Body Musculoskeletal Finite Element Models. *Appl Sci*. 14 Agustus

2020;10(16):5651.

19. Ropars M, Thomazeau H, Hutten D. Clavicle fractures. *Orthop Traumatol Surg Res.* Februari 2017;103(1):S53–9.
20. Von Rüden C, Rehme-Röhl J, Augat P, Friederichs J, Hackl S, Stuby F, dkk. Evidence on treatment of clavicle fractures. *Injury.* Oktober 2023;54:110818.
21. Hübner EJ, Hausschild O, Südkamp NP, Strohm PC. Clavicle Fractures - Is there a Standard Treatment? *Acta Chir Orthop Traumatol Cech.* 1 Agustus 2011;78(4):288–96.
22. Ulucay C. Treatment of Clavicle Fractures in Athletes and Young Active Patients. *J Trauma Treat* [Internet]. 2014 [dikutip 14 Desember 2024];04(02). Tersedia pada: <http://www.omicsgroup.org/journals/treatment-of-clavicle-fractures-in-athletes-and-young-active-patients-2167-1222-1000240.php?aid=53337>
23. Kwek E. Clavicle , Dalam: Buckley RE, Moran CG, Apivatthakakul T, AO Principles of fracture management third edition. Stuttgart: Georg Thieme Verlag KG. 2018: 573.
24. Andermahr J, McKee M, Nam D. Clavicle fractures. Diakses pada Mei 2025, dari <https://surgeryreference.aofoundation.org/orthopedic-trauma/adult-trauma/clavicle-fractures>
25. Walizai T (2024). Clavicle fracture. Diakses pada Mei 2025, dari <https://radiopaedia.org/articles/clavicular-fracture#:~:text=Mechanism,attached%20musculature%20and%20ligaments%203>.
26. Yan MZ, Yuen W sze, Yeung S ching, Wing-yin CW, Wong SC ying, Si-qi WW, dkk. Operative management of midshaft clavicle fractures demonstrates better long-term outcomes: A systematic review and meta-analysis of randomised controlled trials. Farouk O, editor. *PLOS ONE.* 29 April 2022;17(4):e0267861.
27. Sharma V, Modi A, Armstrong A, Pandey R, Sharma D, Singh H. The Management of Distal Clavicle Fractures – A Survey of UK Shoulder and Elbow Surgeons. *Cureus* [Internet]. 19 Agustus 2021 [dikutip 14 Desember 2024]; Tersedia pada: <https://www.cureus.com/articles/67360-the->

management-of-distal-clavicle-fractures---a-survey-of-uk-shoulder-and- elbow-
surgeons

28. Panagopoulos A, Solou K, Tatani I, Triantafyllopoulos IK, Lakoumentas J, Kouzelis A, dkk. What is the optimal surgical treatment for Neer type IIB (IIC) distal clavicle fractures? A systematic review and meta-analysis. *J Orthop Surg*. Desember 2022;17(1):215.
29. Wolf S, Chitnis AS, Manoranjith A, Vanderkarr M, Plaza JQ, Gador LV, dkk. Surgical treatment, complications, reoperations, and healthcare costs among patients with clavicle fracture in England. *BMC Musculoskelet Disord*. Desember 2022;23(1):135.
30. Wu K, Su X, Roche SJL, Held MFG, Yang H, Dunn RN, dkk. Relationship between the lateral acromion angle and postoperative persistent pain of distal clavicle fracture treated with clavicle hook plate. *J Orthop Surg*. Desember 2020;15(1):217.
31. Tedeschi R. "Case report: Integrating aerobic activity in post-surgical management of plurifragmentary distal clavicle fractures - A holistic approach to pain modulation and recovery." *Int J Surg Case Rep*. Desember 2023;113:109024.
32. Sigirtmac IC, Oksuz C. Systematic review of the quality of the cross-cultural adaptations of Disabilities of the Arm, Shoulder and Hand (DASH): Systematic Review of the Cross-Cultural Adaptations of DASH. *Med Lav Work Environ Health*. 26 Agustus 2021;112(4):279–91.
33. Sumarwoto T, Hadinoto SA, Pradhana AI. Functional outcome by evaluation of DASH score on drop hand patient trated with Jones'Tendon Transfer: A retrospective study. *JOINTS*. 2021; 10(2): 39-45.
34. Omar MTA, Alnahdi AH, Al Dhwayan N, Khayat S, Gwada RFM. Reliability and Validity of the Arabic Version of Shortened Disabilities of the Arm, Shoulder, and Hand Questionnaire (Quick-DASH) in Breast Cancer Survivors. *J Disabil Res [Internet]*. 24 Mei 2024 [dikutip 14 Desember 2024];3(5). Tersedia pada: <https://scienceopen.com/hosted-document?doi=10.57197/JDR-2024-0056>
35. Valsamis EM, Beard D, Carr A, Collins GS, Brealey S, Rangan A, dkk.

Mapping the Oxford Shoulder Score onto the EQ-5D utility index. *Qual Life Res.* Februari 2023;32(2):507–18.

36. Oxford Shoulder Score (2020). Diakses dari www.orthopaedicscores.com
37. Deviadri R, Daud A, Aminata IW, Octarina P, Mecca ND, Van Der Veen HC, dkk. Translation, cross-cultural adaptation, validity, and reliability of the Indonesian version of the Oxford Shoulder Score for patients with shoulder pain. *JSES Int.* November 2024;8(6):1268–74.
38. Maheshwari P, Peshin C, Agarwal D. Functional Outcomes in Surgically Treated Clavicle Fractures: A Longitudinal Observational Study. *Cureus* [Internet]. 31 Oktober 2023 [dikutip 14 Desember 2024]; Tersedia pada: <https://www.cureus.com/articles/187060-functional-outcomes-in-surgically-treated-clavicle-fractures-a-longitudinal-observational-study>
39. Fosse M, Camporese A. Operative treatment of acute acromioclavicular joint dislocations graded Rockwood III-V: a retrospective and comparative study between three different surgical techniques. *Acta Biomed Atenei Parm.* 5 November 2021;92(5):e2021325.
40. Komura S, Hirakawa A, Masuda T, Nohara M, Kimura A, Matsushita Y, dkk. Chronological changes in surgical outcomes after trapeziectomy with ligament reconstruction and tendon interposition arthroplasty for thumb carpometacarpal osteoarthritis. *Orthop Traumatol Surg Res.* April 2020;106(2):357–64.
41. Mendes Junior AF, Mota Neto JD, Oppe IG, De Simoni LF, Giordano V, Labronici PJ. Tratamento cirúrgico da fratura multifragmentada da diáfise da clavícula pela técnica minimamente invasiva: Descrição e resultados preliminares. *Rev Bras Ortop.* Agustus 2021;56(04):490–6.
42. Tutuhaturnewa ED, Stevens M, Dams OC, Van Son J, Louhanepessy RD, Krabbe PFM, dkk. Exploring patient satisfaction after operative and nonoperative treatment for midshaft clavicle fractures: a focus group analysis. *BMC Musculoskelet Disord.* Desember 2020;21(1):560.
43. Morgan RJ, Bankston LS Jr, Hoenig MP, Connor PM. Evolving management of middle-third clavicle fractures in the National Football League. *Am J Sports Med.* 2010;38(10):2092–2096. doi:10.1177/0363546510372795

44. Twomey-Kozak J, Whitlock KG, O'Donnell JA, Klifto CS, Anakwenze O. Epidemiology of Sports-Related Clavicle Fractures in the United States: Injuries From 2015 to 2019. *Orthop J Sports Med.* 2022;10(10):23259671221126553. Published 2022 Oct 20. doi:10.1177/23259671221126553
45. Kihlström C, Möller M, Lönn K, Wolf O. Clavicle fractures: epidemiology, classification and treatment of 2 422 fractures in the Swedish Fracture Register; an observational study. *BMC Musculoskelet Disord.* 2017;18(1):82. Published 2017 Feb 15. doi:10.1186/s12891-017-1444-1
46. Liu S, Liu B, Chang H, Chen W, Zhu Y, Zhang Y. Age- and gender-specific characteristics of the clavicular fractures, data from 83 hospitals in China. *Int J Clin Exp Med* 2017;10(8):12165-12171
47. Tryggedsson I, Viberg B, Gundtoft PH, Ban I, Overgaard S, Maleitzke T, et al. Increasing incidences and changes in treatment trends of clavicle fractures in adults during 2 decades in Denmark: a nationwide study on data from the Danish National Patient Registry. *ActaO [Internet].* 2025 Jan. 28 [cited 2025 May 7];96:135–141. Available from: <https://actaorthop.org/actao/article/view/43000>
48. Teodoro Ezequiel Guerra M, Isabel Pozzi M, Busin G, Crestana Zanetti L, Antônio Lazzarotto Terra Lopes J, Orso V. Densitometric study of the clavicle: bone mineral density explains the laterality of the fractures. *Rev Bras Ortop.* 2014;49(5):468-472. Published 2014 Jul 16. doi:10.1016/j.rboe.2014.07.002
49. Vaishya R, Vijay V, Khanna V. Outcome of distal end clavicle fractures treated with locking plates. *Chin J Traumatol.* 2017;20(1):45-48. doi:10.1016/j.cjtee.2016.05.003
50. Kachooei AR, Moradi A, Janssen SJ, Ring D. The influence of dominant limb involvement on DASH and QuickDASH. *Hand (N Y).* 2015;10(3):512-515. doi:10.1007/s11552-014-9734-7
51. Robertson GA, Wood AM. Return to sport following clavicle fractures: a systematic review. *Br Med Bull.* 2016;119(1):111-128. doi:10.1093/bmb/ldw029

52. Kang LX, Faulkner HJ, Howard WH, Low AK. Displaced medial clavicle fractures: a systematic review of outcomes after nonoperative and operative management. *JSES Int.* 2022;7(1):79-85. Published 2022 Oct 15. doi:10.1016/j.jseint.2022.09.010
53. Karuppaiah K, Bilal A, Colegate-Stone T, Sinha J, Tahmassebi R, Tavakkolizadeh A. Outcome following management of unstable lateral end clavicle fractures with locking plate and coracoid anchor augmentation. *ShoulderElbow.* 2022;14(2):181-188. doi:10.1177/1758573220981708
54. Ban I, Branner U, Holck K, Krasheninnikoff M, Troelsen A. Clavicle fractures may be conservatively treated with acceptable results - a systematic review. *Dan Med J.* 2012;59(7):A4457.
55. Wani MA, Ganaie MA, Ul islam N, Rasool A, Dar NA. Functional results of clavicle fractures in adults treated by open reduction and internal fixation using superior precontoured plate. *Int Surg J* 2019;6:2484-90.

