

## DAFTAR PUSTAKA


- [1] F. Chegdani, S. Mezghani, and M. El Mansori, “Fiber type effect on tribological behavior when cutting natural fiber reinforced plastics,” *Wear*, vol. 332–333, pp. 772–779, 2015.
- [2] F. Daniel *et al.*, *Wood Thermoplastic Composites Chapter 13*. 2005.
- [3] M. Alexander, Figliolini, A. Leif, and Carlsson, “Mechanical Properties of Carbon Fiber/Vinylester Composites Exposed to Marine Environments,” *Florida Atl. Univ.*, vol. 33431, pp. 1561–1569, 2014.
- [4] D. Chandra, R. Mulia, and D. Gasni, “Pengaruh Fraksi Massa Serat Terhadap Kekuatan Fatik Material Komposit Berpenguat Serat Tandan Kosong Kelapa Sawit,” *Sist. Mek. dan Termal*, vol. 02, pp. 61–69, 2018.
- [5] R. A. Poillucci, “Reducing use of styrene monomer in unsaturated polyester resins,” *Turi*, no. 74, pp. 1–4, 2013.
- [6] S. He, Y. Qian, K. Liu, C. W. Macosko, and A. Stein, “Effects of Inorganic Fillers on Toughening of Vinyl Ester Resins by Modified Graphene Oxide Effects of Inorganic Fillers on Toughening of Vinyl Ester Resins by Modified Graphene Oxide,” *Mater. Interfaces*, pp. 2–29, 2018.
- [7] Y. Macabu *et al.*, “Mechanical behavior of mallow fabric reinforced polyester matrix composites,” *Integr. Med. Res.*, pp. 2–6, 2018.
- [8] S. K. Yadav, K. M. Schmalbach, E. Kinaci, J. F. Stanzione, and G. R. Palmese, “Recent advances in plant-based vinyl ester resins and reactive diluents,” *Eur. Polym.*, pp. 2–9, 2017.
- [9] K. N. E. Verghese, N. S. Broyles, J. J. Lesko, R. M. Davis, and J. S. Riffle, “Pultruded Carbon Fiber/Vinyl Ester Composites Processed with Different Fiber Sizing Agents,” *Mater. Civ. Eng.*, pp. 334–342, 2005.
- [10] V. P. Reyes, M. M. Bustamante, and A. M. Rebledo, “Effect of Crosslinking of Alginato/pva and Chitosan/pva, Reinforce With Cellulose Nanoparticles Obtained From Agave Atrovirens Karw,” in *Procedia Engineering*, 2017, vol. 200, pp. 434–439.
- [11] H. Tabatabai, M. Janbaz, and A. Nabizadeh, “Mechanical and thermo-gravimetric properties of unsaturated polyester resin blended with FGD gypsum,” *Constr. Build. Mater.*, vol. 163, pp. 438–445, 2018.
- [12] M. I. Reddy, U. R. P. Varma, I. A. Kumar, V. Manikanth, and P. V. K. Raju, “Comparative Evaluation on Mechanical Properties of Jute, Pineapple leaf fiber and

Glass fiber Reinforced Composites with Polyester and Epoxy Resin Matrices,” in *Proceedings Materials Today*, 2018, vol. 5, no. 2, pp. 5649–5654.

- [13] H. Abral, H. Putra, S. M. Sapuan, and M. R. Ishak, “Effect of Alkalization on Mechanical Properties of Water Hyacinth Fibers-Unsaturated Polyester Composites,” *Polym. Plast. Technol. Eng.*, pp. 37–41, 2013.
- [14] H. Ardiyanata, F. D. Puspadewa, S. T. Wicaksono, Widayastuti, A. T. Wibisono, and B. A. Kurniawan, “Mechanical and Thermal Properties of Unsaturated Polyester/Vinyl Ester Blends Cured at Room Temperature,” *IOP Conf.Series*, pp. 1757–899, 2017.
- [15] D. Saurab and B. G. Keerthi, “An Experimental Study on Mechanical properties of Banana Polyester Composite,” in *Proceedings Materials Today*;, 2017, vol. 4, no. 8, pp. 7592–7598.
- [16] P. H. Sankar, Y. Venkata, M. Reddy, and K. H. Reddy, “Polyester/Vinylester Polymer Hybrid Blended Nanocomposites : Effect of Nano on Mechanical and Thermal Properties,” *Fibers Polim.*, vol. 16, no. 2, pp. 443–448, 2015.
- [17] A. M. Atta, M. E. Abdel-raouf, and S. M. Elsaed, “Mechanical Characterization and Chemical Resistances of Cured Unsaturated Polyester Resins Modified with Vinyl Ester Resins Based on Recycled Poly(ethylene terephthalate),” *Appl. Polim.*, vol. 103, pp. 3175–3182, 2007.
- [18] A. Vahid and A. Aghili, “Graphene Oxide/Vinyl Ester Resin Nanocomposite:The Effect of Graphene Oxide, Curing Kinetics, Modeling, Mechanical properties and Thermal Stability.,” *RSC Adv. Iran*, pp. 2–38.
- [19] J. George, M. S. Sreekala, S. Thomas, J. George, M. S. Sreekala, and S. Thomas, “A Review on Interface Modification and Characterization of Natural Fiber Reinforced Plastic Composites,” *Polym. Eng. Sci.*, vol. 41, no. 9, pp. 1471–1485, 2001.
  
- [20] D. Klemm, D. Schumann, U. Udhhardt, and S. Marsch, “Bacterial synthesized cellulose artificial blood vessels for microsurgery,” *Prog. Polymrnal*, vol. 26, pp. 1562–1603, 2001.
- [21] B. Astrom, *Polymer Composites*, 1th ed. London, 1997.
- [22] B. D. Agarwal, L. J. Broutman, and K. Chandrashekara, *Analysis and Performance Of Fiber Composites*. USA, 2015.
- [23] Z. Guo, S. Wei, B. Shedd, R. Scuffaro, and H. T. Hahn, “Particle surface engineering effect on the mechanical, optical and photoluminescent properties of ZnO/vinylester

resin nanocomposites," *Mater. Chem.*, pp. 806–813, 2007.

- [24] A. Zquez, P. Viviana, Cyras, V. Claudia, M. Jose, and Kenny, "Effect of Chemical Treatment on the Mechanical Properties of Starch-based," *Compos. Mater.*, vol. 38, no. 16, pp. 1387–1399, 2015.
- [25] Kalpakjian Serope and S. R.schmid, *Manufacturing Engineering and Technology*, 4th ed. Pearson, 2004.
- [26] P. X. Ma, "Biomimetic materials for tissue engineering," *PMC*, vol. 60, pp. 184–198, 2008.
- [27] J. William D. Callister and D. G. Rethwisch, *Material Science and Engineering*, 9th ed. Wiley, 2014.
- [28] S. Dev, S. K. Kurmvanshi, S. Mohanty, and S. K. Nayak, "Effect of polyester polyol chain length on the properties of transparent poly (ester-urethane-acrylate)/MMA copolymer for optical applications," *Int. J. Adhes. Adhes.*, vol. 77, pp. 164–173, 2017.
- [29] T. M. Citra and Astuti, "Sintetis dan Karakterisasi Sifat Mekanik Serta Struktur Mikro Komposit resin Yang Diperkuat Serat Daun Pandan Alas," *Fis. Unand*, vol. 3, no. 1, pp. 41–47, 2014.
- [30] W. Gilman, T. Kashiwagi, M. Nyden, and L. Jacson, *Flammability Studies of Polymer Layered Silicates Nanocomposites:Polyolefin, EVOO and Vinyl Ester Resins*, Chaper 14. USA, 1999.



- [31] D. D. J. Rousseaux, M. Sclavons, P. Godard, and J. Marchand-brynaert, "Carboxlate Clays: A Model Study For Polypropylene/Clay nanocomposites," *J. Polym. Degrad. Stab.*, vol. 95, no. 7, pp. 1194–1204, 2010.
- [32] J. S. Arrieta, E. Richaud, B. Fayolle, and F. Nizeyimana, "Thermal oxidation of vinyl ester and unsaturated polyester resins," *Polym. Degrad. Stab.*, pp. 1–32, 2016.
- [33] E. John, McAlvin, A. Daniel, and Oakley, *Unsaturated Polyester Resin Compositions With Improved Weatherability*, vol. 2, no. 12. United States Patent, 2012.
- [34] O. Gryshchuk and J. Karger, "Influence of the Type of Epoxy Hardener on the Structure and Properties of Interpenetrated Vinyl Ester/Epoxy Resins," *Germany*, no. May, pp. 5471–5481, 2004.
- [35] S. Naheed, T. M. Paridah, and J. Mohammad, "A Review on Potentiality of Nano Filler/Natural Fiber Filled Polymer Hybrid Composites," *Compos. Polym. Hybrid*, pp.

2247–2273, 2014.

- [36] L. B. Sang and T. Rockett, “Interactions of water with unsaturated polyester, vinyl ester and acrylic resins,” *Polymer (Guildf.)*, vol. 33, no. 17, pp. 3691–3697, 1992.
- [37] A. Tu, M. Tano, and K. Schulte, “Tensile mechanical behavior and fracture toughness of MWCNT and DWCNT modified vinylester/polyester hybrid nanocomposites produced by 3-roll milling,” *Mater. Sci. Eng.*, vol. 523, pp. 85–92, 2009.
- [38] U. Javaid, Z. M. Khan, M. B. Khan, M. Bassyouni, and S. W. Hasan, “Fabrication and thermo-mechanical characterization of glass fiber/vinyl ester wind turbine rotor blade,” *Compos. Part B*, pp. 2–6, 2016.
- [39] A. T. Seyhan, F. H. Gojny, M. Tanog, and K. Schulte, “Polymer Rheological and dynamic-mechanical behavior of carbon nanotube/vinyl ester-polyester suspensions and their nanocomposites,” *Mater. Res.*, vol. 43, pp. 2836–2847, 2007.

- [40] L. A. Ribeiro, E. N. Ito, A. Senador, S. Filho, C. S. Filho, and S. Filho, “Rheological and Mechanical Characterization of Poly (methyl methacrylate)/silica (PMMA/SiO<sub>2</sub>) Composites,” *Mater. Reserch*, vol. 17, no. 4, pp. 926–932, 2014.
- [41] D. Wahyuni and S. R. Dew, “Penelitian pembuatan polimetil metakrilat (pmma),” *Pus. Peneliti Teknol. Dirgant. Terap.*, pp. 22–31, 2010.
- [42] Y. Seng, C. Kim, and G. Bee, “Unsaturated polyester resin blended with MMA as potential host matrix for luminescent solar concentrator,” *Renew. Energy*, vol. 45, pp. 156–162, 2012.
- [43] M. Muhajir, M. A. Mizar, and D. A. Sudjimat, “Analisis Kekuatan Tarik Bahan Komposit Matrik Resin,” *UM*, vol. 24, no. 2, pp. 1–8, 2016.
- [44] A. E. Purkuncoro, “Analisis Pengaruh Penggunaan NaOH 5% Pada Serat Pelepas Pisang dengan Fraksi Volume 40%, 50% dan 60% Terhadap Kekuatan Mekanis,” *Tek. Mesin UNISKA*, vol. 03, no. 02, pp. 46–57, 2018.
- [45] H. Abral, G. J. Putra, M. Asrofi, J. Park, and H. Kim, “Effect of Vibration Duration of High Ultrasound Applied to Bio-composite While Gelatinized on its Properties,” *Ultrason. - Sonochemistry*, 2017.
- [46] P. Materials, E. I. Materials, P. Matrix, C. Materials, and P. Specimens, *Standard Test Method for Tensile Properties of Plastics 1*. 2004.
- [47] T. Molding and E. Materials, *Standard Test Methods for Determining the Izod Pendulum Impact Resistance of*. 2004.

- [48] L. Segal, J. J. Creely, and M. Conrad, “Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer,” *Text. Res. J.*, pp. 786–794, 1958.
- [49] W. F. Schroeder, J. Borrajo, and M. I. Aranguren, “Poly (methyl methacrylate) Modified Vinyl Ester Thermosets:Morphology, Volume Shrinkage and Mechanical Properties,” *wiley*, pp. 4008–4017, 2007.
- [50] M. T. Albdiry and B. F. Yousif, “Toughening of brittle polyester with functionalized halloysite nanocomposites,” *Compos. Part B*, vol. 160, no. August 2018, pp. 94–109, 2019.
- [51] H. Abral, A. S. Anugrah, F. Hafizulhaq, E. Sugiarti, and A. N. Muslimin, “Effect Of Nanofiber Fraction On Propertis Of The Starch Based Biocomposite Prepared In Varios Ultrasonic Power,” *Food Hidrocoll*, 2018.
- [52] Alswat, A. Abdullah, M. Bin A. Ahmad, Z. Hussein, Ibrahim, and N. Azowa, “Copper oxide nanoparticles-loaded zeolite and its characteristics and antibacterial activities,” *Mater. Sci. Technol.*, 2017.
- [53] H. Abral, V. Lawrensius, D. Handayani, and E. Sugiarti, “Preparation of nano-sized particles from bacterial cellulose using ultrasonication and their characterization,” *Carbohydr. Polym.*, vol. 191, no. February, pp. 161–167, 2018.
- [54] S. M. Razavi, N. Dehghanpour, S. J. Ahmadi, and M. R. Hamaneh, “Thermal, mechanical and corrosion resistance properties of vinyl ester/clay nanocomposites for the matrix of carbon fiber-reinforced composites exposed to electron beam,” *Appl. Polim.*, vol. 42393, pp. 1–8, 2015.
- [55] P. H. Sankar, Y. Venkata, M. Reddy, and K. H. Reddy, “Polyester/Vinylester Polymer Hybrid Blended Nanocomposites:Effect of Nano on Mechanical and Thermal Properties,” *Fiber Polym.*, vol. 16, no. 2, pp. 443–444, 2015.