

DAFTAR PUSTAKA

- [1] I. F. U. Muzayanah, H. H. Lean, D. Hartono, K. D. Indraswari, and R. Partama, "Population density and energy consumption: A study in Indonesian provinces," *Heliyon*, vol. 8, no. 9, Sep. 2022, doi: 10.1016/j.heliyon.2022.e10634.
- [2] J. Wang and W. Azam, "Natural resource scarcity, fossil fuel energy consumption, and total greenhouse gas emissions in top emitting countries," *Geoscience Frontiers*, vol. 15, no. 2, Mar. 2024, doi: 10.1016/j.gsf.2023.101757.
- [3] Çelik Ö., Tan A., Inci M., and Teke A., "Improvement of energy harvesting capability in grid-connected photovoltaic micro-inverters," *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, pp. 1–25, 2020, doi: 10.1080/15567036.2020.1755389.
- [4] D. Al-Majidi S., F Abbod M., and S. Al-Raweshidy H., "Design of an efficient maximum power point tracker based on ANFIS using an experimental photovoltaic system data," *Electronics (Basel)*, vol. 8, no. 858, pp. 1–20, 2019, doi: 10.3390/electronics8080858.
- [5] Trujillo C. L., Santamaría F., and Gaona E. E., "Modeling and testing of two-stage grid-connected photovoltaic micro-inverters," *Renew Energy*, vol. 99, pp. 533–542, 2016, doi: 10.1016/j.renene.2016.07.011.
- [6] Ranjan Jha R., Chandra Srivastava S., and Kumar M., "Development of control schemes for a cluster of PV-integrated houses in islanded mode," *IET Renewable Power Generation*, vol. 11, no. 7, pp. 903–911, 2017, doi: 10.1049/iet-rpg.2016.0048.
- [7] S. Padmanaban, N. Priyadarshi, M. S. Bhaskar, J. B. Holm-Nielsen, V. K. Ramachandaramurthy, and E. Hossain, "A hybrid ANFIS-ABC based MPPT controller for PV system with anti-islanding grid protection: experimental realization," *IEEE Access*, vol. 7, pp. 103377–103389, 2019, doi: 10.1109/ACCESS.2019.2931547.
- [8] R. Hasan, S. Mekhilef, M. Seyedmahmoudian, and B. Horan, "Grid-connected isolated PV microinverters: A review," 2017. doi: 10.1016/j.rser.2016.09.082.
- [9] N. Kumar, I. Hussain, B. Singh, and B. K. Panigrahi, "MPPT in Dynamic Condition of Partially Shaded PV System by Using WODE Technique," *IEEE Trans Sustain Energy*, vol. 8, no. 3, 2017, doi: 10.1109/TSTE.2017.2669525.
- [10] A. T. Lobar and P. K. Katti, "Double stage micro-inverter for solar rooftop system," in *Proceedings of IEEE International Conference on Circuit, Power and Computing Technologies, ICCPCT 2017*, 2017. doi: 10.1109/ICCPCT.2017.8074193.
- [11] H. A. Sher, K. E. Addoweesh, and K. Al-Haddad, "An Efficient and Cost-Effective Hybrid MPPT Method for a Photovoltaic Flyback Microinverter," *IEEE Trans Sustain Energy*, vol. 9, no. 3, 2018, doi: 10.1109/TSTE.2017.2771439.
- [12] Y. A. and C. K. H. T. Chen, "A Review of building-integrated photovoltaics in singapore: status, barriers, and prospects," *Sustainability*, vol. 14, pp. 1–25, 2022, doi: 10.3390/su141610160.
- [13] W. J. Choi, H. J. Joo, J. W. Park, S. K. Kim, and J. B. Lee, "Power generation performance of building-integrated photovoltaic systems in a zero energy building," *Energies (Basel)*, vol. 12, no. 13, 2019, doi: 10.3390/en12132471.

- [14] T. E. Kuhn, C. Erban, M. Heinrich, J. Eisenlohr, F. Ensslen, and D. H. Neuhaus, "Review of technological design options for building integrated photovoltaics (BIPV)," 2021. doi: 10.1016/j.enbuild.2020.110381.
- [15] M. K. Basher, M. Nur-E-Alam, M. M. Rahman, S. Hinckley, and K. Alameh, "Design, Development, and Characterization of Highly Efficient Colored Photovoltaic Module for Sustainable Buildings Applications," *Sustainability*, vol. 14, no. 4278, pp. 1–11, 2022.
- [16] K. Liu, B. Zhu, and J. Chen, "Low-carbon design path of building integrated photovoltaics: A comparative study based on green building rating systems," *Buildings*, vol. 11, no. 10, 2021, doi: 10.3390/buildings11100469.
- [17] C. Good, I. Andresen, and A. G. Hestnes, "Solar energy for net zero energy buildings - A comparison between solar thermal, PV and photovoltaic-thermal (PV/T) systems," *Solar Energy*, vol. 122, 2015, doi: 10.1016/j.solener.2015.10.013.
- [18] A. Tolulope Olusegun, A. Zainab Adebukola, D. I. Henry, O. P. Olabisi, and O. B. Moses, "Comparative Analysis of Two Direct MPPT Methods Used for Tracking Maximum Power Points in a Photovoltaic System," *World Sci News*, vol. 131, pp. 123–146, 2019, [Online]. Available: www.worldscientificnews.com
- [19] S. Necaibia, M. S. Kelaiaia, H. Labar, A. Necaibia, and E. D. Castronuovo, "Enhanced auto-scaling incremental conductance MPPT method, implemented on low-cost microcontroller and SEPIC converter," *Solar Energy*, vol. 180, pp. 152–168, Mar. 2019, doi: 10.1016/j.solener.2019.01.028.
- [20] D. Xiao and T. Liu, "Optimized photovoltaic system for improved electricity conversion," *International Journal of Low-Carbon Technologies*, vol. 17, pp. 456–461, 2022, doi: 10.1093/ijlct/ctab103.
- [21] P. R. Kareem, "Simulation of the Incremental Conductance Algorithm for Maximum Power Point Tracking of Photovoltaic System Based On Matlab," *DJES*, vol. 12, no. 1, pp. 34–43, Mar. 2019, doi: 10.24237/djes.2019.12105.
- [22] F. Shaik, S. S. Lingala, and P. Veeraboina, "Effect of various parameters on the performance of solar PV power plant: a review and the experimental study," *Sustainable Energy Research*, vol. 10, no. 1, Apr. 2023, doi: 10.1186/s40807-023-00076-x.
- [23] E. D. Chepp and A. Krenzinger, "A methodology for prediction and assessment of shading on PV systems," *Solar Energy*, vol. 216, pp. 537–550, Mar. 2021, doi: 10.1016/j.solener.2021.01.002.
- [24] R. V. Mahto, D. K. Sharma, D. X. Xavier, and R. N. Raghavan, "Improving performance of photovoltaic panel by reconfigurability in partial shading condition," *J Photonics Energy*, vol. 10, no. 04, 2020, doi: 10.1117/1.jpe.10.042004.
- [25] Asnil, Krismadinata, I. Husnaini, and E. Astrid, "Characteristics of Photovoltaic Modules in Various Configurations for Shading Conditions," *J Theor Appl Inf Technol*, vol. 99, no. 22, pp. 5287–5299, 2021, [Online]. Available: www.jatit.org
- [26] K. S. Awan, T. Mahmood, M. Shorfuzzaman, R. Ali, and R. M. Mehmood, "A Machine Learning Based Algorithm to Process Partial Shading Effects in PV Arrays," *Computers, Materials and Continua*, vol. 68, no. 1, pp. 29–43, Mar. 2021, doi: 10.32604/cmc.2021.014824.
- [27] C. González-Castaño, C. Restrepo, J. Revelo-Fuelagán, L. L. Lorente-Leyva, and D. H. Peluffo-Ordóñez, "A fast-tracking hybrid mppt based on surface-based polynomial fitting and p&o methods for solar pv under partial shaded conditions," *Mathematics*, vol. 9, no. 21, pp. 1–23, Nov. 2021, doi: 10.3390/math9212732.

- [28] A. M. Eltamaly, M. S. Al-Saud, and A. G. Abokhalil, "A novel bat algorithm strategy for maximum power point tracker of photovoltaic energy systems under dynamic partial shading," *IEEE Access*, vol. 8, 2020, doi: 10.1109/ACCESS.2020.2964759.
- [29] M. Joisher, D. Singh, S. Taheri, D. R. Espinoza-Trejo, E. Pouresmaeil, and H. Taheri, "A Hybrid Evolutionary-Based MPPT for Photovoltaic Systems under Partial Shading Conditions," *IEEE Access*, vol. 8, pp. 38481–38492, 2020, doi: 10.1109/ACCESS.2020.2975742.
- [30] K. Yadav, B. Kumar, and D. Swaroop, "Mitigation of Mismatch Power Losses of PV Array under Partial Shading Condition using novel Odd Even Configuration," *Energy Reports*, vol. 6, pp. 427–437, Nov. 2020, doi: 10.1016/j.egyr.2020.01.012.
- [31] V. K. Yadav *et al.*, "A novel reconfiguration technique for improvement of PV reliability," *Renew Energy*, vol. 182, 2022, doi: 10.1016/j.renene.2021.10.043.
- [32] H. Hanifi, M. Pander, B. Jaeckel, J. Schneider, A. Bakhtiari, and W. Maier, "A novel electrical approach to protect PV modules under various partial shading situations," *Solar Energy*, vol. 193, 2019, doi: 10.1016/j.solener.2019.10.035.
- [33] P. Singh, "Analyse the Effects of Partial Shading Conditions on Solar Photovoltaic Panels," *Int J Res Appl Sci Eng Technol*, vol. 9, no. VI, 2021, doi: 10.22214/ijraset.2021.35972.
- [34] G. M. Madhu, C. Vyjayanthi, and C. N. Modi, "Investigation on Effect of Irradiance Change in Maximum Power Extraction from PV Array Interconnection Schemes during Partial Shading Conditions," *IEEE Access*, vol. 9, 2021, doi: 10.1109/ACCESS.2021.3095354.
- [35] S. R. Pendem and S. Mikkili, "Modeling, simulation and performance analysis of solar PV array configurations (Series, Series–Parallel and Honey-Comb) to extract maximum power under Partial Shading Conditions," *Energy Reports*, vol. 4, pp. 274–287, Nov. 2018, doi: 10.1016/j.egyr.2018.03.003.
- [36] G. Sai Krishna and T. Moger, "Improved SuDoKu reconfiguration technique for total-cross-tied PV array to enhance maximum power under partial shading conditions," *Renewable and Sustainable Energy Reviews*, vol. 109, pp. 333–348, Jul. 2019, doi: 10.1016/j.rser.2019.04.037.
- [37] S. R. Pendem and S. Mikkili, "Modelling and performance assessment of PV array topologies under partial shading conditions to mitigate the mismatching power losses," *Solar Energy*, vol. 160, pp. 303–321, 2018, doi: 10.1016/j.solener.2017.12.010.
- [38] P. R. Satpathy and R. Sharma, "Power and mismatch losses mitigation by a fixed electrical reconfiguration technique for partially shaded photovoltaic arrays," *Energy Convers Manag*, vol. 192, pp. 52–70, Jul. 2019, doi: 10.1016/j.enconman.2019.04.039.
- [39] I. Nasiruddin, S. Khatoon, M. F. Jalil, and R. C. Bansal, "Shade diffusion of partial shaded PV array by using odd-even structure," *Solar Energy*, vol. 181, pp. 519–529, Mar. 2019, doi: 10.1016/j.solener.2019.01.076.
- [40] G. S. Krishna and T. Moger, "Enhancement of maximum power output through reconfiguration techniques under non-uniform irradiance conditions," *Energy*, vol. 187, Nov. 2019, doi: 10.1016/j.energy.2019.115917.
- [41] O. Bingöl and B. Özkaya, "Analysis and comparison of different PV array configurations under partial shading conditions," *Solar Energy*, vol. 160, pp. 336–343, Jan. 2018, doi: 10.1016/j.solener.2017.12.004.

- [42] Y. P. Huang, X. Chen, and C. E. Ye, "Implementation of a modified circuit reconfiguration strategy in high concentration photovoltaic modules under partial shading conditions," *Solar Energy*, vol. 194, pp. 628–648, Dec. 2019, doi: 10.1016/j.solener.2019.10.038.
- [43] G. Sai Krishna and T. Moger, "A novel adaptive dynamic photovoltaic reconfiguration system to mitigate mismatch effects," *Renewable and Sustainable Energy Reviews*, vol. 141, May 2021, doi: 10.1016/j.rser.2021.110754.
- [44] M. Caruso *et al.*, "Comparison between Different Dynamic Reconfigurations of Electrical Connections for partially shaded PV Modules," in *6th IEEE International Conference on Smart Grid*, 2018, pp. 220–227.
- [45] P. Livreri, M. Caruso, V. Castiglia, F. Pellitteri, and G. Schettino, "Dynamic Reconfiguration of Electrical Connections for partially shaded PV Modules: Technical and Economical Performances of an Arduino-based Prototype," 2018.
- [46] A. A. Elsayed, E. E. Khalil, M. A. Kassem, and O. A. Huzzayin, "A novel mechanical solar tracking mechanism with single axis of tracking for developing countries," *Renew Energy*, vol. 170, pp. 1129–1142, Jun. 2021, doi: 10.1016/j.renene.2021.02.058.
- [47] Y. Zhu, J. Liu, and X. Yang, "Design and performance analysis of a solar tracking system with a novel single-axis tracking structure to maximize energy collection," *Appl Energy*, vol. 264, Apr. 2020, doi: 10.1016/j.apenergy.2020.114647.
- [48] U. Mamodiya and N. Tiwari, "Design and implementation of an intelligent single axis automatic solar tracking system," in *Material Today: Proceedings*, Editura Academiei Romane, Oct. 2021, pp. 1–4. doi: 10.1016/j.matpr.2021.04.428.
- [49] P. Munanga, S. Chinguwa, and W. R. Nyemba, "Design for manufacture and assembly of an intelligent single axis solar tracking system," in *Procedia CIRP*, Elsevier B.V., 2020, pp. 571–576. doi: 10.1016/j.procir.2020.03.109.
- [50] J. G. Lasso, D. Castelo Branco, A. Magrini, and D. Matos, "Environmental life cycle-based analysis of fixed and single-axis tracking systems for photovoltaic power plants: A case study in Brazil," *Clean Eng Technol*, vol. 11, Dec. 2022, doi: 10.1016/j.clet.2022.100586.
- [51] A. N. Vargas, G. R. Francisco, M. A. F. Montezuma, L. P. Sampaio, and L. Acho, "Low-cost dual-axis solar tracker with photovoltaic energy processing for education," *Sustainable Energy Technologies and Assessments*, vol. 53, Oct. 2022, doi: 10.1016/j.seta.2022.102542.
- [52] C. H. Wu, H. C. Wang, and H. Y. Chang, "Dual-axis solar tracker with satellite compass and inclinometer for automatic positioning and tracking," *Energy for Sustainable Development*, vol. 66, pp. 308–318, Feb. 2022, doi: 10.1016/j.esd.2021.12.013.
- [53] Asnil A., Krismadinata K., Husnaini I., and Astrid E., "Design and performance of dual axis solar tracker based on light sensors to maximize the photovoltaic energy output," *J Theor Appl Inf Technol*, vol. 100, no. 22, pp. 6554–6564, 2022, [Online]. Available: www.jatit.org
- [54] C. Jamroen, P. Komkum, S. Kohsri, W. Himananto, S. Panupintu, and S. Unkat, "A low-cost dual-axis solar tracking system based on digital logic design: Design and implementation," *Sustainable Energy Technologies and Assessments*, vol. 37, Feb. 2020, doi: 10.1016/j.seta.2019.100618.
- [55] C. Jamroen, C. Fongkerd, W. Krongpha, P. Komkum, A. Pirayawaraporn, and N. Chindakham, "A novel UV sensor-based dual-axis solar tracking system:

- Implementation and performance analysis,” *Appl Energy*, vol. 299, Oct. 2021, doi: 10.1016/j.apenergy.2021.117295.
- [56] A. M. Eltamaly, H. M. H. Farh, and M. F. Othman, “A novel evaluation index for the photovoltaic maximum power point tracker techniques,” Nov. 01, 2018, *Elsevier Ltd.* doi: 10.1016/j.solener.2018.09.060.
- [57] A. Ali *et al.*, “Investigation of MPPT techniques under uniform and non-uniform solar irradiation condition-a retrospection,” *IEEE Access*, vol. 8, pp. 127368–127392, 2020, doi: 10.1109/ACCESS.2020.3007710.
- [58] L. L. Jiang, R. Srivatsan, and D. L. Maskell, “Computational intelligence techniques for maximum power point tracking in PV systems: A review,” Apr. 01, 2018, *Elsevier Ltd.* doi: 10.1016/j.rser.2018.01.006.
- [59] R. B. Bollipo, S. Mikkili, and P. K. Bonthagorla, “Critical review on PV MPPT techniques: classical, intelligent and optimisation,” *IET Renewable Power Generation*, vol. 14, no. 9, pp. 1433–1452, 2020, doi: 10.1049/iet-rpg.2019.1163.
- [60] W. Li, G. Zhang, T. Pan, Z. Zhang, Y. Geng, and J. Wang, “A Lipschitz optimization-based MPPT algorithm for photovoltaic system under partial shading condition,” *IEEE Access*, vol. 7, pp. 126323–126333, 2019, doi: 10.1109/ACCESS.2019.2939095.
- [61] N. Priyadarshi, S. Padmanaban, P. Kiran Maroti, and A. Sharma, “An Extensive Practical Investigation of FPSO-Based MPPT for Grid Integrated PV System under Variable Operating Conditions with Anti-Islanding Protection,” *IEEE Syst J*, vol. 13, no. 2, pp. 1861–1871, Jun. 2019, doi: 10.1109/JSYST.2018.2817584.
- [62] N. Priyadarshi, S. Padmanaban, J. B. Holm-Nielsen, F. Blaabjerg, and M. S. Bhaskar, “An experimental estimation of hybrid ANFIS-PSO-based MPPT for PV grid integration under fluctuating sun irradiance,” *IEEE Syst J*, vol. 14, no. 1, pp. 1–12, 2020, doi: 10.1109/JSYST.2019.2949083.
- [63] M. H. Nahidan, M. Niroomand, and B. M. Dehkordi, “Power Enhancement under Partial Shading Condition Using a Two-Step Optimal PV Array Reconfiguration,” *International Journal of Photoenergy*, vol. 2021, 2021, doi: 10.1155/2021/8811149.
- [64] V. L. Mishra, Y. K. Chauhan, and K. S. Verma, “A novel PV array reconfiguration approach to mitigate non-uniform irradiation effect,” *Energy Convers Manag*, vol. 265, Aug. 2022, doi: 10.1016/j.enconman.2022.115728.
- [65] S. Sreekantha Reddy and C. Yammani, “A novel Magic-Square puzzle based one-time PV reconfiguration technique to mitigate mismatch power loss under various partial shading conditions,” *Optik (Stuttg)*, vol. 222, Nov. 2020, doi: 10.1016/j.ijleo.2020.165289.
- [66] S. Bana and R. P. Saini, “Experimental investigation on power output of different photovoltaic array configurations under uniform and partial shading scenarios,” *Energy*, vol. 127, pp. 438–453, 2017, doi: 10.1016/j.energy.2017.03.139.
- [67] G. Schettino, F. Pellitteri, G. Ala, R. Miceli, P. Romano, and F. Viola, “Dynamic reconfiguration systems for PV plant: Technical and economic analysis,” *Energies (Basel)*, vol. 13, no. 8, Apr. 2020, doi: 10.3390/en13082004.
- [68] A. Awasthi *et al.*, “Review on sun tracking technology in solar PV system,” *Energy Reports*, vol. 6, pp. 392–405, Nov. 2020, doi: 10.1016/j.egyr.2020.02.004.
- [69] N. Al-Rousan, N. A. M. Isa, and M. K. M. Desa, “Efficient single and dual axis solar tracking system controllers based on adaptive neural fuzzy inference system,” *Journal of King Saud University-Engineering Sciences*, vol. 32, pp. 459–469, 2020.

- [70] N. Naval and J. M. Yusta, "Comparative assessment of different solar tracking systems in the optimal management of PV-operated pumping stations," *Renew Energy*, vol. 200, pp. 931–941, Nov. 2022, doi: 10.1016/j.renene.2022.10.007.
- [71] A. El Hammoumi, S. Chtita, S. Motahhir, and A. El Ghzizal, "Solar PV energy: From material to use, and the most commonly used techniques to maximize the power output of PV systems: A focus on solar trackers and floating solar panels," *Energy Reports*, vol. 8, pp. 11992–12010, Nov. 2022, doi: 10.1016/j.egyr.2022.09.054.
- [72] SPW, "Advantages and disadvantages of a solar tracker system," Solar Power World.
- [73] Mao M., Cui L., Zhang Q., Guo K., Zhou L., and Huang H., "Classification and summarization of solar photovoltaic MPPT techniques: A review based on traditional and intelligent control strategies," *Energy Reports*, vol. 6, pp. 1312–1327, Nov. 2020, doi: 10.1016/j.egyr.2020.05.013.
- [74] L. Bhukya, N. R. Kedika, and S. R. Salkuti, "Enhanced Maximum Power Point Techniques for Solar Photovoltaic System under Uniform Insolation and Partial Shading Conditions: A Review," *Algorithms*, vol. 15, no. 10, Oct. 2022, doi: 10.3390/a15100365.
- [75] A. Ramyar, H. Iman-Eini, and S. Farhangi, "Global Maximum Power Point Tracking Method for Photovoltaic Arrays Under Partial Shading Conditions," *IEEE Transactions on Industrial Electronics*, vol. 64, no. 4, pp. 2855–2864, Apr. 2017, doi: 10.1109/TIE.2016.2632679.
- [76] M. Kermadi *et al.*, "Recent developments of mppt techniques for pv systems under partial shading conditions: A critical review and performance evaluation," *IET Renewable Power Generation*, vol. 14, no. 17, pp. 3401–3417, Dec. 2020, doi: 10.1049/iet-rpg.2020.0454.
- [77] M. J. Abbass, R. Lis, and F. Saleem, "The Maximum Power Point Tracking (MPPT) of a Partially Shaded PV Array for Optimization Using the Antlion Algorithm," *Energies (Basel)*, vol. 16, no. 5, p. 2380, Mar. 2023, doi: 10.3390/en16052380.
- [78] J. Ahmed and Z. Salam, "An Enhanced Adaptive P&O MPPT for Fast and Efficient Tracking Under Varying Environmental Conditions," *IEEE Trans Sustain Energy*, vol. 9, no. 3, pp. 1487–1496, Jul. 2018, doi: 10.1109/TSTE.2018.2791968.
- [79] D. Khodair *et al.*, "Modeling and Simulation of Modified MPPT Techniques under Varying Operating Climatic Conditions," *Energies (Basel)*, vol. 16, no. 1, Jan. 2023, doi: 10.3390/en16010549.
- [80] L. Shang, H. Guo, and W. Zhu, "An improved MPPT control strategy based on incremental conductance algorithm," *Protection and Control of Modern Power Systems*, vol. 5, no. 1, Dec. 2020, doi: 10.1186/s41601-020-00161-z.
- [81] C. G. Villegas-Mier, J. Rodriguez-Resendiz, J. M. Álvarez-Alvarado, H. Rodriguez-Resendiz, A. M. Herrera-Navarro, and O. Rodríguez-Abreo, "Artificial neural networks in mppt algorithms for optimization of photovoltaic power systems: A review," *Micromachines (Basel)*, vol. 12, no. 10, Oct. 2021, doi: 10.3390/mi12101260.
- [82] P. Nagvekar and R. A. Netri, "An improved GMPPT technique under partial shading conditions for PV array," in *International Conference on Computation of Power, Energy, Information and Communication (ICCPEIC)*, 2019, pp. 40–46.
- [83] M. Bouksaim, M. Mekhfioui, and M. N. Srifi, "Design and implementation of modified INC, conventional INC, and Fuzzy Logic Controllers applied to a pv

- system under variable weather conditions,” *Designs (Basel)*, vol. 5, no. 71, pp. 1–26, 2021, doi: 10.3390/designs5040071.
- [84] H. D. Liu, C. H. Lin, K. J. Pai, and C. M. Wang, “A GMPPT algorithm for preventing the LMPP problems based on trend line transformation technique,” *Solar Energy*, vol. 198, pp. 53–67, Mar. 2020, doi: 10.1016/j.solener.2020.01.049.
- [85] B. K. Oubbati, M. Boutoubat, M. Belkheiri, and A. Rabhi, “Global maximum power point tracking of a PV system MPPT control under partial shading,” in *International Conference on Electrical Sciences and Technologies in Maghreb (CISTEM)*, 2018.
- [86] M. Rayyan Fazal, Z. Abbas, M. Kamran, I. ul Haq, M. Naeem Ayyaz, and M. Mudassar, “Modified Perturb and Observe MPPT Algorithm for Partial Shading Conditions,” 2019.
- [87] M. A. Al Mamun, M. Hasanuzzaman, and J. Selvaraj, “Experimental investigation of the effect of partial shading on photovoltaic performance,” *IET Renewable Power Generation*, vol. 11, no. 7, pp. 912–921, Jun. 2017, doi: 10.1049/iet-rpg.2016.0902.
- [88] S. Sarkar, K. Uma Rao, V. Prema, M. S. Bhaskar, S. Padmanaban, and J. Bhargav, “A model for effect of partial shading on PV panels with experimental validation,” *Energy Reports*, vol. 12, pp. 3460–3469, Dec. 2024, doi: 10.1016/j.egyr.2024.09.015.
- [89] Asif, W. Ahmad, M. B. Qureshi, M. M. Khan, M. A. B. Fayyaz, and R. Nawaz, “Optimizing Large-Scale PV Systems with Machine Learning: A Neuro-Fuzzy MPPT Control for PSCs with Uncertainties,” *Electronics (Switzerland)*, vol. 12, no. 7, Apr. 2023, doi: 10.3390/electronics12071720.
- [90] W. G. Shin, J. R. Lim, G. H. Kang, Y. C. Ju, H. M. Hwang, and S. W. Ko, “Current flow analysis of pv arrays under voltage mismatch conditions and an inverter failure,” *Applied Sciences (Switzerland)*, vol. 9, no. 23, Dec. 2019, doi: 10.3390/app9235163.
- [91] S. R. Pendem and S. Mikkili, “Modeling, simulation and performance analysis of solar PV array configurations (Series , Series – Parallel and Honey-Comb) to extract maximum power under Partial Shading Conditions,” *Energy Reports*, vol. 4, pp. 274–287, 2018, doi: 10.1016/j.egyr.2018.03.003.
- [92] W. X. García-Quilachamin, J. E. Sanchez-Cano, J. Herrera-Tapia, and E. J. Velesaca-Zambrano, “Analysis of A Two-Axis Solar Tracker System: Case Study,” *International journal of online and biomedical engineering*, vol. 17, no. 5, 2021, doi: 10.3991/ijoe.v17i05.21991.
- [93] M. G. Villalva, J. R. Gazoli, and E. R. Filho, “Comprehensive Approach to Modeling and Simulation of Photovoltaic Arrays,” *IEEE Trans Power Electron*, vol. 24, no. 5, pp. 1198–1208, 2009.
- [94] Krismadinata, N. Abd. Rahim, H. W. Ping, and J. Selvaraj, “Photovoltaic Module Modeling using Simulink/Matlab,” *Procedia Environ Sci*, vol. 17, no. June 2014, pp. 537–546, 2013, doi: 10.1016/j.proenv.2013.02.069.
- [95] A. Djalab, N. Bessous, M. M. Rezaoui, and I. Merzouk, “Study of the effects of partial shading on PV array,” in *Proceedings - International Conference on Communications and Electrical Engineering, ICCEE 2018*, 2019. doi: 10.1109/ICCEE.2018.8634512.
- [96] C. Saiprakash, A. Mohapatra, B. Nayak, and S. R. Ghatak, “Analysis of partial shading effect on energy output of different solar PV array configurations,” in

- Materials Today: Proceedings*, Elsevier Ltd, 2021, pp. 1905–1909. doi: 10.1016/j.matpr.2020.08.307.
- [97] A. Giyantara, Wisyahyadi, R. B. Rizqullah, and Y. T. Kusuma Priyanto, “Analysis of Partial shading Effect on Solar Panel Power Output,” in *Journal of Physics: Conference Series*, IOP Publishing Ltd, Jan. 2021. doi: 10.1088/1742-6596/1726/1/012022.
- [98] R. A. Z. Razera *et al.*, “Instability of p-i-n perovskite solar cells under reverse bias,” *J Mater Chem A Mater*, vol. 8, no. 1, pp. 242–250, Jan. 2020, doi: 10.1039/c9ta12032g.
- [99] A. Refaat, A. A. Shehata, M. Elgamal, and N. V. Korovkin, “Current Collector Optimizer Topology with Reconfiguration Algorithm to Harvest Optimal Power from Nonuniform Aged PV Arrays,” in *2020 International Multi-Conference on Industrial Engineering and Modern Technologies, FarEastCon 2020*, Institute of Electrical and Electronics Engineers Inc., Oct. 2020. doi: 10.1109/FarEastCon50210.2020.9271455.
- [100] P. R. Satpathy, R. Sharma, S. K. Panigrahi, and S. Panda, “Bypass Diodes Configurations for Mismatch and Hotspot Reduction in PV Modules,” in *International Conference on Computational Intelligence for Smart Power System and Sustainable Energy (CISPSSE-2020)*, IEEE, 2020.
- [101] M. Muliadi, I. D. Sara, and S. Suriadi, “The effect of bypass diode installation on partially covered solar panel output power,” *IOP Conf Ser Mater Sci Eng*, vol. 1087, no. 1, p. 012077, Feb. 2021, doi: 10.1088/1757-899x/1087/1/012077.
- [102] A. Mohapatra, B. Nayak, and K. B. Mohanty, “Analytical approach to locate multiple power peaks of photovoltaic array under partial shading condition and hybrid array configuration schemes to reduce mismatch losses,” *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, 2021, doi: 10.1080/15567036.2021.1945710.
- [103] A. Refaat, A.-E. Khalifa, M. M. Elsakka, Y. Elhenawy, A. Kalas, and M. H. Elfar, “A novel metaheuristic MPPT technique based on enhanced autonomous group Particle Optimization Algorithm to track the GMPP under partial shading conditions-Experimental validation,” *Energy Convers Manag*, vol. 287, pp. 1–19, 2023.
- [104] L. Bhukya and S. Nandiraju, “A novel photovoltaic maximum power point tracking technique based on grasshopper optimized fuzzy logic approach,” *Int J Hydrogen Energy*, vol. 45, no. 16, pp. 9416–9427, 2020, doi: 10.1016/j.ijhydene.2020.01.219.
- [105] Karmouni H., Chouiekh M, Motahhir S., Qjidaa H., Ouazzani Jamil M., and Sayyouri M., “A fast and accurate sine-cosine MPPT algorithm under partial shading with implementation using arduino board,” *Clean Eng Technol*, vol. 9, no. 100535, pp. 1–13, 2022, doi: 10.1016/j.clet.2022.100535.
- [106] Z. Fathi, A. Wahabi, and A. Lalouli, “Review and comparative study classical, innovate MPPT techniques and state feedback controller for photovoltaic system,” in *Proceeding of international conference on connected objects and artificial intelligence (COCIA 2024)*, Springer Nature Link, Oct. 2024.
- [107] M. Kumar, K. P. Panda, J. C. Rosas-Caro, A. Valderrabano-Gonzalez, and G. Panda, “Comprehensive Review of Conventional and Emerging Maximum Power Point Tracking Algorithms for Uniformly and Partially Shaded Solar Photovoltaic Systems,” *IEEE Access*, vol. 11, pp. 31778–31812, 2023, doi: 10.1109/ACCESS.2023.3262502.

- [108] P. Li, J. Zhang, R. Xu, J. Zhou, and Z. Gao, "Integration of MPPT algorithms with spacecraft applications: Review, classification and future development outlook," *Energy*, vol. 308, Nov. 2024.
- [109] R. B. Bollipo, S. Mikkili, and P. K. Bonthagorla, "Critical Review on PV MPPT Techniques: Classical, Intelligent and Optimisation," Jul. 06, 2020, *Institution of Engineering and Technology*. doi: 10.1049/iet-rpg.2019.1163.
- [110] D. Mazumdar, C. Sain, P. K. Biswas, P. Sanjeevikumar, and B. Khan, "Overview of Solar Photovoltaic MPPT Methods: A State of the Art on Conventional and Artificial Intelligence Control Techniques," 2024, *Hindawi Limited*. doi: 10.1155/2024/8363342.
- [111] M. Y. Worku *et al.*, "A Comprehensive Review of Recent Maximum Power Point Tracking Techniques for Photovoltaic Systems under Partial Shading," Jul. 01, 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/su151411132.
- [112] Shixun M., Qintao Y., Kunping J., Xiaofeng M., and Gengyu S., "An improved MPPT method for photovoltaic systems based on mayfly optimization algorithm," *Energy Reports*, vol. 8, pp. 141–150, 2022, doi: 10.1016/j.egy.2022.02.160.
- [113] Pathak D., Sagar G., and Gaur P., "An application of intelligent non-linear discrete-PID controller for MPPT of PV system," in *International Conference on Computer Intelligence and Data Science (ICCIDS)*, Elsevier B.V., 2020, pp. 1574–1583. doi: 10.1016/j.procs.2020.03.368.
- [114] B. Salma, J. Tarik, and L. Roa, "Maximizing Solar Harvest: Comparing P&O and Incremental Conductance MPPT Methods," *SCT Proceedings in Interdisciplinary Insights and Innovations*, vol. 2, p. 320, May 2024, doi: 10.56294/pii2024320.
- [115] S. Abssane, A. Outzourhit, and F. Z. Amatoul, "Comparison between incremental conductance and perturb and observe algorithms in photovoltaic system under low temperature and irradiation levels," *International Journal of Electrical and Computer Engineering*, vol. 14, no. 5, pp. 4897–4906, Oct. 2024, doi: 10.11591/ijece.v14i5.pp4897-4906.
- [116] M. H. Ibrahim, S. P. Ang, M. N. Dani, M. I. Rahman, R. Petra, and S. M. Sulthan, "Optimizing Step-Size of Perturb & Observe and Incremental Conductance MPPT Techniques Using PSO for Grid-Tied PV System," *IEEE Access*, vol. 11, pp. 13079–13090, 2023, doi: 10.1109/ACCESS.2023.3242979.
- [117] P. K. Pathak, S. Padmanaban, A. K. Yadav, P. A. Alvi, and B. Khan, "Modified incremental conductance MPPT algorithm for SPV-based grid-tied and stand-alone systems," *IET Generation, Transmission and Distribution*, vol. 16, no. 4, pp. 776–791, Feb. 2022, doi: 10.1049/gtd2.12328.
- [118] K. Loukil, H. Abbes, H. Abid, M. Abid, and A. Toumi, "Design and implementation of reconfigurable MPPT fuzzy controller for photovoltaic systems," *Ain Shams Engineering Journal*, vol. 11, no. 2, pp. 319–328, Jun. 2020, doi: 10.1016/j.asej.2019.10.002.
- [119] I. Owusu-Nyarko *et al.*, "Modified variable step-size incremental conductance MPPT technique for photovoltaic systems," *Electronics (Basel)*, vol. 10, no. 2331, Sep. 2021, doi: 10.3390/electronics.
- [120] R. Palanisamy, K. Vijayakumar, V. Venkatachalam, R. Mano Narayanan, D. Saravanakumar, and K. Saravanan, "Simulation of various DC-DC converters for

- photovoltaic system,” *International Journal of Electrical and Computer Engineering*, vol. 9, no. 2, pp. 917–925, 2019, doi: 10.11591/ijece.v9i2.pp917-925.
- [121] T. Sutikno, A. S. Samosir, R. A. Aprilianto, H. S. Purnama, W. Arsadiando, and S. Padmanaban, “Advanced DC-DC converter topologies for solar energy harvesting applications: A review,” Jun. 01, 2023, *Oxford University Press*. doi: 10.1093/ce/zkad003.
- [122] M. Taufik, A. Nonaka, F. shafiq Huzayfa, R. M. Soedjono, and T. Taufik, “Effects of inductor current ripple on the performance of MPPT using boost converter,” in *International conference on technology and policy in energy and electrical power (ICT-PEP)*, IEEE, Nov. 2021.
- [123] J. Ahmad *et al.*, “A voltage multiplier circuit based quadratic boost converter for energy storage application,” *Applied Sciences (Switzerland)*, vol. 10, no. 22, pp. 1–15, Nov. 2020, doi: 10.3390/app10228254.
- [124] K. Kokkonda and P. S. Kulkarni, “A non-isolated high gain DC-DC converter with coupled-inductor and built-in transformer for grid-connected photovoltaic systems,” *International Journal of Circuit Theory and Applications*, vol. 50, no. 8, pp. 2709–2734, Aug. 2022, doi: 10.1002/cta.3277.
- [125] S. W. Seo, J. H. Ryu, Y. Kim, and H. H. Choi, “Non-Isolated High Step-Up DC/DC Converter with Coupled Inductor and Switched Capacitor,” *IEEE Access*, vol. 8, pp. 217108–217122, 2020, doi: 10.1109/ACCESS.2020.3041738.
- [126] R. Kiguchi and Y. Nishida, “Boost dc-dc converter cascade system for high boost-rate application,” in *6th IEEE International Conference on Smart Grid (icSmartGrid 2018)*, Nagasaki: IEEE, Dec. 2018.
- [127] F. M. Shahir, E. Babaei, and M. Farsadi, “Analysis and design of voltage-lift techniquebased non-isolated boost dc-dc converter,” *IET Power Electronics*, vol. 11, no. 6, pp. 1083–1091, May 2018, doi: 10.1049/iet-pel.2017.0259.
- [128] D. W. Hart, *Power Electronics*. Mc Graw Hill, 2010.
- [129] B. Choi, *Pulse wide modulated dc to dc power conversion: circuits, dynamics, and control design*. Wiley-IEEE Press, 2013.
- [130] B. Hauke, “Basic Calculation of a Boost Converter’s Power Stage,” Nov. 2022. [Online]. Available: www.ti.com
- [131] M. Nasiri, S. Chandra, M. Taherkhani, and S. J. McCormack, “Impact of Input Capacitors in Boost Converters on Stability and Maximum Power Point Tracking in PV systems,” in *Conference Record of the IEEE Photovoltaic Specialists Conference*, Institute of Electrical and Electronics Engineers Inc., Jun. 2021, pp. 1004–1008. doi: 10.1109/PVSC43889.2021.9518903.
- [132] S. Motahhir, A. El Ghzizal, S. Sebti, and A. Derouich, “Modeling of Photovoltaic System with Modified Incremental Conductance Algorithm for Fast Changes of Irradiance,” *International Journal of Photoenergy*, vol. 2018, 2018, doi: 10.1155/2018/3286479.
- [133] M. A. Fkirin, Z. M. Gowaly, and E. A. Elsheikh, “Dynamic Controller Design for Maximum Power Point Tracking Control for Solar Energy Systems,” *Technologies (Basel)*, vol. 13, no. 2, Feb. 2025, doi: 10.3390/technologies13020071.
- [134] H. Feraoun, M. Fazilat, R. Dermouche, S. Bentouba, M. Tadjine, and N. Zioui, “Quantum maximum power point tracking (QMPPT) for optimal solar energy extraction,” *Systems and Soft Computing*, vol. 6, Dec. 2024, doi: 10.1016/j.sasc.2024.200118.

- [135] B. N. Alhasnawi *et al.*, “A Novel Approach to Achieve MPPT for Photovoltaic System Based SCADA,” *Energies (Basel)*, vol. 15, no. 22, Nov. 2022, doi: 10.3390/en15228480.
- [136] Maxim integrated, *Source resistance: The efficiency killer in dc-dc converter circuits*. 2004.
- [137] S. Motahhir, A. El Hammoumi, and A. El Ghzizal, “The most used MPPT algorithms: Review and the suitable low-cost embedded board for each algorithm,” Feb. 10, 2020, *Elsevier Ltd*. doi: 10.1016/j.jclepro.2019.118983.
- [138] F. Çakmak, Z. Aydoğmuş, and M. R. Tür, “Analyses of PO-Based Fuzzy Logic-Controlled MPPT and Incremental Conductance MPPT Algorithms in PV Systems,” *Energies (Basel)*, vol. 18, no. 2, Jan. 2025, doi: 10.3390/en18020233.
- [139] F. Çakmak, Z. Aydoğmuş, and M. R. Tür, “Analyses and Comparison of PO Based Fuzzy Logic Controlled Mppt and the Incremental Conductance Mppt Algorithms in Photovoltaic Systems,” Sep. 14, 2024. doi: 10.20944/preprints202409.1099.v1.
- [140] Ö. F. Tozlu and H. Çalık, “A Review and Classification of Most Used MPPT Algorithms for Photovoltaic Systems,” *Hittite Journal of Science & Engineering*, vol. 8, no. 3, pp. 207–220, Sep. 2021, doi: 10.17350/HJSE19030000231.
- [141] S. A. Mohamed and M. Abd El Sattar, “A comparative study of P&O and INC maximum power point tracking techniques for grid-connected PV systems,” *SN Appl Sci*, vol. 1, no. 2, 2019, doi: 10.1007/s42452-018-0134-4.
- [142] V. P. Kumar, “Comparative Analysis of Conventional and Artificial Intelligence-based Maximum Power Point Tracking Algorithms for Solar Photovoltaic Applications,” 2023.
- [143] M. S. Endiz, G. Gökkuş, A. E. Coşgun, and H. Demir, “A Review of Traditional and Advanced MPPT Approaches for PV Systems Under Uniformly Insolation and Partially Shaded Conditions,” Feb. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/app15031031.
- [144] A. O. Baba, G. Liu, and X. Chen, “Classification and Evaluation Review of Maximum Power Point Tracking Methods,” Jan. 01, 2020, *Elsevier Ltd*. doi: 10.1016/j.sfr.2020.100020.
- [145] A. Chellakhi, S. El Beid, Y. Abouelmahjoub, and H. Doubabi, “An enhanced incremental conductance MPPT approach for PV power optimization: A simulation and experimental study,” *Springer Nature*, vol. 49, no. 12, pp. 16045–16064, Mar. 2024, doi: <https://doi.org/10.1007/s13369-024-08804-1>.
- [146] V. Deepu, O. M. Mansoor, S. S. Mohammed, and A. swee Peng, “Adaptive multiple-step size incremental conductance MPPT algorithm with zero oscillation for solar PV applications,” in *Intelligent solutions for smart grid and smart cities*, Springer, 2023, pp. 151–161.