


SKRIPSI

**FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN KEPATUHAN
MINUM OBAT WANITA LANSIA HIPERTENSI DI PUSKESMAS
RASIMAH AHMAD KOTA BUKITTINGGI**

Penelitian Keperawatan Medikal Bedah



MUTTAQWIYANI ALIYYA
NIM. 2111311044

**FAKULTAS KEPERAWATAN
UNIVERSITAS ANDALAS
OKTOBER 2025**

**FAKULTAS KEPERAWATAN
UNIVERSITAS ANDALAS
OKTOBER 2025**

Nama : Muttaqwiyani Aliyya
NIM : 2111311044

**Faktor-Faktor yang Berhubungan dengan Kepatuhan Minum Obat Wanita Lansia
Hipertensi di Puskesmas Rasimah Ahmad Kota Bukittinggi**

ABSTRAK

Kepatuhan minum obat wanita lansia hipertensi masih tergolong rendah dan menjadi tantangan utama dalam pengelolaan hipertensi. Kondisi ini berdampak pada sulitnya pengendalian tekanan darah serta meningkatnya risiko komplikasi kardiovaskular. Penelitian ini bertujuan untuk mengidentifikasi faktor-faktor yang berhubungan dengan kepatuhan minum obat wanita lansia hipertensi di Puskesmas Rasimah Ahmad Kota Bukittinggi. Penelitian ini menggunakan desain kuantitatif dengan pendekatan *cross sectional*. Populasi berjumlah 257 wanita lansia hipertensi usia 60-75 tahun, dengan sampel 157 orang yang ditentukan melalui *purposive sampling*. Instrumen yang digunakan meliputi kuisioner dukungan keluarga, *Brief Illness Perception Questionnaire* (B-IPQ), *Medication Adherence Self-Efficacy Scale-Revised* (MASES-R), dan *Morisky Medication Adherence Scale* (MMAS-8). Hasil univariat menunjukkan kepatuhan minum obat tergolong tidak patuh (43,9%), dukungan keluarga rendah (43,9%), persepsi penyakit rendah (56,1%), serta efikasi diri rendah (57,3%). Hasil bivariat menggunakan uji *Chi-Square* menunjukkan bahwa seluruh variabel memiliki *p-value* < 0,05, yaitu dukungan keluarga $p = 0,000$, persepsi penyakit $p = 0,046$, dan efikasi diri $p = 0,000$. Terdapat hubungan yang signifikan antara dukungan keluarga, persepsi penyakit, dan efikasi diri dengan kepatuhan minum obat pada wanita lansia hipertensi di Puskesmas Rasimah Ahmad. Disarankan agar pelayanan kesehatan meningkatkan edukasi kepada wanita lansia dan keluarga serta memperkuat efikasi diri wanita lansia hipertensi untuk mendukung kepatuhan minum obat.

Kata Kunci: Kepatuhan minum obat, dukungan keluarga, persepsi penyakit, efikasi diri, wanita lansia hipertensi

Daftar Pustaka: 135 (1998-2025)

**FACULTY OF NURSING
ANDALAS UNIVERSITY
OCTOBER 2025**

Name : Muttaqwiyyani Aliyya
Student ID : 2111311044

*Factors Associated with Medication Adherence Among Elderly Women with
Hypertension at Rasimah Ahmad Public Health Center, Bukittinggi*

ABSTRACT

Medication adherence among elderly women with hypertension remains low and is a major challenge in hypertension management. This condition affects blood pressure control and increases the risk of cardiovascular complications. This study aimed to identify factors associated with medication adherence among elderly women with hypertension at Rasimah Ahmad Public Health Center, Bukittinggi. This study used a quantitative design with a cross-sectional approach. The population consisted of 257 elderly women with hypertension aged 65-75 years, and a sample of 157 respondents was selected using purposive sampling. The instruments used included the Family Support Questionnaire, Brief Illness Perception Questionnaire (B-IPQ), Medication Adherence Self-Efficacy Scale-Revised (MASES-R), and Morisky Medication Adherence Scale (MMAS-8). Univariate analysis showed that most respondents had low medication adherence (43,9%), low family support (43,9%), low illness perception (43,9%), and low self-efficacy (57,3%). Bivariate analysis using the Chi-Square test showed that all variables had p-values $< 0,05$, including family support $p = 0,000$, illness perception $p = 0,046$, and self-efficacy $p = 0,000$. There was a significant relationship between family support, illness perception, and self-efficacy with medication adherence among elderly women with hypertension. It is recommended that health services enhance education for elderly women and their families and strengthen self-efficacy to support medication adherence.

Keywords: Medication adherence, Family support, Illness perception, Self-efficacy, Elderly women with hypertension

Binliography: 135 (1998-2025)