

## DAFTAR PUSTAKA

- [1] M. Asrofi, H. Abral, A. Kasim, A. Pratoto, M. Mahardika, and F. Hafizulhaq, "Characterization of the sonicated yam bean starch bionanocomposites reinforced by nanocellulose water hyacinth fiber (WHF): The effect of various fiber loading," *J. Eng. Sci. Technol.*, vol. 13, no. 9, pp. 2700–2715, 2018.
- [2] F. Hafizulhaq, H. Abral, A. Kasim, S. Arief, and J. Affi, "Moisture Absorption and Opacity of Starch-Based Biocomposites Reinforced with Cellulose Fiber from Bengkoang," *Fibers*, vol. 6, no. 3, p. 62, 2018.
- [3] H. Abral *et al.*, "Characterization of Tapioca Starch Biopolymer Composites Reinforced with Micro Scale Water Hyacinth Fibers," vol. 1700287, pp. 1–8, 2018.
- [4] F. Liu, B. Qin, L. He, and R. Song, "Novel starch/chitosan blending membrane: Antibacterial, permeable and mechanical properties," *Carbohydr. Polym.*, vol. 78, no. 1, pp. 146–150, 2009.
- [5] H. Abral, V. Lawrensus, D. Handayani, and E. Sugiarti, "Preparation of nano-sized particles from bacterial cellulose using ultrasonication and their characterization," *Carbohydr. Polym.*, vol. 191, pp. 161–167, 2018.
- [6] K. Kalantari, M. A. Amalina, H. Jahangirian, and T. J. Webster, "Biomedical applications of chitosan electrospun nanofibers as a green polymer – Review," *Carbohydr. Polym.*, vol. 207, pp. 588–600, 2019.
- [7] M. Asrofi, H. Abral, A. Kasim, A. Pratoto, and M. Mahardika, "Mechanical Properties of a Water Hyacinth Nanofiber Cellulose Reinforced Thermoplastic Starch Bionanocomposite: Effect of Ultrasonic Vibration during Processing," *Fiber*, vol. 6, pp. 1–9, 2018.
- [8] L. Ren, X. Yan, J. Zhou, J. Tong, and X. Su, "Influence of chitosan concentration on mechanical and barrier properties of corn starch/chitosan films," *Int. J. Biol. Macromol.*, vol. 105, pp. 1636–1643, 2017.
- [9] H. Abral *et al.*, "Comparative Study of the Physical and Tensile Properties of Jicama (*Pachyrhizus erosus*) Starch Film Prepared Using Three Different Methods," *Starch/Staerke*, pp. 1–31, 2019.
- [10] N. V Patil and A. N. Netravali, "Microfibrillated cellulose-reinforced

- nonedible starch-based thermoset biocomposites,” *Appl. Polym. Sci.*, vol. 43803, pp. 1–9, 2016.
- [11] H. Abral, A. S. Anugrah, F. Hafizulhaq, D. Handayani, E. Sugiarti, and A. N. Muslimin, “Effect of nanofibers fraction on properties of the starch based biocomposite prepared in various ultrasonic powers,” *Int. J. Biol. Macromol.*, vol. 116, pp. 1214–1221, 2018.
- [12] N. Kaisangsri, O. Kerdchoechuen, and N. Laohakunjit, “Biodegradable foam tray from cassava starch blended with natural fiber and chitosan,” *Ind. Crops Prod.*, vol. 37, no. 1, pp. 542–546, 2012.
- [13] Z. Shariatinia and M. Fazli, “Mechanical properties and antibacterial activities of novel nanobiocomposite films of chitosan and starch,” *Food Hydrocoll.*, vol. 46, pp. 112–124, 2015.
- [14] E. Syafri, A. Kasim, H. Abral, and A. Asben, “Effect of Precipitated Calcium Carbonate on Physical, Mechanical and Thermal Properties of Cassava Starch Bioplastic Composites,” *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 7, no. 5, p. 1950, 2017.
- [15] E. Syafri *et al.*, “Synthesis and characterization of cellulose nanofibers (CNF) ramie reinforced cassava starch hybrid composites,” *Int. J. Biol. Macromol.*, vol. 120, pp. 578–586, 2018.
- [16] N. Tka, M. Jabli, T. A. Saleh, and G. A. Salman, “Amines modified fibers obtained from natural *Populus tremula* and their rapid biosorption of Acid Blue 25,” *J. Mol. Liq.*, vol. 250, pp. 423–432, 2018.
- [17] E. Syafri, A. Kasim, H. Abral, and A. Asben, “Cellulose nanofibers isolation and characterization from ramie using a chemical-ultrasonic treatment,” *J. Nat. Fibers*, pp. 1–11, 2018.
- [18] M. Mahardika, H. Abral, A. Kasim, S. Arief, and M. Asrofi, “Production of Nanocellulose from Pineapple Leaf Fibers via High-Shear Homogenization and Ultrasonication,” *Fibers*, vol. 6, no. 2, p. 28, 2018.
- [19] M. Asrofi, “Isolation of Nanocellulose from Water Hyacinth Fiber ( WHF ) Produced via Digester-Sonication and Its Characterization,” vol. 19, no. 8, pp. 1618–1625, 2018.
- [20] W. Cheng, J. Chen, D. Liu, X. Ye, and F. Ke, “Impact of ultrasonic treatment

- on properties of starch film-forming dispersion and the resulting films,” *Carbohydr. Polym.*, vol. 81, no. 3, pp. 707–711, 2010.
- [21] H. Abral, G. J. Putra, M. Asrofi, J. W. Park, and H. J. Kim, “Effect of vibration duration of high ultrasound applied to bio-composite while gelatinized on its properties,” *Ultrason. Sonochem.*, vol. 40, pp. 697–702, 2018.
- [22] H. Abral, A. Hartono, F. Hafizulhaq, D. Handayani, E. Sugiarti, and O. Pradipta, “Characterization of PVA/cassava starch biocomposites fabricated with and without sonication using bacterial cellulose fiber loadings,” *Carbohydr. Polym.*, vol. 206, pp. 593–601, 2019.
- [23] T. Saito, Y. Nishiyama, J. Putaux, M. Vignon, and A. Isogai, “Homogeneous Suspensions of Individualized Microfibrils from TEMPO-Catalyzed Oxidation of Native Cellulose,” *Am. Chem. Soc.*, vol. 7, no. 6, pp. 3–7, 2006.
- [24] I. M. G. Martins *et al.*, “New biocomposites based on thermoplastic starch and bacterial cellulose,” *Compos. Sci. Technol.*, vol. 69, no. 13, pp. 2163–2168, 2009.
- [25] F. Torres, S. Commeaux, and O. Troncoso, “Biocompatibility of Bacterial Cellulose Based Biomaterials,” *J. Funct. Biomater.*, vol. 3, no. 4, pp. 864–878, 2012.
- [26] Y. X. Xu, K. M. Kim, M. A. Hanna, and D. Nag, “Chitosan-starch composite film: Preparation and characterization,” *Ind. Crops Prod.*, vol. 21, no. 2, pp. 185–192, 2004.
- [27] S. Islam, M. A. R. Bhuiyan, and M. N. Islam, “Chitin and Chitosan: Structure, Properties and Applications in Biomedical Engineering,” *J. Polym. Environ.*, vol. 25, no. 3, pp. 854–866, 2017.
- [28] F. Vilaplana, E. Strömberg, and S. Karlsson, “Environmental and resource aspects of sustainable biocomposites,” *Polym. Degrad. Stab.*, vol. 95, no. 11, pp. 2147–2161, 2010.
- [29] F. Versino and M. A. García, “Cassava (*Manihot esculenta*) starch films reinforced with natural fibrous filler,” *Ind. Crops Prod.*, vol. 58, pp. 305–314, 2014.
- [30] O. Faruk, A. K. Bledzki, H. P. Fink, and M. Sain, “Biocomposites reinforced

- with natural fibers: 2000-2010,” *Prog. Polym. Sci.*, vol. 37, no. 11, pp. 1552–1596, 2012.
- [31] W. D. Callister and J. D. G. Rethwisch, *Materials science and engineering: an introduction*, 9th ed. New York, 2014.
- [32] M. R. Sanjay, P. Madhu, M. Jawaid, P. Sentharamaikkannan, S. Senthil, and S. Pradeep, “Characterization and properties of natural fiber polymer composites: A comprehensive review,” *J. Clean. Prod.*, vol. 172, pp. 566–581, 2018.
- [33] M. R. Sanjay, G. R. Arpitha, and B. Yogesha, “Study on Mechanical Properties of Natural - Glass Fibre Reinforced Polymer Hybrid Composites: A Review,” *Mater. Today Proc.*, vol. 2, no. 4–5, pp. 2959–2967, 2015.
- [34] K. Jarukumjorn and N. Suppakarn, “Effect of glass fiber hybridization on properties of sisal fiber-polypropylene composites,” *Compos. Part B Eng.*, vol. 40, no. 7, pp. 623–627, 2009.
- [35] B. Vijaya Ramnath, V. M. Manickavasagam, C. Elanchezhian, C. Vinodh Krishna, S. Karthik, and K. Saravanan, “Determination of mechanical properties of intra-layer abaca-jute-glass fiber reinforced composite,” *Mater. Des.*, vol. 60, pp. 643–652, 2014.
- [36] Y. Deng, D. Paraskevas, Y. Tian, K. Van Acker, W. Dewulf, and J. R. Duflou, “Life cycle assessment of flax-fibre reinforced epoxidized linseed oil composite with a flame retardant for electronic applications,” *J. Clean. Prod.*, vol. 133, pp. 427–438, 2016.
- [37] M. R. Sanjay, G. R. Arpitha, L. L. Naik, K. Gopalakrishna, and B. Yogesha, “Applications of Natural Fibers and Its Composites: An Overview,” *Nat. Resour.*, vol. 07, no. 03, pp. 108–114, 2016.
- [38] M. A. Ghalia and A. Abdelrasoul, *Compressive and fracture toughness of natural and synthetic fiber-reinforced polymer*. Elsevier Ltd, 2018.
- [39] F. Zhu, “Composition, structure, physicochemical properties, and modifications of cassava starch,” *Carbohydr. Polym.*, vol. 122, pp. 456–480, 2015.
- [40] E. Syafri, “Pengembangan Metode Preparasi Cellulose Nano Fibers (CNF) Rami untuk Filler Material Komposit Bioplastik dengan Matriks Pati

- Tapioka,” Universitas Andalas, 2018.
- [41] M. Wahyuningtyas, “Preparation and Characterization Epidermis Cassava Starch/Chitosan’s Film with Oleic Acid,” Institut Teknologi Sepuluh November, 2015.
- [42] C. Valencia-Sullca, M. Vargas, L. Atarés, and A. Chiralt, “Thermoplastic cassava starch-chitosan bilayer films containing essential oils,” *Food Hydrocoll.*, vol. 75, pp. 107–115, 2018.
- [43] M. Asrofi, H. Abral, A. Kasim, and A. Pratoto, “Karakteristik Serapan Uap Air dan FTIR dari Biokomposit Pati Tapioka Diperkuat Serat Akar Buah Naga (*Hylocereus Polyrhizus*),” vol. 3, pp. 1–6, 2018.
- [44] A. P. Teodoro, S. Mali, N. Romero, and G. M. De Carvalho, “Cassava starch films containing acetylated starch nanoparticles as reinforcement: Physical and mechanical characterization,” *Carbohydr. Polym.*, vol. 126, pp. 9–16, 2015.
- [45] F. G. Torres, J. J. Arroyo, and O. P. Troncoso, “Bacterial cellulose nanocomposites: An all-nano type of material,” *Mater. Sci. Eng. C*, vol. 98, pp. 1277–1293, 2019.
- [46] B. Madsen and E. K. Gamstedt, “Wood versus Plant Fibers: Similarities and Differences in Composite Applications,” *Adv. Mater. Sci. Eng.*, vol. 2013, pp. 1–14, 2013.
- [47] A. Sharma, M. Thakur, M. Bhattacharya, T. Mandal, and S. Goswami, “Commercial application of cellulose nano-composites – A review,” *Biotechnol. Reports*, vol. 21, pp. 1–15, 2019.
- [48] Y. Z. Wan, H. Luo, F. He, H. Liang, Y. Huang, and X. L. Li, “Mechanical, moisture absorption, and biodegradation behaviours of bacterial cellulose fibre-reinforced starch biocomposites,” *Compos. Sci. Technol.*, vol. 69, no. 7–8, pp. 1212–1217, 2009.
- [49] M. Asrofi, H. Abral, A. Kasim, and A. Pratoto, “Characterization of the microfibrillated cellulose from water hyacinth pulp after alkali treatment and wet blending hyacinth pulp after alkali treatment and wet blending,” *Mater. Sci. Eng.*, vol. 204, pp. 1–6, 2017.
- [50] H. Abral, Kadriadi, M. Mahardika, D. Handayani, E. Sugiarti, and A. N.

- Muslimin, "Characterization of disintegrated bacterial cellulose nanofibers/PVA bionanocomposites prepared via ultrasonication," *Int. J. Biol. Macromol.*, vol. 135, pp. 591–599, 2019.
- [51] B. S. De Farias, T. Roberto, S. Anna, C. Junior, L. Antonio, and D. A. Pinto, "Chitosan-functionalized nanofibers: A comprehensive review on challenges and prospects for food applications," *Int. J. Biol. Macromol.*, vol. 123, pp. 210–220, 2019.
- [52] A. Muxika, I. Zugasti, P. Guerrero, and K. De Caba, *Applications of Chitosan in Food Packaging*. Elsevier, 2017.
- [53] A. Muxika, A. Etxabide, J. Uranga, P. Guerrero, and K. De Caba, "Chitosan as a bioactive polymer: Processing, properties and applications," *Int. J. Biol. Macromol.*, vol. 105, pp. 1358–1368, 2017.
- [54] E. Guibal, "Heterogeneous catalysis on chitosan-based materials: A review," *Prog. Polym. Sci.*, vol. 30, no. 1, pp. 71–109, 2005.
- [55] L. O. A. Nur Ramadhan, C. Radiman, D. Wahyuningrum, and V. Suendo, "Deasetilasi Kitin secara Bertahap dan Pengaruhnya terhadap Derajat Deasetilasi serta Massa molekul Chitosan," *Kim. Indones.*, vol. 5, no. 1, pp. 17–21, 2010.
- [56] P. K. Dutta, S. Tripathi, G. K. Mehrotra, and J. Dutta, "Perspectives for chitosan based antimicrobial films in food applications," *Food Chem.*, vol. 114, no. 4, pp. 1173–1182, 2009.
- [57] M. Aider, "Chitosan application for active bio-based films production and potential in the food industry: Review," *LWT - Food Sci. Technol.*, vol. 43, no. 6, pp. 837–842, 2010.
- [58] J. Bonilla, L. Atarés, M. Vargas, and A. Chiralt, "Properties of wheat starch film-forming dispersions and films as affected by chitosan addition," *J. Food Eng.*, vol. 114, no. 3, pp. 303–312, 2013.
- [59] H. Liu, R. Adhikari, Q. Guo, and B. Adhikari, "Preparation and characterization of glycerol plasticized (high-amylose) starch-chitosan films," *J. Food Eng.*, vol. 116, no. 2, pp. 588–597, 2013.
- [60] Y. M. Yusof, M. F. Shukur, H. A. Illias, and M. F. Z. Kadir, "Conductivity and electrical properties of corn starch-chitosan blend biopolymer electrolyte

- incorporated with ammonium iodide,” *Phys. Scr.*, vol. 89, no. 3, 2014.
- [61] S. Mathew and T. E. Abraham, “Characterisation of ferulic acid incorporated starch-chitosan blend films,” *Food Hydrocoll.*, vol. 22, no. 5, pp. 826–835, 2008.
- [62] X. L. Shen, J. M. Wu, Y. Chen, and G. Zhao, “Antimicrobial and physical properties of sweet potato starch films incorporated with potassium sorbate or chitosan,” *Food Hydrocoll.*, vol. 24, no. 4, pp. 285–290, 2010.
- [63] F. M. Pelissari, F. Yamashita, M. A. Garcia, M. N. Martino, N. E. Zaritzky, and M. V. E. Grossmann, “Constrained mixture design applied to the development of cassava starch-chitosan blown films,” *J. Food Eng.*, vol. 108, no. 2, pp. 262–267, 2012.
- [64] M. A. Garcia, A. Pinotti, and N. E. Zaritzky, “Physicochemical, water vapor barrier and mechanical properties of corn starch and chitosan composite films,” *Starch/Staerke*, vol. 58, no. 9, pp. 453–463, 2006.
- [65] J. Bonilla, E. Fortunati, L. Atarés, A. Chiralt, and J. M. Kenny, “Physical, structural and antimicrobial properties of poly vinyl alcohol–chitosan biodegradable film,” *Food Hydrocoll.*, vol. 35, pp. 463–470, 2013.
- [66] K. Kurita, “Controlled functionalization of the polysaccharide chitin,” *Prog. Polym. Sci.*, vol. 26, no. 9, pp. 1921–1971, 2001.
- [67] J. Lizardi-mendoza, W. M. A. Monal, and F. M. G. Valencia, *Chemical Characteristics and Functional Properties of Chitosan*. Elsevier Inc., 2016.
- [68] G. V. Cazon, Patricia, “Polysaccharide-based films and coatings for food packaging: A review,” *Food Hydrocoll.*, vol. 68, pp. 136–148, 2017.
- [69] I. ASTM, “Standard Test Method for Tensile Properties of Plastics,” no. Materials, Plate Materials, Electrical Insulating, 2015.
- [70] L. Segal, J. J. Creely, A. E. Martin, and C. M. Conrad, “An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer,” *Text. Res. J.*, vol. 29, no. 10, pp. 786–794, 1959.
- [71] B. R. Singh, “Antibacterial Activity of Glycerol, Lactose, Maltose, Mannitol, Raffinose and Xylose,” *Noto-are*, pp. 1–3, 2014.
- [72] A. Khan *et al.*, “Mechanical and barrier properties of nanocrystalline cellulose reinforced chitosan based nanocomposite films.,” *Carbohydr.*

- Polym.*, vol. 90, no. 4, pp. 1601–8, 2012.
- [73] M. S. Goyat, S. Ray, and P. K. Ghosh, “Innovative application of ultrasonic mixing to produce homogeneously mixed nanoparticulate-epoxy composite of improved physical properties,” *Compos. Part A Appl. Sci. Manuf.*, vol. 42, no. 10, pp. 1421–1431, 2011.
- [74] L. Sun, J. Sun, L. Chen, P. Niu, X. Yang, and Y. Guo, “Preparation and characterization of chitosan film incorporated with thinned young apple polyphenols as an active packaging material,” *Carbohydr. Polym.*, vol. 163, pp. 81–91, 2017.
- [75] P. M. Schlievert and M. L. Peterson, “Glycerol monolaurate antibacterial activity in broth and biofilm cultures,” *PLoS One*, vol. 7, no. 7, 2012.
- [76] M. D. M. Dantas *et al.*, “Improvement of dermal burn healing by combining sodium alginate/chitosan-based films and low level laser therapy,” *J. Photochem. Photobiol. B Biol.*, vol. 105, no. 1, pp. 51–59, 2011.
- [77] L. Hernandez-Ochoa, A. Gonzales-Gonzales, N. Gutierrez-Mendez, L. N. Munoz-Castellanos, and A. Quintero-Ramos, “Study of the antibacterial activity of chitosan-based films prepared with different molecular weights including spices essential oils and functional extracts as antimicrobial agents,” *Rev. Mex. Ing. Quim.*, vol. 10, no. 3, pp. 455–463, 2011.
- [78] Y. Zhong, X. Song, and Y. Li, “Antimicrobial, physical and mechanical properties of kudzu starch–chitosan composite films as a function of acid solvent types,” *Carbohydr. Polym.*, vol. 84, no. 1, pp. 335–342, 2011.
- [79] H. K. No, N. Young Park, S. Ho Lee, and S. P. Meyers, “Antibacterial activity of chitosans and chitosan oligomers with different molecular weights,” *Int. J. Food Microbiol.*, vol. 74, no. 1–2, pp. 65–72, 2002.
- [80] D. Raafat, K. Von Bargen, A. Haas, and H. G. Sahl, “Insights into the mode of action of chitosan as an antibacterial compound,” *Appl. Environ. Microbiol.*, vol. 74, no. 12, pp. 3764–3773, 2008.
- [81] D. Raafat and H. G. Sahl, “Chitosan and its antimicrobial potential - A critical literature survey,” *Microb. Biotechnol.*, vol. 2, pp. 186–201, 2009.
- [82] Y. Park *et al.*, “Investigation of the antifungal activity and mechanism of action of LMWS-chitosan,” *J. Microbiol. Biotechnol.*, vol. 18, no. 10, pp.



1729–1734, 2008.

- [83] L. Y. Ing, N. M. Zin, A. Sarwar, and H. Katas, “Antifungal Activity of Chitosan Nanoparticles and Correlation with Their Physical Properties,” *Int. J. Biomater.*, vol. 2012, pp. 1–9, 2012.
- [84] R. C. Goy, D. De Britto, and O. B. G. Assis, “A Review of the Antimicrobial Activity of Chitosan,” *Polímeros Ciência e Tecnol.*, vol. 19, pp. 241–247, 2009.

