

DAFTAR PUSTAKA

- Andarwulan, N., Kurniasih, D., Apriady, R. A., Rahmat, H., Roto, A. V., & Bolling, B. W. (2012). Polyphenols, carotenoids, and ascorbic acid in underutilized medicinal vegetables. *Journal of Functional Foods*, 4(1), 339–347.
<https://doi.org/10.1016/j.jff.2012.01.003>
- Anggarani, A. M., Ilmiah, M., & Nasyaya Mahfudhah, D. (2023). Antioxidant Activity of Several Types of Onions and Its Potensial as Health Supplements. *Indonesian Journal of Chemical Science*, 12(1), 103–111.
<http://journal.unnes.ac.id/sju/index.php/ijcs>
- Arsiningtyas, I. S., Gunawan-Puteri, M. D. P. T., Kato, E., & Kawabata, J. (2014). Identification of α -glucosidase inhibitors from the leaves of *Pluchea indica* (L.) Less., a traditional Indonesian herb: Promotion of natural product use. *Natural Product Research*, 28(17), 1350–1353.
<https://doi.org/10.1080/14786419.2014.904306>
- Biswas, R., Dutta, P. K., Achari, B., Bandyopadhyay, D., & Mishra, M. (2007). Isolation of pure compound R / J / 3 from *Pluchea indica* (L .) Less . and its anti-amoebic activities against *Entamoeba histolytica*. 14, 534–537.
<https://doi.org/10.1016/j.phymed.2006.11.003>
- Boonruang, S., Prakobsri, K., Pouyfung, P., Srisook, E., Prasopthum, A., Rongnoparut, P., & Sarapusit, S. (2017). Inhibition of human cytochromes P450 2A6 and 2A13 by flavonoids, acetylenic thiophenes and sesquiterpene lactones from *Pluchea indica* and *Vernonia cinerea*. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 32(1), 1136–1142.
<https://doi.org/10.1080/14756366.2017.1363741>
- Caruso, G., Abdelhamid, M. T., Kalisz, A., & Sekara, A. (2020). Linking endophytic fungi to medicinal plants therapeutic activity. A case study on asteraceae. *Agriculture (Switzerland)*, 10(7), 1–23.
<https://doi.org/10.3390/agriculture10070286>
- Chen, Y., Liu, Z., Liu, H., Pan, Y., Li, J., Liu, L., & She, Z. (2018).

- Dichloroisocoumarins with potential anti-inflammatory activity from the mangrove endophytic fungus ascomycota sp. CYSK-4. *Marine Drugs*, 16(2), 1–10. <https://doi.org/10.3390/md16020054>
- Dachriyanus. (2004). *Analisis Struktur Senyaa Organik secara Spektroskopi*.
- Fathoni, A., Hudiyono, S., Budianto, E., Cahyana, A. H., & Agusta, A. (2021). Metabolite Detection and Antibacterial Activity of Fungal Endophytic Extracts Isolated from Brotowali (*Tinospora crispa*) Plants using TLC-Bioautography Assay. *IOP Conference Series: Materials Science and Engineering*, 1011(1). <https://doi.org/10.1088/1757-899X/1011/1/012041>
- Fathoni, A., Ilyas, M., Praptiwi, Wulansari, D., & Agusta, A. (2022). Antibacterial and Antioxidant Activities of Fungal Endophytes Isolated from Medicinal Plants in Simeulue Island, Aceh. *HAYATI Journal of Biosciences*, 29(6), 720–732. <https://doi.org/10.4308/hjb.29.6.720-732>
- Gomes, A., Saha, A., Chatterjee, I., & Chakravarty, A. K. (2007). Viper and cobra venom neutralization by β -sitosterol and stigmasterol isolated from the root extract of *Pluchea indica* Less. (Asteraceae). *Phytomedicine*, 14(9), 637–643. <https://doi.org/10.1016/j.phymed.2006.12.020>
- Hikmawanti, N. P. E., Saputri, F. C., Yanuar, A., Jantan, I., Ningrum, R. A., & Mun'im, A. (2024). Insights into the anti-infective effects of *Pluchea indica* (L.) Less and its bioactive metabolites against various bacteria, fungi, viruses, and parasites. *Journal of Ethnopharmacology*, 320(November 2023), 117387. <https://doi.org/10.1016/j.jep.2023.117387>
- Huang, W. Y., Cai, Y. Z., Xing, J., Corke, H., & Sun, M. (2007). A potential antioxidant resource: Endophytic fungi from medicinal plants. *Economic Botany*, 61(1), 14–30. [https://doi.org/10.1663/0013-0001\(2007\)61\[14:APAREF\]2.0.CO;2](https://doi.org/10.1663/0013-0001(2007)61[14:APAREF]2.0.CO;2)
- Hundley, N. J. (2005). Structure elucidation of bio-active compounds isolated from endophytes of *Alstonia scholaris* and *Acmena graveolens*. *Abstracts, 61st Northwest Regional Meeting of the American Chemical Society, Reno, NV, United States, June 25-28*, RE06-052.

- Hussin, M., Hamid, A. A., Abas, F., Ramli, N. S., Jaafar, A. H., Roowi, S., Majid, N. A., & Dek, M. S. P. (2019). NMR-based metabolomics profiling for radical scavenging and anti-aging properties of selected herbs. *Molecules*, 24(17). <https://doi.org/10.3390/molecules24173208>
- Iawsipo, P., Poonbud, R., Somtragool, N., Mutapat, P., & Meejom, A. (2022). Pluchea indica tea-leaf extracts exert anti-cancer activity by inducing ROS-mediated cytotoxicity on breast and cervical cancer cells. *British Food Journal*, 124(12), 4769–4781. <https://doi.org/10.1108/BFJ-05-2021-0497>
- Ibrahim, S. R. M., Bagalagel, A. A., Diri, R. M., Noor, A. O., Bakhsh, H. T., & Mohamed, G. A. (2022). Phytoconstituents and Pharmacological Activities of Indian Camphorweed (Pluchea indica): A Multi-Potential Medicinal Plant of Nutritional and Ethnomedicinal Importance. *Molecules*, 27(8). <https://doi.org/10.3390/molecules27082383>
- Irianti, T., Mada, U. G., Ugm, S., Mada, U. G., Nuranto, S., Mada, U. G., Kuswandi, K., & Mada, U. G. (2017). *Antioksidan. October*.
- Kongkiatpaiboon, S., Chewchinda, S., & Vongsak, B. (2018). Optimization of extraction method and HPLC analysis of six caffeoylquinic acids in Pluchea indica leaves from different provenances in Thailand. *Revista Brasileira de Farmacognosia*, 28(2), 145–150. <https://doi.org/10.1016/j.bjp.2018.03.002>
- Kuncoro, H., & Sugijanto, N. E. (2011). Jamur Endofit, Biodiversitas, Potensi dan Prospek Penggunaannya Sebagai Sumber Bahan Obat Baru. *Journal of Tropical Pharmacy and Chemistry*, 1(3), 247–262. <https://doi.org/10.25026/jtpc.v1i3.35>
- Loges, L. A., Silva, D. B., Paulino, G. V. B., Landell, M. F., & Macedo, A. J. (2020). Polyketides from marine-derived *Aspergillus welwitschiae* inhibit *Staphylococcus aureus* virulence factors and potentiate vancomycin antibacterial activity in vivo. *Microbial Pathogenesis*, 143, 104066. <https://doi.org/10.1016/j.micpath.2020.104066>
- Muadifah, A., Tilarso, D. P., Sowe, M. S., Tarigan, I. L., Ngibad, K., & Yuliantari, S. D. (2024). *LC-MS Based Metabolite Profiling Leaves Extract of Pluchea indica With Antioxidant Activity*.

- Muharni, Fitrya, Ruliza, M. O., Susanti, D. A., & Elfita. (2014). Di-(2-ethylhexyl)phthalate and pyranon derivated from endophytic fungi *Penicillium* sp the leave of kunyit putih (*Curcuma zedoaria*). *Indonesian Journal of Chemistry*, 14(3), 290–296. <https://doi.org/10.22146/ijc.21241>
- Naureen, H., Asker, M. M. S., & Shaaban, M. (2015). *Structural Elucidation and Bioactivity Studies of Secondary Metabolites from Endophytic Aspergillus niger*. *September*, 76–83.
- Ooi, P. W., Ramachandran, M. R., Yahaya, N., & Kamal, N. N. S. M. (2019). *REMOVAL OF PHTHALATES IN AQUEOS SAMPLES USING NON-IONIC SILICONE SURFACTANT MEDIATED CLOUD POINT EXTRACTION VIA (Penyingkiran Ftalat dalam Sampel Akues Menggunakan Teknik Pengekstrakan Titik Awan*. 23(5), 839–848.
- Orfali, R., Aboseada, M. A., Abdel-Wahab, N. M., Hassan, H. M., Perveen, S., Ameen, F., Alturki, E., & Abdelmohsen, U. R. (2021). Recent updates on the bioactive compounds of the marine-derived genus *Aspergillus*. In *RSC Advances* (Vol. 11, Issue 28). Royal Society of Chemistry. <https://doi.org/10.1039/d1ra01359a>
- Palupi, K. D., Oktavia, L., Wulansari, D., Fathoni, A., Praptiwi, P., Rahmi, D., & Agusta, A. (2025). Plant Endophytic Fungi: Powerful Catalytic Cells for Biotransformation of Chemical Structures of Biologically Active Compounds. *Chemistry and Biodiversity*, December. <https://doi.org/10.1002/cbdv.202402281>
- Praptiwi, Raunsai, M., Wulansari, D., Fathoni, A., & Agusta, A. (2018). Antibacterial and antioxidant activities of endophytic fungi extracts of medicinal plants from Central Sulawesi. *Journal of Applied Pharmaceutical Science*, 8(8), 069–074. <https://doi.org/10.7324/JAPS.2018.8811>
- Rahmi, D., Praptiwi, Simajuntak, P., Ilyas, M., & Agusta, A. (2023). The antioxidant activity of endophytic fungal extract of nutmeg plant (*Myristica fragrans* Houtt.) from Cimande West Java, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1271(1). <https://doi.org/10.1088/1755-1315/1271/1/012063>

- Raunsai, M. M., Nurhayati, O. S., Kamal, A. S., Praptiwi, Palupi, K. D., Ilyas, M., Ridwan, R., Evana, & Agusta, A. (2024). ISOLATION AND IN VITRO BIOASSAYS OF ENDOPHYTIC FUNGI ASSOCIATED ISOLATION AND IN VITRO BIOASSAYS OF ENDOPHYTIC FUNGI ASSOCIATED WITH LIDAH BUAYA (Aloe vera (L .) Burm . f .). *Berita Biologi*, 23(2), 197–206. <https://doi.org/10.55981/beritabiologi.2024.3879>
- Ruan, J., Li, Z., Yan, J., Huang, P., Yu, H., Han, L., Zhang, Y., & Wang, T. (2018). Bioactive constituents from the aerial parts of *pluchea indica* less. *Molecules*, 23(9), 1–11. <https://doi.org/10.3390/molecules23092104>
- Ruan, J., Yan, J., Zheng, D., Sun, F., Wang, J., Han, L., Zhang, Y., & Wang, T. (2019). Comprehensive Chemical Profiling in the Ethanol Extract of *Pluchea indica* Aerial Parts by Liquid Chromatography/Mass Spectrometry Analysis of Its Silica Gel Column Chromatography Fractions. *Molecules*, 24(15). <https://doi.org/10.3390/molecules24152784>
- Scherer, R., & Godoy, H. T. (2009). Antioxidant activity index (AAI) by the 2,2-diphenyl-1-picrylhydrazyl method. *Food Chemistry*, 112(3), 654–658. <https://doi.org/https://doi.org/10.1016/j.foodchem.2008.06.026>
- Setiawan, M. A., & Musdalipah, M. (2018). Uji Daya Hambat Antibakteri Fungi Endofit Daun Beluntas (*Pluchea indica* (L.) Less.) Terhadap Bakteri *Streptococcus mutans*. *Jurnal Mandala Pharmacon Indonesia*, 4(1), 53–60. <https://doi.org/10.35311/jmpi.v4i1.24>
- Shaaban, M., Shaaban, K. A., & Abdel-Aziz, M. S. (2012). Seven naphtho- γ -pyrones from the marine-derived fungus *Alternaria alternata*: structure elucidation and biological properties. *Organic and Medicinal Chemistry Letters*, 2, 6. <https://doi.org/10.1186/2191-2858-2-6>
- Sirichaiwetchakoon, K., Lowe, G. M., & Eumkeb, G. (2020). The Free Radical Scavenging and Anti-Isolated Human LDL Oxidation Activities of *Pluchea indica* (L.) Less. Tea Compared to Green Tea (*Camellia sinensis*). *BioMed Research International*, 2020. <https://doi.org/10.1155/2020/4183643>
- Suhartati, T. (2017). *Dasar-dasar Spektrofotometri UV-Vis dan Spektrometri Massa*

untuk Penentuan Struktur Senyawa Organik. AURA.

- Thiemann, T. (2021). Isolation of Phthalates and Terephthalates from Plant Material – Natural Products or Contaminants? *Open Chemistry Journal*, 8(1), 1–36.
<https://doi.org/10.2174/1874842202108010001>
- Uchiyama, T., Miyase, T., Ueno, A., & Usmanghani, K. (1989). Terpenic glycosides from *Pluchea indica*. *Phytochemistry*, 28(12), 3369–3372.
[https://doi.org/10.1016/0031-9422\(89\)80349-8](https://doi.org/10.1016/0031-9422(89)80349-8)
- Uchiyama, T., Miyase, T., Ueno, A., & Usmanghani, K. (1991). Terpene and lignan glycosides from *Pluchea indica*. *Phytochemistry*, 30(2), 655–657.
[https://doi.org/10.1016/0031-9422\(91\)83746-8](https://doi.org/10.1016/0031-9422(91)83746-8)
- Wei, E., Chan, C., Ng, Y. K., Wong, S. K., & Chan, H. T. (2022). *Pluchea indica*: An updated review of its botany, uses, bioactive compounds and pharmacological properties. 49(1), 77–85. <https://doi.org/10.29090/psa.2022.01.21.113>
- Yuan, Y., Wang, G., She, Z., Chen, Y., & Kang, W. (2023). Metabolites isolated from the mangrove endophytic fungus *Didymella* sp. CYSK-4 and their cytotoxic activities. *Fitoterapia*, 171(July), 1–6.
<https://doi.org/10.1016/j.fitote.2023.105692>

