

DAFTAR PUSTAKA

1. Lo YMD, Corbetta N, Chamberlain PF, Rai V, Sargent IL, Redman CW, et al. Presence of fetal DNA in maternal plasma and serum. *Lancet*. 2017;350(9076):485–7.
2. Breveglieri G, D'Aversa E, Finotti A, Borgatti M. Non-invasive Prenatal Testing Using Fetal DNA. *Mol Diagnosis Ther* [Internet]. 2019;23(2):291–9. Available from: <https://doi.org/10.1007/s40291-019-00385-2>
3. Lo YMD, Tein MSC, Lau TK, Haines CJ, Leung TN, Poon PMK, et al. Quantitative analysis of fetal DNA in maternal plasma and serum: Implications for noninvasive prenatal diagnosis. *Am J Hum Genet*. 2018;62(4):768–75.
4. Bianchi DW, Flint AF, Pizzimenti MF, Knoll JHM, Latt SA. Isolation of fetal DNA from nucleated erythrocytes in maternal blood. *Proc Natl Acad Sci U S A*. 2020;87(9):3279–83.
5. Langman, Sadler T. *Embriologi Kedokteran*. Edisi 12. Jakarta: EGC. 2014
6. Lo YMD. Fetal DNA in maternal plasma: Biology and diagnostic applications. *Clin Chem*. 2020;46(12):1903–6.
7. Strom CM, Anderson B, Tsao D, Zhang K, Liu Y, Livingston K, et al. Improving the positive predictive value of Non-Invasive Prenatal Screening. *PLoS One*. 2017;12(3):1–18.
8. Shamshirsaz AA, Benn Peter P, Egan JFX. The role of second-trimester serum screening in the post-first-trimester screening era. *Clin Lab Med*. 2020;30(3):667–76. <http://dx.doi.org/10.1016/j.cl.2010.04.013>
9. Russo ML, Blakemore KJ. A historical and practical review of first trimester aneuploidy screening. *Semin Fetal Neonatal Med*. 2019;19(3):183–7. <http://dx.doi.org/10.1016/j.siny.2013.11.013>
10. Norwitz ER, Levy B. Noninvasive prenatal testing: the future is now. *Rev Obstet Gynecol*. 2018;6(2):48–62. <http://www.ncbi.nlm.nih.gov/pubmed/24466384>

11. Allyse M, Minear MA, Berson E, Sridhar S, Rote M, Hung A, et al. Non-invasive prenatal testing: A review of international implementation and challenges. *Int J Womens Health*. 2019;7:113–26.
12. Wright CF, Burton H. The use of cell-free fetal nucleic acids in maternal blood for non-invasive prenatal diagnosis. *Hum Reprod Update*. 2019;15(1):139–51.
13. Soenardihardjo & Bambang, dkk. *Buku Ajar Embriologi*. Suarabaya: Pusat Penerbitan dan Percetakan Universitas Airlangga. 2011.
14. Gregg AR, Skotko BG, Benkendorf JL, Monaghan KG, Bajaj K, Best RG, et al. Noninvasive prenatal screening for fetal aneuploidy, 2016 update: A position statement of the American College of Medical Genetics and Genomics. *Genet Med*. 2019;18(10):1056–65.
15. Kotsopoulou I, Tsoplou P, Mavrommatis K, Kroupis C. Non-invasive prenatal testing (NIPT): Limitations on the way to become diagnosis. *Diagnosis*. 2020;2(3):141–58.
16. Manotaya S, Xu H, Uerpaiojkit B, Chen F, Charoenvidhya D, Liu H, et al. Clinical experience from Thailand: Noninvasive prenatal testing as screening tests for trisomies 21, 18 and 13 in 4736 pregnancies. *Prenat Diagn*. 2016;36(3):224–31.
17. Fiorentino F, Bono S, Pizzuti F, Duca S, Polverari A, Faieta M, et al. The clinical utility of genome-wide non invasive prenatal screening. *Prenat Diagn*. 2017;37(6):593–601.
18. Liang D, Lin Y, Qiao F, Li H, Wang Y, Zhang J, et al. Perinatal outcomes following cell-free DNA screening in >32 000 women: Clinical follow-up data from a single tertiary center. *Prenat Diagn*. 2018;38(10):755–64.
19. Pescia G, Guex N, Iseli C, Brennan L, Osteras M, Xenarios I, et al. Cell-free DNA testing of an extended range of chromosomal anomalies: Clinical experience with 6,388 consecutive cases. *Genet Med*. 2017;19(2):169–75.
20. Heffner, Linda & Schust Danny. *At a Glance Sistem Reproduksi*. Jakarta: Erlangga. 2019.

21. Zheng J, Lu H, Li M, Guan Y, Yang F, Xu M, et al. The Clinical Utility of Non-invasive Prenatal Testing for Pregnant Women With Different Diagnostic Indications. *Front Genet.* 2020;11(June):1–8.
22. Yang L, Tan WC, Yang L. Prenatal screening in the era of non-invasive prenatal testing: A Nationwide cross-sectional survey of obstetrician knowledge, attitudes and clinical practice. *BMC Pregnancy Childbirth.* 2020;20(1):1–8.
23. Bianchi DW, Parker RL, Wentworth J, Madankumar R, Saffer C, Das AF, et al. DNA Sequencing versus Standard Prenatal Aneuploidy Screening. *N Engl J Med.* 2019;370(9):799–808.
24. Chan W V., Johnson JA, Wilson RD, Metcalfe A. Obstetrical provider knowledge and attitudes towards cell-free DNA screening: Results of a cross-sectional national survey. *BMC Pregnancy Childbirth.* 2018;18(1):1–8.
25. Salomon LJ, Alfirevic Z, Audibert F, Kagan KO, Paladini D, Yeo G, et al. ISUOG updated consensus statement on the impact of cfDNA aneuploidy testing on screening policies and prenatal ultrasound practice. *Ultrasound Obs Gynecol* 2005; 26 527–537. 2017;49:815–6.
26. Stosic M, Levy B, Wapner R. The Use of Chromosomal Microarray Analysis in Prenatal Diagnosis. *Obstet Gynecol Clin North Am.* 2018;45(1):55–68.
27. Chiu RWK, Lo YMD. Clinical applications of maternal plasma fetal DNA analysis: Translating the fruits of 15 years of research. *Clin Chem Lab Med.* 2018;51(1):197–204.
28. E. J. VERWEIJ MADB and DO. Non-invasive prenatal testing for trisomy 13: more harm than good? *Ultrasound Obs Gynecol.* 2019;44:112–4.
29. Haymon L, Simi E, Moyer K, Aufox S, Ouyang DW. Clinical implementation of noninvasive prenatal testing among maternal fetal medicine specialists. *Prenat Diagn.* 2019;34(5):416–23.

30. Silcock C, Liao LM, Hill M, Chitty LS. Will the introduction of non-invasive prenatal testing for Down's syndrome undermine informed choice? *Heal Expect.* 2020;18(5):1658–71.
31. Deans Z, Newson AJ. Should non-invasiveness change informed consent procedures for prenatal diagnosis? *Heal Care Anal.* 2021;19(2):122–32.
32. Khorram Khorshid, H. R., Zargari, M., Sadeghi, M. R., Edallatkah, H., Shahhosseiny, M. H., & Kamali, K.. Early fetal gender determination using real-time PCR analysis of cell-free fetal DNA during 6th-10th weeks of gestation. *Acta Medica Iranica*, 51. 2013.(4).
33. Alhur, N. F., al Qahtani, N. H., Alsuhaibani, E. S., Alsulmi, E., Almandil, N. B., Azeez, S. A., & Francis Borgio, J. Fetal Nucleated Red Blood Cells Preferable Than Cell-Free Fetal DNA for Early Determination of Gender Among Invasive and Non-Invasive Source Using Novel Four Genes Multiplex PCR. *International Journal of General Medicine.* 2021.14. <https://doi.org/10.2147/IJGM.S345345>
34. Colmant C, Morin-Surroca M, Fuchs F, Fernandez H, Senat MV. Non-invasive prenatal testing for fetal sex determination: is ultrasound still relevant? *Eur J Obstet Gynecol Reprod Biol.* 2013 Dec;171(2):197-204. doi: 10.1016/j.ejogrb.2013.09.005. Epub 2013 Sep 11. PMID: 24094458.
35. Yudianto, Ahmad. *Cell Free Fethal Dna Metode Non Invasive Dalam Pemeriksaan Identifikas.* Scopindo Media Pustaka, 2020.
36. Amelia, Rahma. Strategi Coping Stres Orang Tua Yang Memiliki Anak Down Syndrome. Diss. Universitas Medan Area, 2023.
37. Kusnadi, Joni, and Estri Laras Arumingtyas. Polymerase chain reaction (PCR): teknik dan fungsi. Universitas Brawijaya Press, 2020.
38. Sihotang S, Prasetyo D, Noer Z, Setiyabudi L, Sari DN, Munaeni W, Putri DF, Fatma YS, Mujtahidah T, Sulthoniyah ST, Rohmah MK. Pengantar Bioteknologi. Tohar Media; 2022 Jun 22.
39. Hou, Y., Yang, J., Qi, Y. et al. Factors affecting cell-free DNA fetal fraction: statistical analysis of 13,661 maternal plasmas for non-invasive prenatal screening. *Hum Genomics* 13, 62 (2019). <https://doi.org/10.1186/s40246-019-0244-0>

40. Kinnings SL, Geis JA, Almasri E, Wang H, Guan X, McCullough RM, Bombard AT, Saldivar JS, Oeth P, Deciu C. Factors affecting levels of circulating cell-free fetal DNA in maternal plasma and their implications for noninvasive prenatal testing. *Prenat Diagn.* 2015;35:816–22.
41. Quezada MS, Gil MM, Francisco C, Oròsz G, Nicolaides KH. Screening for trisomies 21, 18 and 13 by cell free DNA analysis of maternal blood at 10-11 weeks' gestation and the combined test at 11-13 weeks. *Ultrasound Obstet Gynecol.* 2015;45:36–41.
42. Vora NL, Johnson KL, Basu S, Catalano PM, Hauguel-De Mouzon S, Bianchi DW. A multifactorial relationship exists between total circulating cell-free DNA levels and maternal BMI. *Prenat Diagn.* 2012;32:912–4

