

DAFTAR PUSTAKA

- Abarghuei, M. J., A. Z. M. Salem. 2021. Sustainable impact of pulp and leaves of *Glycyrrhiza glabra* to enhance ruminal biofermentability, protozoa population, and biogas production in sheep. *Environmental Science and Pollution Research*. 28:33371-33381.
- Aboagye, I. A., & Beauchemin, K. A. (2019). Potential of molecular weight and structure of tannins to reduce methane emissions from ruminants: A review. *Animals*, 9(11), 856. <https://doi.org/10.3390/ani9110856>
- Addawiyah, N.R., B. Ayuningsih, A. Budiman, dan I. Hernaman. (2021). Produksi gas pada ransum domba berbasis rumput gajah cv mott dan leguminosa pohon. *J. Sumber Daya Hewan* 2 (2): 30-34.
- Anantasook, N., M. Wanapat, And A. Cherdthong. 2014. Manipulation Of Ruminal Fermentation And Methane Production By Supplementation Of Rain Tree Pod Meal Containing Tannins And Saponins In Growing Dairy Steers. *Journal Of Animal Physiology And Animal Nutrition*. 98(1): 50-55.
- Ardiansyah, P. R., Wonggo, D., Dotulong, V., Damongilala, L. J., Harikedua, S. D., Mentang, F., & Sanger, G. (2020). Proksimat Pada Tepung Buah Mangrove *Sonneratia Alba*. *Media Teknologi Hasil Perikanan*, 8(3), 82-87.
- Aschenbach JR, Penner GB, Stumpff F, Gäbel G. 2011. Ruminant nutrition symposium: Role of fermentation acid absorption in the regulation of ruminal pH. *J Anim Sci* 89(4): 1092-1107.
- Awika, J. M., Yang, L., Browning, J. D., & Faraj, A. (2009). Comparative Antioxidant, Antiproliferative And Phase Ii Enzyme Inducing Potential Of Sorghum (*Sorghum Bicolor*) Varieties. *Lwt-Food Science And Technology*, 42(6), 1041–1046.
- Ayu, M. K., Tamrin, & Hermanto, H. (2019). Pengaruh Lama Dan Suhu Pengeringan Dalam Pengolahan Tepung Buah Mangrove Jenis Lindur (*Bruguiera Gymnorhiza*) Terhadap Karakteristik Organoleptik, Kimia, Dan Aktivitas Antioksidan. *Jurnal Sains Dan Teknologi Pangan*, 4(1), 1879–1891.
- Bay, R. H. 2016. Analisis Kadar Tannin Pada Buah, Daun Dan Kulit Batang Mangrove *Sonneratia Alba* Dengan Metode Lowenthal-Procter. Skripsi. Universitas Negeri Gorontalo. Gorontalo
- Beauchemin K. A., E. M. Ungerfeld, R. J. Eckard and M. Wang. 2020. Review: Fifty years of research on rumen methanogenesis: lessons learned and future challenges for mitigation. *Animal*, Vol. 14:S1, pp s2-s16.
- Becker, P., Wikselaar, P., Franssen, M., Vos, R., Hall, R., & Beekwilder, J. (2013). Evidence for a hydrogen-sink mechanism of catechin-mediated emission reduction of the ruminant greenhouse gas methane. *Metabolomics*, 10(2), 179–189.

- Bhatta R, Y Uyeno, K Tajima, A Takenaka, Y Yabumoto, I Nonaka, O Enishi, and M. Kurihara. 2009. Difference in the nature of tannins on in vitro ruminal methane and volatile fatty acid production and on methanogenic archaea and protozoal populations. *J. Dairy Sci.* 92:5512-5522.
- Bhatta, R., Saravanan, M., Baruah, L., Malik, P. K., and Sampath, K. T. 2017. Nutrient composition, rate of fermentation and in vitro rumen methane output from tropical feedstuffs. *The Journal of Agricultural Science*, 155(1), 171-183.
- Chadwick, *et al.* (2015), Produksi Gas Methan Dari Feses Sapi Edisi Januari 2015 45 L. Cardenas, B. Amon, & T. Misselbrook. 2011. Manure Management : Implications For Greenhouse Gas Emissions. *Anim Feed Sci Technol* No.18. Vol. 03 No. 1.
- Cottle DJ, Nolan JV, Wiedemann SG 2011 Mitigasi metana enterik ruminan: sebuah tinjauan.Illmu Produksi Animasi51: 491-514.<https://doi.org/10.1071/AN10163>
- Deppenmeier, U., & Müller, V. (2008). Bioenergetics. Energy conservation and conversion. In G. Schäfer & H. Penefsky (Eds.), Series: Results and problems in cell differentiation (Vol. 45, p. 123). Heidelberg: Springer.
- Deswati, N., Rahmadini, S., & Yuliana, R. 2022. Gambir (*Uncaria Gambir Roxb.*) Sebagai Sumber Bioaktif Dengan Potensi Antioksidan, Antibakteri, Dan Anti-Inflamasi. *Jurnal Sains Dan Teknologi*, 10(3), 102-110.
- Elihasridas, R. Pazla., N. Jamarun., G. Yanti., R. W. W.Sari., Z. Ikhlas. 2023. Pre-treatments of *Sonneratia alba* fruit as the potential feed for ruminants using *Aspergillus niger* at different fermentation times: Tanin concentration, enzyme activity, and total colonies. *International Journal of Veterinary Science*.12(5): 755-761.
- Elihasridas, R. Pazla., N. Jamarun., G. yanti., S. Asmairicen., L. Marlina., M. C. Hadiatry., R. W. Arief., H. Bansi., S. U. Khan., F. A. Khan., E. M Putri., A. Antonius., Z. Ikhlas., Z. Ikhsan., L. R. Ardani., A. T. Siva., H. Yendrita., F. Zelinea. 2024. Effect of Tannin Degradation of Mangrove (*Sonneratia alba*) Fruit on Nutrient Digestability, Protozoa Population and Methane Gas Production. *Czech J. Anim. Sci.*, 69: 292-301.
- FAO. 2007. Mangrove Dunia 1980-2005. Organisasi Pangan dan Pertanian Perserikatan Bangsa-Bangsa. Roma.
- Fauza, O., 2004. Cairan Ketuban Dan Sel Induk Plasenta. *Best Practice Res. Clin. Obstet. Gynecol.* 2004;18:877–891. Nomor Telepon Ferita, 7. I., Jamsari, I. Suliansyah, Dan Gustian. 2010. Studi Hubungan Karakter Morfologi, Anatomi Dan Molekuler Terkait Potensi Kadar Katekin Pada Tanaman Gambir (*Gambir Roxb.*).

- Fieves, V., Babayami, O. J., & Demeyer, D. (2005). Estimation of direct and indirect gas production in syringes: A tool to estimate short chain fatty acid production that requires minimal laboratory facilities. *Animal Feed Science and Technology*, 123-124(1), 197–210. <https://doi.org/10.1016/j.anifeedsci.2005.05.001>
- Gumilar, D., Rianto, E., & Arifin, M. (2017). Konsentrasi asam lemak volatil cairan rumen dan amonia, serta produksi protein mikroba rumen pada domba yang diberi pakan pada siang dan malam hari. *Seri Konferensi IOP: Ilmu Bumi dan Lingkungan*, 119, 012045.
- Hamsah. 2013. Karakteristik sifat fisiokimia tepung buah pedada (*Sonneratia caseolaris*). Dissertation, Universitas Hasanuddin.
- Handayani, S. (2019). Identifikasi Jenis Tanaman Mangrove Sebagai Bahan Pangan Alternatif Di Kabupaten Sidoarjo Jawa Timur. *Jurnal Teknologi Pangan*, 12(2), 33-46.
- Haryanto, B., & Thalib, A. (2009). Emisi metana dari fermentasi enterik: kontribusinya secara nasional dan faktor-faktor yang mempengaruhinya pada ternak. *Wartazoa*, 19(4), 157-165.
- Hassan, Z. M., T. G. Manyelo, L. Selaledi, and M. Mabelebele. 2020. The effects of tannins in monogastric animals with special reference to alternative feed ingredients. *Molecules*, 25(20), 1–17
- Hidayah, N. 2016. Pemanfaatan senyawa metabolit sekunder tanaman (tanin dan saponin) dalam mengurangi emisi metan ternak ruminansia. *Jurnal Sains Peternakan Indonesia*. Vol. 11 No. 2.
- Jayanegara A, Yogiarto Y, Wina E, Sudarman A, Kondo M, Obitsu T dan Kreuzer M, 2020. Efek kombinasi ekstrak tumbuhan yang kaya akan tanin dan saponin sebagai aditif pakan untuk mengurangi in vitro Pembentukan metana dan amonia rumen. *Hewan* 10(9): 1531 <https://doi.org/10.3390/ani10091531>
- Jayanegara, A., A. Sofyan, H. P. S. Makkara dan K. Becker. 2009. Kinetika produksi gas, pencernaan bahan organik dan produksi gas metana in vitro pada hay dan jerami disuplementasi hijauan mengandung tanin. *Media Peternakan*. 32 (2). 120 – 129.
- Jouany, J. P., and B. Lassalas. 1997. Study of the adaptation of the rumen ecosystem to the antimethanogenic effect of monensin measured in vivo. *Reprod. Nutr. Dev.* 37(Suppl. 1):S69–S70.
- Kalantar, M. (2018). The importance of flavonoids in ruminant nutrition. *Archives of Animal Husbandry and Dairy Science*, 1(1), 000504. <https://doi.org/10.33552/AAHDS.2018.01.000504>
- Kurihara, Y., T. Takechi and F. Shibata. 1978. Relationship between bacteria and ciliate protozoa in the rumen of sheep fed on purified diet. *J. Agric. Sci.*, 90: 373-381

- Laura, E., Zain, M., & Agustin, F. (2024). Enhancing sheep rations: Optimal ammoniated palm fronds utilization with lerak fruit (*Sapindus rarak*) and probiotic supplementation. *Andalasian Livestock*, 1(1), 59–69. <https://doi.org/10.25077/alive.v1.n1.p59-69.2024>
- Makkar, H P Francis, G and Becker, K 2007 Bioactivity of phytochemicals in some lesser known plants and their effects and potential applications in livestock and aquaculture production systems *Animal* 1 :1371-1391
- Makkar, H.P.S. 2003. Quantification of Tannin in Tree and Shrub Legumes; A Laboratory Manual. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- MN Aprilliza, YN Anggraeny, E. Wina, Peran senyawa katekin dan turunannya dalam mitigasi produksi gas metana pada fermentasi rumen, *Wartazoa* 31 (2021) 13–22, <https://doi.org/10.14334/WARTAZOA.V31I1.2548>.
- Morgavi, D. P., Forano, E., Martin, C., & Newbold, C. J. (2010). Microbial Ecosystem And Methanogenesis In Ruminants. *Animal*, 4(7), 1024–1036.
- Mueller, H. I. 2006. Unravelling The Conundrum Of Tannins In Animal Nutrition And Health. *J. Sci. Food Agric.* 86: 2010-2037
- Nurjannah, S. Ayuningsih, B. dan Hernamaa, I. 2016. Pengaruh tingkat penambahan complete rumen modifier (CRM) dalam ransum berbasis pucuk tebu (*saccharum 49 officinarum*) terhadap degradasi bahan kering dan produksi gas metan (in vitro). *Students E-Journal*, 5(2).
- Ogimoto, K. & S. Imai. 1981. *Atlas of Rumen Microbiology*. JSSP, Tokyo.
- Oskoueian, E., Abdullah, N., & Oskoueian, A. (2013). Effects of flavonoids on rumen fermentation activity, methane production, and microbial population. *BioMed Research International*, 2013, 349129. <https://doi.org/10.1155/2013/349129>
- Paputungan, Z., Wonggo, D., & Kaseger, B. E. (2017). Uji Fitokimia Dan Aktivitas Antioksidan Buah Mangrove *Sonneratia Alba* Di Desa Nunuk Kecamatan Pinolosian Kabupaten Bolaang Mongondow Selatan Sulawesi Utara. *Media Teknologi Hasil Perikanan*, 5(3), 96-102.
- Patra, A. K. And J. Saxena. 2010. A New Perspective On The Use Of Plant Secondary Metabolites To Inhibit Methanogenesis In The Rumen. *J. Phytochemistry*. 71: 1198– 1222
- Pazla. R (2024). *Peran Dosis dan Asal Daerah Eekstrak Daun Gambir Dalam Meningkatkan Fermentasi Rumen Dan Menekan Emisi Metana* (Doctoral dissertation, Universitas Andalas).
- Pitta D., N. Indugu, K. Narayan, And M. Hennessy. 2022. Understanding The Role Of The Rumen Microbiome In Enteric Methane Mitigation And Productivity In Dairy Cows. *J. Dairy Sci.* 105(10): 8569–8585.
- Puastuti, W. 2009. Manipulasi Bioproses dalam Rumen untuk Meningkatkan Penggunaan Pakan Berserat. *Wartazoa*, 19(4), 180-190.

- Pursetyo, dkk. (2013). Analisis Potensi Sonneratia Sp. Di Wilayah Pesisir Pantai Timur Surabaya Melalui Pendekatan Ekologi Dan Sosial-Ekonomi [Potency Analysis Of Sonneratia Sp. At East Coast Surabaya Through Ecology And Social Economy Studies]. *Jurnal Ilmiah Perikanan Dan Kelautan*, 5(2), 129-138.
- Rahadian, A., L.B. Prasetyo., Y. Setiawan., dan K. Wikantika. 2019. Tinjauan historis data dan informasi luas mangrove indonesia. *Jurnal Media Konservasi*. 24(2) : 163-178.
- Rahmadini, S., Deswati, N., & Pranata, S. 2019. Potensi Katekin Gambir Dalam Peningkatan Imunitas Dan Kesehatan Ternak. *Jurnal Peternakan Tropis*, 20(4), 204-211.
- Ramaiyulis, Ningrat RWS, Zain M and Warly L, 2019. Optimization of rumen microbial protein synthesis by addition of gambier leaf residue to cattle feed supplement. *Pakistan Journal of Nutrition* 18(1): 12-19. <http://dx.doi.org/10.3923/pjn.2019.12.19>
- Santoso, N., Nurcahya, B.D. Dan Siregar, I.F. (2005). Resep Makanan Berbahan Baku Mangrove Dan Pemanfaatan Nipah. Lembaga Pengkajian Dan Pengembangan Mangrove. Jakarta
- Sari, R., Jamarun, N., Suyitman, Khasrad, & Yanti, G. (2021). Mangrove (*Avicennia marina*) leaves as an alternative feed resources for ruminants. *IOP Conference Series: Earth and Environmental Science*, 888. 012079. 10.1088/1755 1315/888/1/012079.
- Sebayang, L., & Hardyani, M. A. (2020). The Morphology Characteristics of Plant Gambir (*Uncaria gambire Roxb.*) in Pakpak Barat District. *Jurnal Online PERTANIAN TROPIK*, 7(2), 213-218.
- Singh, S., Koli, P., Bhadoria, B. K., Agarwal, M., Lata, S., Ren, Y., et al. (2022). Proanthocyanidins modulate rumen enzyme activities and protein utilization in vitro. *Molecules* 27 (18), 5870. doi:10.3390/molecules27185870
- Smith AH, Zoetandal E, Mackie IR. 2005. Bacterial mechanisms to overcome inhibitory effects of dietary tannins. *Microbial Ecology*. 50:197-205.
- Soetanto, H. dan Kusmartono. 2021. Ilmu Nutrisi Ternak Ruminansia (Tingkat lanjut). Cetakan Pertama. UB Press, Malang
- Suardin N., S. Sandiah, Dan R., Aka. 2014. Kecernaan Bahan Kering Dan Bahan Organik Campuran Rumput Mulato (*Brachiaria Hybrid.Cv.Mulato*) Dengan Jenis Legume Berbeda Menggunakan Cairan Rumen Sapi. *Jurnal Ilmu Dan Teknologi Peternakan Tropis*, 1: 16-22
- Tharwat M, F Al-Sobayil, A Ali, S Buczinski. 2012 Penampakan Organ Pencernaan Unta Sehat (*Camelus Dromedaries*) Melalui Ultrasonografi Transabdominal. *Res Vet Sci* 93, 1015-1020.
- Tilley,J.M.A and R.A Terry. 1963. Two stage technique for in vitro digestion of forage crops. *J. British Grassland Soc.* 18: 104.
- Ungerfeld EM. 2018. Inhibition of rumen methanogenesis and ruminant productivity: A meta-analysis. *Frontiers Vet Sci.* 5:1-13.

- Vasta, V., Mele, M., & Serra, A. (2009). Ruminant biohydrogenation as affected by tannins in vitro. *The Journal of* <https://doi.org/10.1016/j.anifeedsci.2019.114323>
- Wahyuni, I. M. D., Mukhtiani, A., & Christianto, M. (2014). Penentuan Dosis Tanin Dan Saponin Untuk Defaunasi Dan Peningkatan Fermentabilitas Pakan. *Jitp*, 3(3), 133-140.
- Warly, L., Jamarun, N., Zain, M., Hermon., Agustin, F., Elihasridas., Ningrat, R.W.J., Erpomen., Pazla, R., Suyitman., Evitayani., Sriagtula, R., Mardhiyetti., Martaguri, I., Sowmen, S., Aini, Q., & Utami, Y. 2020. Jerami Padi Amoniasi Urea. Universitas Andalas. <https://share.google/DH3jiKkV5hshyajMN>
- Wang W, *et al* (2023). Effect Of Nitrate Supplementation, Dietary Protein Supply, And Genetic Yield Index On Performance, Methane Emission, And Nitrogen Efficiency In Dairy Cows. *J. Dairy Sci.* 106:5433–5451. <https://doi.org/10.3168/jds.2022-22906>.
- Widyobroto, B.P., S. Padmowijoto dan R. Utomo. 1994. Pendugaan kualitas protein bahan pakan (hijauan, konsentrat dan limbah pertanian) untuk ternak ruminansia. Laporan Penelitian Hibah Bersaing Perguruan Tinggi III2. Departemen Pendidikan dan Kebudayaan RI., Jakarta.

