

DAFTAR PUSTAKA

- Adila, N., Sasidhran, S., Kamarudin, N., Puan, C. L., Azhar, B., & Lindenmayer, D. B. (2017). Effects of peat swamp logging and agricultural expansion on species richness of native mammals in Peninsular Malaysia. *Basic and Applied Ecology*, 22, 1–10. <https://doi.org/10.1016/j.baae.2017.04.002>
- Bisi, F., Gagliardi, A., Cremonesi, G., Colombo, R., Mazzamuto, M. V., Wauters, L. A., Preatoni, D. G., & Martinoli, A. (2019). Distribution of Wildlife and Illegal Human Activities in the Lampi Marine National Park (Myanmar). *Environmental Conservation*, 46(2), 163–170. <https://doi.org/10.1017/S0376892918000486>
- Burke, C., Rashman, M., Wich, S., Symons, A., Theron, C., & Longmore, S. (2018). *Optimising observing strategies for monitoring animals using drone-mounted thermal infrared cameras*. <https://doi.org/10.1080/01431161.2018.1558372>
- Bushaw, J. D., Ringelman, K. M., & Rohwer, F. C. (2019). Applications of unmanned aerial vehicles to survey mesocarnivores. *Drones*, 3(1), 1–9. <https://doi.org/10.3390/drones3010028>
- Dehaut, B., Amir, Z., Decoeur, H., Gibson, L., Mendes, C., Moore, J. H., Nursamsi, I., Sovie, A., & Luskin, M. S. (2022). Common palm civets *Paradoxurus hermaphroditus* are positively associated with humans and forest degradation with implications for seed dispersal and zoonotic diseases. *Journal of Animal Ecology*, 91(4), 794–804. <https://doi.org/10.1111/1365-2656.13663>
- Duckworth, J. W., Timmins, R. J., Choudhury, A. U., Chutipong, W., Willcox, D. H. A., Mudappa, D., Rahman, H., Widmann, P., Wilting, A., & Xu, W. (2024). *Paradoxurus hermaphroditus*, Common Palm Civet (amended version of 2016 assessment). In *IUCN Red List of Threatened Species*. <https://doi.org/https://dx.doi.org/10.2305/IUCN.UK.2024-2.RLTS.T41693A259352474.en>
- Duckworth, J. W., Timmins, R. J., Chutipong, W., Choudhury, A., Mathai, J., Willcox, D. H. A., Ghimirey, Y., Chan, B., & Ross, J. (2015). *Paguma larvata*: Masked Palm Civet. In *IUCN Red List of Threatened Species*. <https://doi.org/10.2305/IUCN.UK.2016-1.RLTS.T41692A45217601.en>
- Francis, C. M. (2008). *A Field Guide To The Mammals Of Thailand And South-east Asia*.
- Gazagne, E., Gray, R. J., Nguyen, V. T., & Brodcorne, F. (2024). Effectiveness of thermal infrared drone surveys in detecting the diurnal primate community in Cat Tien National Park, South Vietnam. In *Vietnamese Journal of Primatology* (Vol. 3, Issue 5).
- Guia, A. P. O. de, Chavez, G. C. S., & Fernandez, D. A. P. (2020). Distribution and diet of the common palm civet (*Paradoxurus philippinensis*) in the Mt. Makiling Forest Reserve, Luzon Island, Philippines. In *Philippine Science Letters* (Vol. 13, Issue 01).
- IUCN Redlist. (2025). *The International Union for Conservation of Nature Redlist*.
- Jennings, A. P., Naim, M., Advento, A. D., Aryawan, A. A. K., Ps, S., Caliman, J. P., Verwilghen, A., & Veron, G. (2015). Diversity and occupancy of small carnivores within oil palm plantations in central Sumatra, Indonesia. *Mammal Research*, 60(2), 181–188. <https://doi.org/10.1007/s13364-015-0217-1>

- Jothish, P. S. (2011). Diet of the common palm civet *Paradoxurus hermaphroditus* in a rural habitat in Kerala, India, and its possible role in seed dispersal. *Small Carnivore Conservation*, 45, 14–17. <https://www.researchgate.net/publication/285330989>
- Kays, R., Sheppard, J., Mclean, K., Welch, C., Paunescu, C., Wang, V., Kravitz, G., & Crofoot, M. (2019). Hot monkey, cold reality: surveying rainforest canopy mammals using drone-mounted thermal infrared sensors. *International Journal of Remote Sensing*, 40(2), 407–419. <https://doi.org/10.1080/01431161.2018.1523580>
- Kim, M., Chung, O. S., & Lee, J. K. (2021). A manual for monitoring wild boars (*Sus scrofa*) using thermal infrared cameras mounted on an unmanned aerial vehicle (UAV). *Remote Sensing*, 13(20). <https://doi.org/10.3390/rs13204141>
- Maha, I. T., Ketut Mudite Adnyane, I., & Novelina, S. (2019). Morfologi Kelenjar Anal Musang Luak Jantan (*Paradoxurus hermaphroditus*). *Acta Veterinaria Indosiana*, 7(2), 33–41. <http://www.journal.ipb.ac.id/index.php/actavetindones>
- Mudappa, D., Kumar, A., & Chellam, R. (2010). Diet and fruit choice of the brown palm civet *Paradoxurus jerdoni*, a viverrid endemic to the Western Ghats rainforest, India. *Tropical Conservation Science*, 3(3), 282–300. <https://doi.org/10.1177/194008291000300304>
- Mustari, A. H., & Setiawan, D. H. (2013). Karakteristik Habitat, Pola Sebaran dan Prilaku Musang Mentawai (*Paradoxurus lignicolor* Miller 1903) DI area Siberut Conservation Program, Pulau Siberut, Kepulauan Mentawai, Sumatera Barat. *Media Konservasi*, 18(3), 107–111. <https://journal.ipb.ac.id/konservasi/article/view/12832/9728>
- Nakabayashi, M., Kanamori, T., Matsukawa, A., Tangah, J., Tuuga, A., Malim, P. T., Bernard, H., Ahmad, A. H., Matsuda, I., & Hanya, G. (2021). Temporal activity patterns suggesting niche partitioning of sympatric carnivores in Borneo, Malaysia. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-99341-6>
- Nakabayashi, M., Nakashima, Y., Hearn, A. J., & Ross, J. (2016). Predicted distribution of the common palm civet *Paradoxurus hermaphroditus* (Mammalia: Carnivora: Viverridae) on Borneo. *RAFFLES BULLETIN OF ZOOLOGY*, 84–88. <https://www.researchgate.net/publication/303667729>
- Nakashima, Y., Inoue, E., Inoue-Murayama, M., & Sukor, J. R. A. (2010). Functional uniqueness of a small carnivore as seed dispersal agents: A case study of the common palm civets in the Tabin Wildlife Reserve, Sabah, Malaysia. *Oecologia*, 164(3), 721–730. <https://doi.org/10.1007/s00442-010-1714-1>
- Nakashima, Y., Nakabayashi, M., & Sukor, J. A. (2013). Space use, habitat selection, and day-beds of the common palm civet (*Paradoxurus hermaphroditus*) in human-modified habitats in Sabah, Borneo. *Journal of Mammalogy*, 94(5), 1169–1178. <https://doi.org/10.1644/12-MAMM-A-140.1>
- Parikesit, Withaningsih, S., & Prastiwi, W. D. (2019). Estimated Abundance and Distribution of Common Palm Civet (*Paradoxurus hermaphroditus*, Pallas 1777) in the Rural Landscape of Sukaresmi, West Bandung Regency. *IOP Conference Series: Earth and Environmental Science*, 306(1). <https://doi.org/10.1088/1755-1315/306/1/012003>
- Povlsen, P., Bruhn, D., Pertoldi, C., & Pagh, S. (2023). A Novel Scouring Method to Monitor Nocturnal Mammals Using Uncrewed Aerial Vehicles and Thermal Cameras—A

- Comparison to Line Transect Spotlight Counts. *Drones*, 7(11). <https://doi.org/10.3390/drones7110661>
- Rahman, D. A., & Rahman, A. A. A. F. (2021). Performance of unmanned aerial vehicle with thermal imaging, camera trap, and transect survey for monitoring of wildlife. *IOP Conference Series: Earth and Environmental Science*, 771(1). <https://doi.org/10.1088/1755-1315/771/1/012011>
- Rahman, D. A., & Setiawan, Y. (2020). Possibility of applying unmanned aerial vehicle and thermal imaging in several canopy cover class for wildlife monitoring - Preliminary results. *E3S Web of Conferences*, 211. <https://doi.org/10.1051/e3sconf/202021104007>
- Rahman, D. A., Setiawan, Y., Wijayanto, A. K., Rahman, A. A. A. F., & Martiyani, T. R. (2020). An experimental approach to exploring the feasibility of unmanned aerial vehicle and thermal imaging in terrestrial and arboreal mammals research. *E3S Web of Conferences*, 211. <https://doi.org/10.1051/e3sconf/202021102010>
- Roberts, P. D. (2020). *The Asian Palm Civet: Fundamental Baseline Findings in Ecology, Captive Husbandry and Effects of Trade in Civet Coffee* [Oxford Brookes University]. https://web.archive.org/web/20210802220937id_/https://radar.brookes.ac.uk/radar/file/323a2657-b804-4174-909f-e530b48a78b4/1/Roberts2020AsianPalmCivet.pdf
- Schad, L., & Fischer, J. (2023). Opportunities and risks in the use of drones for studying animal behaviour. In *Methods in Ecology and Evolution* (Vol. 14, Issue 8, pp. 1864–1872). British Ecological Society. <https://doi.org/10.1111/2041-210X.13922>
- Singapore biodiversity. (2025). *Common Palm Civet Paradoxurus hermaphroditus (Pallas 1777)*. <https://m.singapore.biodiversity.online/taxo4254/mainSpace/Paradoxurus%20hermaphroditus.html>
- Su Su, & Sale, John. (2007). Niche differentiation between Common Palm Civet *Paradoxurus hermaphroditus* and Small Indian Civet *Viverricula indica* in regenerating degraded forest, Myanmar. *Small Carnivore Conservation*, 36, 30–34.
- Subrata, S. A., Budiman, T. R. A., & Hamdan, F. (2017). DNA-Based Occupancy Modeling: Human activity did not significantly influence common palm civet's occupancy. In *Sustainable Future for Human Security: Environment and Resources* (pp. 189–196). Springer Singapore. https://doi.org/10.1007/978-981-10-5430-3_15
- Subrata, S. A., & Mossbrucker, A. M. (2022). Inventory of Mammals using Camera Traps: A Baseline Study for an Ecosystem Restoration Concession in the Bukit Tigapuluh Landscape, Sumatra. *Tropical Natural History*, 22, 43–50. <https://doi.org/https://doi.org/10.58837/tnh.22.1.255467>
- Terra Drone Store. (2024). *Mengenal DJI Mavic 3 Thermal*. <https://store.terra-drone.co.id/mengenal-dji-mavic-3-thermal/?srsltid=AfmBOopmddxNbkZERj8NPscQ5eNq2e6SRMCnq2ealgYqXRtSONKJZmaD>
- Wang, D., Zhang, D., Bu, H., Hopkins, J. B., Xiong, M., Wang, D., Yao, M., Li, S., & Wang, R. (2024). Estimating the Population Size of Masked Palm Civets Using Hair-Snaring in Southwest China. *Diversity*, 16(7). <https://doi.org/10.3390/d16070421>

- Widyastuti, E., Henti, D., & Rachmat, H. (2024). Correlation between canopy density using NDVI and invasive species diversity in Gunung Dahu Research Forest. *Jurnal Silvikultur Tropika*, 15(02).
- Winaya, A., Maftuchah, Nicolás, C. M., & Prasetyo, D. W. I. (2020). Morphometric variations of Asian common palm civet (*Paradoxurus hermaphroditus*, Pallas 1777) from Bali Island, Indonesia as the basis of morphometrics diversity data. *Biodiversitas*, 21(3), 1027–1034. <https://doi.org/10.13057/biodiv/d210324>
- Zabel, F., Findlay, M. A., & White, P. J. C. (2023). Assessment of the accuracy of counting large ungulate species (red deer *Cervus elaphus*) with UAV-mounted thermal infrared cameras during night flights. *Wildlife Biology*, 2023(3). <https://doi.org/10.1002/wlb3.01071>
- Zhou, Y., Newman, C., Palomares, F., Zhang, S., Xie, Z., & Macdonald, D. W. (2014). Spatial organization and activity patterns of the masked palm civet (*Paguma larvata*) in central-south China. *Journal of Mammalogy*, 95(3), 534–542. <https://doi.org/10.1644/13-MAMM-A-185>

