

DAFTAR PUSTAKA

- Abdullah, M., Khairurrijal, Waris, A., Sutrisno, W., Nurhasanah, I., & Vioktalamo, A. S. (2008). An Ultraviolet Phosphor from Submicrometer-sized Particles of Gadolinium-doped Yttrium Oxide Prepared by Heating of Precursors in a Polymer Solution. *Powder Technology*, 183(2), 297–303. <https://doi.org/10.1016/j.powtec.2007.07.043>
- Abizar, M., & Prijono, D. (2010). Aktivitas Insektisida Ekstrak Daun dan Biji *Tephrosia vogelii* J. D. Hooker (Leguminosae) dan Buah *Piper cubeba* L. (Piperaceae) Terhadap Larva *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae). *Journal of Tropical Plant Pests and Diseases*, 10(1), 1–12. <https://doi.org/10.23960/j.hptt.1101-12>
- Arifien, Y., Putra, R. P., Anasi, P. T., Masnang, An., Rizki, F. H., Suradi, A. R., Rismaya, R., Marlina, L., Angrrawati, S., Prihatini, R., Sunardi, & Indrawati, E. (2022). *Pengantar Ilmu Pertanian* (M. Sari, Ed.). PT Global Eksekutif Teknologi. <https://www.researchgate.net/publication/360484602>
- Arneti. (2012). *Bioaktivasi Ekstrak Buah Piper aduncum L. (Pipereace) Terhadap Crocidolomia pavonana (F.) (Lepidoptera : Crabidae) dan Formulasinya Sebagai Insektisida Botani*. Universitas Andalas.
- Badan Meteorologi Klimatologi dan Geofisika. (2022). *Peta Rata-Rata Curah Hujan dan Hari Hujan Periode 1991-2021 Indonesia*. BMKG.
- Badan Standarisasi Nasional (BSN). (2016). *SNI: Sistem Pertanian Organik*. www.bsn.go.id
- Badjo, R., Rante, C. S., Meray, E. R. M., Assa, B. H., & Dien, M. F. (2015). Serangan Hama Ulat Krop (*Crocidolomia pavonana* F.) Pada Tanaman Kubis (*Brassica oleracea* var. *capitata* L.). *Universitas Sam Ratulangi*, 1–9.
- Badan Meteorologi Klimatologi dan Geofisika. (2025). *Data Curah Hujan Kecamatan Gunung Talang 2024/2025*. BMKG.
- Cahyono, B. (2001). *Kubis Bunga dan Broccoli*. Kanisius.
- Capinera, J. L. (1969). Diamondback Moth, *Plutella xylostella* (Linnaeus) (Insecta: Lepidoptera: Plutellidae). *University Of Florida*, 2002(8), 1. <https://doi.org/10.32473/edis-in276-2000>
- Direktorat Pupuk & Pestisida. (2012). *Metode Standart Pengujian Efikasi Insektisida T. A. 2012*.
- Dwisandi, R. F., Miranti, M., Prismantoro, D., Alizadeh, M., Mispan, M. S., Hermawan, W., Mohamed, Z., Doni, F., & Joshi, R. C. (2024). Trichoderma for Managing Lepidopteran Insect Pests: Current Understanding and Future directions. *Biological Control*, 197, 1–12. <https://doi.org/10.1016/j.biocontrol.2024.105604>

- Erlina, L. H., Lina, E. C., Reflinaldon, Djamaan, A., & Arneti. (2020). Insecticidal Activity of Nanoemulsion of *Piper aduncum* Extract Against Cabbage Head Cartepillar *Crociodolomia pavonana* F. (Lepidoptera: Crambidae). *Southeast Asia Plant Protection Conference 2019*, 468(1), Padang. <https://doi.org/10.1088/1755-1315/468/1/012001>
- Fei, M., Gols, R., Zhu, F., & Harvey, J. A. (2016). Plant quantity affects Development and Survival of a Gregarious Insect Herbivore and its Endoparasitoid Wasp. *PLoS ONE*, 11(3), 1–20. <https://doi.org/10.1371/journal.pone.0149539>
- Furi, T. A., Coniwanti, P., Raya Palembang Prabumulih Km, J., & Ogan Ilir, I. (2012). Pengaruh Perbedaan ukuran Partikel Dari Ampas Tebu Dan Konentrasi Natrium Bisulfit (NaHSO₃) Pada Proses Pembuatan Surfaktan. *Jurnal Teknik Kimia*, 18(4), 49–58.
- Gad, N., & El-Moez, M. R. A. (2011). Broccoli Growth , Yield Quantity and Quality as Affected by Cobalt Nutrition. *Agriculture and biology journal of North America* , 2, 226–231. <http://www.scihub.org/ABJNA>
- Gafari, Z., Kriswiyanti, E., & Astarini, I. A. (2015). Kemampuan Adaptasi, Pengaruh Pupuk Dan Kandungan Gizi Berbagai Kultivar Brokoli (*Brassica oleracea* L. var *italica*) Introduksi Di Kopang Lombok Tengah. *Jurnal Metamorfosa*, 2, 72–81. <http://ojs.unud.ac.id/index.php/metamorfosa>
- Gumber, K., & Sidhu, A. (2020). Trending Nanoformulated Pesticides: A review. *The Indian Journal of Agricultural Sciences*, 90(3), 463–469. <https://doi.org/10.56093/ijas.v90i3.101450>
- Hambali, E., Suryani, A., Rivai, M., & Permadi, P. (2019). *Teknologi Surfaktan dan Aplikasinya* (T. Panandita, A. L. Aladin, & A. S. Fahri, Eds.; Edisi Revisi). IPB PRESS.
- Harika, G., Dhurua, S., Sreesandhya, N., Suresh, M., & Rao, S. G. (2019). Biology of Diamondback Moth, *Plutella xylostella* (Lepidoptera: Plutellidae) of Cauliflower under Laboratory Condition. *International Journal of Current Microbiology and Applied Sciences*, 8(01), 866–873. <https://doi.org/10.20546/ijcmas.2019.801.094>
- Hartemink, A. E., & Pimentel, David. (2006). *Invasion of Piper aduncum in the shifting cultivation systems of Papua New Guinea*. ISRIC World Soil Information.
- Hasnah, & Nasril. (2009). Efektivitas Ekstrak Buah Mengkudu (*Morinda citrifolia* L.) Terhadap Mortalitas *Plutella xylostella* L. Pada Tanaman Sawi. *J. Floratek*, 4, 29–40.
- Hendarti, I., Ramadhan, T. H., & Ilham, N. (2019). *Biologi Crocidolomia pavonana Fabricus (Lepidoptera: Pyralidae) Yang Dipelihara Dengan Pakan Buatan Di Laboratorium*.
- Hendriyal, & Khaidir. (2012). Toksisitas ekstrak daun *Lantana camara* L. terhadap hama *Plutella xylostella* L. *Jurnal Floratek*, 7, 45–56.

- Howe, C. M., Berrill, M., Pauli, B. D., Helbing, C. C., Werry, K., & Veldhoen, N. (2004). Toxicity Of Glyphosate-Based Pesticides To Four North American Frog Species. *Environmental Toxicology and Chemistry*, 23(8), 1928–1938.
- Hussain, A., Shakeel, F., Singh, S. K., Alsarra, I. A., Faruk, A., Alanazi, F. K., & Peter Christopher, G. V. (2019). Solidified SNEDDS for the oral delivery of rifampicin: Evaluation, proof of concept, in vivo kinetics, and in silico GastroPlus™ simulation. *International Journal of Pharmaceutics*, 566, 203–217. <https://doi.org/10.1016/j.ijpharm.2019.05.061>
- Keppel, G., Niel, K. P. Van, Johnson, G. W. W., Yates, C. J., Byrne, M., Mucina, L., Schut, A. G. T., Hopper, S. D., & Franklin, S. E. (2012). Refugia: Identifying and understanding safe havens for biodiversity under climate change. *Global Ecology and Biogeography*, 21(4), 393–404. <https://doi.org/10.1111/j.1466-8238.2011.00686.x>
- Knodel, J. (2016). *E1346 (Revised) Distribution Diamondback Moth in Canola Biology and Integrated Pest Management*.
- Kumarawati, N. P. N., Supartha, I. W., & Yuliadhi, K. A. (2013). Agroekoteknologi Tropika Struktur Komunitas dan Serangan Hama-Hama Penting Tanaman Kubis (*Brassica oleracea* L.). *E-Jurnal Agroekoteknologi Tropika*, 2(4), 252. <http://ojs.unud.ac.id/index.php/JAT>
- Laba, i wayan, wahyuno, dono, & Rizal, molide. (2014). Peran PHT, pertanian organik dan biopestisida menuju pertanian berwawasan lingkungan dan berkelanjutan. *Prosiding Seminar Nasional Pertanian Organik*, 25–34.
- Lina, E. C., Arneti, Nelly, N., & Ferdiansyah, A. (2019). Pembuatan Formulasi Sederhana Insektisida Botani Berbahan Kacang Babi (*Tephrosia vogelii*) dan Sirih Hutan (*Piper aduncum*) Untuk Mencegah Hama Pada Tanaman Sayuran. *Jurnal Hilirisasi IPTEKS*, 2(4), 406–414.
- Lina, E. C., Dadang, Manuwoto, S., & Syahbirin, G. (2017). Safety and effectiveness of mixed plant extracts formulation against cabbages pests under field conditions. *Journal of Biopesticides*, 10(1), 25–34. <https://doi.org/10.57182/jbiopestic.10.2.25-34>
- Lina, E. C., Dadang, Manuwoto, S., Syahbirin, G., & Prijono, D. (2013). Synergistic action of mixed extracts of *Brucea javanica* (Simaroubaceae), *Piper aduncum* (Piperaceae), and *Tephrosia vogelii* (Leguminosae) against cabbage head caterpillar, *Crociodolomia pavonana*. *Journal of Biopesticides*, 6(1), 77–83. <https://doi.org/10.57182/jbiopestic.6.1.77-83>
- Lina, E. C., Dadang, Syafrida, M., & Gustini, S. (2015). Gangguan fisiologi dan biokimia *Crociodolomia pavonana* (F.) (Lepidoptera: Crambidae) akibat perlakuan ekstrak campuran *Tephrosia vogelii* dan *Piper aduncum*. *Jurnal Entomologi Indonesia*, 12(2), 100–107. <https://doi.org/10.5994/jei.12.2.100>

- Lina, E. C., Reflin, Erlina, L. H., & Tama, D. P. (2021). Nanoemulation of Mixed *Tephrosia vogelii* and *Piper aduncum* as an Alternative Control of Cabbage Pest *Crociodolomia pavonana*. *IOP Conference Series: Earth and Environmental Science*, 819(1), 1–9. <https://doi.org/10.1088/1755-1315/819/1/012085>
- Lina, E. C., Rusli, R., Fadhlurrahman, R., Rustam, R., Nelly, N., & Yanti, R. N. (2025). Potential of a Palm Oil-Based Surfactant in Nanoemulsion Formulation for Botanical Insecticide *Piper aduncum*. *Agrivita Journal of Agricultural Science*, 47(1), 74–83. <https://doi.org/10.17503/agrivita.v47i1.4382>
- Lina, E. C., Widhianingrum, I., Putri, M. E., Evalia, N. F., & Makky, M. (2018). Insecticide Activity to *Plutella xylostella* Insecticidal Activity of *Piper aduncum* Fruit and *Tephrosia vogelii* Leaf Mixed Formulations Against *Plutella xylostella* (L.) (Lepidoptera: Plutellidae). *JBiopest*, 11(1), 69–75.
- Lukas, E. (2005). Prospek Pemanfaatan Emulsifier Berbasis Minyak Sawit Pada Industri Makanan dan Minuman. *Seminar Nasional Pemanfaatan Surfaktan Berbasis Minyak Sawit Untuk Industri*, 38–47.
- Lumoly, F. S., Emmy, S., & Guntur, M. S. (2016). Insidensi Penyakit Busuk Hitam Pada Tanaman Brokoli (*Brassica oleracea* var. *italica*) di tomohon. *E Journal Universitas Sam Ratulangi*, 1, 1–15.
- Morais, V. P., Cabral, F. V., Fernandes, C. C., & Miranda, M. L. D. (2023). Brief Review on *Piper aduncum* L., its Bioactive Metabolites and its Potential to Develop Bioproducts. *Brazilian Archives of Biology and Technology*, 66, 1–11. <https://doi.org/10.1590/1678-4324-2023220314>
- Muliya, E. (2010). *Selektivitas Ekstrak Piper retrofractum dan Tephrosia vogelii terhadap Nilaparvata lugens dan Cyrtorhinus lividipennis*. Institut Pertanian Bogor
- Mustafa, I. F., & Hussein, M. Z. (2020). Synthesis and technology of nanoemulsion-based pesticide formulation. *Nanomaterials*, 10(8), 1–26. <https://doi.org/10.3390/nano10081608>
- Mustikawati, M., Sembodo, D. R. J., Sanjaya, purba, & Pujisiswanto, H. (2020). Pengaruh Penambahan Surfaktan dan Waktu Turun Hujan Setelah Aplikasi Terhadap Daya Kendali Herbisida Glifosat. *Jurnal Agrotek Tropika*, 8(3), 461–470.
- Paat, F. J., & Pelealu, J. (2012). Morfologi dan Perilaku Hama *Crociodolomia pavonana* pada tanaman Kubis. *Universitas Sam Ratulangi*, 1–16.
- Parsa, S., Ortiz, V., & Vega, F. E. (2013). Establishing fungal Entomopathogens as Endophytes: Towards Endophytic Biological Control. *Journal of Visualized Experiments : JoVE*, 74(74), 1–5. <https://doi.org/10.3791/50360>
- Peraturan Menteri Pertanian Nomor 39 Tahun 2015 tentang Pendaftaran Pestisida (2015).
- Peraturan Menteri Pertanian Nomor 64/Permentan/OT.140/5/2013 Tentang Sistem Pertanian Organik, Menteri Pertanian (2013).

- Pratomo, A. (2005). Pemanfaatan Surfaktan Berbasis Minyak Sawit pada Industri Perminyakan. *Seminar Nasional Pemanfaatan Oleokmla Berbasis Minyak Sawit Pada Berbagai Lndustri*, 77–86.
- Safaryani, N., Haryanti, S., & Hastuti, D. (2007). Pengaruh Suhu dan Lama Penyimpanan terhadap Penurunan Kadar Vitamin C Brokoli (*Brassica oleracea* L). *Buletin Anatomi Dan Fisiologi*, 15(2), 39–46.
- Saifullah, M., Ahsan, A., & Shishir, M. R. I. (2016). Production, stability and application of micro- and nanoemulsion in food production and the food processing industry. *Emulsions*, 405–442. <https://doi.org/10.1016/B978-0-12-804306-6.00012-X>
- Sari, R. P., & Yanuwadi, B. (2014). Efek Refugia pada Populasi Herbivora di Sawah Padi Merah Organik Desa Sengguruh, Kepanjen, Malang. *Jurnal Biotropika*, 2(1), 14–19.
- Scott, I. M., Jensen, H. R., Philogène, B. J. R., & Arnason, J. T. (2008). A review of Piper spp. (Piperaceae) phytochemistry, insecticidal activity and mode of action. *Phytochemistry Reviews*, 7(1), 65–75. <https://doi.org/10.1007/s11101-006-9058-5>
- Shah, M. A., Wani, S. H., & Ali Khan, A. (2016). Nanotechnology and Insecticidal Formulations. *Journal Of Food Bioengineering and Nanoprocessing*, 1(3), 285–310. <https://www.researchgate.net/publication/304482380>
- Shakeel, F., Baboota, S., Ahuja, A., Ali, J., Faisal, M. S., & Shafiq, S. (2008). Stability Evaluation of Celecoxib Nanoemulsion Containing Tween 80. *The Thai Journal of Pharmaceutical Sciences*, 32(1), 4–9. <https://doi.org/10.56808/3027-7922.2194>
- SPOI. (2023). *Statistik Pertanian Organik Indonesia 2023* (W. David & S. Alkausar, Eds.). Universitas Bakrie Press.
- Syahroni, Y. Y., & Prijono, D. (2015). Aktivitas insektisida ekstrak buah *Piper aduncum* L. (Piperaceae) dan *Sapindus rarak* DC. (Sapindaceae) serta campurannya terhadap larva *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae). *Jurnal Entomologi Indonesia*, 10(1), 39–50. <https://doi.org/10.5994/jei.10.1.39>
- Topkara, E. F., Yanar, O., Tuncer, C., Ozdemir, I. O., & Yildirim, E. (2022). Efficacy of *Beauveria bassiana* and *Beauveria pseudobassiana* isolates against the pine processionary moth, *Thaumetopoea wilkinsoni* Tams, 1926 (Lepidoptera/Notodontidae). *Egyptian Journal of Biological Pest Control*, 32(1), 1–6. <https://doi.org/10.1186/s41938-021-00501-7>
- Trizelia, & Nurdin, F. (2010). Virulence Of Entomopathogenic Fungus *Beauveria bassiana* Isolates To *Crocidolomia pavonana* F (Lepidoptera: Crambidae). *Agrivita*, 32(3), 254–261.
- Wiratno, M., Rizal, D. I., & Laba, W. (2011). Potensi Ekstrak tanaman obat dan aromatik sebagai pengendali Keong Mas. *Litro*, 22(1), 54–64.
- Yuliadhi, K. A., & Sudiarta, P. (2012). Struktur Komunitas Hama Pemakan Daun Kubis dan Investigasi Musuh Alaminya. *Agrotrop*, 2(2), 191–196.