

## DAFTAR PUSTAKA

- Abbas, B. A., Khudor, M. H., & Alkhursan, R. N. (2021). *Poultry Feed Fungi : A Practical Guide* (Nomor July).
- Anonim. (2023). *Padi (Oryza Sativa)*.  
<https://ketahananpangan.semarangkota.go.id/v3/portal/page/artikel/Padi-Oryza-Sativa>
- Arrigo, P. D., Rossato, L. A. M., & Strini, A. (2024). From Waste to Value : Recent Insights into Producing Vanillin from Lignin. *Molecules*, 29(442), 1–32.
- Badan Pengawasan Obat dan Makanan Republik Indonesia. (2019). Peraturan Badan Pengawasan Obat dan Makanan Nomor 11 Tahun 2019 tentang Bahan Tambahan Pangan. In *PerBPOM* (hal. 1–1156).
- Banerjee, G., & Chattopadhyay, P. (2019). Vanillin biotechnology: the perspectives and future. *Journal of the Science of Food and Agriculture*, 99(2), 499–506.  
<https://doi.org/10.1002/jsfa.9303>
- Bhosale, S., & Vijayalakshmi, D. (2015). Processing and nutritional composition of rice bran. *Current Research in Nutrition and Food Science*, 3(1), 74–80.  
<https://doi.org/10.12944/CRNFSJ.3.1.08>
- BPOM RI. (2020). Peraturan Badan Pengawas Obat dan Makanan Tentang Bahan Tambahan Pangan Perisa (PP Nomor 13 Tahun 2020). *Badan Pengawas Obat Dan Makanan Republik Indonesia*.
- Bucci, R., Magrì, A. D., & Magrì, A. L. (2003). Comparison of three spectrophotometric methods for the determination of  $\gamma$ -oryzanol in rice bran oil. *Bioanal Chem*, 375, 1254–1259.  
<https://doi.org/10.1007/s00216-002-1700-5>
- Cai, Y., Gu, F., Hong, Y., Chen, Y., & Xu, F. (2019). Metabolite Transformation and Enzyme Activities of Hainan Vanilla Beans During Curing to Improve. *Molecules*, 24, 2781.
- Chee, M. J. Y., Lycett, G. W., Khoo, T. J., & Chin, C. F. (2017). Bioengineering of the Plant Culture of *Capsicum frutescens* with Vanillin Synthase Gene for the Production of Vanillin. *Molecular Biotechnology*, 59(1), 1–8.  
<https://doi.org/10.1007/s12033-016-9986-2>
- Ciriminna, R., Fidalgo, A., Meneguzzo, F., & Parrino, F. (2019).

- Vanillin: The Case for Greener Production Driven by Sustainability Megatrend. *ChemistryOpen*, 8, 660–667. <https://doi.org/10.1002/open.201900083>
- Delgado, L., Heckmann, C. M., Benedetti, S. De, Nardini, M., Gourlay, L. J., & Paradisi, F. (2021). Producing natural vanilla extract from green vanilla beans using a  $\beta$ -glucosidase from *Alicyclobacillus acidiphilus*. *Journal of Biotechnology*, 329, 21–28. <https://doi.org/10.1016/j.jbiotec.2021.01.017>
- Deng, F., Hu, X., Wang, Y., Luo, S., & Liu, C. (2023). Improving the Yield of Feruloyl Oligosaccharides from Rice Bran through Enzymatic Extrusion and Its Mechanism. *Foods*, 12(1369), 1–13.
- Dewi, A. M. P., Setyaningsih, W., & Palma, M. (2024). Rapid Method for Simultaneous Determination of  $\gamma$ -Oryzanol Compounds in Rice (*Oryza sativa*) Grains using UV-Vis Spectroscopy and Chemometrics. *Trends in Sciences*, 21(12), 8550. <https://doi.org/10.48048/tis.2024.8550>
- Dwiwibangga, Y., Safitri, A., & Fatchiyah, F. (2022). Profiling of Phytochemical Compounds of East Java Red Rice Bran Has the High-Value Biological Activities as Antioxidant and Antidiabetic. *Indones. J. Chem.*, 22(5), 1304–1320. <https://doi.org/10.22146/ijc.73432>
- Ejimofofor, C. F. (2022). Screening of Different Culture Media for Growth Development, and Morphological Characteristics of *Aspergillus niger*. *Journal of Biochemistry International (JOBI)*, 9(3), 37–44. <https://doi.org/10.56557/JOBI/2022/v9i37547>
- Esparan, V., Krings, U., Struch, M., & Berger, R. G. (2015). A three-enzyme-system to degrade curcumin to natural vanillin. *Molecules*, 20(4), 6640–6653. <https://doi.org/10.3390/molecules20046640>
- FAO. (2025). *Rice Production In The Asia-Pacific Region*.
- Fathia, S., Muhandri, T., & Suyatma, N. E. (2022). Profil Bahan Perisa Kritis Halal dalam Peraturan BPOM No. 13/2020. *Jurnal Mutu Pangan : Indonesian Journal of Food Quality*, 9(2), 92–102. <https://doi.org/10.29244/jmpi.2022.9.2.92>
- Fauziyyah, A., & Safira, A. (2023). Bekatul. In *Pangan Alternatif Dari Berbagai Komoditas Lokal di Indonesia* (hal. 211).
- Furuya, T., Miura, M., Kuroiwa, M., & Kino, K. (2015). High-yield

- production of vanillin from ferulic acid by a coenzyme-independent decarboxylase / oxygenase two-stage process. *New BIOTECHNOLOGY*, 32(3), 335–339. <https://doi.org/10.1016/j.nbt.2015.03.002>
- Gallage, N. J., & Møller, B. L. (2015). Vanillin-bioconversion and bioengineering of the most popular plant flavor and its de novo biosynthesis in the vanilla orchid. *Molecular Plant*, 8(1), 40–57. <https://doi.org/10.1016/j.molp.2014.11.008>
- García-Bofill, M., Sutton, P. W., Straatman, H., Brummund, J., Schürmann, M., Guillén, M., & Álvaro, G. (2021). Biocatalytic synthesis of vanillin by an immobilised eugenol oxidase: High biocatalyst yield by enzyme recycling. *Applied Catalysis A: General*, 610(October 2020), 1–7. <https://doi.org/10.1016/j.apcata.2020.117934>
- Glenthams Life Sciences. (2021). *Certificate of Analysis*.
- Gomes, E. D., & Rodrigues, A. E. (2020). Separation and Purification Technology Crystallization of vanillin from kraft lignin oxidation. *Separation and Purification Technology*, 247, 116977. <https://doi.org/10.1016/j.seppur.2020.116977>
- Gondal, T. A., Keast, R. S. J., Shellie, R. A., Mohebbi, M., Jadhav, S. R., Gamlati, S., & Liem, D. G. (2021). Consumer Acceptance of Brown and White Rice Varieties. *Foods*, 10, 1–19.
- Gong, L., Feng, D., Liu, J., Yu, Y., & Wang, J. (2022). Food Chemistry : X Ionic liquid depolymerize the lignocellulose for the enzymatic extraction of feruloylated oligosaccharide from corn bran. *Food Chemistry: X*, 15(April), 100381. <https://doi.org/10.1016/j.fochx.2022.100381>
- Gu, F., Chen, Y., Hong, Y., Fang, Y., & Tan, L. (2017). Comparative metabolomics in vanilla pod and vanilla bean revealing the biosynthesis of vanillin during the curing process of vanilla. *AMB Express*. <https://doi.org/10.1186/s13568-017-0413-2>
- Guazzotti, S., Pagliano, C., Dondero, F., & Manfredi, M. (2023). Lipidomic Profiling of Rice Bran after Green Solid – Liquid Economy Approaches. *Foods*, 12, 384.
- Gul, K., Yousuf, B., Singh, A. K., Singh, P., & Abas, A. (2015). Bioactive Carbohydrates and Dietary Fibre Rice bran: Nutritional values and its emerging potential for

- development of functional food — A review. *Bioactive Carbohydrates and Dietary Fibre*, 6(1), 24–30. <https://doi.org/10.1016/j.bcdf.2015.06.002>
- Gulsia, O. (2020). Vanillin: One Drug , Many Cures. *RESONANCE*, 25(7), 981–986. <https://doi.org/10.1007/s12045-020-1013-z>
- Herath, H. M. A. J., Chandrasekara, G. A. P., Pulenthiraj, U., & Chandrasekara, C. M. N. R. (2019). Mineral Contents of Sri Lankan Rice Varieties as Affected by Inorganic Fertilization. *Tropical Agricultural Research*, 30(3), 89–96.
- Hofmann, E., Degot, P., Touraud, D., König, B., & Kunz, W. (2023). Novel green production of natural-like vanilla extract from curcuminoids. *Food Chemistry*, 417(March). <https://doi.org/10.1016/j.foodchem.2023.135944>
- Hosoya, T., Yamamoto, K., Miyafuji, H., & Yamada, T. (2020). Advances Selective production of bio-based aromatics by aerobic oxidation of native soft wood lignin in. *RSC Advances*, 10, 19199–19210. <https://doi.org/10.1039/D0RA03420G>
- Hua, D., Ma, C., Song, L., & Lin, S. (2007). Enhanced vanillin production from ferulic acid using adsorbent resin. *Appl Microbiol Biotechnol*, 74, 783–790. <https://doi.org/10.1007/s00253-006-0735-5>
- Javier-Astete, R., Jimenez-Davalos, J., & Zolla, G. (2021). Determination of hemicellulose, cellulose, holocellulose and lignin content using FTIR in *Calycophyllum spruceanum* (Benth.) K. Schum. and *Guazuma crinita* Lam. *PLoS ONE*, 1–12. <https://doi.org/10.1371/journal.pone.0256559>
- Jiang, W., Chen, X., Feng, Y., Sun, J., Jiang, Y., Zhang, W., Xin, F., & Jiang, M. (2023). Current Status, Challenges, and Prospects for the Biological Production of Vanillin. *Fermentation*, 9(4), 1–15.
- Lima, M. A. S., Oliveira, M. da C. F. de, Pimenta, A. T. Á., & Uchôa, P. K. S. (2019). *Aspergillus niger* : A Hundred Years of Contribution to the Natural Products Chemistry. *Braz. Chem. Soc*, 30(10), 2029–2059.
- Liu, J., Wu, X., Yao, X., Yu, R., Larkin, P. J., & Liu, C. (2018). Mutations in the DNA demethylase *OsROS1* result in a thickened aleurone and improved nutritional value in rice grains. 115(44). <https://doi.org/10.1073/pnas.1806304115>

- Liu, X., Renard, C. M. G. C., Bureau, S., & Bourvellec, C. Le. (2021). Revisiting the contribution of ATR-FTIR spectroscopy to characterize plant cell wall polysaccharides. *Carbohydrate Polymers*, 269, 03182808.
- Lubbers, R. J. M., Dilokpimol, A., Visser, J., & Vries, R. P. De. (2021). *Aspergillus niger* uses the peroxisomal CoA-dependent  $\beta$ -oxidative genes to degrade the hydroxycinnamic acids caffeic acid, ferulic acid, and p-coumaric acid. *Applied Microbiology and Biotechnology*, 105, 4199–4211.
- Maesaroh, E., Jayanegara, A., Aminingsih, T., & Nahrowi, N. (2023). Physical and Chemical Evaluation of Rice Bran with Various Level of Husk Addition. *Jurnal Ilmu Nutrisi dan Teknologi Pakan*, 21(1), 41–48.
- Makarim, A., & Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi.
- Manzoor, A., Pandey, V. K., Dar, A. H., Fayaz, U., Dash, K. K., Shams, R., Ahmad, S., Bashir, I., Fayaz, J., Singh, P., Khan, S. A., & Ganaie, T. A. (2023). Rice bran: Nutritional, phytochemical, and pharmacological profile and its contribution to human health promotion. *Food Chemistry Advances*, 2(May 2022), 100296. <https://doi.org/10.1016/j.focha.2023.100296>
- Mao, H., Zhang, C., Meng, T., Wang, H., Hu, X., Xiao, Z., Wang, C., & Liu, J. (2020). Effect and Mechanism of Aluminum (III) for Guaiacol–Glyoxylic Acid Condensation Reaction in Vanillin Production. *ACS OMEGA*, 5(38), 24526–24536. <https://doi.org/10.1021/acsomega.0c03003>
- Mardiah, Z., Hutaaruk, I., & Setyawan, F. (2022). Mechanistic modeling and experimental approaches of rice bran drying in a mini-pilot forced convective dryer. *Biomass Conv. Bioref.*, 14, 9179–9186 (2024).
- Marquez, O., & Waliszewski, K. N. (2008). Original article The effect of thermal treatment on b-glucosidase inactivation in vanilla bean ( *Vanilla planifolia* Andrews ). *International Journal of Food Science and Technology*, 43(11), 1993–1999. <https://doi.org/10.1111/j.1365-2621.2008.01804.x>
- Mart, L., Grulich, M., Miroslav, P., K<sup>ˆ</sup>, B., & Winkler, M. (2023). Bio-Based Valorization of Lignin-Derived Phenolic Compounds : A Review. *Biomolecules*, 13(717), 1–25.

- Martău, G. A., Călinoiu, L. F., & Vodnar, D. C. (2021). Bio-vanillin: Towards a sustainable industrial production. *Trends in Food Science and Technology*, 109(October 2020), 579–592. <https://doi.org/10.1016/j.tifs.2021.01.059>
- Mathew, S., & Abraham, T. E. (2004). Ferulic Acid: An Antioxidant Found Naturally in Plant Cell Walls and Feruloyl Esterases Involved in its Release and Their Applications. *Critical Reviews in Biotechnology*, 24(2–3), 59–83. <https://doi.org/10.1080/07388550490491467>
- Mathias, M. G., Okajima, I., Ito, K., Aoki, Y., Kong, C. Y., & Sako, T. (2023). Influence of Extraction and Pretreatment Conditions on the Yield, Solubility, and Quality of Rice Bran Oil Extracted with CO<sub>2</sub>-Expanded Hexane. *Bioenergy Research*, 16(3), 1695–1705. <https://doi.org/10.1007/s12155-022-10542-x>
- N Yu Selikhova, Kurgachev, D. A., Sidelnikov, V. S., Novikov, D. V, Botvin, V. V, & Poleshchuk, O. K. (2019). Optimization of the conditions of guaiacol and glyoxylic acid condensation to vanillylmandelic acid as an intermediate product in vanillin synthesis Optimization of the conditions of guaiacol and glyoxylic acid condensation to vanillylmandelic acid as an. *IOP Conf. Series: Journal of Physics*, 1145(012047), 1–7. <https://doi.org/10.1088/1742-6596/1145/1/012047>
- Nagpure, B. A. A. L., & Gupta, R. K. (2011). Biotransformation of curcumin to vanillin. *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry*, 50(8), 1119–1122.
- Niu, D., Li, H., & Zhang, X. (2013). Improved synthesis of 3-methoxy-4-hydroxymandelic acid by glyoxalic acid method. *Tetrahedron*, 69(38), 8174–8177. <https://doi.org/10.1016/j.tet.2013.07.031>
- Odoux, E., Escoute, J., Verdeil, J.-L., & Brillouet, J.-M. (2003). Localization of b - D -Glucosidase Activity and Glucovanillin in Vanilla Bean (*Vanilla planifolia* Andrews). *Annals of Botany*, 92, 437±444. <https://doi.org/10.1093/aob/mcg150>
- Olatunde, A., Mohammed, A., Ibrahim, M. A., Tajuddeen, N., & Shuaibu, M. N. (2022). Vanillin: A food additive with multiple biological activities. *European Journal of Medicinal Chemistry Reports*, 5(April), 100055. <https://doi.org/10.1016/j.ejmcr.2022.100055>

- Ottah, V. E., Ezugwu, A. L., Ezike, T. C., & Chilaka, F. C. (2022). Comparative analysis of alkaline-extracted hemicelluloses from Beech , African rose and Agba woods using FTIR and HPLC. *Heliyon*, 8(6), e09714. <https://doi.org/10.1016/j.heliyon.2022.e09714>
- Paul, V., Rai, D. C., Ramyaa, R. L., Srivastava, S. K., & Tripathi, A. D. (2021). A comprehensive review on vanillin: its microbial synthesis, isolation and recovery. *Food Biotechnology*, 35(1), 22–49. <https://doi.org/10.1080/08905436.2020.1869039>
- Perez-viveros, I. J., García-barrón, S. E., Hernández-rodríguez, B. E., Barrera-rodríguez, A. I., Acero-ortega, C. A., & Espejel-garcía, A. (2025). Influence of Traditional Vanilla Curing on Its Physicochemical Properties and Aromatic Profile. *Foods*, 14(1652), 1–18.
- Pyrzynska, K. (2024). Ferulic Acid — A Brief Review of Its Extraction , Bioavailability and Biological Activity. *Separations*, 11(204).
- Rejani, C. T., & Radhakrishnan, S. (2020). Microbial conversion of vanillin from ferulic acid extracted from raw coir pith. *Natural Product Research*, 1–9. <https://doi.org/10.1080/14786419.2020.1849194>
- Rifaie, R. M. M., & Karim, L. (2023). Production of Vanillin from Pumpkin Peels via Microbiological Fermentation using *Aspergillus niger*. *Malaysian Journal of Fundamental and Applied Sciences*, 19(6), 1119–1130. <https://doi.org/10.11113/mjfas.v19n6.3193>
- Rosani, U., Hernaman, I., Hidayat, R., & Hidayat, D. (2024). Karakterisasi Dedak Padi dan Campuran Sekam Padi berdasarkan Sifat Fisik dan Kimia. *Jurnal Agripet*, 24, 14–22.
- Ruhl, I. A., Woodworth, S. P., Johnson, C. W., Haugen, S. J., Alt, H. M., & Beckham, G. T. (2025). Production of Vanillin From Ferulic Acid by *Pseudomonas putida* KT2440 Using Metabolic Engineering and In Situ Product Recovery. *Microbial Biotechnology*, 18(5), 1–11. <https://doi.org/10.1111/1751-7915.70152>
- Rusmono, M., & Aminudin. (2022). Pola Konfigurasi Mesin dan Rendemen Penggilingan di Usaha Penggilingan Padi Kecil (PPK): Studi Kasus di Provinsi Jawa Barat. *PANGAN*, 31(3),

- 217–232.
- Salim, R., Asik, J., & Sani, M. (2021). Chemical functional groups of extractives, cellulose and lignin extracted from native *Leucaena leucocephala* bark. *Wood Science and Technology*, 55(2), 295–313. <https://doi.org/10.1007/s00226-020-01258-2>
- Santos, L. D. F., Lautru, S., & Pernodet, J. L. (2024). Genetic Engineering Approaches for the Microbial Production of Vanillin. *Biomolecules*, 14(11). <https://doi.org/10.3390/biom14111413>
- Schutyser, W., Kruger, J. S., Robinson, A. M., Katahira, R., Meilan, R., Román-leshkov, Y., & Beckham, G. T. (2018). Revisiting alkaline aerobic lignin oxidation. *Green Chemistry*, 20, 3828–3844. <https://doi.org/10.1039/c8gc00502h>
- Shakri, A. N. A., Kasim, K. F., & Rukunudin, I. B. (2021). Chemical Compositions and Physical Properties of Selected Malaysian Rice: A Review. *Earth and Environmental Science*, 765. <https://doi.org/10.1088/1755-1315/765/1/012024>
- Sing, S. X., Lee, H. H., Wong, S. C., Bong, C. F. J., & Yiu, P. H. (2015). Ferulic acid, gamma oryzanol and GABA content in whole grain rice and their variation with bran colour. *Emirates Journal of Food and Agriculture*, 27(9), 706–711. <https://doi.org/10.9755/ejfa.2015.04.067>
- Siqueira, G., Milagres, A. M. F., Carvalho, W., Koch, G., & Ferraz, A. (2011). Topochemical distribution of lignin and hydroxycinnamic acids in sugar-cane cell walls and its correlation with the enzymatic hydrolysis of polysaccharides. *Biotechnology for Biofuels*, 4(7), 2–10.
- Siregar, S., Nurhikmat, A., Amdani, R. Z., Hatmi, R. U., & Kobarsih, M. (2024). Estimation of Proximate Composition in Rice Using ATR-FTIR Spectroscopy and Chemometrics. *ACS OMEGA*, 9, 32760–32768. <https://doi.org/10.1021/acsomega.4c02816>
- Srivastava, S., Luqman, S., Khan, F., Chanotiya, C. S., & Darokar, M. P. (2010). Metabolic pathway reconstruction of eugenol to vanillin bioconversion in *Aspergillus niger*. *Bioinformation*, 4, 320–325.
- Sulistiyani, M. (2018). Spektroskopi Fourier transform infra red metode reflektansi (Atr-Ftir) pada optimasi pengukuran spektrum vibrasi vitamin C. *J. TEMAPELA*, 1(2), 39–43.

- Sunardi, R. (2024). Studi Pembentukan Vanillin dari Kurkumin pada Berbagai Suhu Pemanasan. In *Skripsi Unand*.
- Syukri, D. (2021). Bagan Alir Analisis Proksimat Bahan Pangan (Volumetri dan Gravimetri). In *Andalas University Press*.
- Syukri, D., Arlius, F., Azima, F., Aisman, Jaswandi, & Yolanda, M. (2022). Potential of Storing Fresh Ground Red Chilies in Water as a Substitute for Home Refrigerators. *Asian Journal of Plant Sciences*, 21(4), 735–739. <https://doi.org/10.3923/ajps.2022.735.739>
- Syukri, D., Arlius, F., Jaswandi, Aisman, Yenrina, R., Azima, F., & Nakano, K. (2023). The Changes of metabolites in Ground Chili Stored at a Fishpond and a Refrigerator. *Current Research in Nutrition and Food Science*, 11(2), 762–771. <https://doi.org/10.12944/CRNFSJ.11.2.26>
- Tang, P. L., & Hassan, O. (2020a). Bioconversion of ferulic acid attained from pineapple peels and pineapple crown leaves into vanillic acid and vanillin by *Aspergillus niger* I-1472. *BMC Chemistry*, 14(1), 1–11. <https://doi.org/10.1186/s13065-020-0663-y>
- Tang, P. L., & Hassan, O. (2020b). Bioconversion of ferulic acid attained from pineapple peels and pineapple crown leaves into vanillic acid and vanillin by *Aspergillus niger* I - 1472. *BMC Chemistry*, 1–12. <https://doi.org/10.1186/s13065-020-0663-y>
- Tarabanko, E., Kaygorodov, L., Tarabanko, E., Kaygorodov, L., & Mazurova, V. (2022). Catalytic Oxidation of Flax Shives into Vanillin and Pulp into. *Catalyst*, 12(1003), 1–12.
- Tarabanko, V. E., & Tarabanko, N. (2017). Catalytic Oxidation of Lignins into the Aromatic Aldehydes : General Process Trends and Development Prospects. *International Journal of Molecular Sciences*, 18, 2421. <https://doi.org/10.3390/ijms18112421>
- Tešević, V., Aljančić, I., Vajs, V., Živković, M., Nikićević, N., Urošević, I., & Vujisić, L. (2014). Development and validation of an LC- MS/MS method with a multiple reactions monitoring mode for the quantification of vanillin and syringaldehyde in plum brandies. *Journal of the Serbian Chemical Society*, 79(12), 1537–1543. <https://doi.org/10.2298/JSC140225079T>
- Tian, Y., Yang, Y., Ni, M., & Wo, J. (2025). Surface display of

- eugenol oxidase and dioxygenase complex as a sustainable biocatalyst for efficient bioconversion of lignin-derived 4-n-propylguaiacol to vanillin. *Microbial Cell Factories*, 24(54), 1–12.
- Traore, M., & Kaal, J. (2018). Differentiation between pine woods according to species and growing location using FTIR-ATR. *Wood Sci Technol*, 52, 487–504. <https://doi.org/10.1007/s00226-017-0967-9>
- Wang, Y., Wang, W., Wu, Q., & Yang, H. (2022). The release and catabolism of ferulic acid in plant cell wall by rumen microbes: A review. *Animal Nutrition*, 9, 335–344. <https://doi.org/10.1016/j.aninu.2022.02.003>
- Widowati, S. (2001). Pemanfaatan Hasil Samping Penggilingan Padi dalam Menunjang Sistem Agroindustri di Pedesaan. *Buletin AgroBio*, 4(1), 33–38.
- Wisetkomolmat, J., Arjin, C., Satsook, A., & Seel-audom, M. (2022). Comparative Analysis of Nutritional Components and Phytochemical Attributes of Selected Thai Rice Bran. *Frontiers in Nutrition*, 9(February). <https://doi.org/10.3389/fnut.2022.833730>
- Wongsa, P., Phatikulrungsun, P., & Prathumthong, S. (2022). FT - IR characteristics, phenolic profiles and inhibitory potential against digestive enzymes of 25 herbal infusions. *Scientific Reports*, 12(6631), 1–11. <https://doi.org/10.1038/s41598-022-10669-z>
- Xin, X., Liu, D., Liu, S., Liu, Z., Yuan, Y., & Li, B. (2025). Redesigned Pathway for De Novo Synthesis of Vanillin and Co- conversion of Multiple Renewable Substrates in *Saccharomyces cerevisiae*. *Journal of The American Chemical Society*, 5, 1133–1145. <https://doi.org/10.1021/jacsau.4c00918>
- Yu, H., Shi, Q., Mao, H., Chen, C., & Tian, H. (2021). 5-formyl-vanillin as byproducts in synthetic vanillin. *J. Food Sci.*, 86, 3645–3657. <https://doi.org/10.1111/1750-3841.15837>
- Zhang, Y., Mo, L., Chen, F., Lu, M., Dong, W., Wang, Q., Xu, F., & Gu, F. (2014). Optimized Production of Vanillin from Green Vanilla Pods by Enzyme-Assisted Extraction Combined with Pre-Freezing and Thawing. *Molecules*, Ccd, 2181–2198. <https://doi.org/10.3390/molecules19022181>

- Zhao, S., Shi, J., Cai, S., Xiong, T., Cai, F., Li, S., Chen, X., Fan, C., Mei, X., & Sui, Y. (2023). Effects of milling degree on nutritional , sensory , gelatinization and taste quality of different rice varieties. *LWT*, 186, 115244. <https://doi.org/10.1016/j.lwt.2023.115244>
- Zhao, Z., & Moghadasian, M. H. (2008). Chemistry, natural sources, dietary intake and pharmacokinetic properties of ferulic acid: A review. *Food Chemistry*, 109(4), 691–702. <https://doi.org/10.1016/j.foodchem.2008.02.039>

