

DAFTAR PUSTAKA

- Aguilera, E., Díaz-Gaona, C., García-Laureano, R., Reyes-Palomo, C., Guzmán, G. I., Ortolani, L., Sánchez-Rodríguez, M., & Rodríguez-Estévez, V. (2020). Agroecology for adaptation to climate change and resource depletion in the Mediterranean region. A review. *Agricultural Systems*, 181, 102809. <https://doi.org/10.1016/j.agsy.2020.102809>
- Alonso-Ramírez, A., Poveda, J., Martín, I., Hermosa, R., Monte, E., & Nicolás, C. (2014). Salicylic acid prevents *T. richoderma harzianum* from entering the vascular system of roots. *Molecular Plant Pathology*, 15(8), 823–831. <https://doi.org/10.1111/mpp.12141>
- Anand, P., & Bley, K. (2011). Topical capsaicin for pain management: therapeutic potential and mechanisms of action of the new high-concentration capsaicin 8% patch. *British Journal of Anaesthesia*, 107(4), 490–502. <https://doi.org/10.1093/bja/aer260>
- Antonious, G. F., Kochhar, T. S., Jarret, R. L., & Snyder, J. C. (2006). Antioxidants in Hot Pepper: Variation Among Accessions. *Journal of Environmental Science and Health, Part B*, 41(7), 1237–1243. <https://doi.org/10.1080/03601230600857114>
- Ardani, W., & Setiaji, A. (2026). Optimasi Dosis Pemupukan Urea Untuk Pertumbuhan Vegetatif Cabai Besar (*Capsicum annum* L.) Dalam Pot. *Jurnal Biologi Makassar*, 6659, 17–24.
- Arora, Y. K., & Bajaj, K. L. (1985). Peroxidase and Polyphenol Oxidase Associated with, Induced Resistance of Mung Bean to *Rhizoctonia solani* Kuhn. *Journal of Phytopathology*, 114(4), 325–331. <https://doi.org/10.1111/j.1439-0434.1985.tb00627.x>
- Babalola, O. O. (2010). Beneficial bacteria of agricultural importance. *Biotechnology Letters*, 32(11), 1559–1570. <https://doi.org/10.1007/s10529-010-0347-0>
- Badan Pusat Statistik Provinsi Sumatra Barat. (2024). *Produksi Tanaman Sayuran dan Buah-Buahan Semusim Menurut Kabupaten/Kota dan Jenis Tanaman di Provinsi Sumatera Barat, 2024*. <https://sumbar.bps.go.id>
- Badan Pusat Statistik Provinsi Sumatra Barat. (2025). *Cabai Merah Penyumbang Inflasi di Sumatera Barat pada November 2025*. <https://sumbar.bps.go.id>
- Beaumelle, L., Tison, L., Eisenhauer, N., Hines, J., Malladi, S., Pelosi, C., Thouvenot, L., & Phillips, H. R. P. (2023). Pesticide effects on soil fauna communities—A meta-analysis. *Journal of Applied Ecology*, 60(7), 1239–1253. <https://doi.org/10.1111/1365-2664.14437>
- Berruti, A., Lumini, E., Balestrini, R., & Bianciotto, V. (2016). Arbuscular Mycorrhizal Fungi as Natural Biofertilizers: Let's Benefit from Past

- Successes. *Frontiers in Microbiology*, 6. <https://doi.org/10.3389/fmicb.2015.01559>
- Błaszczuk, L., Popiel, D., Chełkowski, J., Koczyk, G., Samuels, G. J., Sobieralski, K., & Siwulski, M. (2011). Species diversity of *Trichoderma* in Poland. *Journal of Applied Genetics*, 52(2), 233–243. <https://doi.org/10.1007/s13353-011-0039-z>
- Boutasknit, A., Ait-El-Mokhtar, M., Fassih, B., Ben-Laouane, R., Wahbi, S., & Meddich, A. (2024). Effect of Arbuscular Mycorrhizal Fungi and Rock Phosphate on Growth, Physiology, and Biochemistry of Carob under Water Stress and after Rehydration in Vermicompost-Amended Soil. *Metabolites*, 14(4), 202. <https://doi.org/10.3390/metabo14040202>
- Brummell, D. A. (2006). Cell wall disassembly in ripening fruit. *Functional Plant Biology*, 33(2), 103–119. <https://doi.org/10.1071/FP05234>
- Cai, F., Chen, W., Wei, Z., Pang, G., Li, R., Ran, W., & Shen, Q. (2015). Colonization of *Trichoderma harzianum* strain SQR-T037 on tomato roots and its relationship to plant growth, nutrient availability and soil microflora. *Plant and Soil*, 388(1–2), 337–350. <https://doi.org/10.1007/s11104-014-2326-z>
- Cameron, D. D., Neal, A. L., van Wees, S. C. M., & Ton, J. (2013). Mycorrhiza-induced resistance: more than the sum of its parts? *Trends in Plant Science*, 18(10), 539–545. <https://doi.org/10.1016/j.tplants.2013.06.004>
- Cannon, P. F., Damm, U., Johnston, P. R., & Weir, B. S. (2012). Colletotrichum – current status and future directions. *Studies in Mycology*, 73, 181–213. <https://doi.org/10.3114/sim0014>
- Chavez-Servia, JL; Sevilla-Panizo, R. (2006). *Fundamentos Genéticos y Socioeconómicos para Analisis Agrobiodiversidad en la Región de Ucayali, 16 de enero de 2003 Pucallpa, Perú*. Bioversity International.
- Chen, S.-C., Ren, J.-J., Zhao, H.-J., Wang, X.-L., Wang, T.-H., Jin, S.-D., Wang, Z.-H., Li, C., Liu, A.-R., Lin, X.-M., & Ahammed, G. J. (2019). *Trichoderma harzianum* Improves Defense Against *Fusarium oxysporum* by Regulating ROS and RNS Metabolism, Redox Balance, and Energy Flow in Cucumber Roots. *Phytopathology*®, 109(6), 972–982. <https://doi.org/10.1094/PHYTO-09-18-0342-R>
- Chen, X., Lu, Y., Liu, X., Gu, Y., & Li, F. (2025). *Trichoderma*: Dual Roles in Biocontrol and Plant Growth Promotion. *Microorganisms*, 13(8), 1840. <https://doi.org/10.3390/microorganisms13081840>
- Chu, L., Huang, J., Muhammad, M., Deng, Z., & Gao, J. (2020). Genome mining as a biotechnological tool for the discovery of novel marine natural products. *Critical Reviews in Biotechnology*, 40(5), 571–589. <https://doi.org/10.1080/07388551.2020.1751056>
- Contreras-Cornejo, H. A., Macías-Rodríguez, L., Cortés-Penagos, C., & López-Bucio, J. (2009). *Trichoderma virens* , a Plant Beneficial Fungus, Enhances Biomass Production and Promotes Lateral Root Growth through an Auxin-

- Dependent Mechanism in Arabidopsis. *Plant Physiology*, 149(3), 1579–1592. <https://doi.org/10.1104/pp.108.130369>
- Covacevich, F., Fernandez-Gnecco, G., Consolo, V. F., Burges, P. L., Calo, G. F., & Mondino, E. A. (2025). Combined Soil Inoculation with Mycorrhizae and Trichoderma Alleviates Nematode-Induced Decline in Mycorrhizal Diversity. *Diversity*, 17(5), 334. <https://doi.org/10.3390/d17050334>
- Damm, U., Baroncelli, R., Cai, L., Kubo, Y., O'Connell, R., Weir, B., Yoshino, K., & Cannon, P. F. (2010). Colletotrichum: species, ecology and interactions. *IMA Fungus*, 1(2), 161–165. <https://doi.org/10.5598/ima fungus.2010.01.02.08>
- De Silva, D. D., Ades, P. K., Crous, P. W., & Taylor, P. W. J. (2017). Colletotrichum species associated with chili anthracnose in Australia. *Plant Pathology*, 66(2), 254–267. <https://doi.org/10.1111/ppa.12572>
- Dean, R., Van Kan, J. A. L., Pretorius, Z. A., Hammond-Kosack, K. E., Di Pietro, A., Spanu, P. D., Rudd, J. J., Dickman, M., Kahmann, R., Ellis, J., & Foster, G. D. (2012). The Top 10 fungal pathogens in molecular plant pathology. *Molecular Plant Pathology*, 13(4), 414–430. <https://doi.org/10.1111/j.1364-3703.2011.00783.x>
- Degani, O., & Dor, S. (2021). Trichoderma Biological Control to Protect Sensitive Maize Hybrids against Late Wilt Disease in the Field. *Journal of Fungi*, 7(4), 315. <https://doi.org/10.3390/jof7040315>
- Desye, B., Tesfaye, A. H., Daba, C., Alemseged, E. A., Angaw, Y., Ebrahim, A. M., Natnael, T., Hassen, S., & Woretaw, L. (2024). Pesticide safe use practice and acute health symptoms, and associated factors among farmers in developing countries: a systematic review and meta-analysis of an epidemiological evidence. *BMC Public Health*, 24(1), 3313. <https://doi.org/10.1186/s12889-024-20817-x>
- Diamond, J. (2002). Evolution, consequences and future of plant and animal domestication. *Nature*, 418(6898), 700–707. <https://doi.org/10.1038/nature01019>
- Drewnowski, A., & Popkin, B. M. (2009). The Nutrition Transition: New Trends in the Global Diet. *Nutrition Reviews*, 55(2), 31–43. <https://doi.org/10.1111/j.1753-4887.1997.tb01593.x>
- Dutta, P., Mahanta, M., Singh, S. B., Thakuria, D., Deb, L., Kumari, A., Upamanya, G. K., Boruah, S., Dey, U., Mishra, A. K., Vanlaltani, L., VijayReddy, D., Heisnam, P., & Pandey, A. K. (2023). Molecular interaction between plants and Trichoderma species against soil-borne plant pathogens. *Frontiers in Plant Science*, 14. <https://doi.org/10.3389/fpls.2023.1145715>
- Farzand, A., Moosa, A., Zubair, M., Khan, A. R., Massawe, V. C., Tahir, H. A. S., Sheikh, T. M. M., Ayaz, M., & Gao, X. (2019). Suppression of Sclerotinia sclerotiorum by the Induction of Systemic Resistance and Regulation of Antioxidant Pathways in Tomato Using Fengycin Produced by Bacillus amyloliquefaciens FZB42. *Biomolecules*, 9(10), 613. <https://doi.org/10.3390/>

biom9100613

- Ficiciyan, A., Loos, J., Sievers-Glotzbach, S., & Tschardt, T. (2018). More than Yield: Ecosystem Services of Traditional versus Modern Crop Varieties Revisited. *Sustainability*, 10(8), 2834. <https://doi.org/10.3390/su10082834>
- Fitria, E., Kesumawaty, E., Basyah, B., & Asis. (2021). Peran Trichoderma harzianum sebagai Penghasil Zat Pengatur Tumbuh terhadap Pertumbuhan dan Produktivitas Varietas Cabai (*Capsicum annum* L.). *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 49(1), 45–52. <https://doi.org/10.24831/jai.v49i1.34341>
- Forcelini, B. B., Rebello, C. S., Wang, N.-Y., & Peres, N. A. (2018). Fitness, Competitive Ability, and Mutation Stability of Isolates of *Colletotrichum acutatum* from Strawberry Resistant to QoI Fungicides. *Phytopathology*®, 108(4), 462–468. <https://doi.org/10.1094/PHYTO-09-17-0296-R>
- Garstecka, Z., Antoszewski, M., Mierek-Adamska, A., Krauklis, D., Niedojadło, K., Kaliska, B., Hryniewicz, K., & Dąbrowska, G. B. (2023). Trichoderma viride Colonizes the Roots of Brassica napus L., Alters the Expression of Stress-Responsive Genes, and Increases the Yield of Canola under Field Conditions during Drought. *International Journal of Molecular Sciences*, 24(20), 15349. <https://doi.org/10.3390/ijms242015349>
- Giacomin, R. M., Ruas, C. de F., Moreira, A. F. P., Guidone, G. H. M., Baba, V. Y., Rodrigues, R., & Gonçalves, L. S. A. (2020). Inheritance of anthracnose resistance (*Colletotrichum scovillei*) in ripe and unripe Capsicum annum fruits. *Journal of Phytopathology*, 168(3), 184–192. <https://doi.org/10.1111/jph.12880>
- Goss, M. J., Carvalho, M., & Brito, I. (2017). Diversity in Arbuscular Mycorrhizal Fungi With Clarisse Brígido. In *Functional Diversity of Mycorrhiza and Sustainable Agriculture* (pp. 59–79). Elsevier. <https://doi.org/10.1016/B978-0-12-804244-1.00004-6>
- Gutjahr, C., & Parniske, M. (2013). Cell and Developmental Biology of Arbuscular Mycorrhiza Symbiosis. *Annual Review of Cell and Developmental Biology*, 29(1), 593–617. <https://doi.org/10.1146/annurev-cellbio-101512-122413>
- Guzmán-Guzmán, P., Etesami, H., & Santoyo, G. (2025). Trichoderma: a multifunctional agent in plant health and microbiome interactions. *BMC Microbiology*, 25(1), 434. <https://doi.org/10.1186/s12866-025-04158-2>
- Guzmán-Guzmán, P., Kumar, A., de los Santos-Villalobos, S., Parra-Cota, F. I., Orozco-Mosqueda, M. del C., Fadji, A. E., Hyder, S., Babalola, O. O., & Santoyo, G. (2023). Trichoderma Species: Our Best Fungal Allies in the Biocontrol of Plant Diseases—A Review. *Plants*, 12(3), 432. <https://doi.org/10.3390/plants12030432>
- Guzmán-Guzmán, P., Porras-Troncoso, M. D., Olmedo-Monfil, V., & Herrera-Estrella, A. (2019). Trichoderma Species: Versatile Plant Symbionts. *Phytopathology*®, 109(1), 6–16. <https://doi.org/10.1094/PHYTO-07-18->

0218-RVW

- Halsted, & Byron, D. (1891). A New Anthracnose of Peppers. *Bulletin of the Torrey Botanical Club* 18, 1, 14–15. <https://doi.org/10.2307/2477422>
- Hammerschmidt, R., Nuckles, E. M., & Kuć, J. (1982). Association of enhanced peroxidase activity with induced systemic resistance of cucumber to *Colletotrichum lagenarium*. *Physiological Plant Pathology*, 20(1), 73–82. [https://doi.org/10.1016/0048-4059\(82\)90025-X](https://doi.org/10.1016/0048-4059(82)90025-X)
- Harp, T. L., Pernezny, K., Ivey, M. L. L., Miller, S. A., Kuhn, P. J., & Datnoff, L. (2008). The etiology of recent pepper anthracnose outbreaks in Florida. *Crop Protection*, 27(10), 1380–1384. <https://doi.org/10.1016/j.cropro.2008.05.006>
- Hermosa, R., Viterbo, A., Chet, I., & Monte, E. (2012). Plant-beneficial effects of *Trichoderma* and of its genes. *Microbiology*, 158(1), 17–25. <https://doi.org/10.1099/mic.0.052274-0>
- Hernández-Verdugo, S., Dávila, P., & Oyama, K. (1999). Síntesis del conocimiento taxonómico, origen y domesticación del género *Capsicum*. *Botanical Sciences*, 64, 65–84. <https://doi.org/10.17129/botsoci.1583>
- Hyder, S., Gondal, A. S., Rizvi, Z. F., Atiq, R., Haider, M. I. S., Fatima, N., & Inam-ul-Haq, M. (2021). Biological Control of Chili Damping-Off Disease, Caused by *Pythium myriotylum*. *Frontiers in Microbiology*, 12. <https://doi.org/10.3389/fmicb.2021.587431>
- Ibiza, V. P., Blanca, J., Cañizares, J., & Nuez, F. (2012). Taxonomy and genetic diversity of domesticated *Capsicum* species in the Andean region. *Genetic Resources and Crop Evolution*, 59(6), 1077–1088. <https://doi.org/10.1007/s10722-011-9744-z>
- Isaac, S. (1992). *Fungal Plant Interaction*. Chapman and Hall Press.
- Jaklitsch, W. M. (2009). European species of *Hypocrea* Part I. The green-spored species. *Studies in Mycology*, 63, 1–91. <https://doi.org/10.3114/sim.2009.63.01>
- Jang, Y. K., Jung, E. S., Lee, H.-A., Choi, D., & Lee, C. H. (2015). Metabolomic Characterization of Hot Pepper (*Capsicum annuum* “CM334”) during Fruit Development. *Journal of Agricultural and Food Chemistry*, 63(43), 9452–9460. <https://doi.org/10.1021/acs.jafc.5b03873>
- Jarvis, D. I., Hodgkin, T., Sthapit, B. R., Fadda, C., & Lopez-Noriega, I. (2011). An Heuristic Framework for Identifying Multiple Ways of Supporting the Conservation and Use of Traditional Crop Varieties within the Agricultural Production System. *Critical Reviews in Plant Sciences*, 30(1–2), 125–176. <https://doi.org/10.1080/07352689.2011.554358>
- Jaya, A., Hasanuddin, F., Thamrin, N. T., Agroteknologi, P. S., & Sains, F. (2024). Uji Beberapa Ekstrak Tumbuhan Terhadap Hama Kutu Daun Pada Tanaman Cabai (*Capsicum annuum* L.) *Jurnal Pertanian Berkelanjutan*, 12(2).
- Jiménez-Alfaro, B., Frischie, S., Stolz, J., & Gálvez-Ramírez, C. (2020). Native plants for greening Mediterranean agroecosystems. *Nature Plants*, 6(3), 209–

214. <https://doi.org/10.1038/s41477-020-0617-3>

- Jones, J. D. G., & Dangl, J. L. (2006). The plant immune system. *Nature*, 444(7117), 323–329. <https://doi.org/10.1038/nature05286>
- Jung, S. C., Martinez-Medina, A., Lopez-Raez, J. A., & Pozo, M. J. (2012). Mycorrhiza-Induced Resistance and Priming of Plant Defenses. *Journal of Chemical Ecology*, 38(6), 651–664. <https://doi.org/10.1007/s10886-012-0134-6>
- Justino, E., Fonseca, M., Ferreira, M., Boiteux, L., Silva, P., & Nascimento, W. (2018). Research Article Estimate of natural cross-pollination rate of *Capsicum annuum* using a codominant molecular marker associated with fruit pungency. *Genetics and Molecular Research*, 17(1). <https://doi.org/10.4238/gmr16039887>
- Kethom, W., & Mongkolporn, O. (2021). New QTLs for anthracnose resistance identified in *Capsicum baccatum* ‘PBC80’-derived recombinant inbred lines. *Euphytica*, 217(6), 128. <https://doi.org/10.1007/s10681-021-02866-0>
- Kim, C. H., & Park, K. S. (1988). A predictive model of disease progression of red-pepper anthracnose. *Korean Journal of Plant Pathology (Korea R.) VO - 4*, 4, 325.
- Klinsukon, C., Ekprasert, J., & Boonlue, S. (2021). Using arbuscular mycorrhizal fungi (*Gigaspora margarita*) as a growth promoter and biocontrol of leaf blight disease in eucalyptus seedlings caused by *Cylindrocladium quinqueseptatum*. *Rhizosphere*, 20, 100450. <https://doi.org/10.1016/j.rhisph.2021.100450>
- Köhl, J., Kolnaar, R., & Ravensberg, W. J. (2019). Mode of Action of Microbial Biological Control Agents Against Plant Diseases: Relevance Beyond Efficacy. *Frontiers in Plant Science*, 10. <https://doi.org/10.3389/fpls.2019.00845>
- Korel, F., Bağdatlioğlu, N., Balaban, M. Ö., & Hişil, Y. (2002). Ground Red Peppers: Capsaicinoids Content, Scoville Scores, and Discrimination by an Electronic Nose. *Journal of Agricultural and Food Chemistry*, 50(11), 3257–3261. <https://doi.org/10.1021/jf010537b>
- Kubicek, C. P., Bissett, J., Druzhinina, I., Kullnig-Grading, C., & Szakacs, G. (2003). Genetic and metabolic diversity of *Trichoderma*: a case study on South-East Asian isolates. *Fungal Genetics and Biology*, 38(3), 310–319. [https://doi.org/10.1016/S1087-1845\(02\)00583-2](https://doi.org/10.1016/S1087-1845(02)00583-2)
- Kumar, J., Ramlal, A., Mallick, D., & Mishra, V. (2021). An Overview of Some Biopesticides and Their Importance in Plant Protection for Commercial Acceptance. *Plants*, 10(6), 1185. <https://doi.org/10.3390/plants10061185>
- Kumari, P., Jasrotia, P., Maanju, S., Sareen, S., & Kumar, D. (2025). Antioxidant enzyme responses in different wheat species infested with the corn leaf aphid, *Rhopalosiphum maidis* Fitch. *Frontiers in Plant Science*, 16. <https://doi.org/10.3389/fpls.2025.1693782>

- Labuschagne, N., Pretorius, T., & Idris, A. H. (2010). *Plant Growth Promoting Rhizobacteria as Biocontrol Agents Against Soil-Borne Plant Diseases*. Springer Science and Business Media LLC. https://doi.org/10.1007/978-3-642-13612-2_9
- Lemaux, P. G. (2009). Genetically Engineered Plants and Foods: A Scientist's Analysis of the Issues (Part II). *Annual Review of Plant Biology*, 60(1), 511–559. <https://doi.org/10.1146/annurev.arplant.043008.092013>
- Leonetti, P., Zonno, M. C., Molinari, S., & Altomare, C. (2017). Induction of SA-signaling pathway and ethylene biosynthesis in *Trichoderma harzianum*-treated tomato plants after infection of the root-knot nematode *Meloidogyne incognita*. *Plant Cell Reports*, 36(4), 621–631. <https://doi.org/10.1007/s00299-017-2109-0>
- López-Ráez, J. A., Verhage, A., Fernández, I., García, J. M., Azcón-Aguilar, C., Flors, V., & Pozo, M. J. (2010). Hormonal and transcriptional profiles highlight common and differential host responses to arbuscular mycorrhizal fungi and the regulation of the oxylipin pathway. *Journal of Experimental Botany*, 61(10), 2589–2601. <https://doi.org/10.1093/jxb/erq089>
- Luginbuehl, L. H., & Oldroyd, G. E. D. (2017). Understanding the Arbuscule at the Heart of Endomycorrhizal Symbioses in Plants. *Current Biology*, 27(17), R952–R963. <https://doi.org/10.1016/j.cub.2017.06.042>
- Mahasuk, P., Chinthaisong, J., & Mongkolporn, O. (2013). Differential resistances to anthracnose in *Capsicum baccatum* as responding to two *Colletotrichum* pathotypes and inoculation methods. *Breeding Science*, 63(3), 333–338. <https://doi.org/10.1270/jsbbs.63.333>
- Mahasuk, P., Struss, D., & Mongkolporn, O. (2016). QTLs for resistance to anthracnose identified in two *Capsicum* sources. *Molecular Breeding*, 36(1), 10. <https://doi.org/10.1007/s11032-016-0435-5>
- Mahasuk, P., Taylor, P. W. J., & Mongkolporn, O. (2009). Identification of Two New Genes Conferring Resistance to *Colletotrichum acutatum* in *Capsicum baccatum*. *Phytopathology*®, 99(9), 1100–1104. <https://doi.org/10.1094/PHYTO-99-9-1100>
- Manteau, S., Abouna, S., Lambert, B., & Legendre, L. (2003). Differential regulation by ambient pH of putative virulence factor secretion by the phytopathogenic fungus *Botrytis cinerea*. *FEMS Microbiology Ecology*, 43(3), 359–366. <https://doi.org/10.1111/j.1574-6941.2003.tb01076.x>
- Marlia, A., Hayati, R., & Mulyani, M. (2022). Pertumbuhan Dan Hasil Cabai Rawit (*Capsicum Frutescens* L.) Akibat Pemberian Dosis Pupuk NPK DGW Compaction Dan Konsentrasi Pupuk Organik Cair Limbah Kulit Pisang. *Jurnal Agrium*, 19(3), 343. <https://doi.org/10.29103/agrium.v19i4.9735>
- Martínez-Medina, A., Roldán, A., & Pascual, J. A. (2011). Interaction between arbuscular mycorrhizal fungi and *Trichoderma harzianum* under conventional and low input fertilization field condition in melon crops: Growth response and *Fusarium* wilt biocontrol. *Applied Soil Ecology*, 47(2), 98–105. <https://doi.org/10.1016/j.apsoil.2010.11.010>

- Matrood, A. A. A., Khriebe, M. I., & Okon, O. G. (2020). Synergistic interaction of *Glomus mosseae* T. and *Trichoderma harzianum* R. in the induction of systemic resistance of *Cucumis sativus* L. to *Alternaria alternata* (Fr.) K. *Plant Science Today*, 7(1), 101–108. <https://doi.org/10.14719/pst.2020.7.1.629>
- Millet, Y. A., Danna, C. H., Clay, N. K., Songnuan, W., Simon, M. D., Werck-Reichhart, D., & Ausubel, F. M. (2010). Innate Immune Responses Activated in *Arabidopsis* Roots by Microbe-Associated Molecular Patterns. *The Plant Cell*, 22(3), 973–990. <https://doi.org/10.1105/tpc.109.069658>
- Miransari, M., Abrishamchi, A., Khoshbakht, K., & Niknam, V. (2014). Plant hormones as signals in arbuscular mycorrhizal symbiosis. *Critical Reviews in Biotechnology*, 34(2), 123–133. <https://doi.org/10.3109/07388551.2012.731684>
- Mishra, A., Ratan, V., Trivedi, S., Shankar, K., Srivastava, Y., Abhishek Mishra, C., Dabbas, M., Singh, A., & Dixit, S. (2018). Survey of anthracnose and wilt of chilli: A potential threat to chilli crop in central Uttar Pradesh. *Journal of Pharmacognosy and Phytochemistry*, 7(2), 1970–1976.
- Morán-Diez, E., Hermosa, R., Ambrosino, P., Cardoza, R. E., Gutiérrez, S., Lorito, M., & Monte, E. (2009). The ThPG1 Endopolygalacturonase Is Required for the *Trichoderma harzianum* –Plant Beneficial Interaction. *Molecular Plant-Microbe Interactions*®, 22(8), 1021–1031. <https://doi.org/10.1094/MPMI-22-8-1021>
- Moscone, E. A., Scaldaferrro, M. A., Grabiele, M., Cecchini, N. M., Sánchez García, Y., Jarret, R., Daviña, J. R., Ducasse, D. A., Barboza, G. E., & Ehrendorfer, F. (2007). The Evolution Of Chili Peppers (*Capsicum* - Solanaceae): A Cytogenetic Perspective. *Acta Horticulturae*, 745, 137–170. <https://doi.org/10.17660/ActaHortic.2007.745.5>
- Mukherjee, P. K., Horwitz, B. A., Herrera-Estrella, A., Schmoll, M., & Kenerley, C. M. (2013). *Trichoderma* Research in the Genome Era. *Annual Review of Phytopathology*, 51(1), 105–129. <https://doi.org/10.1146/annurev-phyto-082712-102353>
- Mukhopadhyay, R., & Kumar, D. (2020). *Trichoderma*: a beneficial antifungal agent and insights into its mechanism of biocontrol potential. *Egyptian Journal of Biological Pest Control*, 30(1), 133. <https://doi.org/10.1186/s41938-020-00333-x>
- Naegele, R. P., Ashrafi, H., Hill, T. A., Chin-Wo, S. R., Van Deynze, A. E., & Hausbeck, M. K. (2014). QTL Mapping of Fruit Rot Resistance to the Plant Pathogen *Phytophthora capsici* in a Recombinant Inbred Line *Capsicum annuum* Population. *Phytopathology*®, 104(5), 479–483. <https://doi.org/10.1094/PHYTO-05-13-0143-R>
- Nogueira-Lopez, G., Greenwood, D. R., Middleditch, M., Winefield, C., Eaton, C., Steyaert, J. M., & Mendoza-Mendoza, A. (2018). The Apoplastic Secretome of *Trichoderma virens* During Interaction With Maize Roots Shows an Inhibition of Plant Defence and Scavenging Oxidative Stress Secreted

- Proteins. *Frontiers in Plant Science*, 9. <https://doi.org/10.3389/fpls.2018.00409>
- Olatunji, T. L., & Afolayan, A. J. (2018). The suitability of chili pepper (*Capsicum annuum* L.) for alleviating human micronutrient dietary deficiencies: A review. *Food Science & Nutrition*, 6(8), 2239–2251. <https://doi.org/10.1002/fsn3.790>
- Palmgren, M. G., Edenbrandt, A. K., Vedel, S. E., Andersen, M. M., Landes, X., Østerberg, J. T., Falhof, J., Olsen, L. I., Christensen, S. B., Sandøe, P., Gamborg, C., Kappel, K., Thorsen, B. J., & Pagh, P. (2015). Are we ready for back-to-nature crop breeding? *Trends in Plant Science*, 20(3), 155–164. <https://doi.org/10.1016/j.tplants.2014.11.003>
- Paszkowski, U. (2006). A journey through signaling in arbuscular mycorrhizal symbioses 2006. *New Phytologist*, 172(1), 35–46. <https://doi.org/10.1111/j.1469-8137.2006.01840.x>
- Pedrero-Méndez, A., Insuasti, H. C., Neagu, T., Illescas, M., Rubio, M. B., Monte, E., & Hermosa, R. (2021). Why Is the Correct Selection of Trichoderma Strains Important? The Case of Wheat Endophytic Strains of *T. harzianum* and *T. simmonsii*. *Journal of Fungi*, 7(12), 1087. <https://doi.org/10.3390/jof7121087>
- Perry, L., Dickau, R., Zarrillo, S., Holst, I., Pearsall, D. M., Piperno, D. R., Berman, M. J., Cooke, R. G., Rademaker, K., Ranere, A. J., Raymond, J. S., Sandweiss, D. H., Scaramelli, F., Tarble, K., & Zeidler, J. A. (2007). Starch Fossils and the Domestication and Dispersal of Chili Peppers (*Capsicum* spp.) in the Americas. *Science*, 315(5814), 986–988. <https://doi.org/10.1126/science.1136914>
- Petropoulos, S. A., Barros, L., & Ferreira, I. C. F. R. (2019). Editorial: Rediscovering Local Landraces: Shaping Horticulture for the Future. *Frontiers in Plant Science*, 10. <https://doi.org/10.3389/fpls.2019.00126>
- Phillips, J. M., & Hayman, D. S. (1970). Improved procedures for clearing roots and staining parasitic and vesicular-arbuscular mycorrhizal fungi for rapid assessment of infection. *Transactions of the British Mycological Society*, 55(1), 158–IN18. [https://doi.org/10.1016/S0007-1536\(70\)80110-3](https://doi.org/10.1016/S0007-1536(70)80110-3)
- Pickersgill, B. (2007). Domestication of Plants in the Americas: Insights from Mendelian and Molecular Genetics. *Annals of Botany*, 100(5), 925–940. <https://doi.org/10.1093/aob/mcm193>
- Pieterse, C. M. J., Leon-Reyes, A., Van der Ent, S., & Van Wees, S. C. M. (2009). Networking by small-molecule hormones in plant immunity. *Nature Chemical Biology*, 5(5), 308–316. <https://doi.org/10.1038/nchembio.164>
- Pieterse, C. M. J., Zamioudis, C., Berendsen, R. L., Weller, D. M., Van Wees, S. C. M., & Bakker, P. A. H. M. (2014). Induced Systemic Resistance by Beneficial Microbes. *Annual Review of Phytopathology*, 52(1), 347–375. <https://doi.org/10.1146/annurev-phyto-082712-102340>

- Pimentel, D., Zuniga, R., & Morrison, D. (2005). Update on the environmental and economic costs associated with alien-invasive species in the United States. *Ecological Economics*, 52(3), 273–288. <https://doi.org/10.1016/j.ecolecon.2004.10.002>
- Pirttilä, A. M., Mohammad Parast Tabas, H., Baruah, N., & Koskimäki, J. J. (2021). Biofertilizers and Biocontrol Agents for Agriculture: How to Identify and Develop New Potent Microbial Strains and Traits. *Microorganisms*, 9(4), 817. <https://doi.org/10.3390/microorganisms9040817>
- Prusky, D., Alkan, N., Mengiste, T., & Fluhr, R. (2013). Quiescent and Necrotrophic Lifestyle Choice During Postharvest Disease Development. *Annual Review of Phytopathology*, 51(1), 155–176. <https://doi.org/10.1146/annurev-phyto-082712-102349>
- Rajapakse, R. G. A. S., & Ranasinghe, J. A. D. A. R. (2002). Development of variety screening method for anthracnose disease of chili (*Capsicum annuum* L.) under field conditions. *Trop. Agric. Res.*, 5, 7–11.
- Ramamoorthy, V., Raguchander, T., & Samiyappan, R. (2002). Enhancing Resistance of Tomato and Hot Pepper to Pythium Diseases by Seed Treatment with Fluorescent Pseudomonads. *European Journal of Plant Pathology*, 108(5), 429–441. <https://doi.org/10.1023/A:1016062702102>
- Ridzuan, R., Rafii, M., Ismail, S., Mohammad Yusoff, M., Miah, G., & Usman, M. (2018). Breeding for Anthracnose Disease Resistance in Chili: Progress and Prospects. *International Journal of Molecular Sciences*, 19(10), 3122. <https://doi.org/10.3390/ijms19103122>
- Ro, N.-Y., Sebastin, R., Hur, O.-S., Cho, G.-T., Geum, B., Lee, Y.-J., & Kang, B.-C. (2021). Evaluation of Anthracnose Resistance in Pepper (*Capsicum* spp.) Genetic Resources. *Horticulturae*, 7(11), 460. <https://doi.org/10.3390/horticulturae7110460>
- Rokhminarsi, E., Utami, D. S., & Begananda. (2019). Application of Mikotricho (Mycorrhizae-Trichoderma) Fertilizer and Synthetic Fertilizer on Cultivation of Red Pepper. *Jurnal Hortikultura Indonesia*, 10(3), 154–160. <https://doi.org/10.29244/jhi.10.3.154-160>
- Saeki, E. K., Kobayashi, R. K. T., & Nakazato, G. (2020). Quorum sensing system: Target to control the spread of bacterial infections. *Microbial Pathogenesis*, 142, 104068. <https://doi.org/10.1016/j.micpath.2020.104068>
- Salvioli, A., & Bonfante, P. (2013). Systems biology and “omics” tools: A cooperation for next-generation mycorrhizal studies. *Plant Science*, 203–204, 107–114. <https://doi.org/10.1016/j.plantsci.2013.01.001>
- Santillan-Culquimboz, H. W., Leiva, S. T., Munoz-Salas, M. N., Meza-Maicelo, W., Lozano-Isla, F., Oliva-Cruz, M., & Balcázar-Zumaeta, C. R. (2025). Ecology and functions of Trichoderma in coffee and cocoa agroecosystems: bibliometric and systematic insights for sustainable agriculture. *Frontiers in Microbiology*, 16. <https://doi.org/10.3389/fmicb.2025.1717484>

- Sarkar, D., & Rakshit, A. (2021). Bio-priming in combination with mineral fertilizer improves nutritional quality and yield of red cabbage under Middle Gangetic Plains, India. *Scientia Horticulturae*, 283, 110075. <https://doi.org/10.1016/j.scienta.2021.110075>
- Sastrosumarjo, S. (2003). *Formation of Antracnose-Resistant Chili Varieties with a Conventional Method and Biotechnology Approach*.
- Shoresh, M., Harman, G. E., & Mastouri, F. (2010). Induced Systemic Resistance and Plant Responses to Fungal Biocontrol Agents. *Annual Review of Phytopathology*, 48(1), 21–43. <https://doi.org/10.1146/annurev-phyto-073009-114450>
- ShuGen, Z., ZhongRen, J., YongPing, X., & ChunLing, L. (2008). Genetic analysis of fruit traits based on a double haploid population from a hybrid of pepper (*Capsicum annuum* L.). *Acta Horticulturae Sinica*, Vol. 35(No. 4), 515–520. <http://yyxb.periodicals.net.cn/default.html>
- Silva, C. J., van den Abeele, C., Ortega-Salazar, I., Papin, V., Adaskaveg, J. A., Wang, D., Casteel, C. L., Seymour, G. B., & Blanco-Ulate, B. (2021). Host susceptibility factors render ripe tomato fruit vulnerable to fungal disease despite active immune responses. *Journal of Experimental Botany*, 72(7), 2696–2709. <https://doi.org/10.1093/jxb/eraa601>
- Smith, S. E., Facelli, E., Pope, S., & Andrew Smith, F. (2010). Plant performance in stressful environments: interpreting new and established knowledge of the roles of arbuscular mycorrhizas. *Plant and Soil*, 326(1–2), 3–20. <https://doi.org/10.1007/s11104-009-9981-5>
- Smith, S. E., & Read, D. J. (2010). *Simbiosis Mikoriza*; Academic Press: Cambridge, MA, USA, 2010; ISBN 978-0-08-055934-6. (3rd ed.). Academic Press. https://scholar.google.com/scholar_lookup?title=Mycorrhizal+Symbiosis&author=Smith,+S.E.&author=Read,+D.J.&publication_year=2010
- Syukur, M., Sujiprihati, S., Koswara, J., & Widodo, D. (2009). Ketahanan terhadap Antraknosa yang Disebabkan oleh *Colletotrichum acutatum* pada Beberapa Genotipe Cabai (*Capsicum annuum* L.) dan Korelasinya dengan Kandungan Kapsaicin dan Peroksidase. *J. Agron. Indonesia*, 37(3), 233–239. <https://doi.org/https://doi.org/10.24831/jai.v37i3.1240>
- Tang, M., Zhang, R.-Q., Chen, H., Zhang, H.-H., & Tian, Z.-Q. (2008). Induced hydrolytic enzymes of ectomycorrhizal fungi against pathogen *Rhizoctonia solani*. *Biotechnology Letters*, 30(10), 1777–1782. <https://doi.org/10.1007/s10529-008-9760-z>
- Tanwar, A., Aggarwal, A., & Panwar, V. (2013). Arbuscular mycorrhizal fungi and *Trichoderma viride* mediated *Fusarium* wilt control in tomato. *Biocontrol Science and Technology*, 23(5), 485–498. <https://doi.org/10.1080/09583157.2013.772561>
- Tariq, M., Khan, A., Asif, M., Khan, F., Ansari, T., Shariq, M., & Siddiqui, M. A.

- (2020). Biological control: a sustainable and practical approach for plant disease management. *Acta Agriculturae Scandinavica, Section B — Soil & Plant Science*, 70(6), 507–524. <https://doi.org/10.1080/09064710.2020.1784262>
- Taylor, P. W. J., Mongkolporn, O., Than, P. P., Montri, P., Ranathunge, N., Kanchana-udonkarn, C., & Hyde, K. D. (2007). Pathotypes of *Colletotrichum* spp. infecting chilli peppers and mechanisms of resistance. *Abstracts of the First International Symposium on Chilli Anthracnose*, 29.
- Trouvelot, S., Bonneau, L., Redecker, D., van Tuinen, D., Adrian, M., & Wipf, D. (2015). Arbuscular mycorrhiza symbiosis in viticulture: a review. *Agronomy for Sustainable Development*, 35(4), 1449–1467. <https://doi.org/10.1007/s13593-015-0329-7>
- Tyśkiewicz, R., Nowak, A., Ozimek, E., & Jaroszek-Ścisł, J. (2022). Trichoderma: The Current Status of Its Application in Agriculture for the Biocontrol of Fungal Phytopathogens and Stimulation of Plant Growth. *International Journal of Molecular Sciences*, 23(4), 2329. <https://doi.org/10.3390/ijms23042329>
- Veresoglou, S. D., & Rillig, M. C. (2012). Suppression of fungal and nematode plant pathogens through arbuscular mycorrhizal fungi. *Biology Letters*, 8(2), 214–217. <https://doi.org/10.1098/rsbl.2011.0874>
- Vicente, A. R., Saladié, M., Rose, J. K., & Labavitch, J. M. (2007). The linkage between cell wall metabolism and fruit softening: looking to the future. *Journal of the Science of Food and Agriculture*, 87(8), 1435–1448. <https://doi.org/10.1002/jsfa.2837>
- Vigouroux, Y., Mitchell, S., Matsuoka, Y., Hamblin, M., Kresovich, S., Smith, J. S. C., Jaqueth, J., Smith, O. S., & Doebley, J. (2005). An Analysis of Genetic Diversity Across the Maize Genome Using Microsatellites. *Genetics*, 169(3), 1617–1630. <https://doi.org/10.1534/genetics.104.032086>
- Villalobos-Escobedo, J. M., Esparza-Reynoso, S., Pelagio-Flores, R., López-Ramírez, F., Ruiz-Herrera, L. F., López-Bucio, J., & Herrera-Estrella, A. (2020). The fungal NADPH oxidase is an essential element for the molecular dialog between Trichoderma and Arabidopsis. *The Plant Journal*, 103(6), 2178–2192. <https://doi.org/10.1111/tpj.14891>
- Xie, K., Ren, Y., Chen, A., Yang, C., Zheng, Q., Chen, J., Wang, D., Li, Y., Hu, S., & Xu, G. (2022). Plant nitrogen nutrition: The roles of arbuscular mycorrhizal fungi. *Journal of Plant Physiology*, 269, 153591. <https://doi.org/10.1016/j.jplph.2021.153591>
- Xue-jun, C., Rong, F., Kunhua, Z., Miao, N., & Huang, C. (2012). Major gene plus polygene inheritance analysis of fruit traits in pepper. *Acta Botanica Boreali-Occidentalia Sinica*, Vol. 32(No. 2), 246–251. <http://xbzwxn.nwsuaf.edu.cn>
- Yadav, M., Dubey, M. K., & Upadhyay, R. S. (2021). Systemic Resistance in Chilli Pepper against Anthracnose (Caused by *Colletotrichum truncatum*) Induced

- by *Trichoderma harzianum*, *Trichoderma asperellum* and *Paenibacillus dendritiformis*. *Journal of Fungi*, 7(4), 307. <https://doi.org/10.3390/jof7040307>
- Yang, Y., Zhao, M., Li, G., Wang, Y., Shen, Q., Yang, J., Asseri, T. A. Y., Wang, Y., Guo, M., & Ahmed, W. (2025). Molecular Tactics of Biocontrol Fungi to Hack Plant Immunity for Successful Host Colonization—A Focus on *Trichoderma* Fungi. *Microorganisms*, 13(6), 1251. <https://doi.org/10.3390/microorganisms13061251>
- Yoon, J. B., Do, J. W., Kim, S. H., & Park, H. G. (2009). Inheritance of Anthracnose (*Colletotrichum acutatum*) Resistance in Capsicum Using Interspecific Hybridization. *J. Hort. Sci. Technol*, 27(1), 1–5. <https://www.researchgate.net/publication/264141629>
- Youssef, S. A., Tartoura, K. A., & Abdelraouf, G. A. (2016). Evaluation of *Trichoderma harzianum* and *Serratia proteamaculans* effect on disease suppression, stimulation of ROS-scavenging enzymes and improving tomato growth infected by *Rhizoctonia solani*. *Biological Control*, 100, 79–86. <https://doi.org/10.1016/j.biocontrol.2016.06.001>
- Zadoks, J. C., & Schein, R. D. (1979). *Epidemiology and plant disease management*. Oxford University Press.
- Zaker, M. (2016). Natural Plant Products as Eco-friendly Fungicides for Plant Diseases Control- A Review. *The Agriculturists*, 14(1), 134–141. <https://doi.org/10.3329/agric.v14i1.29111>
- Zamioudis, C., & Pieterse, C. M. J. (2012). Modulation of Host Immunity by Beneficial Microbes. *Molecular Plant-Microbe Interactions®*, 25(2), 139–150. <https://doi.org/10.1094/MPMI-06-11-0179>
- Zhang, C., Diao, Y., Wang, W., Hao, J., Imran, M., Duan, H., & Liu, X. (2017). Assessing the Risk for Resistance and Elucidating the Genetics of *Colletotrichum truncatum* That Is Only Sensitive to Some DMI Fungicides. *Frontiers in Microbiology*, 8. <https://doi.org/10.3389/fmicb.2017.01779>
- Zhou, W., Li, M., & Achal, V. (2025). A comprehensive review on environmental and human health impacts of chemical pesticide usage. *Emerging Contaminants*, 11(1), 100410. <https://doi.org/10.1016/j.emcon.2024.100410>