

DAFTAR PUSTAKA

1. Parisa N, Kamaluddin MT, Saleh MI, Sinaga E. The inflammation process of gout arthritis and its treatment. *J Adv Pharm Technol Res.* 2023;14(3):166–70.
2. Yao R, Geng Z, Mao X, Bao Y, Guo S, Bao L, et al. Tu-Teng-Cao Extract Alleviates Monosodium Urate-Induced Acute Gouty Arthritis in Rats by Inhibiting Uric Acid and Inflammation. *Hindawi Evidence-based Complement Altern Med.* 2020;1–13.
3. Singh JA, Gaffo A. Gout epidemiology and comorbidities. *Semin Arthritis Rheum.* 2020;50(3):S11–6.
4. Zhu Y, Pandya BJ, Choi HK. Prevalence of Gout and Hyperuricemia in the US General Population The National Health and Nutrition Examination Survey 2007 – 2008. *Arthritis Rheum.* 2011;63(10):3136–41.
5. He Q, Mok T ngai, Sin T hang, Yin J, Li S. Global , Regional , and National Prevalence of Gout From 1990 to 2019 : Age-Period-Cohort Analysis With Future Burden Prediction Corresponding Author: JMIR Public Heal Surveill. 2023;9:1–19.
6. Dehlin M, Jacobsson L, Roddy E. Global epidemiology of gout: prevalence, incidence, treatment patterns and risk factors. *Nat Rev Rheumatol.* 2020;16(7):380–90.
7. Sholihah FM. Diagnosis and Treatment Gout Arthritis. *J Major.* 2014;3(7):39–45.
8. Indonesia PR. Pedoman Diagnosis dan Pengelolaan Gout Perhimpunan Reumatologi Indonesia. Perhimpunan Reumatologi Indonesia; 2018.
9. Ismail R, Abdullah A, Sangkal A, Toboleu RR. Anti-Inflammatory Activity of Cayenne Pepper (*Capsicum frutescens* L.) Gel on White Rats (*Rattus norvegicus*). *JOPS (Journal Pharm Sci.* 2022;6(1):59–64.
10. Qindeel M, Ullah MH, Fakhar-ud-Din, Ahmed N, Rehman A ur. Recent trends, challenges and future outlook of transdermal drug delivery systems for rheumatoid arthritis therapy. *J Control Release.* 2020;327:595–615.
11. Nastiti CMRR, Ponto T, Abd E, Grice JE, Benson HAE, Roberts MS. Topical Nano and Microemulsions for Skin Delivery. *Pharmaceutics.*

2017;9(4).

12. Stanos SP. Osteoarthritis guidelines: A progressive role for topical nonsteroidal anti-inflammatory drugs. *J Multidiscip Healthc*. 2013;6:133–7.
13. Soni H, Sharma S. Current Update on Nanoemulsion : A Review. *Sch Int J Anat Physiol Abbreviated*. 2021;4(1):6–13.
14. Iskandar B, Mei HC, Liu TW, Lin HM, Lee CK. Evaluating the effects of surfactant types on the properties and stability of oil-in-water *Rhodiola rosea* nanoemulsion. *Colloids Surfaces B Biointerfaces*. 2024;234:113692.
15. Preeti, Sambhakar S, Malik R, Bhatia S, Al Harrasi A, Rani C, et al. Nanoemulsion: An Emerging Novel Technology for Improving the Bioavailability of Drugs. *Scientifica (Cairo)*. 2023;2023:1–25.
16. Anita C, Munira M, Mural Q, Shaily L. Topical nanocarriers for management of Rheumatoid Arthritis: A review. *Biomed Pharmacother*. 2021;141:111880.
17. Sakeena MHF, Elrashid SM, Muthanna FA, Ghassan ZA, Kanakal MM, Laila L, et al. Effect of limonene on permeation enhancement of ketoprofen in palm oil esters nanoemulsion. *J Oleo Sci*. 2010;59(7):395–400.
18. Shakeel F, Ramadan W, Ahmed MA. Investigation of true nanoemulsions for transdermal potential of indomethacin : characterization , rheological characteristics , and ex vivo skin permeation studies. 2009;17:435–41.
19. Donthi MR, Munnangi SR, Krishna KV, Saha RN, Singhvi G, Dubey SK. Nanoemulgel : A Novel Nano Carrier as a Tool for Topical Drug Delivery. 2023;1–28.
20. Choudhury H, Gorain B, Pandey M, Chatterjee LA, Sengupta P, Das A, et al. Recent Update on Nanoemulgel as Topical Drug Delivery System. *J Pharm Sci*. 2017;106(7):1736–51.
21. Kim CS, Kawada T, Kim BS, Han IS, Choe SY, Kurata T, et al. Capsaicin exhibits anti-inflammatory property by inhibiting I κ B- α degradation in LPS-stimulated peritoneal macrophages. *Cell Signal*. 2003;15(3):299–306.
22. Seca S, Geada L, Cabrita AS. Topical Effects of *Capsicum frutescens* on Hand Pain in Patients with Rheumatoid Arthritis: A Case Report. *J Tradit Med Clin Naturop*. 2017;06(01):1–5.

23. Sahumena MH. Formulasi Self Nano-Emulsifying Drug Delivery System (SNEDDS) Ibuprofen dengan VCO dan Kombinasi Surfactan. 2022;2(3):239–46.
24. Asita N, Zubair MS, Syukri Y. Formulasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) yang Memanfaatkan Tanaman Obat : Narrative Review. J Sains Farm Klin. 2023;10(2):184–96.
25. S.M A. Kiat Sukses Budidaya Cabai Rawit. Yogyakarta: Bio Genesis; 2017.
26. Carvalho S, Bianchetti L, Ragassi C, Ribeiro C, Reifschneider F, Buso G, et al. Genetic variability of a Brazilian *Capsicum frutescens* germplasm collection using morphological characteristics and SSR markers. Genet Mol Res. 2017;16.
27. Sujitno E. Produksi panen berbagai varietas unggul baru cabai rawit (*Capsicum frutescens*) di lahan kering Kabupaten Garut, Jawa Barat. In: Seminar Nasional Masyarakat Biodiversitas Indonesia. 2015.
28. Effendi MA, Asyari H, Gultom T. Identifikasi Keragaman Species Cabai Rawit (*Capsicum frutescens* L.) Berdasarkan Karakter Morfologi Di Kabupaten Deli Serdang. In: Seminar Nasional Biologi dan Pembelajarannya. 2018.
29. Hasanah N, Fatmawati S. Metabolit Sekunder, Metode Ekstraksi, Dan Bioaktivitasnya Cabai (*Capsicum*). Akta Kim Indones. 2022;7(1):14–61.
30. Nascimento PLA, Nascimento TCES, Ramos NSM, Silva GR, Erick J, Gomes G, et al. Quantification, Antioxidant and Antimicrobial Activity of Phenolics Isolated from Different Extracts of *Capsicum frutescens* (*Pimenta Malagueta*). 2014;5434–47.
31. Villa-rivera MG, Ochoa-alejo N. Chili Pepper Carotenoids: Nutraceutical Properties and Mechanisms of Action. Molecules. 2020;25:1–23.
32. Cirulis JT, Scott JA, Ross GM. Management of oxidative stress by microalgae 1. Can J Physiol Pharmacol. 2013;91:15–21.
33. Kusnadi J, Andayani DW, Zubaidah E, Arumingtyas EL. Extraction of Bioactive Compounds in Chilli Pepper (*Capsicum frutescens* L.) Using Ultrasonic-Assisted Extraction Method. J Teknol Pertan. 2019;20(2).
34. Ghozaly MR, Elfahmi. Isolasi Dan Karakterisasi Senyawa Golongan

- Kapsaisinoid Dengan Metode Ekstraksi Fluida Superkritik Dan Metode Konvensional Dari Tanaman Cabai Rawit (*Capsicum frutescens* L) Isolation and Characterization of Capsaicinoid Compounds with Supercritical Fluid. Arch Pharm. 2020;2(1).
35. Lokaria AM, Hydra BI, Rofinda ZD. Pengujian Efektivitas Ekstrak *Capsicum annum* Sebagai Antiinflamasi Pada Tikus Wistar Yang Diinduksi CCl₄. JIMKI J Ilm Mhs Kedokt Indones. 2018;6(1).
 36. Tjitaesmi AIDSA. Aktivitas Antiinflamasi Dari Berbagai Tanaman: Sebuah Review. FARMAKA. 2016;14(1):77–86.
 37. Chung M kyo, Campbell JN. Use of Capsaicin to Treat Pain : Mechanistic and Therapeutic Considerations. Pharmaceuticals. 2016;9(66):1–20.
 38. Anand P, Bley K. Topical capsaicin for pain management: therapeutic potential and mechanisms of action of the new high-concentration capsaicin 8% patch. Br J Anaesth. 2011;107(4):490–502.
 39. Shinde S, Yadav V, Jadhav P, Jadhav A. Formulation and evaluation of microemulsion containing anti-hypertensive drug. Res J Pharm Technol. 2020;13(12):5726–32.
 40. Gupta A, Naraniwal M, Kothari V. Modern Extraction Methods for Preparation of Bioactive Plant Extracts. Int J Appl Nat Sci. 2012;1(1):8–26.
 41. Tonthubthimthong P, Chuaprasert S, Douglas P. Supercritical CO₂ extraction of nimbin from neem seeds ± an experimental study. J Food Eng. 2001;47:289–93.
 42. Bae H, Jayaprakasha GK, Jifon J, Patil BS. Variation of antioxidant activity and the levels of bioactive compounds in lipophilic and hydrophilic extracts from hot pepper (*Capsicum spp.*) cultivars. Food Chem. 2012;134(4):1912–8.
 43. Olatunji TL, Afolayan AJ. Comparative Quantitative Study on Phytochemical Contents and Antioxidant Activities of *Capsicum annum* L. and *Capsicum frutescens* L. Hindawi Sci World J. 2019;2019.
 44. Ahn EY, So MW, Ph D. The pathogenesis of gout. J Rheum Dis. 2025;32(1):8–16.
 45. Busso N, So A. Mechanisms of inflammation in gout. Arthritis Res Ther.

2010;12(206).

46. Kim S kyu. The Mechanism of the NLRP3 Inflammasome Activation and Pathogenic Implication in the Pathogenesis of Gout. *J Rheum Dis.* 2022;29(3):140–53.
47. Tanadi C, Oey C. Perfect Timing for Canakinumab Use in Gout Caroline. *Indones J Rheumatol.* 2024;16(1):811–5.
48. Liu Y ru, Wang J quan, Li J, Wang L. Role of NLRP3 in the pathogenesis and treatment of gout arthritis. *Front Immunol.* 2023;14(1137822):1–16.
49. Mei J, Zhou F, Qiao H, Li H, Tang T. Nerve modulation therapy in gouty arthritis: targeting increased sFRP2 expression in dorsal root ganglion regulates macrophage polarization and alleviates endothelial damage. *Theranostics.* 2019;9(13).
50. Hoffmeister C, Trevisan G, Fortes M, Marchesan S, Oliveira D, Vinícius M, et al. Role of TRPV1 in nociception and edema induced by monosodium urate crystals in rats. *Pain.* 2011;152(8):1777–88.
51. Brito R, Sheth S, Mukherjea D, Rybak LP, Ramkumar V. TRPV1: A Potential Drug Target for Treating Various Diseases. *Cells.* 2014;3:517–45.
52. Marcotti A, Miralles A, Dominguez E, Pascual E, Gomis A, Belmonte C, et al. Joint nociceptor nerve activity and pain in an animal model of acute gout and its modulation by intra-articular hyaluronan . *Pain.* 2018;
53. Yam MF, Chun Y, Id L, Tan CS. General Pathways of Pain Sensation and the Major Neurotransmitters Involved in Pain Regulation. *Int J Mol Sci.* 2018;19(2164).
54. Thakur D, Rana P, Singh SK, Bakshi M, Kumar S, Singh S. Nanoemulsion edible coating for shelf-life improvement and quality control in perishable products. *Plant Nano Biol.* 2024;10:100114.
55. Kale SN, Deore SL. Emulsion Micro Emulsion and Nano Emulsion : A Review. *Sys Rev Pharm.* 2017;8(1):39–47.
56. Nagtode VS, Cardoza C, Khader H, Yasin A, Tambe SM, Roy P, et al. Green Surfactants (Biosurfactants): A Petroleum-Free Substitute for Sustainability--Comparison, Applications, Market, and Future Prospects. *ACS Omega.* 2023;8:11674–11699.

57. Aguirre-Ramírez M, Silva-Jiménez H, Banat IM, Díaz De Rienzo MA. Surfactants: physicochemical interactions with biological macromolecules. *Biotechnol Lett.* 2021;43(3):523–35.
58. Mirya A La. Optimasi Kosurfaktan Polyethylene Glycol 400 (PEG 400) Pada Formulasi Nanoemulsi Ekstrak Daun Teh Hijau (*Camellia sinensis*). Universitas Brawijaya; 2018.
59. Nigade PM, Patil SL, Tiwari SS, Article R. Self Emulsifying Drug Delivery System (SEDDS): A Review. *Int J Pharm Biol Sci.* 2012;2(2).
60. Algahtani MS, Ahmad MZ, Ahmad J. Investigation of Factors Influencing Formation of Nanoemulsion by Spontaneous Emulsification : Impact on Globul Size, Polydispersity Index, and Stability. *Bioengineering.* 2022;9(384).
61. Golwala P, Rathod S, Patil R, Joshi A, Ray D, Aswal VK, et al. Effect of cosurfactant addition on phase behavior and microstructure of a water dilutable microemulsion. *Colloids Surfaces B Biointerfaces.* 2020;186:110736.
62. Bik MF, Priani SE, Darma GCE. Kajian Pengaruh Sistem Nanoemulsi terhadap Penghantaran Transdermal Senyawa Nonsteroidal Anti-inflammatory Drugs (NSAIDs). In: *Prosiding Farmasi.* 2021.
63. Khedekar K, Mittal S. Self Emulsifying Drug Delivery System: A Review. *IJPSR.* 2013;4(12):4494–507.
64. Zubaydah WOS, Indalifiany A, Yamin, Suryani, Munasari D, Sahumena MH, et al. Formulasi dan Karakterisasi Nanoemulsi Ekstrak Etanol Buah Wualae (*Etlingera Elatior* (Jack) R.M. Smith). *Lansau J Ilmu Kefarmasian (LJIK).* 2023;1(1):22–37.
65. Silaban R, Hutapea V. Pembuatan Minyak Kelapa Murni (Virgin Coconut Oil, VCO) Melalui Kombinasi Teknik Fermentasi Dan Enzimatik Menggunakan Getah Pepaya. *J Unimed.* 2012;55–64.
66. Arumuganathan T. Lipid profile of virgin coconut oil processed by different methods. *J Plant Crop.* 2011;39(1):247–51.
67. Marina AM, Man YBC, Nazimah SAH, Amin I. Chemical Properties of Virgin Coconut Oil. *J Am Oil Chem Soc.* 2009;86:301–7.

68. Agassandian M, Mallampalli RK. Surfactant phospholipid metabolism. *Biochim Biophys Acta*. 2013;1831(3):612–25.
69. Rowe RC. Handbook of Pharmaceutical Excipients. 6th editio. Washington DC: the Pharmaceutical Press; 2009.
70. Shabrina A, Khansa ISM. Physical Stability of Sea Buckthorn Oil Nanoemulsion with Tween 80 Variations Stabilitas Fisik Nanoemulsi Minyak Sea Buckthorn dengan Variasi Tween 80 sebagai Surfaktan. *Indones J Pharm Sci Technol*. 2022;1(1):14–21.
71. Roldan-cruz C, Vernon-carter EJ, Alvarez-ramirez J. Colloids and Surfaces A : Physicochemical and Engineering Aspects Assessing the stability of Tween 80-based O/W emulsions with cyclic voltammetry and electrical impedance spectroscopy. *Colloids Surfaces A Physicochem Eng Asp*. 2016;511:145–52.
72. Shen L, Guo A, Zhu X. Surface Science Tween surfactants : Adsorption, self-organization, and protein resistance. *Surf Sci*. 2011;605(5–6):494–9.
73. Syukri Y, Kholidah Z, Chabib L. Formulasi dan Studi Stabilitas Self-Nano Emulsifying Propolis menggunakan Minyak Kesturi, Cremophor RH 40 dan PEG 400 sebagai Pembawa. *J Sains Farm Klin*. 2019;6(3):265–73.
74. Divate M, Bawkar S, Chakole R, Charde M. Self Nano-Emulsifying Drug Delivery System: A Review. *J Adv Sci Res*. 2021;12:1–12.
75. Salem HF, Kharshoum RM, Halawa AKA, Demiana M, Salem HF, Kharshoum RM, et al. Preparation and optimization of tablets containing a self-nano-emulsifying drug delivery system loaded with rosuvastatin. *J Liposome Res*. 2018;28(2):149–60.
76. Madhav S, Gupta D. A review on microemulsion based system. *IJPSR*. 2011;2.
77. Singh Y, Gopal J, Raval K, Ali F, Chaurasia M, Jain NK, et al. Nanoemulsion : Concepts , development and applications in drug delivery. *J Control Release*. 2017;252:28–49.
78. Gurpreet K, Singh SK. Review of Nanoemulsion Formulation and Characterization Techniques. *Indian J Pharm Sci*. 2018;80(5):781–9.
79. Salim N, Ahmad N, Musa SH, Hashim R, Tadros TF, Basri M.

- Nanoemulsion as a topical delivery system of antipsoriatic drugs. RSC Adv. 2016;6:6234–50.
80. Shukla P, Singh S. A Complete Review on Nanoemulsion. IAJPS. 2022;09(01):266–72.
81. Ariviani S, Atmaka W, Raharjo S. Karakterisasi dan Uji Stabilitas Digestif Nanoemulsi Beta Karoten yang Dibuat dengan Metode Emulsifikasi Spontan. Agritech. 2018;38(1):30–8.
82. Gupta A, Eral HB, Hatton TA, Doyle PS. Nanoemulsions: formation, properties and applications. R Soc Chem. 2016;12:2826–41.
83. Klang V, Matsko NB, Valenta C, Hofer F. Electron microscopy of nanoemulsions: An essential tool for characterisation and stability assessment. Micron. 2012;43:85–103.
84. Redhita LA, Beandrade MU, Putri IK, Anindita R. Formulasi Dan Evaluasi Nanoemulsi Ekstrak Daun Kemangi (*Ocimum basilicum* L.) Dengan Variasi Konsentrasi Tween 80. J Mitra Kesehat. 2022;04(02):80–91.
85. Ma'arif B, Azzahara R, Rizki F, Suryadinata A, Maulina N, Sugihantoro H, et al. Formulasi Dan Karakterisasi Nanoemulsi Ekstrak Etanol 70% Daun Semanggi (*Marsilea crenata* C. Presl.). Med Sains J Ilm Kefarmasian. 2023;8(2):733–46.
86. Prihapsara F, Artanti AN, Hanun MSH, Fatiha SN, Cahyani FN, Rohmani S. Karakterisasi Nanoemulsi Minyak Tulang Ikan Sidat dengan Ekstrak Daun Salam dan Uji Aktivitas Antihiperlipidemia. ALCHEMY J Penelit Kim. 2023;19(1):14–22.
87. Nurdianti L, Tajmalah A, Setiawan F. Optimasi Dan Karakterisasi Nanoemulsi Buah Merah Papua (*Pandanus conoideus*) Sebagai Peningkat Libido. J Pharmacopolium. 2022;5(3):262–8.
88. Julianтони Y, Hajrin W, Subaidah WA. Nanoparticle Formula Optimization of Juwet Seeds Extract (*Syzygium cumini*) using. J Biol Trop. 2020;20(3):416–20.
89. Mikrajuddin A, Khairurrijal K. Review: Karakterisasi Nanomaterial. J Nanosains Nanoteknologi. 2009;2(1).
90. Jintapattanakit A. Preparation of nanoemulsions by phase inversion

- temperature (PIT) method. *Rev Artic Pharm Sci Asia*. 2018;45(1):1–12.
91. Alexander A, Dwivedi S, Giri TK, Saraf S, Saraf S, Krishna D. Approaches for breaking the barriers of drug permeation through transdermal drug delivery. *J Control Release*. 2012;164(1):26–40.
 92. Karande P, Mitragotri S. *Biochimica et Biophysica Acta* Enhancement of transdermal drug delivery via synergistic action of chemicals. *Biochim Biophys Acta*. 2009;1788(11):2362–73.
 93. Naik A, Kalia YN, Guy RH, Guy RH. Transdermal drug delivery : overcoming the skin ' s barrier function. *PSTT*. 2000;3(9).
 94. Yu YQ, Yang X, Wu XF, Fan YB. Enhancing Permeation of Drug Molecules Across the Skin via Delivery in Nanocarriers: Novel Strategies for Effective Transdermal Applications. *Front Bioeng Biotechnol*. 2021;9:646554.
 95. Schoellhammer CM, Blankschtein D, Langer R. Skin permeabilization for transdermal drug delivery : recent advances and future prospects. *Expert Opin Drug Deliv*. 2014;11(3).
 96. Sugumar V, Hayyan M, Madhavan P, Wong WF, Looi CY. Current Development of Chemical Penetration Enhancers for Transdermal Insulin Delivery. *Biomedicines*. 2023;11:664.
 97. Anand K, Ray S, Rahman M, Shaharyar A, Bhowmik R, Bera R, et al. Nano-emulgel : Emerging as a Smarter Topical Lipidic Emulsion-based Nanocarrier for Skin Healthcare Applications. *Recent Pat Antiinfect Drug Discov*. 2019;14.
 98. Aithal GC, Narayan R, Nayak UY. Nanoemulgel: A Promising Phase in Drug Delivery. *Curr Pharm Des*. 2020;26(2):279–91.
 99. Sengupta P, Chatterjee B. Potential and future scope of nanoemulgel formulation for topical delivery of lipophilic drugs. *Int J Pharm*. 2017;526(1–2):353–65.
 100. Barnes HA. Thixotropy—a review. *J Nonnewton Fluid Mech*. 1997;70(1):1–33.
 101. Dhawan B, Aggarwal G, Harikumar SL. Enhanced transdermal permeability of piroxicam through novel nanoemulgel formulation. *Int J Pharm Investig*. 2014;4(2).

102. Jeengar MK, Rompicharla SVK, Shrivastava S, Chella N, Shastri NR, Naidu VGM, et al. Emu oil based nano-emulgel for topical delivery of curcumin. *Int J Pharm.* 2016;506(1–2):222–36.
103. Martin SW, Stevens AJ, Brennan BS, Davies D, Rowland M, Houston JB. The Six-Day-Old Rat Air Pouch Model of Inflammation : Characterization of the Inflammatory Response to Carrageenan. *JPM.* 1994;32(3):139–47.
104. Sedgwick AD, Lees P. A comparison of air pouch, sponge and pleurisy models of acute carrageenan inflammation in the rat. *Agents Actions.* 1986;18(3–4):439–46.
105. Duarte DB, Vasko MR, Fehrenbacher JC. Models of Inflammation : Carrageenan Air Pouch. *Curr Protoc Pharmacol.* 2018;(317).
106. Hewage W, Vidimce J, Shiels RG, Morgan M, Bulmer AC. Systematic review of the subcutaneous air pouch model using monosodium urate and calcium pyrophosphate and recommendations for studying crystal- - related arthropathies. *Anim Model Exp Med.* 2025;1611–27.
107. Romano M, Faggioni R, Sironi M, Sacco S, Echtenacher B, Di Santo E, et al. Carrageenan-induced acute inflammation in the mouse air pouch synovial model. Role of tumour necrosis factor. *Mediators Inflamm.* 1997;6(1):32–8.
108. Ajayi AM, Ologe MO, Ben-azu B, Okhale SE, Adzu B. Ocimum gratissimum Linn . Leaf extract inhibits free radical generation and suppressed inflammation in carrageenan-induced inflammation models in rats. *J Basic Clin Physiol Pharmacol.* 2017;28(6):531–41.
109. Paliwal S, Kaur G. Formulation and Characterization of Topical Nano Emulgel of Terbinafine. *Univers J Pharm Res.* 2019;3(6):28–34.
110. Indalifiany A, Fristiohady A, Sadarun B, Andriani R, Farmasi J, Farmasi F, et al. Preparasi dan Karakterisasi Fitosom Ekstrak Etanol Spons *Xestospongia* sp. *J Sains Farm.* 2021;2(1):1–9.
111. Afriwardi, Nazmi R, Dillasamola D, Badriyya E, Aldi Y. Anti-inflammatory activity of Pegagan Embun (*Hydrocotyle sibthorpioides* Lam.) plant extract on topical application. *Pharmacogn J.* 2021;13(2):411–7.
112. RI K. Suplemen I Farmakope Herbal Indonesia Edisi II. Jakarta: Departement Kesehatan Republik Indonesia. 2022. 1–236 p.

113. Khairani, Adriana, Pardi. Isolasi Dan Karakterisasi Senyawa Capsaicin Dari Cabai Rawit (*Capsicum frutescens* L.) Sebagai Bahan Aditif Pangan dengan Metode Ekstraksi Sokletasi. *J Teknol.* 2024;24(1):35–40.
114. Gurnani N, Gupta M, Shrivastava R, Mehta D, Mehta BK. Effect of extraction methods on yield, phytochemical constituents , antibacterial and antifungal activity of *Capsicum frutescens* L. *Indian J Nat Prod Resour.* 2016;7:32–9.
115. Wahyuningsih I, Putranti W. Optimasi Perbandingan Tween 80 dan Polietilenglikol 400 Pada Formula Self Nanoemulifying Drug Delivery System (SNEDDS) Minyak Biji Jinten Hitam. *PHARMACY.* 2015;12(02).
116. Komaiko JS, McClements DJ. Formation of Food-Grade Nanoemulsions Using Low-Energy Preparation Methods: A Review of Available Methods. *Compr Rev food Sci food Saf.* 2016;15(2):331–52.
117. Lawrence MJ, Rees GD. Microemulsion-based media as novel drug delivery systems. *Adv Drug Deliv Rev.* 2000;45(1):89–121.
118. McClements D. Nanoemulsions versus microemulsions: Terminology, differences, and similarities. *Soft Matter.* 2012;8:1719–29.
119. Atun S, Arianingrum R, Cahyaningsih L, Pratiwi FA, Kusumaningrum R, Khairuddean M. Formulation and characterization of quercitrin nanoemulsion isolated from *dendrophoe falcata* and its antioxidant activity test. *Rasayan J Chem.* 2020;13(3):1347–56.
120. Drais HK, Hussein AA. Formulation characterization and evaluation of meloxicam nanoemulgel to be used topically. *Iraqi J Pharm Sci.* 2017;26(1):2017.
121. Chuacharoen T, Prasongsuk S, Sabliov CM. Effect of Surfactant Concentrations on Physicochemical Properties and Functionality of Curcumin Nanoemulsions Under Conditions Relevant to Commercial Utilization. *Molecules.* 2019;24(15).
122. Rajpoot K, Tekade RK. Microemulsion as drug and gene delivery vehicle : an inside story [Internet]. *Drug Delivery Systems.* Elsevier Inc.; 2019. 455–520 p. Available from: <http://dx.doi.org/10.1016/B978-0-12-814487-9.00010-7>

123. Jürgens L, Nichtl A, Werner U. Electron density imaging of protein films on gold-particle surfaces with transmission electron microscopy. *Cytometry*. 1999;37(2):87–92.
124. Wulansari A, Jufri M, Budianti A. Studies on the formulation, physical stability, and in vitro antibacterial activity of tea tree oil (*Melaleuca alternifolia*) nanoemulsion gel. *Int J Appl Pharm*. 2017;9:135.
125. Akhter A, Shirazi JH, Shoaib khan HM, Hussain MD, Kazi M. Development and evaluation of nanoemulsion gel loaded with bioactive extract of *Cucumis melo* var. *agrestis*: A novel approach for enhanced skin permeability and antifungal activity. *Heliyon*. 2024;10(15).
126. Leelapornpisid P, Kiattisin K, Jantrawut P, Phrutivorapongkul A. Gel Preparation as Anti-Wrinkles Cosmeceutical. *Int J Pharm Pharm Sci*. 2014;6(2).
127. Hammell DC, Zhang LP, Ma F, Abshire SM, McIlwrath SL, Stinchcomb AL, et al. Transdermal cannabidiol reduces inflammation and pain-related behaviours in a rat model of arthritis. *Eur J Pain*. 2016 Jul;20(6):936–48.
128. Radhika PR, Guruprasad S. Nanoemulsion based emulgel formulation of lipophilic drug for topical delivery. *Int J PharmTech Res*. 2016;9(6):210–23.
129. Okoro NK, Oseni BA, Okubanjo OO. Development Of Diclofenac And Capsaicin Emulgel For The Management Of Inflammation In Rheumatoid Arthritis. *Trop J Nat Prod Res*. 2023;7(6).
130. Galozzi P, Bindoli S, Doria A, Oliviero F, Sfriso P. Autoinflammatory Features in Gouty Arthritis. *J Clin Med*. 2021;10(1880).
131. Khurana S, Jain NK, Bedi PMS. Nanoemulsion based gel for transdermal delivery of meloxicam: Physico-chemical, mechanistic investigation. *Life Sci*. 2013;92(6):383–92.
132. Ghiasi Z, Esmaeli F, Aghajani M, Khansari MG, Faramarzi MA, Amani A. Enhancing analgesic and anti-inflammatory effects of capsaicin when loaded into olive oil nanoemulsion: An in vivo study. *Int J Pharm*. 2019;
133. Kim C sook, Kawada T, Kim B sam, Han I seob, Choe S young, Kurata T, et al. Capsaicin exhibits anti-inflammatory property by inhibiting IκB-α degradation in LPS-stimulated peritoneal macrophages. *Cell Signal*.

2003;15(3):299–306.

134. Saab M, Raafat K, El-maradny H. Transdermal Delivery of Capsaicin Nanoemulgel : Optimization , Skin Permeation and In Vivo Activity against Diabetic Neuropathy. Tabriz Univ Med Sci. 2022;12(4):780–90.

